Federal Aviation Administration

TM

UNITED STATES GOVERNMENT FLIGHT INFORMATION PUBLICATION

CHART SUPPLEMENT SOUTH CENTRAL U.S.

Effective 0901Z **3 SEP 2026**

to 0901Z **29 OCT 2026**



Consult NOTAMs for latest information

Consult/Subscribe to FAA Safety Alerts and Charting Notices at:
https://www.faa.gov/air_traffic/flight_info/aeronav/safety_alerts/

Warning: Refer to current foreign charts and flight information publications for information within foreign airspace

Published from digital files compiled in accordance with Interagency Air Committee specifications and agreements approved by: Department of Defense • Federal Aviation Administration

GENERAL INFORMATION

This Chart Supplement is a Civil Flight Information Publication updated every eight weeks by the U.S. Department of Transportation, Federal Aviation Administration, Aeronautical Information Services, http://www.faa.gov/go/ais.
It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

The Airport/Facility Directory section contains all public–use airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this publication contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial–Intelligence Agency and is intended to provide reference data for military and/or joint use airports. Not all military data contained in this publication is applicable to civil users.

CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

CRITICAL information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible.

FOR COMMENTS OR CORRECTIONS: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

Federal Aviation Administration
Aeronautical Information Services, Room 507-19
800 Independence Avenue, SW
Washington, DC 20591

NOTICE: Changes must be received by Aeronautical Information Services as soon as possible but not later than the "cut–off" dates listed below to assure publication on the desired effective date. Information cut–off dates that fall on a federal holiday must be received the previous work day.

Effective Date	Airport Information Cut–off date	Airspace Information* Cut–off date
3 Sep 26	22 Jul 26	7 Jul 26
29 Oct 26	16 Sep 26	1 Sep 26
24 Dec 26	11 Nov 26	27 Oct 26
18 Feb 27	6 Jan 27	22 Dec 26
15 Apr 27	3 Mar 27	16 Feb 27
10 Jun 27	28 Apr 27	13 Apr 27

*Airspace Information includes changes to preferred routes and graphic depictions on charts.

FOR PROCUREMENT:

For digital products, visit our website at:
http://www.faa.gov/air_traffic/flight_info/aeronav/digital_products/

THIS PUBLICATION COMPRISES PART OF THE FOLLOWING SECTIONS OF THE UNITED STATES AERONAUTICAL INFORMATION PUBLICATION (AIP): GEN, ENR AND AD.

TABLE OF CONTENTS

GENERAL INFORMATION ..... Inside Front Cover
City/Military Airport Cross Reference 2
Seaplane Landing Areas 3
Abbreviations 4
SECTION 1: AIRPORT/FACILITY DIRECTORY LEGEND 12
SECTION 2: AIRPORT/FACILITY DIRECTORY
Arkansas 32
Louisiana 93
Mississippi 146
Oklahoma 196
Texas 258
SECTION 3: NOTICES
Special Notices 466
Regulatory Notices 480
SECTION 4: ASSOCIATED DATA
FAA Telephone Numbers and National Weather Service 481
NWS Upper Air Observing Stations 484
Air Route Traffic Control Centers 485
Flight Service Communication Frequencies 490
VOR Receiver Checkpoints and VOR Test Facilities 492
Parachute Jumping Areas 495
Supplemental Communication Reference 499
Preferred IFR Routes 500
Tower Enroute Control 522
Minimum Operational Network (MON) Airport Listing 525
SECTION 5: AIRPORT DIAGRAMS
Airport Diagrams Legend 526
Airport Hot Spots 528
Airport Diagrams 532
PIREP Form 660

CITY/MILITARY AIRPORT CROSS REFERENCE

Military airports are listed alphabetically by state and official airport name. The following city/military airport cross–reference listing provides alphabetical listing by state and city name for all military airport published in this directory.

STATE	CITY NAME	AIRPORT NAME
AR	JACKSONVILLE	LITTLE ROCK AFB
LA	BOSSIER CITY	BARKSDALE AFB
LA	FORT POLK	MAKS AAF
LA	NEW ORLEANS	NEW ORLEANS NAS JRB (ALVIN CALLENDER FLD)
MS	BILOXI	KEESLER AFB
MS	COLUMBUS	COLUMBUS AFB
MS	MERIDIAN	JOE WILLIAMS NOLF
MS	MERIDIAN	MERIDIAN NAS (MC CAIN FLD)
OK	ALTUS	ALTUS AFB
OK	ENID	VANCE AFB
OK	FORT SILL	HENRY POST AAF (FORT SILL)
OK	LEXINGTON	MULDROW AHP
OK	OKLAHOMA CITY	TINKER AFB
TX	ABILENE	DYESS AFB
TX	BERCLAIR	GOLIAD NOLF
TX	CORPUS CHRISTI	CABANISS FLD NOLF
TX	CORPUS CHRISTI	CORPUS CHRISTI NAS (TRUAX FLD)
TX	CORPUS CHRISTI	WALDRON FLD NOLF
TX	DEL RIO	LAUGHLIN AFB
TX	FORT BLISS (EL PASO)	BIGGS AAF (FORT BLISS)
TX	FORT HOOD (KILLEEN)	ROBERT GRAY AAF
TX	FORT HOOD (KILLEEN)	YOAKUM-DEFRENN AHP
TX	FORT WORTH	FORT WORTH NAS JRB (CARSWELL FLD)
TX	KINGSVILLE	KINGSVILLE NAS
TX	ORANGE GROVE	ORANGE GROVE NALF
TX	SAN ANTONIO	KELLY FLD
TX	UNIVERSAL CITY	RANDOLPH AFB
TX	WICHITA FALLS	SHEPPARD AFB/WICHITA FALLS MUNI

SEAPLANE LANDING AREAS

The following locations have Seaplane Landing Areas (Waterways). See alphabetical listing for complete data on these facilities.

STATE	CITY NAME	FACILITY NAME
LA	NEW IBERIA	ACADIANA RGNL
LA	PATTERSON	HARRY P. WILLIAMS MEM
LA	PINEVILLE	PINEVILLE MUNI
TX	FRANKSTON	AERO ESTATES
TX	HOUSTON	DAVID WAYNE HOOKS MEM

ABBREVIATIONS

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example–"req" may mean "request", "requesting", "requested", or "requests").

For additional FAA approved abbreviations/acronyms please see FAA Order JO 7340.2 —Contractions

Abbreviation	Description
A/G	air/ground
AAF	Army Air Field
AAS	Airport Advisory Service
AB	Airbase
abm	abeam
ABn	Aerodrome Beacon
abv	above
ACC	Air Combat Command Area Control Center
acft	aircraft
ACLS	Automatic Carrier Landing System
ACN	Aircraft Classification Number
ACR	Air Carrier
act	activity
ACWS	Aircraft Control and Warning Squadron
ADA	Advisory Area
ADCC	Air Defense Control Center
ADCUS	Advise Customs
addn	addition
ADF	Automatic Direction Finder
adj	adjacent
admin	administration
ADR	Advisory Route
advs	advise
advsy	advisory
AEIS	Aeronautical Enroute Information Service
AER	approach end rwy
AFA	Army Flight Activity
AFB	Air Force Base
afct	affect
AFFF	Aqueous Film Forming Foam
AFHP	Air Force Heliport
AFIS	Automatic Flight Information Service
afld	airfield
AFOD	Army Flight Operations Detachment
AFR	Air Force Regulation
AFRC	Armed Forces Reserve Center/Air Force Reserve Command
AFRS	American Forces Radio Stations
AFS	Air Force Station
AFTN	Aeronautical Fixed Telecommunication Network
AG	Agriculture
A–G, A–GEAR	Arresting Gear
agcy	Agency
AGL	above ground level
AHP	Army heliport
AID	Airport Information Desk
AIS	Aeronautical Information Services
AL	Approach and Landing Chart
ALF	Auxiliary Landing Field
ALS	Approach Light System
ALSF–1	High Intensity ALS Category I configuration with sequenced Flashers (code)
ALSF–2	High Intensity ALS Category II configuration with sequenced Flashers (code)

Abbreviation	Description
alt	altitude
altn	alternate
AM	Amplitude Modulation, midnight til noon
AMC	Air Mobility Command
amdt	amendment
AMSL	Above Mean Sea Level
ANGS	Air National Guard Station
ant	antenna
AOE	Airport/Aerodrome of Entry
AP	Area Planning
APAPI	Abbreviated Precision Approach Path Indicator
apch	approach
apn	apron
APP	Approach Control
Apr	April
aprx	approximate
APU	Auxiliary Power Unit
apv, apvl	approve, approval
ARB	Air Reserve Base
ARFF	Aircraft Rescue and Fire Fighting
ARINC	Aeronautical Radio Inc
arng	arrange
arpt	airport
arr	arrive
ARS	Air Reserve Station
ARSA	Airport Radar Service Area
ARSR	Air Route Surveillance Radar
ARTCC	Air Route Traffic Control Center
AS	Air Station
ASAP	as soon as possible
ASDA	Accelerate–Stop Distance Available
ASDE	Airport Surface Detection
ASDE–X	Airport Surface Detection Equipment–Model X
asgn	assign
ASL	Above Sea Level
ASOS	Automated Surface Observing System
ASR	Airport Surveillance Radar
ASSC	Airport Surface Surveillance Capability
ASU	Aircraft Starting Unit
ATA	Actual Time of Arrival
ATC	Air Traffic Control
ATCC	Air Traffic Control Center
ATCT	Airport Traffic Control Tower
ATD	Actual Time of Departure Along Track Distance
ATIS	Automatic Terminal Information Service
ATS	Air Traffic Service
attn	attention
Aug	August
auth	authority
auto	automatic
AUW	All Up Weight (gross weight)
aux	auxiliary
AVASI	abbreviated VASI
avbl	available

Abbreviation	Description
AvGas	Aviation gasoline
avn	aviation
AvOil	aviation oil
AWOS	Automatic Weather Observing System
AWSS	Automated Weather Sensor System
awt	await
awy	airway
az	azimuth
BA	braking action
BASH	Bird Aircraft Strike Hazard
BC	back course
bcn	beacon
bcst	broadcast
bdry	boundary
bldg	building
blkd	blocked
blo, blw	below
BOQ	Bachelor Officers Quarters
brg	bearing
btn	between
bus	business
byd	beyond
C	Commercial Circuit (Telephone)
CAC	Centralized Approach Control
cap	capacity
cat	category
CAT	Clear Air Turbulence
CCW or cntclkws	counterclockwise
ceil	ceiling
CERAP	Center Radar Approach Control
CG	Coast Guard
CGAF	Coast Guard Air Facility
CGAS	Coast Guard Air Station
CH, chan	channel
CHAPI	Chase Helicopter Approach Path Indicator
chg	change
cht	chart
cir	circle, circling
CIV, civ	Civil, civil, civilian
ck	check
CL	Centerline Lighting System
cl	class
clnc	clearance
clsd	closed
CNATRA	Chief of Naval Air Training
cnl	cancel
cntr	center
cntrln	centerline
Co	Company, County
CO	Commanding Officer
com	communication
comd	command
Comdr	Commander
coml	commercial
compul	compulsory
comsn	commission
conc	concrete
cond	condition
const	construction
cont	continue
CONUS	Continental United States
convl	conventional
coord	coordinate
copter	helicopter
corr	correct
CPDLC	Controller Pilot Data Link Communication
crdr	corridor
cros	cross
CRP	Compulsory Reporting Point
crs	course
CS	call sign
CSTMS	Customs
CTA	Control Area
CTAF	Common Traffic Advisory Frequency
ctc	contact
ctl	control
ctn	caution
CTLZ	Control Zone
CVFR	Controlled Visual Flight Rules Areas
CW	Clockwise, Continuous Wave, Carrier Wave
dalgt	daylight
D–ATIS	Digital Automatic Terminal Information Service
daylt	daylight
db	decibel
DCL	Departure Clearance
Dec	December
decom	decommission
deg	degree
del	delivery
dep	depart
DEP	Departure Control
destn	destination
det	detachment
DF	Direction Finder
DH	Decision Height
DIAP	DoD Instrument Approach Procedure
direc	directional
disem	disseminate
displ	displace
dist	district, distance
div	division
DL	Direct Line to FSS
dlt	delete
dly	daily
DME	Distance Measuring Equipment (UHF standard, TACAN compatible)
DNVT	Digital Non–Secure Voice Telephone
DoD	Department of Defense
drct	direct
DSN	Defense Switching Network (Telephone)
DSN	Defense Switching Network
dsplcd	displaced
DT	Daylight Savings Time
dur	during
durn	duration
DV	Distinguished Visitor
E	East
ea	each
EAT	Expected Approach Time
ECN	Enroute Change Notice
eff	effective, effect
EFVS	Enhanced Flight Vision Systems
E–HA	Enroute High Altitude
E–LA	Enroute Low Altitude

Abbreviation	Description
elev	elevation
ELT	Emergency Locator Transmitter
EMAS	Engineered Material Arresting System
emerg	emergency
eng	engine
EOR	End of Runway
eqpt	equipment
ERDA	Energy Research and Development Administration
E–S	Enroute Supplement
est	estimate
estab	establish
ETA	Estimated Time of Arrival
ETD	Estimated Time of Departure
ETE	Estimated Time Enroute
ETS	European Telephone System
EUR	European (ICAO Region)
ev	every
evac	evacuate
exc	except
excld	exclude
exer	exercise
exm	exempt
exp	expect
extd	extend
extn	extension
extv	extensive
F/W	Fixed Wing
FAA	Federal Aviation Administration
fac	facility
FAWS	Flight Advisory Weather Service
fax	facsimile
FBO	Fixed Base Operator
FCC	Flight Control Center
FCG	Foreign Clearance Guide
FCLP	field carrier landing practice
fcst	forecast
Feb	February
FIC	Flight Information Center
FIH	Flight Information Handbook
FIR	Flight Information Region
FIS	Flight Information Service
FL	flight level
fld	field
flg	flashing
FLIP	Flight Information Publication
flt	flight
flw	follow
FM	Fan Marker, Frequency Modulation
FOC	Flight Operations Center
FOD	Foreign Object Damage
fone	telephone
FPL	Flight Plan
fpm	feet per minute
fr	from
freq	frequency, frequent
Fri	Friday
frng	firing
FSS	Flight Service Station
ft	foot
ftr	fighter

Abbreviation	Description
GA	Glide Angle
gal	gallon
GAT	General Air Traffic (Europe–Asia)
GCA	Ground Control Approach
GCO	Ground Communication Outlet
gldr	glider
GND	Ground Control
gnd	ground
govt	government
GP	Glide Path
Gp	Group
GPI	Ground Point of Intercept
grad	gradient
grd	guard
GS	glide slope
GWT	gross weight
H	Enroute High Altitude Chart (followed by identification)
H+	Hours or hours plus…minutes past the hour
H24	continuous operation
HAA	Height Above Airport/Aerodrome
HAL	Height Above Landing Area
HAR	Height Above Runway
HAT	Height Above Touchdown
haz	hazard
hdg	heading
HDTA	High Density Traffic Airport/Aerodrome
HF	High Frequency (3000 to 30,000 KHz)
hgr	hangar
hgt	height
hi	high
HIRL	High Intensity Runway Lights
HO	Service available to meet operational requirements
hol	holiday
HOLF	Helicopter Outlying Field
hosp	hospital
HQ	Headquarters
hr	hour
HS	Service available during hours of scheduled operations
hsg	housing
hvy	heavy
HW	Heavy Weight
hwy	highway
HX	station having no specific working hours
Hz	Hertz (cycles per second)
I	Island
IAP	Instrument Approach Procedure
IAS	Indicated Air Speed
IAW	in accordance with
ICAO	International Civil Aviation Organization
ident	identification
IFF	Identification, Friend or Foe
IFR	Instrument Flight Rules
IFR–S	FLIP IFR Supplement
ILS	Instrument Landing System
IM	Inner Marker
IMC	Instrument Meteorological Conditions
IMG	Immigration

Abbreviation	Description
immed	immediate
inbd	inbound
Inc	Incorporated
incl	include
incr	increase
indef	indefinite
info	information
inop	inoperative
inst	instrument
instl	install
instr	instruction
int	intersection
intcntl	intercontinental
intcp	intercept
intl	international
intmt	intermittent
ints	intense, intensity
invof	in the vicinity of
irreg	Irregularly
Jan	January
JASU	Jet Aircraft Starting Unit
JATO	Jet Assisted Take–Off
JOAP	Joint Oil Analysis Program
JOSAC	Joint Operational Support Airlift Center
JRB	Joint Reserve Base
Jul	July
Jun	June
K or Kt	Knots
kHz	kilohertz
KIAS	Knots Indicated Airspeed
KLIZ	Korea Limited Identification Zone
km	Kilometer
kw	kilowatt
L	Compass locator (Component of ILS system) under 25 Watts, 15 NM, Enroute Low Altitude Chart (followed by identification)
L	Local Time
LAHSO	Land and Hold–Short Operations
L–AOE	Limited Airport of Entry
LAWRS	Limited Aviation Weather Reporting Station
lb, lbs	pound (weight)
LC	local call
lcl	local
LCP	French Peripheral Classification Line
lctd	located
lctn	location
lctr	locator
LCVASI	Low Cost Visual Approach Slope Indicator
lczr	localizer
LD	long distance
LDA	Landing Distance Available
ldg	landing
LDIN	Lead–in Lights
LDOCF	Long Distance Operations Control Facility
LED	Light Emitting Diode
len	length
lgt, lgtd, lgts	light, lighted, lights
LIRL	Low Intensity Runway Lights

Abbreviation	Description
LLWAS	Low–Level Wind Shear Alert System
LLZ	Localizer (Instrument Approach Procedures Identification only)
LMM	Compass locator at Middle Marker ILS
lo	low
LoALT or LA	Low Altitude
LOC	Localizer
LOM	Compass locator at Outer Marker ILS
LR	Long Range, Lead Radial
LRA	Landing Rights Airport
LRRS	Long Range RADAR Station
LSB	lower side band
ltd	limited
M	meters, magnetic (after a bearing), Military Circuit (Telephone)
MACC	Military Area Control Center
mag	magnetic
maint	maintain, maintenance
maj	major
MALS	Medium Intensity Approach Lighting System
MALSF	MALS with Sequenced Flashers
MALSR	MALS with Runway Alignment Indicator Lights
Mar	March
MARA	Military Activity Restricted Area
MATO	Military Air Traffic Operations
MATZ	Military Aerodrome Traffic Zone
max	maximum
mb	millibars
MCAC	Military Common Area Control
MCAF	Marine Corps Air Facility
MCALF	Marine Corps Auxiliary Landing Field
MCAS	Marine Corps Air Station
MCB	Marine Corps Base
MCC	Military Climb Corridor
MCOLF	Marine Corps Outlying Field
MDA	Minimum Descent Altitude
MEA	Minimum Enroute Altitude
med	medium
MEHT	Minimum Eye Height over Threshold
mem	memorial
MET	Meteorological, Meteorology
METAR	Aviation Routine Weather Report (in international MET figure code)
METRO	Pilot–to–Metro voice cell
MF	Medium Frequency (300 to 3000 KHz), Mandatory Frequency (Canada)
MFA	Minimum Flight Altitude
mgmt	Management
mgr	manager
MHz	Megahertz
mi	mile
MID/ASIA	Middle East/Asia (ICAO Region)
MIJI	Meaconing, Intrusion, Jamming, and Interference
Mil, mil	military
min	minimum, minute
MIRL	Medium Intensity Runway Lights
misl	missile
mkr	marker (beacon)
MM	Middle Marker of ILS
mnt	monitor
MOA	Military Operations Area

Abbreviation	Description
MOCA	Minimum Obstruction Clearance Altitude
mod	modify
MOG	Maximum (aircraft) on the Ground
MON	Minimum Operational Network
Mon	Monday
MP	Maintenance Period
MR	Medium Range
MRA	Minimum Reception Altitude
mrk	mark, marker
MSAW	minimum safe altitude warning
msg	message
MSL	Mean Sea Level
msn	Mission
mt	mount, mountain
MTAF	Mandatory Traffic Advisory Frequency
MTCA	Military Terminal Control Area
mthly	monthly
MUAC	Military Upper Area Control
muni	municipal
MWARA	Major World Air Route Area
N	North
N/A	Not Applicable
NA	Not Authorized
NAAS	Naval Auxiliary Air Station
NADC	Naval Air Development Center
NADEP	Naval Air Depot
NAEC	Naval Air Engineering Center
NAES	Naval Air Engineering Station
NAF	Naval Air Facility
NALCO	Naval Air Logistics Control Office
NALF	Naval Auxiliary Landing Field
NALO	Navy Air Logistics Office
NAS	Naval Air Station
NAT	North Atlantic (ICAO Region)
natl	national
nav	navigation
navaid	navigation aid
NAVMTO	Navy Material Transportation Office
NAWC	Naval Air Warfare Center
NAWS	Naval Air Weapons Station
NCRP	Non–Compulsory Reporting Point
NDB	Non–Directional Radio Beacon
NE	Northeast
nec	necessary
NEW	Net Explosives Weight
ngt	night
NM	nautical miles
nml	normal
NMR	nautical mile radius
No or Nr	number
NOLF	Naval Outlying Field
NORDO	Lost communications or no radio installed/available in aircraft
NOTAM	Notice to Airmen
Nov	November
npi	non precision instrument
Nr or No	number
NS	Naval Station
NS ABTMT	Noise Abatement
NSA	Naval Support Activity
NSF	Naval Support Facility

Abbreviation	Description
NSTD, nstd	nonstandard
ntc	notice
NVD	Night Vision Devices
NVG	Night Vision Goggles
NW	Northwest
NWC	Naval Weapons Center
O/A	On or about
O/S	out of service
O/R	On Request
OAT	Operational Air Traffic
obsn	observation
obst	obstruction
OCA	Oceanic Control Area
ocnl	occasional
Oct	October
ODALS	Omnidirectional Approach Lighting System
ODO	Operations Duty Officer
offl	official
OIC	Officer In Charge
OLF	Outlying Field
OLS	Optical Landing System
OM	Outer Marker, ILS
opr	operate, operator, operational
OPS, ops	operations
orig	original
OROCA	Off Route Obstruction Clearance Altitude
ORTCA	Off Route Terrain Clearance Altitude
OT	other times
OTS	out of service
outbd	outbound
ovft	overflight
ovrn	overrun
OX	oxygen
P/L	plain language
PAC	Pacific (ICAO Region)
PAEW	personnel and equipment working
PALS	Precision Approach and Landing System (NAVY)
PAPI	Precision Approach Path Indicator
PAR	Precision Approach Radar
para	paragraph
parl	parallel
pat	pattern
PAX	Passenger
PCL	pilot controlled lighting
PCN	Pavement Classification Number
PCR	Pavement Classification Rating
PDC	Pre–Departure Clearance
pent	penetrate
perm	permanent
perms	permission
pers	personnel
PFC	Porous Friction Courses
PJE	Parachuting Activities/Exercises
p–line	power line
PM	Post meridian, noon til midnight
PMRF	Pacific Missile Range Facility
PMSV	Pilot–to–Metro Service
PN	prior notice
POB	persons on board
POL	Petrol, Oils and Lubricants

Abbreviation	Description
posn	position
PPR	prior permission required
prcht	parachute
pref	prefer
prev	previous
prim	primary
prk	park
PRM	Precision Runway Monitor
pro	procedure
proh	prohibited
pt	point
PTD	Pilot to Dispatcher
pub	publication
publ	publish
PVASI	Pulsating Visual Approach Slope Indicator
pvt	private
pwr	power
QFE	Altimeter Setting above station
QNE	Altimeter Setting of 29.92 inches which provides height above standard datum plane
QNH	Altimeter Setting which provides height above mean sea level
qtrs	quarters
quad	quadrant
R/T	Radiotelephony
R/W	Rotary/Wing
RACON	Radar Beacon
rad	radius, radial
RAIL	Runway Alignment Indicator Lights
RAMCC	Regional Air Movement Control Center
R–AOE	Regular Airport of Entry
RAPCON	Radar Approach Control (USAF)
RATCF	Radar Air Traffic Control Facility (Navy)
RCAG	Remote Center Air to Ground Facility
RCAGL	Remote Center Air to Ground Facility Long Range
RCL	runway centerline
RCLS	Runway Centerline Light System
RCO	Remote Communications Outlet
rcpt	reception
RCR	Runway Condition Reading
rcv	receive
rcvr	receiver
rdo	radio
reconst	reconstruct
refuel	refueling
reg	regulation, regular
REIL	Runway End Identifier Lights
rel	reliable
relctd	relocated
REP	Reporting Point
req	request
RETIL	Rapid Exit Taxiway Indicator Light
Rgn	Region
Rgnl	Regional
rgt	right
rgt tfc	right traffic
rlgd	realigned
RLLS	Runway Lead-in Light System
rmk	remark
rng	range, radio range

Abbreviation	Description
RNP	Required Navigation Performance
RON	Remain Overnight
Rot Lt or Bcn	Rotating Light or Beacon
RPI	Runway Point of Intercept
rpt	report
rqr	require
RR	Railroad
RRP	Runway Reference Point
RSC	Runway Surface Condition
RSDU	Radar Storm Detection Unit
RSE	Runway Starter Extension/Starter Strip
RSRS	Reduced Same Runway Separation
rstd	restricted
rte	route
ruf	rough
RVR	Runway Visual Range
RVSM	Reduced Vertical Separation Minima
rwy	runway
S	South
S/D	Seadrome
SALS	Short Approach Lighting System
SAR	Search and Rescue
Sat	Saturday
SAVASI	Simplified Abbreviated Visual Approach Slope Indicator
SAWRS	Supplement Aviation Weather Reporting Station
sby	standby
Sched	scheduled services
sctr	sector
SDF	Simplified Directional Facility
SE	Southeast
sec	second, section
secd	secondary
SELCAL	Selective Calling System
SELF	Strategic Expeditionary Landing Field
SEng	Single Engine
Sep	September
SFA	Single Frequency Approach
SFB	Space Force Base
sfc	surface
SFL	Sequence Flashing Lights
SFRA	Special Flight Rules Area
SID	Standard Instrument Departure
SIDA	Secure Identification Display Area
SIF	Selective Identification Feature
sked	schedule
SM	statute miles
SOAP	Spectrometric Oil Analysis Program
SOF	Supervisor of Flying
SPB	Seaplane Base
SR	sunrise
SRE	Surveillance Radar Element of GCA (Instrument Approach Procedures Identification only)
SS	sunset
SSALS/R	Simplified Short Approach Lighting System/with RAIL
SSB	Single Sideband
SSR	Secondary Surveillance Radar
STA	Straight-in Approach
std	standard
stn	station
stor	storage

Abbreviation	Description
str–in	Straight–in
stu	student
subj	subject
survl	survival, surveillance
sum	summer
Sun	Sunday
sur	surround
suspd	suspended
sUAS	small Unmanned Aerial Systems
svc	service
svcg	servicing
SW	Southwest
sys	system
TA	Transition Altitude
TAC	Tactical Air Command
TAF	Aerodrome (terminal or alternate) forecast in abbreviated form
TALCE	Tanker Aircraft Control Element
TCA	Terminal Control Area
TCH	Threshold Crossing Height
TCTA	Transcontinental Control Area
TD	Touchdown
TDWR	Terminal Doppler Weather Radar
TDZ	Touchdown Zone
TDZL	Touchdown Zone Lights
tfc	traffic
thld	threshold
thou	thousand
thru	through
Thu	Thursday
til	until
tkf, tkof	take–off
TLv	Transition Level
tmpry	temporary
TODA	Take–Off Distance Available
TORA	Take–Off Run Available
TP	Tire Pressure
TPA	Traffic Pattern Altitude
TRACON	Terminal Radar Approach Control (FAA)
tran	transient
trans	transmit
trml	terminal
trng	training
trns	transition
TRSA	Terminal Radar Service Area
Tue	Tuesday
TV	Television
twr	tower
twy	taxiway
UACC	Upper Area Control Center (used outside US)
UAS	Unmanned Aerial Systems
UC	Under Construction
UCN	Urgent Change Notice
UDA	Upper Advisory Area
UDF	Ultra High Frequency Direction Finder
UFN	until further notice
UHF	Ultra High Frequency (300 to 3000 MHz)
UIR	Upper Flight Information Region
una	unable
unauthd	unauthorized
unavbl	unavailable
unctl	uncontrolled
unk	unknown
unlgtd	unlighted
unltd	unlimited
unmrk	unmarked
unmto	unmonitored
unrel	unreliable
unrstd	unrestricted
unsatfy	unsatisfactory
unsked	unscheduled
unsvc	unserviceable
unuse, unusbl	unusable
USA	United States Army
USAF	United States Air Force
USB	Upper Side Band
USCG	United States Coast Guard
USMC	United States Marine Corps
USSF	United States Space Force
USN	United States Navy
UTA	Upper Control Area
UTC	Coordinated Universal Time
V	Defense Switching Network (telephone, formerly AUTOVON)
V/STOL	Vertical and Short Take–off and Landing aircraft
VAL	Visiting Aircraft Line
var	variation (magnetic variation)
VASI	Visual Approach Slope Indicator
vcnty	vicinity
VDF	Very High Frequency Direction Finder
veh	vehicle
vert	vertical
VFR	Visual Flight Rules
VFR–S	FLIP VFR Supplement
VHF	Very High Frequency (30 to 300 MHz)
VIP	Very Important Person
vis	visibility
VMC	Visual Meteorological Conditions
VOIP	Voice Over Internet Protocol
VOT	VOR Receiver Testing Facility
W	Warning Area (followed by identification), Watts, West, White
WCH	Wheel Crossing Height
Wed	Wednesday
Wg	Wing
WIE	with immediate effect
win	winter
WIP	work in progress
WSO	Weather Service Office
WSFO	Weather Service Forecast Office
wk	week
wkd	weekday
wkly	weekly
wng	warning
wo	without
WSP	Weather System Processor
wt	weight
wx	weather
yd	yard
yr	year
Z	Greenwich Mean Time (time groups only)

INTENTIONALLY

LEFT

BLANK

SAMPLE

(1) **CITY NAME**

AIRPORT NAME (ALTERNATE NAME) (LTS)(KLTS) CIV/MIL 3 N UTC–6(–5DT) N34º41.93´ W99º20.20´ (2) (3) (4) (5) (6) (7) (8)


200 B TPA—1000(800) AOE LRA Class IV, ARFF Index A NOTAM FILE ORL Not insp. MON Airport

(11) (12) (13) (14) (15) (16) (17) (18)

JACKSONVILLE
COPTER
H–4G, L–19C
IAP, DIAP, AD

(9)

(19) **RWY 18–36:** H12004X200 (ASPH–CONC–GRVD)
S–90, D–160, 2D–300 PCN 80 R/B/W/T HIRL CL
RWY 18: RLLS. MALSF. TDZL. REIL. PAPI(P2R)—GA 3.0º TCH 36´.
RVR–TMR. Thld dsplcd 300´. Trees. Rgt tfc. 0.3% up.
RWY 36: ALSF1. 0.4% down.
RWY 09–27: H6000X150 (ASPH) PCR 1234 R/B/W/T MIRL
RWY 173–353: H3515X150 (ASPH–PFC) AUW PCN 59 F/A/W/T



(10)

(20) **LAND AND HOLD–SHORT OPERATIONS**

LDG RWY	HOLD–SHORT POINT	AVBL LDG DIST
RWY 18	09–27	6500
RWY 36	09–27	5400

(21) **RUNWAY DECLARED DISTANCE INFORMATION**
RWY 18: TORA–12004 TODA–12004 ASDA–11704 LDA–11504
RWY 36: TORA–12004 TODA–12004 ASDA–12004 LDA–11704

(22) **ARRESTING GEAR/SYSTEM**
RWY 18 HOOK E5 (65´ OVRN) BAK–14 BAK–12B (1650´)
BAK–14 BAK–12B (1087´) HOOK E5 (74´ OVRN) **RWY 36**

(23) **SERVICE:** S4 **FUEL** 100LL, JET A **OX** 1, 3 **LGT** ACTIVATE MALSR Rwy 29, REIL Rwy 11, VASI Rwy 11, HIRL Rwy 11–29, PAPI Rwy 17 and Rwy 35, MIRL Rwy 17–35—CTAF. **MILITARY— A–GEAR** E–5 connected on dep end, disconnected on apch end.
JASU 3(AM32A–60) 2(A/M32A–86) **FUEL** J8(Mil)(NC–100, A)
FLUID W SP PRESAIR LOX **OIL** O–128 **MAINT** S1 Mon–Fri 1000–2200Z‡
TRAN ALERT Avbl 1300–0200Z‡ svc limited weekends.

(24) **NOISE:** Noise abatement 3 miles from Rwy 18. Contact tower manager.

(25) **AIRPORT REMARKS:** Special Air Traffic Rules—Part 93, see Regulatory Notices. Attended 1200–0300Z‡. Parachute Jumping. Deer invof arpt. Heavy jumbo jet training surface to 9000´. Twy A clsd indef. Flight Notification Service (ADCUS) avbl.

(26) **MILITARY REMARKS: ANG** PPR/Official Business Only. Base OPS DSN 638–4390, C503–335–4222. Ctc Base OPS 15 minutes prior to ldg and after dep. Limited tran parking.

(27) **AIRPORT MANAGER:** (580) 481–5739

(28) **WEATHER DATA SOURCES: AWOS–1** 120.3 (202) 426–8000. LAWRS.

(29) **COMMUNICATIONS: SFA CTAF** 122.8 **UNICOM** 122.95 **ATIS** 127.25 273.5 (202) 426–8003 **PTD** 372.2
NAME FSS (ORL) on arpt. 123.65 122.65 122.2
NAME RCO 112.2T 112.1R (NAME RADIO)
Ⓡ **NAME APP/DEP CON** 128.35 257.725 (1200–0400Z‡)
TOWER 119.65 255.6 (1200–0400Z‡) **GND CON** 121.7 **GCO** 135.075 (ORLANDO CLNC) **CLNC DEL** 125.55
CPDLC D–HZWXR, D–TAXI, DCL (LOGON KMEM)
NAME COMD POST (GERONIMO) 311.0 321.4 6761 **PMSV METRO** 239.8 **NAME OPS** 257.5

(30) **AIRSPACE: CLASS B** See VFR Terminal Area Chart.

(31) **VOR TEST FACILITY (VOT):** 116.7

(32) **RADIO AIDS TO NAVIGATION:** NOTAM FILE ORL. VHF/DF ctc FSS.
(VH) (H) VORTAC 112.2 MCO Chan 59 N28º32.55´ W81º20.12´ at fld. 1110/8E.
(H) TACAN Chan 29 CBU (109.2) N28º32.65´ W81º21.12´ at fld. 1115/8E.
HERNY NDB (LOM) 221 OR N28º37.40´ W81º21.05´ 177º 5.4 NM to fld.
ILS/DME 108.5 I–ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.
ASR/PAR (1200–0400Z‡)

(33) **COMM/NAV/WEATHER REMARKS:** Emerg frequency 121.5 not avbl at twr.

HELIPAD H1: H100X75 (ASPH)
HELIPAD H2: H60X60 (ASPH)
HELIPORT REMARKS: Helipad H1 lctd on general aviation side and H2 lctd on air carrier side of arpt.
187 TPA 1000(813)

(1)

WATERWAY 15–33: 5000X425 (WATER)
SEAPLANE REMARKS: Birds roosting and feeding areas along river banks. Seaplanes operating adjacent to SW side of arpt not visible from twr and are required to ctc twr.

All bearings and radials are magnetic unless otherwise specified. All mileages are nautical unless otherwise noted.
All times are Coordinated Universal Time (UTC) except as noted. All elevations are in feet above/below Mean Sea Level (MSL) unless otherwise noted.
The horizontal reference datum of this publication is North American Datum of 1983 (NAD83), which for charting purposes is considered equivalent to World Geodetic System 1984 (WGS 84).

19171

(10)

SKETCH LEGEND

RUNWAYS/LANDING AREAS

Hard Surface . . . . . .

Metal Surface . . . . . .

Other than Hard Surface Runways. . . .

Water Runway . . . . . .

Under Construction . . . . .

Closed Rwy . . . . . .

Closed Pavement . . . . . x x x x

Helicopter Landings Area . . . . . (H)

Displaced Threshold . . . . . .

Taxiway, Apron and Stopways . .

MISCELLANEOUS BASE AND CULTURAL FEATURES

Buildings . . . . . .

Power Lines . . . . . —T——T—

Towers . . . . . .

Wind Turbine. . . . . .

Tanks . . . . . .

Oil Well . . . . . .

Smoke Stack . . . . . .

Obstruction 5812

Controlling Obstruction . . . . . +5812

Trees . . . . . .

Populated Places . . . . . .

Cuts and Fills . . . . . Cut Fill

Cliffs and Depressions . .

Ditch . . . . . .

Hill . . . . . .

RADIO AIDS TO NAVIGATION

VORTAC . . . VOR . . . . . .

VOR/DME . . NDB . . . . . .

TACAN . . . . NDB/DME . . . .

DME . . . .

MISCELLANEOUS AERONAUTICAL FEATURES

Airport Beacon . . . . . .

Wind Cone . . . . . .

Landing Tee . . . . . .

Tetrahedron . . . . . .

Control Tower . . . . . TWR

When control tower and rotating beacon are co-located beacon symbol will be used and further identified as TWR.

APPROACH LIGHTING SYSTEMS

A dot "•" portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting system e.g. (A1) Negative symbology, e.g., (A1) (V) indicates Pilot Controlled Lighting (PCL).

Runway Centerline Lighting . . . . .

(A) Approach Lighting System ALSF-2 . .

(A1) Approach Lighting System ALSF-1 . .

(A2) Short Approach Lighting System SALS/SALSF . . . . . .

(A3) Simplified Short Approach Lighting System (SSALR) with RAIL . . . . .

(A4) Medium Intensity Approach Lighting System (MALS and MALSF)/(SSALS and SSALF) . . . . . .

(A5) Medium Intensity Approach Lighting System (MALSR) and RAIL . . . . . .

Omnidirectional Approach Lighting System (ODALS) . . . . . .

(D) Navy Parallel Row and Cross Bar . . .

(‡) Air Force Overrun . . . . . .

(V) Visual Approach Slope Indicator with Standard Threshold Clearance provided

(V2) Pulsating Visual Approach Slope Indicator (PVASI)

(V3) Visual Approach Slope Indicator with a threshold crossing height to accomodate long bodied or jumbo aircraft

(V4) Tri-color Visual Approach Slope Indicator (TRCV)

(V5) Approach Path Alignment Panel (APAP)

(P) Precision Approach Path Indicator (PAPI)

LEGEND

This directory is a listing of data on record with the FAA on public–use airports, military airports and selected private–use airports specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Civil airports and joint Civil/Military airports which are open to the public are listed alphabetically by state, associated city and airport name and cross–referenced by airport name. Military airports and private–use (limited civil access) joint Military/Civil airports are listed alphabetically by state and official airport name and cross–referenced by associated city name. Navaids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an airport as open to the public in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the airport conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military airports, private–use airports, and private–use (limited civil access) joint Military/Civil airports are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases. Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

① CITY/AIRPORT NAME

Civil and joint Civil/Military airports which are open to the public are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports and private–use (limited civil access) joint Military/Civil airports are listed alphabetically by state and official airport name.

② ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

③ LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four–character ICAO code, when assigned, to airports. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

④ OPERATING AGENCY

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private–use airports. The operating agency is shown for military, private–use and joint use airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

A	US Army	MC	Marine Corps
AFRC	Air Force Reserve Command	MIL/CIV	Joint Use Military/Civil Limited Civil Access
AF	US Air Force	N	Navy
ANG	Air National Guard	NAF	Naval Air Facility
AR	US Army Reserve	NAS	Naval Air Station
ARNG	US Army National Guard	NASA	National Air and Space Administration
CG	US Coast Guard	P	US Civil Airport Wherein Permit Covers Use by Transient Military Aircraft
CIV/MIL	Joint Use Civil/Military Open to the Public		
DND	Department of National Defense Canada	PVT	Private Use Only (Closed to the Public)
DOE	Department of Energy		

⑤ AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 3 N.

⑥ TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC–5(–4DT). The symbol ‡ indicates that during periods of Daylight Saving Time (DST) effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (–4DT) and ‡ will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15–Aug 31 0630–1700Z, Sep 1–Apr 14 0600–1700Z.

⑦ GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

⑧ CHARTS

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is depicted. Pacific Enroute Chart will be indicated by P. Area Enroute Charts will be indicated by A. Helicopter Chart depictions will be indicated as COPTER. IFR Gulf of America West and IFR Gulf of America Central will be referenced as GOAW and GOAC.

⑨ INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAMS

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5–4–5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each Chart Supplement volume alphabetically by associated city and airport name.

⑩ AIRPORT SKETCH

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self–explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top.

⑪ ELEVATION

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00". When elevation is below sea level a minus "–" sign will precede the figure.

⑫ ROTATING LIGHT BEACON

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

⑬ TRAFFIC PATTERN ALTITUDE

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. TPA will only be published if they differ from the recommended altitudes as described in the AIM, Traffic Patterns. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

⑭ AIRPORT OF ENTRY, LANDING RIGHTS, AND CUSTOMS USER FEE AIRPORTS

U.S. CUSTOMS USER FEE AIRPORT—Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

U.S. CUSTOMS AIR AND SEA PORTS, INSPECTORS AND AGENTS

Northeast Sector (New England and Atlantic States—ME to MD)	407–975–1740
Southeast Sector (Atlantic States—DC, WV, VA to FL)	407–975–1780
Central Sector (Interior of the US, including Gulf states—MS, AL, LA)	407–975–1760
Southwest East Sector (OK and eastern TX)	407–975–1840
Southwest West Sector (Western TX, NM and AZ)	407–975–1820
Southwest West Sector (Western TX, NM and AZ)	407–975–1820
Pacific Sector (WA, OR, CA, HI and AK)	407–975–1800

⑮ CERTIFICATED AIRPORT (14 CFR PART 139)

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

AIRPORT CLASSIFICATIONS

Type of Air Carrier Operation	Class I	Class II	Class III	Class IV
Scheduled Air Carrier Aircraft with 31 or more passenger seats	X			
Unscheduled Air Carrier Aircraft with 31 or more passengers seats	X	X		X
Scheduled Air Carrier Aircraft with 10 to 30 passenger seats	X	X	X	

INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

Airport Index	Required No. Vehicles	Aircraft Length	Scheduled Departures	Agent + Water for Foam
A	1	<90´	≥1	500#DC or HALON 1211 or 450#DC + 100 gal H_2O
B	1 or 2	≥90´, <126´ —————— ≥126´, <159´	≥5 —— <5	Index A + 1500 gal H_2O
C	2 or 3	≥126´, <159´ —————— ≥159´, <200´	≥5 —— <5	Index A + 3000 gal H_2O
D	3	≥159´, <200´ —————— >200´	—— <5	Index A + 4000 gal H_2O
E	3	≥200´	≥5	Index A + 6000 gal H_2O

> Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H_2O–Water; DC–Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non–air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

⑯ NOTAM SERVICE

All public use landing areas are provided NOTAM service. A NOTAM FILE identifier is shown for individual landing areas, e.g., "NOTAM FILE BNA". See the AIM, Basic Flight Information and ATC Procedures for a detailed description of NOTAMs. Current NOTAMs are available from flight service stations at 1–800–WX–BRIEF (992–7433) or online through the FAA PilotWeb at https://pilotweb.nas.faa.gov. Military NOTAMs are available using the Defense Internet NOTAM Service (DINS) at https://www.notams.faa.gov. Pilots flying to or from airports not available through the FAA PilotWeb or DINS can obtain assistance from Flight Service.

⑰ FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

⑱ MINIMUM OPERATIONAL NETWORK (MON) AIRPORT DESIGNATION

MON Airports have at least one VOR or ILS instrument approach procedure that can be flown without the need for GPS, WAAS, DME, NDB or RADAR. The primary purpose of the MON designation is for recovery in case of GPS outage.

⑲ RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea–lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as Ultralight or assault strips. Assault strips are shown by magnetic bearing.

RUNWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

RUNWAY SURFACE AND SURFACE TREATMENT

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt–concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat
(AM2)—Temporary metal planks coated with nonskid material
(ASPH)—Asphalt
(CONC)—Concrete
(DIRT)—Dirt
(GRVD)—Grooved
(GRVL)—Gravel, or cinders
(MATS)—Pierced steel planking, landing mats, membranes
(PEM)—Part concrete, part asphalt
(PFC)—Porous friction courses
(PSP)—Pierced steel plank
(RFSC)—Rubberized friction seal coat
(SAND)—Sand
(TURF)—Turf
(TRTD)—Treated
(WC)—Wire combed

RUNWAY WEIGHT BEARING CAPACITY

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

CURRENT	NEW	NEW DESCRIPTION
S	S	Single wheel type landing gear (DC3), (C47), (F15), etc.
D	D	Dual wheel type landing gear (BE1900), (B737), (A319), etc.
T	D	Dual wheel type landing gear (P3, C9).
ST	2S	Two single wheels in tandem type landing gear (C130).
TRT	2T	Two triple wheels in tandem type landing gear (C17), etc.
DT	2D	Two dual wheels in tandem type landing gear (B707), etc.
TT	2D	Two dual wheels in tandem type landing gear (B757, KC135).
SBTT	2D/D1	Two dual wheels in tandem/dual wheel body gear type landing gear (KC10).
None	2D/2D1	Two dual wheels in tandem/two dual wheels in tandem body gear type landing gear (A340–600).
DDT	2D/2D2	Two dual wheels in tandem/two dual wheels in double tandem body gear type landing gear (B747, E4).
TTT	3D	Three dual wheels in tandem type landing gear (B777), etc.
TT	D2	Dual wheel gear two struts per side main gear type landing gear (B52).
TDT	C5	Complex dual wheel and quadruple wheel combination landing gear (C5).

AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.

SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).

PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available for all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five–part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:

NOTE: ICAO adopted the ACR/PCR System as the new standard method for reporting pavement strength in July 2020. The ACR/PCR System methodology remains unchanged from the ACN/PCN system described above. The Pavement Classification Rating (PCR) remains a five-part code (e.g. PCR 460 R/B/W/T) with the number being one order of magnitude higher than PCNs. The details of the code below are not changed with PCR. ICAO has established a four year transition period during which time a PCN or a PCR may be reported. Currently Aircraft Classification Rating (ACR) data may not be available for all aircraft.

NOTE: Prior permission from the airport controlling authority is required when the ACN/ACR of the aircraft exceeds the published PCN/PCR or aircraft tire pressure exceeds the published limits.

(1) The PCN/PCR NUMBER—The reported PCN/PCR indicates that an aircraft with an ACN/ACR equal or less than the reported PCN/PCR can operate on the pavement subject to any limitation on the tire pressure.

(2) The type of pavement:
R — Rigid
F — Flexible

(3) The pavement subgrade category:
A — High
B — Medium
C — Low
D — Ultra–low

(4) The maximum tire pressure authorized for the pavement:
W — Unlimited, no pressure limit
X — High, limited to 254 psi (1.75 MPa)
Y — Medium, limited to 181 psi (1.25MPa)
Z — Low, limited to 73 psi (0.50 MPa)

(5) Pavement evaluation method:
T — Technical evaluation
U — By experience of aircraft using the pavement

RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L–800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD—Light system fails to meet FAA standards.
LIRL—Low Intensity Runway Lights.
MIRL—Medium Intensity Runway Lights.
HIRL—High Intensity Runway Lights.
RAIL—Runway Alignment Indicator Lights.
REIL—Runway End Identifier Lights.
CL—Centerline Lights.
TDZL—Touchdown Zone Lights.
ODALS—Omni Directional Approach Lighting System.
AF OVRN—Air Force Overrun 1000´ Standard Approach Lighting System.
MALS—Medium Intensity Approach Lighting System.
MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.
MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.
RLLS—Runway Lead–in Light System
SALS—Short Approach Lighting System.
SALSF—Short Approach Lighting System with Sequenced Flashing Lights.
SSALS—Simplified Short Approach Lighting System.
SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.
SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.
ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.
ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.
ALSF2—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category II, Configuration.
SF—Sequenced Flashing Lights.
OLS—Optical Landing System.
WAVE–OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the “Remarks” portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint use airfields on which they are tenants.

VISUAL GLIDESLOPE INDICATORS

APAP—A system of panels, which may or may not be lighted, used for alignment of approach path.

PNIL	APAP on left side of runway	PNIR	APAP on right side of runway

PAPI—Precision Approach Path Indicator

P2L	2–identical light units placed on left side of runway	P4L	4–identical light units placed on left side of runway
P2R	2–identical light units placed on right side of runway	P4R	4–identical light units placed on right side of runway

PVASI—Pulsating/steady burning visual approach slope indicator, normally a single light unit projecting two colors.

PSIL	PVASI on left side of runway	PSIR	PVASI on right side of runway

SAVASI—Simplified Abbreviated Visual Approach Slope Indicator

S2L	2–box SAVASI on left side of runway	S2R	2–box SAVASI on right side of runway

SAVASI—Simplified Abbreviated Visual Approach Slope Indicator

S2L	2–box SAVASI on left side of runway	S2R	2–box SAVASI on right side of runway

TRCV—Tri–color visual approach slope indicator, normally a single light unit projecting three colors.

TRIL	TRCV on left side of runway	TRIR	TRCV on right side of runway

VASI—Visual Approach Slope Indicator

V2L	2–box VASI on left side of runway	V6L	6–box VASI on left side of runway
V2R	2–box VASI on right side of runway	V6R	6–box VASI on right side of runway
V4L	4–box VASI on left side of runway	V12	12–box VASI on both sides of runway
V4R	4–box VASI on right side of runway	V16	16–box VASI on both sides of runway

NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., –GA 3.5º TCH 37´.

PILOT CONTROL OF AIRPORT LIGHTING

Key Mike	Function
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL–Off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL–Off)

Available systems will be indicated in the Service section, e.g., **LGT** ACTIVATE HIRL Rwy 07–25, MALSR Rwy 07, and VASI Rwy 07—122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Aeronautical Lighting and Other Airport Visual Aids," for a detailed description of pilot control of airport lighting.

RUNWAY SLOPE

When available, runway slope data will be provided. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up., RWY 31: Pole. Rgt tfc. 0.4% down.

PART 121/PART 380 OPERATIONS

Runway Not Available for Part 121/Part 380 Operations means the runway is not to be used by an air carrier aircraft for any air carrier operations (categorized as either a large air carrier aircraft if designed for at least 31 passenger seats or a small air carrier aircraft if designed for more than 9 passenger seats but less than 31 passenger seats, as determined by the aircraft type certificate issued by a competent civil aviation authority or equivalent foreign aviation authority).

RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end. Runway Visual Range shall be shown as "RVR" appended with "T" for touchdown, "M" for midpoint, and "R" for rollout; e.g., RVR-TMR.

⑳ LAND AND HOLD–SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold–Short Operations" These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold–short operations and markings.

㉑ RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take–off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take–off.

TODA—Take–off Distance Available. The length of the take–off run available plus the length of the clearway, if provided.

ASDA—Accelerate–Stop Distance Available. The length of the take–off run available plus the length of the stopway, if provided.

LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.

㉒ ARRESTING GEAR/SYSTEMS

Arresting gear is shown as it is located on the runway. The a–gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A–Gear which has a bi–direction capability and can be utilized for emergency approach end engagement is indicated by a (B). Up to 15 minutes advance notice may be required for rigging A–Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

BI–DIRECTIONAL CABLE (B)

TYPE	DESCRIPTION
BAK–9	Rotary friction brake.
BAK–12A	Standard BAK–12 with 950 foot run out, 1–inch cable and 40,000 pound weight setting. Rotary friction brake.
BAK–12B	Extended BAK–12 with 1200 foot run, 1¼ inch Cable and 50,000 pounds weight setting. Rotary friction brake.
E28	Rotary Hydraulic (Water Brake).
M21	Rotary Hydraulic (Water Brake) Mobile.

The following device is used in conjunction with some aircraft arresting systems:

BAK–14 A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to five seconds to fully raise the cable.)

H A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to one and one–half seconds to fully raise the cable.)

UNI–DIRECTIONAL CABLE

TYPE	DESCRIPTION
MB60	Textile brake—an emergency one–time use, modular braking system employing the tearing of specially woven textile straps to absorb the kinetic energy.
E5/E5–1/E5–3	Chain Type. At USN/USMC stations E–5 A–GEAR systems are rated, e.g., E–5 RATING–13R–1100 HW (DRY), 31L/R–1200 STD (WET). This rating is a function of the A–GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under Service/Military/A-Gear in the entry.

FOREIGN CABLE

TYPE	DESCRIPTION	US EQUIVALENT
44B–3H	Rotary Hydraulic (Water Brake)	
CHAG	Chain	E–5

UNI–DIRECTIONAL BARRIER

TYPE	DESCRIPTION
MA–1A	Web barrier between stanchions attached to a chain energy absorber.
BAK–15	Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction, chain). Designed for wing engagement.

NOTE: Landing short of the runway threshold on a runway with a BAK–15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

OTHER

TYPE	DESCRIPTION
EMAS	Engineered Material Arresting System, located beyond the departure end of the runway, consisting of high energy absorbing materials which will crush under the weight of an aircraft.

㉓ SERVICE

SERVICING—CIVIL

S1: Minor airframe repairs.
S2: Minor airframe and minor powerplant repairs.
S3: Major airframe and minor powerplant repairs.
S4: Major airframe and major powerplant repairs.
S5: Major airframe repairs.
S6: Minor airframe and major powerplant repairs.
S7: Major powerplant repairs.
S8: Minor powerplant repairs.

FUEL

CODE	FUEL
100	Grade 100 gasoline (Green)
100LL	100LL gasoline (low lead) (Blue)
100R	Unleaded Grade 100R gasoline, "100R"
A	Jet A, Kerosene, without FS–II*, FP** minus 40° C.
A+	Jet A, Kerosene, with FS–II*, FP** minus 40°C.
A++	Jet A, Kerosene, with FS–II*, CI/LI#, SDA##, FP** minus 40°C.
A++100	Jet A, Kerosene, with FS–II*, CI/LI#, SDA##, FP** minus 40°C, with +100 fuel additive that improves thermal stability characteristics of kerosene jet fuels.
A1	Jet A–1, Kerosene, without FS–II*, FP** minus 47°C.
A1+	Jet A–1, Kerosene with FS–II*, FP** minus 47° C.
G100	Unleaded Grade G100 gasoline, "G100UL"
H	Hydrogen
J5 (JP5)	(JP–5 military specification) Kerosene with FS–II, FP** minus 46°C.
J8 (JP8)	(JP–8 military specification) Jet A–1, Kerosene with FS–II*, CI/LI#, SDA##, FP** minus 47°C.
J8+100	(JP–8 military specification) Jet A–1, Kerosene with FS–II*, CI/LI#, SDA##,FP** minus 47°C, with +100 fuel additive that improves thermal stability characteristics of kerosene jet fuels.
J	(Jet Fuel Type Unknown)
MOGAS	Automobile gasoline which is to be used as aircraft fuel.
UL91	Unleaded Grade 91 gasoline
UL94	Unleaded Grade 94 gasoline

*(Fuel System Icing Inhibitor) **(Freeze Point) # (Corrosion Inhibitors/Lubricity Improvers) ## (Static Dissipator Additive)

NOTE: Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS", however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

OXYGEN—CIVIL

OX 1	High Pressure	OX 3	High Pressure—Replacement Bottles
OX 2	Low Pressure	OX 4	Low Pressure—Replacement Bottles

SERVICE—MILITARY

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

JET AIRCRAFT STARTING UNITS (JASU)—MILITARY

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non–availability. The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35–1–7.)

ELECTRICAL STARTING UNITS:

A/M32A–86	AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire DC: 28v, 1500 amp, 72 kw (with TR pack)
MC–1A	AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire DC: 28v, 500 amp, 14 kw
MD–3	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD–3A	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD–3M	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 500 amp, 15 kw
MD–4	AC: 120/208v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5 kva, 0.8 pf, 520 amp, 2 wire

AIR STARTING UNITS

AM32–95	150 +/– 5 lb/min (2055 +/– 68 cfm) at 51 +/– 2 psia
AM32A–95	150 +/– 5 lb/min @ 49 +/– 2 psia (35 +/– 2 psig)
LASS	150 +/– 5 lb/min @ 49 +/– 2 psia
MA–1A	82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press
MC–1	15 cfm, 3500 psia
MC–1A	15 cfm, 3500 psia
MC–2A	15 cfm, 200 psia
MC–11	8,000 cu in cap, 4000 psig, 15 cfm

COMBINED AIR AND ELECTRICAL STARTING UNITS:

AGPU	AC: 115/200v, 400 cycle, 3 phase, 30 kw gen DC: 28v, 700 amp AIR: 60 lb/min @ 40 psig @ sea level
AM32A–60*	AIR: 120 +/– 4 lb/min (1644 +/– 55 cfm) at 49 +/– 2 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva DC: 28v, 500 amp, 15 kw
AM32A–60A	AIR: 150 +/– 5 lb/min (2055 +/– 68 cfm at 51 +/– psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw
AM32A–60B*	AIR: 130 lb/min, 50 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw

*NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available.

USN JASU

ELECTRICAL STARTING UNITS:

NC–8A/A1	DC: 500 amp constant, 750 amp intermittent, 28v; AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz.
NC–10A/A1/B/C	DC: 750 amp constant, 1000 amp intermittent, 28v; AC: 90 kva, 115/200v, 3 phase, 400 Hz.

AIR STARTING UNITS:

GTC–85/GTE–85	120 lbs/min @ 45 psi.
MSU–200NAV/A/U47A–5	204 lbs/min @ 56 psia.
WELLS AIR START SYSTEM	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability.

COMBINED AIR AND ELECTRICAL STARTING UNITS:

NCPP–105/RCPT	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC, 30 kva.

ARMY JASU

59B2–1B	28v, 7.5 kw, 280 amp.

OTHER JASU

ELECTRICAL STARTING UNITS (DND):

CE12	AC 115/200v, 140 kva, 400 Hz, 3 phase
CE13	AC 115/200v, 60 kva, 400 Hz, 3 phase
CE14	AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp
CE15	DC 22–35v, 500 amp continuous 1100 amp intermittent
CE16	DC 22–35v, 500 amp continuous 1100 amp intermittent soft start

AIR STARTING UNITS (DND):

CA2	ASA 45.5 psig, 116.4 lb/min

COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)

CEA1	AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp AIR 112.5 lb/min, 47 psig

ELECTRICAL STARTING UNITS (OTHER)

C–26	28v 45kw 115–200v 15kw 380–800 Hz 1 phase 2 wire
C–26–B, C–26–C	28v 45kw: Split Bus: 115–200v 15kw 380–800 Hz 1 phase 2 wire
E3	DC 28v/10kw

AIR STARTING UNITS (OTHER):

A4	40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B)
MA–1	150 Air HP, 115 lb/min 50 psia
MA–2	250 Air HP, 150 lb/min 75 psia

CARTRIDGE:

MXU–4A	USAF

FUEL—MILITARY

Fuel available through US Military Base supply, DESC Into–Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into–Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into–Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into–Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into–Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at https://cis.energy.dla.mil/ip_cis/. See legend item 14 for fuel code and description.

SUPPORTING FLUIDS AND SYSTEMS—MILITARY

CODE	
ADI	Anti–Detonation Injection Fluid—Reciprocating Engine Aircraft.
W	Water Thrust Augmentation—Jet Aircraft.
WAI	Water–Alcohol Injection Type, Thrust Augmentation—Jet Aircraft.
SP	Single Point Refueling.
PRESAIR	Air Compressors rated 3,000 PSI or more.
De–Ice	Anti–icing/De–icing/Defrosting Fluid (MIL–A–8243).

OXYGEN:

LPOX	Low pressure oxygen servicing.
HPOX	High pressure oxygen servicing.
LHOX	Low and high pressure oxygen servicing.
LOX	Liquid oxygen servicing.
OXRB	Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be replenished only by replacement of cylinders.)
OX	Indicates oxygen servicing when type of servicing is unknown.

NOTE: Combinations of above items is used to indicate complete oxygen servicing available;

LHOXRB	Low and high pressure oxygen servicing and replacement bottles;
LPOXRB	Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

NITROGEN:

LPNIT — Low pressure nitrogen servicing.

HPNIT — High pressure nitrogen servicing.

LHNIT — Low and high pressure nitrogen servicing.

OIL—MILITARY

US AVIATION OILS (MIL SPECS):

CODE	GRADE, TYPE
O–113	1065, Reciprocating Engine Oil (MIL–L–6082)
O–117	1100, Reciprocating Engine Oil (MIL–L–6082)
O–117+	1100, O–117 plus cyclohexanone (MIL–L–6082)
O–123	1065, (Dispersant), Reciprocating Engine Oil (MIL–L–22851 Type III)
O–128	1100, (Dispersant), Reciprocating Engine Oil (MIL–L–22851 Type II)
O–132	1005, Jet Engine Oil (MIL–L–6081)
O–133	1010, Jet Engine Oil (MIL–L–6081)
O–147	None, MIL–L–6085A Lubricating Oil, Instrument, Synthetic
O–148	None, MIL–L–7808 (Synthetic Base) Turbine Engine Oil
O–149	None, Aircraft Turbine Engine Synthetic, 7.5c St
O–155	None, MIL–L–6086C, Aircraft, Medium Grade
O–156	None, MIL–L–23699 (Synthetic Base), Turboprop and Turboshaft Engines
JOAP/SOAP	Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request. (JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service supported program.)

TRANSIENT ALERT (TRAN ALERT)—MILITARY

Tran Alert service is considered to include all services required for normal aircraft turn–around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN–AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

㉔ NOISE

Remarks that indicate noise information and/or abatement measures that exist in the vicinity of the airport.

㉕ AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note “See Special Notices” shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional Information.

Landing Fee indicates landing charges for private or non–revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

㉖ MILITARY REMARKS

Joint Civil/Military airports contain both Airport Remarks and Military Remarks. Military Remarks published for these airports are applicable only to the military. Military and joint Military/Civil airports contain only Military Remarks. Remarks contained in this section may not be applicable to civil users. When both sets of remarks exist, the first set is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/ immigration, and miscellaneous information applicable to the Military.

Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non–operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircrews and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non–US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11–204, AR 95–27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on aboard are designated Code 6 or higher as explained in AFJMAN 11–213, AR 95–11, OPNAVINST 3722–8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

㉗ AIRPORT MANAGER

The phone number of the airport manager.

㉘ WEATHER DATA SOURCES

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS–3 plus precipitation identification and intensity, and freezing rain occurrence;

AWOS—Automated Weather Observing System

AWOS–A—reports altimeter setting (all other information is advisory only).

AWOS–AV—reports altimeter and visibility.

AWOS–1—reports altimeter setting, wind data and usually temperature, dew point and density altitude.

AWOS–2—reports the same as AWOS–1 plus visibility.

AWOS–3—reports the same as AWOS–1 plus visibility and cloud/ceiling data.

AWOS–3P reports the same as the AWOS–3 system, plus a precipitation identification sensor.

AWOS–3PT reports the same as the AWOS–3 system, plus precipitation identification sensor and a thunderstorm/lightning reporting capability.

AWOS–3T reports the same as AWOS–3 system and includes a thunderstorm/lightning reporting capability.

See AIM, Basic Flight Information and ATC Procedures for detailed description of Weather Data Sources.

AWOS–4—reports same as AWOS–3 system, plus precipitation occurrence, type and accumulation, freezing rain, thunderstorm and runway surface sensors.

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers.

SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP—indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS or AWOS followed by the frequency, identifier and phone number, if available.

㉙ COMMUNICATIONS

Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in ascending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Aeronautical Advisory Stations (UNICOM) or (AUNICOM), and Automatic Terminal Information Service (ATIS) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/UNICOM 122.8.

The FSS telephone nationwide is toll free 1–800–WX–BRIEF (1–800–992–7433). When the FSS is located on the field it will be indicated as "on arpt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available. FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non–tower airports or airports where the tower is not in operation.

(See AIM, Para 4–1–9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90–42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies–Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive–only on 122.1.

a. 122.2 is assigned as a common enroute frequency.

b. 123.6 is assigned as the airport advisory frequency at select non–tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.

c. 122.1 is the primary receive–only frequency at VOR's.

d. Some FSS's are assigned 50 kHz frequencies in the 122–126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remoted facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only. In cases where communications frequencies are annotated with (R) or (E), (R) indicates Radar Capability and (E) indicates Emergency Frequency.

TERMINAL SERVICES

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non–control information in selected terminal areas.

D–ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non–government air/ground radio communications facility which may provide airport information.

PTD—Pilot to Dispatcher.

APP CON—Approach Control. The symbol Ⓡ indicates radar approach control.

TOWER—Control tower.

GCA—Ground Control Approach System.

GND CON—Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol Ⓡ indicates radar departure control.

CLNC DEL—Clearance Delivery.

CPDLC—Controller Pilot Data Link Communication. FANS ATC data communication capability from the aircraft to the ATC Data Link system.

PDC—Pre-Departure Clearance. ACARS-based clearance delivery capability from tower to gate printer or aircraft.

PRE TAXI CLNC—Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non–Radar Approach Control. Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot–to–Metro Service call sign, frequency and hours of operation, when full service is other than continuous. PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or hours of operation as "Wx obsn svc 1900–0000Z‡" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW—Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

㉚ AIRSPACE

Information concerning Class B, C, and part–time D and E surface area airspace shall be published with effective times, if available.

CLASS B—Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part–time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:
AIRSPACE: CLASS C svc "times" ctc **APP CON** other times CLASS E:
or
AIRSPACE: CLASS D svc "times" other times CLASS E.

When a part–time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700´ or 1200´ AGL and may be determined by consulting the relevant VFR Sectional or Terminal Area Charts. This will be formatted as:
AIRSPACE: CLASS C svc "times" ctc **APP CON** other times CLASS G
or
AIRSPACE: CLASS D svc "times" other times CLASS G
or
AIRSPACE: CLASS E svc "times" other times CLASS G

NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS. Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part–time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part–time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.
Class E 700´ AGL (shown as magenta vignette on sectional charts) and 1200´ AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700´/1200´ AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)

㉛ VOR TEST FACILITY (VOT)

The VOT transmits a signal which provided users a convenient means to determine the operational status and accuracy of an aircraft VOR receiver while on the ground. Ground based VOTs and the associated frequency shall be shown when available. VOTs are also shown with identifier, frequency and referenced remarks in the VOR Receiver Check section in the back of this publication.

㉜ RADIO AIDS TO NAVIGATION

The Airport/Facility Directory section of the Chart Supplement lists, by facility name, all Radio Aids to Navigation that appear on FAA, Aeronautical Information Services Visual or IFR Aeronautical Charts and those upon which the FAA has approved an Instrument Approach Procedure, with exception of selected TACANs. All VOR, VORTAC, TACAN and ILS equipment in the National Airspace System has an automatic monitoring and shutdown feature in the event of malfunction. Unmonitored, as used in this publication, for any navigational aid, means that monitoring personnel cannot observe the malfunction or shutdown signal. The NAVAID NOTAM file identifier will be shown as "NOTAM FILE IAD" and will be listed on the Radio Aids to Navigation line. When two or more NAVAIDS are listed and the NOTAM file identifier is different from that shown on the Radio Aids to Navigation line, it will be shown with the NAVAID listing. NOTAM file identifiers for ILSs and its components (e.g., NDB (LOM) are the same as the associated airports and are not repeated. Automated Surface Observing System (ASOS) and Automated Weather Observing System (AWOS) will be shown when this service is broadcast over selected NAVAIDs.

NAVAID information is tabulated as indicated in the following sample:

NAVAIDs with Single SSV (VOR, DME, TACAN, NDB, NDB/DME)

Class

NAME (L) VORW 117.55 ABE N40°43.60' W75°27.30' 180° 4.1 NM to fld. 1110/8E

NAVAIDs with Two SSVs (VOR/DME, VORTAC)

SSV for each component shown in paired parentheses with the VOR SSV shown first followed by the DME or TACAN SSV.

TACAN/DME Channel — Geographical Position — Site Elevation — Magnetic Variation

NAME (VL) (L) ABVORTAC 117.55 ABE Chan 122(Y) N40°43.60' W75°27.30' 180° 4.1 NM to fld. 1110/8E **AWOS**

Classes — Frequency — Identifier — Bearing and distance facility to center of airport — Automated Weather Observing System

VOR unusable 020°–060° byd 26 NM blo 3,500'

Restriction within the normal altitude/range of the navigational aid
(See primary alphabetical listing for restrictions on VORTAC and VOR/DME).

Note: Those DME channel numbers with a (Y) suffix require TACAN to be placed in the "Y" mode to receive distance information.

ASR/PAR—Indicates that Surveillance (ASR) or Precision (PAR) radar instrument approach minimums are published in the U.S. Terminal Procedures. Only part–time hours of operation will be shown.

RADIO CLASS DESIGNATIONS

VOR/DME/TACAN Standard Service Volume (SSV) Classifications

SSV Class	Altitudes	Distance (NM)
(T) Terminal	1000´ to 12,000´	25
(L) Low Altitude	1000´ to 18,000´	40
(H) High Altitude	1000´ to 14,500´	40
	14,500´ to 18,000´	100
	18,000´ to 45,000´	130
	45,000´ to 60,000´	100
(VL) VOR Low	1000´ to 5,000´	40
	5,000´ to 18,000´	70
(VH) VOR High	1000´ to 5,000´	40
	5,000´ to 14,500´	70
	14,500´ to 18,000´	100
	18,000´ to 45,000´	130
	45,000´ to 60,000´	100
(DL) DME Low & (DH) DME High*	1000´ to 12,900´	40 increasing to 130
(DL) DME Low	12,900´ to 18,000´	130
(DH) DME High	12,900´ to 45,000´	130
	45,000´ to 60,000´	100

*Between 1000´ to 12,900´, DME service volume follows a parabolic curve used by flight management computers.

NOTES: Additionally, High Altitude facilities provide Low Altitude and Terminal service volume and Low Altitude facilities provide Terminal service volume. Altitudes are with respect to the station's site elevation. Coverage is not available in a cone of airspace directly above the facility. In some cases local conditions (terrain, buildings, trees, etc.) may require that the service volume be restricted. The public shall be informed of any such restriction by a remark in the NAVAID entry in this publication or by a Notice to Airmen (NOTAM).

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

AB	Automatic Weather Broadcast.
DF	Direction Finding Service.
DME	UHF standard (TACAN compatible) distance measuring equipment.
DME(Y)	UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME.
GS	Glide slope.
H	Non–directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes).
HH	Non–directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes).
H–SAB	Non–directional radio beacons providing automatic transcribed weather service.
ILS	Instrument Landing System (voice, where available, on localizer channel).
IM	Inner marker.
LDA	Localizer Directional Aid.
LMM	Compass locator station when installed at middle marker site (15 NM at all altitudes).
LOM	Compass locator station when installed at outer marker site (15 NM at all altitudes).
MH	Non–directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes).
MM	Middle marker.
OM	Outer marker.
S	Simultaneous range homing signal and/or voice.
SABH	Non–directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts.
SDF	Simplified Direction Facility.
TACAN	UHF navigational facility–omnidirectional course and distance information.
VOR	VHF navigational facility–omnidirectional course only.
VOR/DME	Collocated VOR navigational facility and UHF standard distance measuring equipment.
VORTAC	Collocated VOR and TACAN navigational facilities.
W	Without voice on radio facility frequency.
Z	VHF station location marker at a LF radio facility.

ILS FACILITY PERFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A – 4 NM prior to runway threshold, B – 3500 ft prior to runway threshold, C – glide angle dependent but generally 750–1000 ft prior to threshold, T – runway threshold, D – 3000 ft after runway threshold, and E – 2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:

ILS/DME 108.5 I–ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.

ILS Facility Performance Classification Code

FREQUENCY PAIRING TABLE

VHF FREQUENCY	TACAN CHANNEL	VHF FREQUENCY	TACAN CHANNEL	VHF FREQUENCY	TACAN CHANNEL	VHF FREQUENCY	TACAN CHANNEL
108.10	18X	108.55	22Y	111.05	47Y	114.85	95Y
108.30	20X	108.65	23Y	111.15	48Y	114.95	96Y
108.50	22X	108.75	24Y	111.25	49Y	115.05	97Y
108.70	24X	108.85	25Y	111.35	50Y	115.15	98Y
108.90	26X	108.95	26Y	111.45	51Y	115.25	99Y
109.10	28X	109.05	27Y	111.55	52Y	115.35	100Y
109.30	30X	109.15	28Y	111.65	53Y	115.45	101Y
109.50	32X	109.25	29Y	111.75	54Y	115.55	102Y
109.70	34X	109.35	30Y	111.85	55Y	115.65	103Y
109.90	36X	109.45	31Y	111.95	56Y	115.75	104Y
110.10	38X	109.55	32Y	113.35	80Y	115.85	105Y
110.30	40X	109.65	33Y	113.45	81Y	115.95	106Y
110.50	42X	109.75	34Y	113.55	82Y	116.05	107Y
110.70	44X	109.85	35Y	113.65	83Y	116.15	108Y
110.90	46X	109.95	36Y	113.75	84Y	116.25	109Y
111.10	48X	110.05	37Y	113.85	85Y	116.35	110Y
111.30	50X	110.15	38Y	113.95	86Y	116.45	111Y
111.50	52X	110.25	39Y	114.05	87Y	116.55	112Y
111.70	54X	110.35	40Y	114.15	88Y	116.65	113Y
111.90	56X	110.45	41Y	114.25	89Y	116.75	114Y
108.05	17Y	110.55	42Y	114.35	90Y	116.85	115Y
108.15	18Y	110.65	43Y	114.45	91Y	116.95	116Y
108.25	19Y	110.75	44Y	114.55	92Y	117.05	117Y
108.35	20Y	110.85	45Y	114.65	93Y	117.15	118Y
108.45	21Y	110.95	46Y	114.75	94Y	117.25	119Y

FREQUENCY PAIRING TABLE


The following is a list of paired VOR/ILS VHF frequencies with TACAN channels.

TACAN CHANNEL	VHF FREQUENCY	TACAN CHANNEL	VHF FREQUENCY	TACAN CHANNEL	VHF FREQUENCY	TACAN CHANNEL	VHF FREQUENCY
2X	134.50	43X	110.60	72X	112.50	101X	115.40
2Y	134.55	43Y	110.65	72Y	112.55	101Y	115.45
11X	135.40	44X	110.70	73X	112.60	102X	115.50
11Y	135.45	44Y	110.75	73Y	112.65	102Y	115.55
12X	135.50	45X	110.80	74X	112.70	103X	115.60
12Y	135.55	45Y	110.85	74Y	112.75	103Y	115.65
17X	108.00	46X	110.90	75X	112.80	104X	115.70
17Y	108.05	46Y	110.95	75Y	112.85	104Y	115.75
18X	108.10	47X	111.00	76X	112.90	105X	115.80
18Y	108.15	47Y	111.05	76Y	112.95	105Y	115.85
19X	108.20	48X	111.10	77X	113.00	106X	115.90
19Y	108.25	48Y	111.15	77Y	113.05	106Y	115.95
20X	108.30	49X	111.20	78X	113.10	107X	116.00
20Y	108.35	49Y	111.25	78Y	113.15	107Y	116.05
21X	108.40	50X	111.30	79X	113.20	108X	116.10
21Y	108.45	50Y	111.35	79Y	113.25	108Y	116.15
22X	108.50	51X	111.40	80X	113.30	109X	116.20
22Y	108.55	51Y	111.45	80Y	113.35	109Y	116.25
23X	108.60	52X	111.50	81X	133.40	110X	116.30
23Y	108.65	52Y	111.55	81Y	113.45	110Y	116.35
24X	108.70	53X	111.60	82X	113.50	111X	116.40
24Y	108.75	53Y	111.65	82Y	113.55	111Y	116.45
25X	108.80	54X	111.70	83X	113.60	112X	116.50
25Y	108.85	54Y	111.75	83Y	113.65	112Y	116.55
26X	108.90	55X	111.80	84X	113.70	113X	116.60
26Y	108.95	55Y	111.85	84Y	113.75	113Y	116.65
27X	109.00	56X	111.90	85X	113.80	114X	116.70
27Y	109.05	56Y	111.95	85Y	113.85	114Y	116.75
28X	109.10	57X	112.00	86X	113.90	115X	116.80
28Y	109.15	57Y	112.05	86Y	113.95	115Y	116.85
29X	109.20	58X	112.10	87X	114.00	116X	116.90
29Y	109.25	58Y	112.15	87Y	114.05	116Y	116.95
30X	109.30	59X	112.20	88X	114.10	117X	117.00
30Y	109.35	59Y	112.25	88Y	114.15	117Y	117.05
31X	109.40	60X	133.30	89X	114.20	118X	117.10
31Y	109.45	60Y	133.35	89Y	114.25	118Y	117.15
32X	109.50	61X	133.40	90X	114.30	119X	117.20
32Y	109.55	61Y	133.45	90Y	114.35	119Y	117.25
33X	109.60	62X	133.50	91X	114.40	120X	117.30
33Y	109.65	62Y	133.55	91Y	114.45	120Y	117.35
34X	109.70	63X	133.60	92X	114.50	121X	117.40
34Y	109.75	63Y	133.65	92Y	114.55	121Y	117.45
35X	109.80	64X	133.70	93X	114.60	122X	117.50
35Y	109.85	64Y	133.75	93Y	114.65	122Y	117.55
36X	109.90	65X	133.80	94X	114.70	123X	117.60
36Y	109.95	65Y	133.85	94Y	114.75	123Y	117.65
37X	110.00	66X	133.90	95X	114.80	124X	117.70
37Y	110.05	66Y	133.95	95Y	114.85	124Y	117.75
38X	110.10	67X	134.00	96X	114.90	125X	117.80
38Y	110.15	67Y	134.05	96Y	114.95	125Y	117.85
39X	110.20	68X	134.10	97X	115.00	126X	117.90
39Y	110.25	68Y	134.15	97Y	115.05	126Y	117.95
40X	110.30	69X	134.20	98X	115.10		
40Y	110.35	69Y	134.25	98Y	115.15		
41X	110.40	70X	112.30	99X	115.20		
41Y	110.45	70Y	112.35	99Y	115.25		
42X	110.50	71X	112.40	100X	115.30		
42Y	110.55	71Y	112.45	100Y	115.35		

(33) **COMM/NAV/WEATHER REMARKS:** These remarks consist of pertinent information affecting the current status of communications, NAVAIDs, weather, and in the absence of air-ground radio outlets identified in the Communications section some approach control facilities will have a clearance delivery phone number listed here.

INTENTIONALLY
LEFT
BLANK

ALMYRA MUNI (M73) 3 W UTC–6(–5DT) N34°24.75′ W91°27.92′ **MEMPHIS L–18F IAP**
210 B NOTAM FILE JBR
RWY 18–36: H3494X60 (ASPH) S–22 PCR 80 F/C/X/T MIRL
RWY 18: PAPI(P2R)—GA 3.0° TCH 39′. Thld dsplcd 38′. Road.
RWY 36: PAPI(P2L)—GA 3.0° TCH 37′.
RWY 10–28: H3000X50 (ASPH) S–4
RWY 28: Trees.
SERVICE: S2 **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 18–36, PAPI Rwy 18 and Rwy 36—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. For svc aft hrs call 870–830–1231. Migratory birds on and invof arpt Nov–Feb. Numerous agricultural acft opns. 100LL self serve avbl with credit card. Rwy 18 markings faded.
AIRPORT MANAGER: (870) 830-1231
COMMUNICATIONS: CTAF/UNICOM 123.0
LITTLE ROCK APP/DEP CON 119.85
CLNC DEL 119.85
CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911
RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.
PINE BLUFF (VL) (L) VORW/DME 116.0 PBF Chan 107 N34°14.81′ W91°55.57′ 062° 25.0 NM to fld. 212/4E.
VOR unusable:
020°–021° byd 40 NM
067°–069° byd 40 NM
108°–110° byd 40 NM
140°–145° byd 35 NM blo 4,900′
170°–172° byd 40 NM
176°–178° byd 40 NM
239°–249° byd 40 NM blo 6,000′
239°–249° byd 59 NM
260°–275° byd 25 NM
292°–294° byd 40 NM
322°–328° byd 40 NM



ARKADELPHIA

DEXTER B FLORENCE MEML FLD (ADF)(KADF) 1 S UTC–6(–5DT) N34°05.99′ W93°03.97′ **MEMPHIS H–6I, L–17E IAP**
182 B NOTAM FILE ADF
RWY 04–22: H5002X75 (ASPH) S–50, D–60, 2D–100 MIRL
RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 23′. Rgt tfc.
RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 32′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwys 04 and 22; MIRL Rwy 04–22—CTAF. PAPI Rwy 04 and 22 oper consly.
AIRPORT REMARKS: Attended Mon–Fri 1300–2330Z‡, Sat 1300–2200. For arpt attendant after hours call 870–246–8945—fee charged. Self–serve fuel avbl 24 hrs with credit card (100LL & Jet A, full service avbl upon request). Significant student pilot activity.
AIRPORT MANAGER: (870) 246-8945
WEATHER DATA SOURCES: AWOS–3PT 118.175 (870) 403–0945.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.475
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.
EL DORADO (VH) (DH) VORW/DME 115.5 ELD Chan 102 N33°15.37′ W92°44.64′ 335° 53.0 NM to fld. 230/7E.
DME unusable:
020°–035° blo 2,000′
036°–019° byd 30 NM blo 3,200′
VOR unusable:
110°–120° byd 40 NM


ARKANSAS INTL (See BLYTHEVILLE on page 38)

ARKAVALLEY (See GREENBRIER on page 55)

ASH FLAT

SHARP CO RGNL (CVK)(KCVK) 3 NE UTC–6(–5DT) N36°15.89′ W91°33.76′
717 B NOTAM FILE JBR
RWY 04–22: H5158X75 (ASPH) S–12.5 MIRL 0.9% up NE
RWY 04: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 22: PAPI(P2L)—GA 3.0° TCH 40′. Thld dsplcd 154′.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTIVATE MIRL Rwy 04–22—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2200Z‡. Self service fuel avbl 24 hrs with credit card (100LL & Jet A). Rwy 22 has 15′+ drop off 150′ from end of pavement (304′ from dsplcd thld).
AIRPORT MANAGER: 870-751-0248
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ**MEMPHIS CENTER APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.
WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92
N36°06.60′ W90°57.22′ 284° 31.0 NM to fld. 265/4E.
TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′
VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM


KANSAS CITY
H–6J, L–16G
IAP



AUGUSTA

WOODRUFF CO (M6Ø) 4 E UTC–6(–5DT) N35°16.31′ W91°16.22′
200 B NOTAM FILE JBR
RWY 09–27: H3797X75 (ASPH) MIRL
RWY 09: PAPI(P2L)—GA 3.0° TCH 44′. Road.
RWY 27: PAPI(P2L)—GA 3.04° TCH 45′. Trees.
SERVICE: **LGT** ACTIVATE MIRL Rwy 09–27—CTAF.
AIRPORT REMARKS: Unattended. Deer on and invof arpt.
AIRPORT MANAGER: 870-731-5516
COMMUNICATIONS: CTAF 122.9
Ⓡ**MEMPHIS CENTER APP/DEP CON** 135.3
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.
WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92
N36°06.60′ W90°57.22′ 193° 52.5 NM to fld. 265/4E.
TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′
VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM

MEMPHIS
L–16G
IAP



BALD KNOB MUNI (M74) 0 SE UTC–6(–5DT) N35°17.97′ W91°33.46′ **MEMPHIS**
212 B NOTAM FILE JBR
RWY 09–27: H2228X50 (ASPH) MIRL
RWY 09: Thld dsplcd 246′. Tree.
RWY 27: Thld dsplcd 146′. Tree.
RWY 04–22: 1850X100 (TURF)
RWY 04: Road.
RWY 22: Road.
SERVICE: S2 **LGT** ACTIVATE MIRL Rwy 09–27—CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 501-281-1218
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.

BATESVILLE RGNL (BVX)(KBVX) 3 S UTC–6(–5DT) N35°43.57′ W91°38.85′ **MEMPHIS**
465 B TPA—1250(785) NOTAM FILE BVX **H–6J, L–16G**
RWY 08–26: H6002X150 (ASPH) S–30, D–105, 2D–195 MIRL **IAP, AD**
RWY 08: REIL. PAPI(P4L)—GA 3.0° TCH 45′.
RWY 26: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Tree.
RWY 18–36: H2804X60 (ASPH) S–30, D–105 0.9% up S
RWY 18: Tree.
RWY 36: Road.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT REIL Rwy 08 and 26 and MIRL Rwy 08–26—CTAF. VGSI: Rwy 26 unusbl byd 7 degs left and 7 degs right of rwy cntrln.
AIRPORT REMARKS: Attended 1330–2330Z‡, 2330–1330Z‡, call out fee applies. 100LL fuel self serve avbl with credit card. For svc after hrs call 870–251–1244, fee charged. Jet A+ self service unavailable. Rwy 08–26 D wgt thsd lbs: taxiways limited to 77K–aprons limited to 67K, (S) taxiways limited to 31K–aprons limited to 29K, (2D) taxiways limited to 204K–aprons limited to 184K. Rwy 18–36 (S) taxiways limited to 31K–aprons limited to 29K, (D) taxiways limited to 77K–aprons limited to 67K.
AIRPORT MANAGER: 870-251-1244
WEATHER DATA SOURCES: AWOS–3PT 126.375 (870) 251–1369. AWOS–3 ceiling unreliable.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.85
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.
WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92 N36°06.60′ W90°57.22′ 232° 40.9 NM to fld. 265/4E.
TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′
VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM
LOC/DME 109.7 I–BVX Chan 34 Rwy 08. LOC/DME unmonitored indef. DME unusable byd 25° right of course.

BAXTER CO (See MOUNTAIN HOME on page 72)

BEARCE (See MOUNT IDA on page 72)

BENTON

SALINE CO RGNL (SUZ)(KSUZ) 5 E UTC–6(–5DT) N34°35.42′ W92°28.77′ **MEMPHIS**
389 B NOTAM FILE JBR MON Airport **H–6I, L–14E**
RWY 02–20: H5002X100 (ASPH) S–54, D–65, 2D–111 MIRL **IAP**
RWY 02: REIL. PAPI(P4L)—GA 3.0° TCH 56′. Trees. Rgt tfc.
RWY 20: REIL. PAPI(P4L)—GA 3.0° TCH 63′. Tree.
SERVICE: S6 **FUEL** 100LL, JET A+ **LGT** ACTVT REIL Rwys 02 and 20; MIRL Rwy 02–20—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2230Z‡. Self svc 100LL and Jet A avbl 24/7, for svc after hours call 501–672–9809 call out fee. 100LL: Self svc fuel avbl 24 hrs with credit card. Courtesy car avbl. Aft hrs, ctc AMGR for trml bldg entry code.
AIRPORT MANAGER: (501) 672-9809
WEATHER DATA SOURCES: AWOS–3 132.125 (501) 847–3883.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**LITTLE ROCK APP/DEP CON** 119.5
CLEARANCE DELIVERY PHONE: For CD ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 231° 20.9 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′
ILS/DME 111.95 I–SUZ Chan 56(Y) Rwy 02. Class IT. Glideslope unusable byd 5° right of course. Unmonitored.

BENTONVILLE MUNI/LOUISE M THADEN FLD (VBT)(KVBT) 2 S UTC–6(–5DT) N36°20.69´ W94°13.17´ **KANSAS CITY H–6I, L–16F IAP, AD**

1298 B NOTAM FILE VBT

RWY 18–36: H5053X75 (ASPH–GRVD) S–30, D–59 PCR 214 F/D/X/T MIRL

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 45´. Thld dsplcd 257´. Brush.

RWY 36: REIL. PAPI(P2R)—GA 3.0° TCH 45´. Thld dsplcd 600´. Pole.

RWY 17–35: 2448X75 (TURF)

RUNWAY DECLARED DISTANCE INFORMATION

RWY 17: TORA–2448 TODA–2448

RWY 18: TORA–4453 TODA–4453 ASDA–4453 LDA–4196

RWY 35: TORA–2448 TODA–2448

RWY 36: TORA–4453 TODA–4453 ASDA–4196 LDA–4196

SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** ACTVT PAPI Rwy 18 and 36; MIRL Rwy 18–36—CTAF.

AIRPORT REMARKS: Attended Oct–Mar 1330–2200Z‡, Apr–Sep 1330–2200Z‡. Migratory birds on and invof arpt. Beginning 60 ft byd north end of Rwy 18 pavement, ground has approximately 12 ft drop over 60 ft length to pond. Rwy 17–35 VFR dalgt opns only. Simul use of rwys 17/35 and 18/36 NA.

AIRPORT MANAGER: 817-946-4991

WEATHER DATA SOURCES: AWOS–3PT 134.975 (479) 273–9198.

COMMUNICATIONS: CTAF/UNICOM 122.975

Ⓡ **RAZORBACK APP/DEP CON** 121.0 (1130–0500Z‡)

MEMPHIS CENTER APP/DEP CON 126.1 (0500–1130Z‡)

CLNC DEL 121.05

CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.

AIRSPACE: CLASS E svc 1130–0500Z‡; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36°14.79´ W94°07.28´ 317° 7.6 NM to fld. 1332/4E.

VOR unusable:


025°–035° byd 40 NM
025°–150° byd 22 NM blo 4,000´
070°–080° byd 40 NM
093°–103° byd 40 NM blo 17,000´
104°–144° byd 40 NM
145°–155° byd 40 NM blo 6,500´
145°–155° byd 67 NM blo 9,500´
150°–210° byd 22 NM blo 3,500´
156°–170° byd 40 NM
195°–215° byd 40 NM
210°–220° byd 22 NM blo 3,000´
234°–245° byd 40 NM
310°–025° byd 22 NM blo 3,000´

TACAN AZIMUTH unusable:

148°–160°
225°–240°

BERRYVILLE

CARROLL CO (4M1) 3 W UTC–6(–5DT) N36°22.88′ W93°37.47′ **KANSAS CITY**
1206 B NOTAM FILE JBR **L–16F**
RWY 07–25: H3555X75 (ASPH) S–12 MIRL 1.1% up E **IAP**
RWY 07: REIL. PAPI(P2L)—GA 3.0° TCH 33′. Trees.
RWY 25: REIL. PAPI(P2L)—GA 3.0° TCH 22′. Trees.
SERVICE: S4 **FUEL** 100LL **LGT** ACTVT REIL Rwy 07 and Rwy 25; PAPI Rwys 07 and Rwy 25, MIRL Rwy 07–25; twy lgts—CTAF.
AIRPORT REMARKS: Attended Tue–Sat 1400–2300Z‡. Deer, turkey on & invof arpt. Ultralight activity on and invof arpt. Fuel avbl 24 hrs self service with credit card. No line of sight btn rwy ends.
AIRPORT MANAGER: 870-423-8393
COMMUNICATIONS: CTAF 122.9
Ⓡ **RAZORBACK APP/DEP CON** 126.6 (1130–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1 (0500–1130Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36°14.79′ W94°07.28′ 067° 25.4 NM to fld. 1332/4E.
VOR unusable:
025°–035° byd 40 NM
025°–150° byd 22 NM blo 4,000′
070°–080° byd 40 NM
093°–103° byd 40 NM blo 17,000′
104°–144° byd 40 NM
145°–155° byd 40 NM blo 6,500′
145°–155° byd 67 NM blo 9,500′
150°–210° byd 22 NM blo 3,500′
156°–170° byd 40 NM
195°–215° byd 40 NM
210°–220° byd 22 NM blo 3,000′
234°–245° byd 40 NM
310°–025° byd 22 NM blo 3,000′
TACAN AZIMUTH unusable:
148°–160°
225°–240°




TRIGGER GAP (17A) 5 SW UTC–6(–5DT) N36°19.70′ W93°37.33′ **KANSAS CITY**
1650 NOTAM FILE JBR
RWY 10–28: 3000X75 (TURF) 1.4% up E
RWY 10: Tree. Rgt tfc.
RWY 28: Trees.
AIRPORT REMARKS: Unattended. Deer on and invof arpt.
AIRPORT MANAGER: 817-938-3334
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.

BILL AND HILLARY CLINTON NTL/ADAMS FLD (See LITTLE ROCK on page 64)


BILLY FREE MUNI (See DUMAS on page 49)

BLYTHEVILLE

ARKANSAS INTL (BYH)(KBYH) 3 NW UTC–6(–5DT) N35°57.86′ W89°56.64′ **MEMPHIS**
254 B NOTAM FILE BYH **H–6J, L–16H**
RWY 18–36: H11602X150 (CONC) S–155, D–235, 2D–455 **IAP**
HIRL(NSTD)
RWY 36: VASI(V4L)—GA 3.0° TCH 51′.
SERVICE: S5 **FUEL** 100LL, JET A **LGT** Dusk–Dawn. ACTVT HIRL Rwy 18–36—CTAF. Rwy 18–36 Nstd HIRL; lctd 77′ fm rwy edge and nstd dstc fm cntrln. Dpt perception problems may exist durg pds of darkness. Rwy 36 VASI OTS indefly.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Arpt unattended holidays. Fuel avbl 24 hrs self serve with credit card (100 LL). No fee charged for svc after hrs ctc/leave msg 870–532–5628. Twy A btn Twy B and Twy D tkof and ldg avbl to mil acft.
AIRPORT MANAGER: 870-532-5628
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **MEMPHIS CENTER APP/DEP CON** 134.65
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE DYR.
DYERSBURG (L) TACAN Chan 115 DYR (116.8) N36°01.11′ W89°19.06′ 261° 30.7 NM to fld. 389/3E.
ILS/DME 110.3 I–BYH Chan 40 Rwy 18. Class IT. Unmonitored.



BLYTHEVILLE MUNI (HKA)(KHKA) 3 E UTC–6(–5DT) N35°56.42′ W89°49.85′ **MEMPHIS**
256 B TPA—See Remarks NOTAM FILE HKA **H–6J, L–16H**
RWY 18–36: H5002X75 (ASPH) S–15 MIRL **IAP**
RWY 18: PAPI(P4L)—GA 3.0° TCH 48′.
RWY 36: PAPI(P4L)—GA 3.0° TCH 48′.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 18–36—CTAF. PAPI Rwy 18 and 36 opr continuously. Wind indicator lgt temporarily OTS.
AIRPORT REMARKS: Attended 1330–2330Z‡. For arpt attendant aft hrs call 870–532–7309. Numerous agricultural acft ops from Feb–Nov 250 ft AGL and below, right and left TPA.
AIRPORT MANAGER: 870-763-0200
WEATHER DATA SOURCES: ASOS 135.025 (870) 763–8206.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **MEMPHIS CENTER APP/DEP CON** 134.65
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE DYR.
DYERSBURG (L) TACAN Chan 115 DYR (116.8) N36°01.11′ W89°19.06′ 257° 25.4 NM to fld. 389/3E.




BOONE CO (See HARRISON on page 56)


BOONEVILLE MUNI (4M2) 3 E UTC–6(–5DT) N35°08.97′ W93°51.80′ **MEMPHIS**
468 B NOTAM FILE JBR **L–17E**
RWY 09–27: H3254X50 (ASPH) MIRL 0.6% up W
RWY 09: Trees.
RWY 27: Trees.
SERVICE: S4 **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 09–27—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Self–serve fuel avbl 24 hrs with credit card.
AIRPORT MANAGER: 479-518-5890
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch at 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.
FORT SMITH (L) (L) VORTACW 110.4 FSM Chan 41 N35°23.30′ W94°16.29′ 118° 24.6 NM to fld. 432/7E.

BRINKLEY

FRANK FEDERER MEML (M36) 0 SE UTC–6(–5DT) N34°52.82′ W91°10.59′ **MEMPHIS**
195 B NOTAM FILE JBR **L–18F**
RWY 02–20: H4002X75 (ASPH) S–12 MIRL **IAP**
RWY 02: PAPI(P2L)—GA 3.0° TCH 45′. Thld dsplcd 248′. Pole. Rgt tfc.
RWY 20: PAPI(P2L)—GA 3.0° TCH 48′. Thld dsplcd 150′. Tree.
SERVICE: S4 **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 02–20—CTAF. Rwy 02 PAPI unusbl byd 5 degs left of cntrln. Rwy 20 PAPI unusbl byd 4 degs left of cntrln and byd 7 degs right of cntrln.
AIRPORT REMARKS: Attended Mar–Sep Mon–Sat 1400–1800Z‡, Oct–Feb Mon–Fri durg daylight. Migratory birds on and invof arpt. Deer on and invof arpt. Nmrs agricultural acft ops fm Feb–Nov 500 ft AGL and blw. Fuel avbl 24 hrs self svc with credit card. Water tank NW.
AIRPORT MANAGER: 870-734-6066
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.3
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
GILMORE (L) (L) VORW/DME 113.0 GQE Chan 77 N35°20.82′ W90°28.69′ 227° 44.3 NM to fld. 211/4E.




CALICO ROCK MUNI (37T) 3 N UTC–6(–5DT) N36°09.94′ W92°08.72′ **KANSAS CITY**
733 NOTAM FILE JBR **L–16G**
RWY 15–33: H3002X60 (ASPH) S–12.5 MIRL 1.2% up NW
RWY 15: REIL. PAPI(P2L)—GA 4.0° TCH 29′.
RWY 33: REIL. PAPI(P2L)—GA 4.0° TCH 29′. Trees.
SERVICE: **LGT** ACTVT REIL Rwy 15, 33; PAPI Rwy 15, 33; MIRL 15–33—CTAF. REIL Rwy 15 OTS.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 870-291-1200
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE FLP.
FLIPPIN (DH) DME 116.05 FLP Chan 107(Y) N36°17.98′ W92°27.50′ 118° 17.2 NM to fld. 782.
DME unusable:
020°–050° byd 26 NM blo 3,500′
020°–050° byd 32 NM blo 4,500′
075°–105° byd 39 NM blo 4,500′
105°–135° byd 35 NM blo 4,500′




CAMDEN

HARRELL FLD (CDH)(KCDH) 5 NE UTC–6(–5DT) N33°37.37′ W92°45.80′ **MEMPHIS**
130 B NOTAM FILE JBR **H–6I, L–17E**
RWY 01–19: H6502X100 (ASPH–GRVD) S–86, D–112, 2S–142, 2D–180 MIRL **IAP**
RWY 01: REIL. PAPI(P2L)—GA 3.0° TCH 46′. Trees.
RWY 19: REIL. PAPI(P2L)—GA 3.0° TCH 44′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwys 01 and 19; PAPI Rwy 01 and 19; MIRL Rwy 01–19—CTAF. PAPI Rwy 01 unusbl byd 5.0 degs left and right of cntrln. PAPI Rwy 19 unusbl byd 4.0 degs right of cntrln.
AIRPORT REMARKS: Attended Mon–Fri 1400–2230Z‡. For svc aft hrs call 870–818–3408. Fuel avbl self serve 24 hrs with credit card (100LL & JET A). NOTE: See Special Notice–Controlled Firing.
AIRPORT MANAGER: 870-818-3408
WEATHER DATA SOURCES: AWOS–3 125.2 (870) 574–1011.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.
EL DORADO (VH) (DH) VORW/DME 115.5 ELD Chan 102
N33°15.37′ W92°44.64′ 350° 22.0 NM to fld. 230/7E.
DME unusable:
020°–035° blo 2,000′
036°–019° byd 30 NM blo 3,200′
VOR unusable:
110°–120° byd 40 NM



CARLISLE MUNI (4M3) 2 NE UTC–6(–5DT) N34°48.49′ W91°42.73′ **MEMPHIS**
241 B NOTAM FILE JBR **L–18F**
RWY 09–27: H4501X75 (ASPH) S–17 MIRL **IAP**
RWY 09: PAPI(P2L)—GA 3.0° TCH 48′.
RWY 27: PAPI(P2L)—GA 3.0° TCH 47′. Berm.
RWY 18–36: H4494X75 (ASPH) S–17 MIRL
RWY 18: PAPI(P2L)—GA 3.25° TCH 40′.
RWY 36: PAPI(P2L)—GA 3.25° TCH 40′. Brush.
SERVICE: S4 **FUEL** 100LL **LGT** ACTVT PAPI Rwys 09 and 27 and Rwys 18 and 36; MIRL Rwy 09–27 and Rwy 18–36—CTAF.
AIRPORT REMARKS: Unattended. Migratory birds invof arpt Nov to Mar. Numerous agriculture operations year round. Self serve fuel avbl 24 hrs with credit card. Rwy 18 Markings Faded.
AIRPORT MANAGER: 870-552-5225
WEATHER DATA SOURCES: AWOS–2 119.275 (870) 639–4710.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LITTLE ROCK APP/DEP CON** 135.4
CLNC DEL 135.4
CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.



CONTINUED ON NEXT PAGE


CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 090° 21.7 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′

CARROLL CO (See BERRYVILLE on page 37)


CLARENDON MUNI (4M8) 5 SW UTC–6(–5DT) N34°38.80′ W91°23.68′ **MEMPHIS**
213 B NOTAM FILE JBR **L–18F**
RWY 18–36: H3256X60 (ASPH) S–4 MIRL 0.3% up NORTH
RWY 18: Thld dsplcd 55′. Road.
SERVICE: S2 **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—122.7.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Fuel avbl 24 hrs self serve. Migratory birds invof arpt. Rwy 18–36 agriculture acft use turf 2400′ by 100′ area east side of paved rwy, soft when wet. Rwy 18 and 36 markings faded.
AIRPORT MANAGER: 870-241-3781
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.
PINE BLUFF (VL) (L) VORW/DME 116.0 PBF Chan 107 N34°14.81′ W91°55.57′ 044° 35.6 NM to fld. 212/4E.
VOR unusable:
020°–021° byd 40 NM
067°–069° byd 40 NM
108°–110° byd 40 NM
140°–145° byd 35 NM blo 4,900′
170°–172° byd 40 NM
176°–178° byd 40 NM
239°–249° byd 40 NM blo 6,000′
239°–249° byd 59 NM
260°–275° byd 25 NM
292°–294° byd 40 NM
322°–328° byd 40 NM

CLARKSVILLE MUNI (H35) 3 E UTC–6(–5DT) N35°28.24′ W93°25.63′ **MEMPHIS**
481 B TPA—1448(967) NOTAM FILE JBR **L–16F**
RWY 09–27: H4504X75 (ASPH) S–19 MIRL 0.7% up E **IAP**
RWY 09: PAPI(P2L)—GA 4.0° TCH 86′. Trees.
RWY 27: PAPI(P2L)—GA 4.0° TCH 37′. Tree.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** PAPI Rwy 09 & 27 opr consly; MIRL Rwy 09–27 on SS–SR. PAPI unusbl byd 8 degs right of cntrln.
AIRPORT REMARKS: Attended daylight hours. Wildlife on and invof arpt. Self svc fuel avbl 24 hrs with credit card (100LL and Jet A).
AIRPORT MANAGER: 479-264-8408
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.475
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.
FORT SMITH (L) (L) VORTACW 110.4 FSM Chan 41 N35°23.30′ W94°16.29′ 076° 41.7 NM to fld. 432/7E.



CLINTON


CLINTON MUNI (CCA)(KCCA) 1 NE UTC–6(–5DT) N35°35.87′ W92°27.10′ **MEMPHIS**
514 B NOTAM FILE CCA **L–16G**
RWY 13–31: H4007X60 (ASPH) MIRL 0.3% up NW **IAP**
RWY 13: REIL. Trees.
RWY 31: REIL. PAPI(P2L)—GA 4.0° TCH 69′. Trees.
SERVICE: S4 **FUEL** 100LL **LGT** Dusk–dawn. ACTVT REIL Rwy 13–31; PAPI Rwy 31; MIRL Rwy 13–31—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Deer on and invof arpt. 24 hr self svc fuel avbl with credit card. Use extreme care rapidly rising terrain 3 miles southwest thru northeast. Use extreme care rapidly rising terrain 3 miles northwest of arpt.
AIRPORT MANAGER: 501-745-6550
WEATHER DATA SOURCES: AWOS–3 118.725 (501) 745–5000.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.850
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 343° 49.4 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′




HOLLEY MOUNTAIN AIRPARK (2A2) 5 NE UTC–6(–5DT) N35°39.04′ W92°24.23′ **MEMPHIS**
1270 B NOTAM FILE JBR **L–16G**
RWY 05–23: H4795X50 (ASPH) MIRL **IAP**
RWY 05: REIL. VASI(V2L)—GA 3.5° TCH 31′. Thld dsplcd 398′. Trees.
RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 47′. Trees. Rgt tfc.
SERVICE: **LGT** ACTIVATE REIL Rwy 05 and Rwy 23, VASI Rwy 05; MIRL Rwy 05–23—CTAF. Rwy 05 VASI unusable byd 2° left and 7° right of centerline.
AIRPORT REMARKS: Unattended. Deer on and invof rwy. Rwy 05–23 CLOSED to acft gross weight greater than 12,500 lbs. Beginning 10 ft byd east end of Rwy 23 pavement, gnd has aprx 10 ft drop over 40 ft len. Beginning 50 ft byd west end of Rwy 05 pavement, gnd has aprx 25 ft drop over 125 ft len.
AIRPORT MANAGER: 501-253-4590
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.85
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 346° 51.9 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′
COMM/NAV/WEATHER REMARKS: Wx Info–CTAF (6 clicks).

COLT

DELTA RGNL (DRP)(KDRP) 1 SW UTC–6(–5DT) N35°07.20′ W90°49.59′ **MEMPHIS**
239 B NOTAM FILE JBR **H–6J, L–16F**
RWY 18–36: H5003X75 (ASPH) S–30 HIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 44′.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 44′.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwys 18 and 36; HIRL Rwy 18–36—CTAF. PAPI Rwys 18 and 36 opers continuously.
AIRPORT REMARKS: Attended Mon–Fri 1300–2230Z‡ For svc aft hrs call 901–490–5165. Fuel avbl self serve after hrs with credit card.
AIRPORT MANAGER: 870-633-6083
WEATHER DATA SOURCES: AWOS–3P 120.0 (870) 630–8144.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.3
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
GILMORE (L) (L) VORW/DME 113.0 GQE Chan 77 N35°20.82′ W90°28.69′ 228° 21.9 NM to fld. 211/4E.




CONWAY RGNL (CXW)(KCXW) 7 SW UTC–6(–5DT) N35°01.19′ W92°33.31′ **MEMPHIS**
276 B NOTAM FILE JBR **H–6I, L–17E**
RWY 04–22: H5500X100 (CONC–GRVD) S–30, D–60, 2D–120 MIRL **IAP**
RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 40′.
RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTIVATE REIL, PAPI and MIRL Rwy 04 and Rwy 22—CTAF.
AIRPORT REMARKS: Attended 1400–0000Z‡. For svc aft hrs call 501–697–6476. 100LL avbl 24 hrs self service with credit card. Ldg fee, fee waived if fuel is purchased.
AIRPORT MANAGER: 501-358-6200
WEATHER DATA SOURCES: AWOS–2 118.775 (501) 358–6209.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **LITTLE ROCK APP CON** 119.5 (240°–039°) 135.4 (040°–239°)
Ⓡ **LITTLE ROCK DEP CON** 119.5
CLNC DEL 121.2
CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 302° 23.5 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′



CORNING


CORNING HELIPORT (H14) 0 NW UTC–6(–5DT) N36°25.16′ W90°35.30′ **MEMPHIS**
287 NOTAM FILE JBR Not insp.
HELIPAD H1: H44X44 (CONC) PERIMETER LGTS
HELIPORT REMARKS: Unattended.
AIRPORT MANAGER: 870-323-0304

CORNING MUNI (4M9) 3 W UTC–6(–5DT) N36°24.25′ W90°38.88′ **ST LOUIS**
293 B NOTAM FILE JBR **L–16H**
RWY 18–36: H4299X60 (ASPH) S–12.5 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Pole.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Road.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTIVATE REIL Rwy 18 and Rwy 36, PAPI Rwy 18 and Rwy 36, MIRL Rwy 18–36 and twy lgts—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–0100Z‡, Sat 1400–1800Z‡ and Sun unattended. Self svc fuel avbl 24 hrs with credit card.
AIRPORT MANAGER: 870-323-0304
WEATHER DATA SOURCES: AWOS–3T 118.325 (870) 857–9702.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ**MEMPHIS CENTER APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.
WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92 N36°06.60′ W90°57.22′ 036° 23.0 NM to fld. 265/4E.
TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′
VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM




CROSSETT

Z M JACK STELL FLD (CRT)(KCRT) 5 NE UTC–6(–5DT) N33°10.70′ W91°52.81′ **MEMPHIS**
184 B NOTAM FILE JBR **H–6J, L–18F**
RWY 05–23: H5010X75 (ASPH) S–19 MIRL **IAP**
RWY 05: PAPI(P2L)—GA 3.25° TCH 42′. Trees.
RWY 23: PAPI(P2L)—GA 3.25° TCH 42′.
SERVICE: **FUEL** 100LL, JET A **LGT** Rwy 05 and Rwy 23 PAPI nightime only.
AIRPORT REMARKS: Attended Mon–Fri irregularly. Self serve 100LL avbl 24 hrs with credit card. Assitance avbl if needed. Midfield twy clsd to acft over 6000 lbs. Lndg fee chrgd acft gtr than 8645 lbs unless fuel purchased.
AIRPORT MANAGER: 870-304-6361
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**MEMPHIS CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
MONTICELLO (L) DME 111.6 MON Chan 53 N33°33.72′ W91°42.93′ 200° 24.4 NM to fld. 208.




CRYSTAL LAKE (See DECATUR on page 48)

DANVILLE MUNI (32A) 3 NW UTC–6(–5DT) N35°05.24′ W93°25.74′
393 B NOTAM FILE JBR
RWY 11–29: H4466X75 (ASPH) S–12.5 MIRL 0.4% up E
SERVICE: FUEL 100LL **LGT** ACTVT MIRL Rwy 11–29 —CTAF.
AIRPORT REMARKS: Unattended. For svc call Yell County sheriff 501–495–4881. Self–serve fuel avbl 24 hrs with credit card OTS indef.
AIRPORT MANAGER: 479-495-0722
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.475
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE HOT.
HOT SPRINGS (L) (L) VORW/DME 110.0 HOT Chan 37 N34°28.72′ W93°05.44′ 331° 40.1 NM to fld. 529/4E.
VOR unusable:
005°–014° byd 10 NM
015°–064° byd 15 NM blo 5,000′
065°–090° byd 8 NM
091°–099° byd 15 NM blo 4,800′
100°–135° byd 13 NM blo 11,000′
100°–135° byd 8 NM blo 3,000′
136°–174° byd 26 NM blo 8,000′
136°–174° byd 9 NM blo 3,500′
175°–196° byd 9 NM blo 8,000′
197°–235° byd 9 NM blo 3,500′
236°–250° byd 22 NM blo 5,000′
251°–320° byd 30 NM blo 4,000′
321°–339° byd 10 NM blo 5,500′
321°–339° byd 16 NM blo 10,500′
321°–339° byd 35 NM blo 14,500′
340°–348° byd 30 NM blo 10,500′
349°–004° byd 30 NM blo 4,500′
DME unusable:
015°–064° byd 15 NM blo 5,000′
065°–090° byd 8 NM
091°–099° byd 15 NM blo 4,800′
100°–135° byd 13 NM blo 11,000′
100°–135° byd 8 NM blo 3,000′
136°–174° byd 26 NM blo 8,000′
136°–174° byd 9 NM blo 3,500′
175°–196° byd 9 NM blo 8,000′
184°–215° byd 15 NM blo 7,500′
197°–235° byd 9 NM blo 3,500′
236°–250° byd 22 NM blo 5,000′
251°–320° byd 30 NM blo 4,000′
321°–014° byd 10 NM




DE QUEEN

J LYNN HELMS SEVIER CO (DEQ)(KDEQ) 3 W UTC–6(–5DT) N34°02.82′ W94°23.96′ **MEMPHIS**
355 B NOTAM FILE DEQ **H–6I, L–17D**
RWY 08–26: H5001X75 (ASPH) S–27 MIRL **IAP**
RWY 08: REIL. PAPI(P2L)—GA 3.0° TCH 44′. Tree.
RWY 26: REIL. PAPI(P2L)—GA 3.0° TCH 49′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–Dawn. ACTVT REIL Rwy 08 and 26; PAPI Rwy 08 and 26; MIRL Rwy 08–26—CTAF.
AIRPORT REMARKS: Unattended. Fuel avbl 24 hr self serve with major credit card (100LL & Jet A).
AIRPORT MANAGER: 870-582-2492
WEATHER DATA SOURCES: ASOS 134.075 (870) 642–7829.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 123.925
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.
TEXARKANA (VH) (H) VORTACW 116.3 TXK Chan 110 N33°30.83′ W94°04.39′ 326° 35.9 NM to fld. 273/7E.




DE WITT

DEWITT MUNI/WHITCOMB FLD (5M1) 3 SE UTC–6(–5DT) N34°15.74′ W91°18.45′ **MEMPHIS**
189 B NOTAM FILE JBR **L–18F**
RWY 18–36: H3205X60 (ASPH) S–12 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Road.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 39′.
SERVICE: S4 **FUEL** 100LL **LGT** ACTVT REIL Rwy 18 and Rwy 36; PAPI Rwy 18 and Rwy 36; MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Mar–Aug Sat 1300–1800Z‡. For svc aft hrs call 870–830–3091 or 870–946–1745. Fuel avbl 24 hr self serve with credit card.
AIRPORT MANAGER: 870-830-3091
COMMUNICATIONS: CTAF 122.9
Ⓡ**MEMPHIS CENTER APP/DEP CON** 135.3
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.
PINE BLUFF (VL) (L) VORW/DME 116.0 PBF Chan 107 N34°14.81′ W91°55.57′ 084° 30.8 NM to fld. 212/4E.
VOR unusable:
020°–021° byd 40 NM
067°–069° byd 40 NM
108°–110° byd 40 NM
140°–145° byd 35 NM blo 4,900′
170°–172° byd 40 NM
176°–178° byd 40 NM
239°–249° byd 40 NM blo 6,000′
239°–249° byd 59 NM
260°–275° byd 25 NM
292°–294° byd 40 NM
322°–328° byd 40 NM



DECATUR

CRYSTAL LAKE (5M5) 2 NE UTC–6(–5DT) N36°20.62′ W94°26.69′ **KANSAS CITY**
1178 NOTAM FILE JBR **L–16F**
RWY 13–31: H3863X75 (ASPH) S–10 LIRL 0.6% up SE **IAP**
RWY 13: Trees.
RWY 31: Trees.
SERVICE: S4
AIRPORT REMARKS: Unattended. Deer and geese on and invof arpt. Rwy 13–31 nstd thld markings due to size. Be alert for +176′ tower approximately 1300′ north of Rwy 13. Rwy 13–31 unmarked.
AIRPORT MANAGER: 479-220-5047
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **RAZORBACK APP/DEP CON** 121.0 (1130–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1 (0500–1130Z‡)
CLNC DEL 126.6
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36°14.79′ W94°07.28′ 286° 16.7 NM to fld. 1332/4E.
VOR unusable:
025°–035° byd 40 NM
025°–150° byd 22 NM blo 4,000′
070°–080° byd 40 NM
093°–103° byd 40 NM blo 17,000′
104°–144° byd 40 NM
145°–155° byd 40 NM blo 6,500′
145°–155° byd 67 NM blo 9,500′
150°–210° byd 22 NM blo 3,500′
156°–170° byd 40 NM
195°–215° byd 40 NM
210°–220° byd 22 NM blo 3,000′
234°–245° byd 40 NM
310°–025° byd 22 NM blo 3,000′
TACAN AZIMUTH unusable:
148°–160°
225°–240°



DELTA RGNL (See COLT on page 43)

DERMOTT MUNI (4M5) 3 SW UTC–6(–5DT) N33°29.28′ W91°26.56′ **MEMPHIS**
135 B NOTAM FILE JBR
RWY 01–19: H2980X50 (ASPH)
RWY 01: Tree.
SERVICE: **LGT** Rotating bcn OTS indef.
AIRPORT REMARKS: Unattended. Nmrs agricultural acft ops Feb–Nov 500′ AGL and below. Rwy 01–19 nmrs cracks, and crumbling thrut rwy. Rwy 01 and Rwy 19 markings faded.
AIRPORT MANAGER: 870-866-5203
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.


DEWITT MUNI/WHITCOMB FLD (See DE WITT on page 47)

DEXTER B FLORENCE MEML FLD (See ARKADELPHIA on page 32)

DRAKE FLD (See FAYETTEVILLE on page 51)

DUMAS


BILLY FREE MUNI (ØMØ) 2 W UTC–6(–5DT) N33°53.07′ W91°32.06′ **MEMPHIS**
164 B NOTAM FILE JBR **H–6J, L–18F**
RWY 18–36: H5003X75 (ASPH) S–15 MIRL **IAP**
RWY 36: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT PAPI Rwy 36; MIRL Rwy 18–36—CTAF. Bcn temp OTS.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Migratory birds on and invof arpt Nov–Feb. For arpt attendant after hrs call 870–299–3861. Self service fuel avbl 24 hrs with credit card (100LL & Jet A).
AIRPORT MANAGER: 870-382-2216
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**MEMPHIS CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
MONTICELLO (L) DME 111.6 MON Chan 53 N33°33.72′ W91°42.93′ 025° 21.3 NM to fld. 208.



EFS (See SHOFFNER on page 85)

EL DORADO

EL DORADO DOWNTOWN–STEVENS FLD (F43) 0 S UTC–6(–5DT) N33°11.48′ W92°39.79′ **MEMPHIS**
256 B NOTAM FILE JBR **L–17E**
RWY 18–36: H3000X60 (ASPH) S–7 LIRL
RWY 18: Trees.
RWY 36: PAPI(P2L)—GA 3.5° TCH 32′. Trees.
SERVICE: S4 **FUEL** 100LL
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. For svc after hrs call 870–310–0310; 24 hr self svc fuel with credit card avbl. Ultralight activity on and invof arpt. Rwy 18 ground drops off 10′+ approx 40′ from rwy end. Rwy 36 ground drops off 10′+ approx 30′ from rwy end.
AIRPORT MANAGER: 870-863-5068
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.
(VH) (DH) VORW/DME 115.5 ELD Chan 102 N33°15.37′ W92°44.64′ 127° 5.6 NM to fld. 230/7E.
DME unusable:
020°–035° blo 2,000′
036°–019° byd 30 NM blo 3,200′
VOR unusable:
110°–120° byd 40 NM



SOUTH ARKANSAS RGNL AT GOODWIN FLD (ELD)(KELD) 8 W UTC–6(–5DT) N33°13.27´ W92°48.70´ **MEMPHIS H–6I, L–17E IAP**

277 B NOTAM FILE ELD

RWY 04–22: H6601X150 (ASPH–AFSC) S–75, D–200, 2S–175 HIRL


RWY 04: PAPI(P4L)—GA 3.0° TCH 50´. Trees.

RWY 22: MALSR. PAPI(P4L)—GA 3.0° TCH 53´.

RWY 13–31: H5100X100 (ASPH) S–25 MIRL 0.7% up NW

RWY 13: PAPI(P2L)—GA 4.0° TCH 43´.

RWY 31: PAPI(P2R)—GA 4.0° TCH 43´.



SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** Dusk–Dawn. HIRL Rwy 04–22 preset low intst; to incr intst and ACTVT MALSR Rwy 22; MIRL Rwy 13–31; twy lgts—CTAF. Rwy 13 PAPI unusbl byd 9 degs left and 6 degs right of cntrln. Rwy 31 PAPI unusbl byd 7 degs left and right of cntrln.

AIRPORT REMARKS: Attended Mon–Fri 1200–2330Z‡, Sat 1630–2330Z‡, Sun 1630–2330Z‡. For svc aft hrs call 870–866–9696; fee chrgd. NOTE: See Special Notices—Controlled Firing.

AIRPORT MANAGER: 870-881-4192

WEATHER DATA SOURCES: ASOS 118.325 (870) 862–3090.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.2

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

AIRSPACE: CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.

EL DORADO (VH) (DH) VORW/DME 115.5 ELD Chan 102 N33°15.37´ W92°44.64´ 232° 4.0 NM to fld. 230/7E.

DME unusable:

020°–035° blo 2,000´

036°–019° byd 30 NM blo 3,200´

VOR unusable:


110°–120° byd 40 NM

LADOS NDB (LOMW) 418 EL N33°17.17´ W92°43.68´ 224° 5.7 NM to fld. 140/3E.

ILS/DME 111.1 I–ELD Chan 48 Rwy 22. Class IA. LOM LADOS NDB. LOM unmonitored. DME unusable byd 021° right of course.

FAYETTEVILLE

DRAKE FLD (FYV)(KFYV) 3 S UTC–6(–5DT) N36º00.31´ W94º10.20´ **KANSAS CITY**
1252 B TPA—2101(849) Class IV, ARFF Index A NOTAM FILE FYV **H–6I, L–16F**
RWY 16–34: H6005X100 (ASPH–GRVD) S–120, D–287, 2S–175, 2D–194, 2D/2D2–773 PCR 530 F/C/W/T MIRL **IAP, AD**
RWY 16: ODALS. PAPI(P4L)—GA 3.0º TCH 50´.
RWY 34: ODALS. PAPI(P4L)—GA 3.5º TCH 58´. Tree.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 16: TORA–6005 TODA–6005 ASDA–6005 LDA–6005
RWY 34: TORA–6005 TODA–6005 ASDA–6005 LDA–6005
SERVICE: S2 **FUEL** 100LL, JET A **LGT** When ATCT clsd MIRL Rwy 16–34 preset med intst. ACTVT ODALS Rwy 16 and 34; PAPI Rwy 34—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1200–0400Z‡, Sat–Sun 1400–0200Z‡. Deer on and invof arpt. For fuel after hrs call 479–443–4343, fee charged. Self service avbl 24hrs. 24 hr PPR for air carrier ops with more than 30 passenger seats call arpt manager 479–718–7642 and fax FBO 479–718–7646.
AIRPORT MANAGER: (479) 718-7644
WEATHER DATA SOURCES: ASOS 119.575 (479) 442–5237.
COMMUNICATIONS: CTAF 128.0 **ATIS** 119.575 **UNICOM** 122.95
Ⓡ **RAZORBACK APP/DEP CON** 121.0 (1130–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1 (0500–1130Z‡)
TOWER 128.0 (1200–0400Z‡) **GND CON** 121.8




CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36º14.79´ W94º07.28´ 185º 14.7 NM to fld. 1332/4E.
VOR unusable:
025º–035º byd 40 NM
025º–150º byd 22 NM blo 4,000´
070º–080º byd 40 NM
093º–103º byd 40 NM blo 17,000´
104º–144º byd 40 NM
145º–155º byd 40 NM blo 6,500´
145º–155º byd 67 NM blo 9,500´
150º–210º byd 22 NM blo 3,500´
156º–170º byd 40 NM
195º–215º byd 40 NM
210º–220º byd 22 NM blo 3,000´
234º–245º byd 40 NM
310º–025º byd 22 NM blo 3,000´
TACAN AZIMUTH unusable:
148º–160º
225º–240º
LOC/DME 111.9 I–FYV Chan 56 Rwy 16. LOC/DME unmonitored when ATCT clsd. LOC unusable wi 0.0 NM abv 2,500´ 1.2 DME; unusable wi 2.5 NM abv 3,200´ 3.7 DME.
LDA/DME 111.9 I–LFH Chan 56 Rwy 34. LOC unusable byd 10 NM blw 3,500´; byd 10º right of course. DME unusable byd 10º right of course; byd 8 NM blw 3,000´; byd 10 NM blw 3,500´; byd 15 NM. Glideslope unusable byd 9 NM.

FAYETTEVILLE/SPRINGDALE/ROGERS


NORTHWEST ARKANSAS NTL (XNA)(KXNA) 15 NW UTC–6(–5DT) N36°16.89′ W94°18.47′ **KANSAS CITY H–6I, L–16F IAP, AD**
1288 B Class I, ARFF Index B NOTAM FILE XNA
RWY 16L–34R: H8801X150 (CONC–GRVD) S–120, D–223, 2D–377, 2D/2D2–864 PCR 765 R/C/W/T HIRL
RWY 16L: MALSR. PAPI(P4L)—GA 3.0° TCH 52′. RVR–TR
RWY 34R: MALSR. PAPI(P4L)—GA 3.0° TCH 51′. RVR–TR
RWY 16R–34L: H8800X150 (CONC–GRVD) S–120, D–233, 2D–377, 2D/2D2–864 PCR 765 R/C/W/T MIRL
RUNWAY DECLARED DISTANCE INFORMATION
RWY 16L: TORA–8800 TODA–8800 ASDA–8800 LDA–8800
RWY 16R: TORA–8800 TODA–8800 ASDA–8800 LDA–8800
RWY 34L: TORA–8800 TODA–8800 ASDA–8800 LDA–8800
RWY 34R: TORA–8800 TODA–8800 ASDA–8800 LDA–8800
SERVICE: FUEL 100LL, JET A **OX** 2 **LGT** When ATCT clsd ACTVT MALSR Rwy 16L & 34R; HIRL Rwy 16L–34R—CTAF. PAPI Rwy 16L & 34R oper consly. Caution: elevated rwy thld lgts AER Rwys 16L & 34R.
AIRPORT REMARKS: Attended continuously. Bird activity on and invof arpt. For fuel svcs use freq 130.05. Distance and direction to arpt from Springdale is 10 NM northwest and from Rogers MSA is 9 NM southwest.
AIRPORT MANAGER: 479-205-1000
WEATHER DATA SOURCES: ASOS 119.425 (479) 370–0218.
COMMUNICATIONS: CTAF 127.1 **ATIS** 119.425
Ⓡ **RAZORBACK APP/DEP CON** 121.0 (West) 126.6 (East) (1130–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1 (0500–1130Z‡)
TOWER 127.1 (1130–0500Z‡) **GND CON** 121.9
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS C svc ctc **APP CON** svc 1130–0500Z‡ other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36°14.79′ W94°07.28′ 279° 9.3 NM to fld. 1332/4E.
VOR unusable:
025°–035° byd 40 NM
025°–150° byd 22 NM blo 4,000′
070°–080° byd 40 NM
093°–103° byd 40 NM blo 17,000′
104°–144° byd 40 NM
145°–155° byd 40 NM blo 6,500′
145°–155° byd 67 NM blo 9,500′
150°–210° byd 22 NM blo 3,500′
156°–170° byd 40 NM
195°–215° byd 40 NM
210°–220° byd 22 NM blo 3,000′
234°–245° byd 40 NM
310°–025° byd 22 NM blo 3,000′
TACAN AZIMUTH unusable:
148°–160°
225°–240°
ILS/DME 111.55 I–XNA Chan 52(Y) Rwy 16L. Class IE.
ILS/DME 111.55 I–FBS Chan 52(Y) Rwy 34R. Class IE.

FLIPPIN

MARION CO RGNL (FLP)(KFLP) 1 N UTC–6(–5DT) N36°17.45′ W92°35.42′ **KANSAS CITY**
720 B NOTAM FILE FLP **H–6I, L–16G**
RWY 04–22: H5001X75 (ASPH) S–30 MIRL 1.3% up NE **IAP**
RWY 04: REIL. PAPI(P2L)—GA 3.5° TCH 71′. Tree.
RWY 22: REIL. PAPI(P2L)—GA 3.5° TCH 52′. Trees.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 04 and Rwy 22; PAPI Rwy 04 and Rwy 22 and MIRL Rwy 04—22—CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1500–2100Z‡. Wildlife on and invof arpt. Fuel avbl 24 hrs self svc (100LL and Jet A). No line of sight btn rwy ends.
AIRPORT MANAGER: 870-453-2241
WEATHER DATA SOURCES: AWOS–3PT 132.075 (870) 451–0691.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.85
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE FLP.
FLIPPIN (DH) DME 116.05 FLP Chan 107(Y) N36°17.98′ W92°27.50′ 265° 6.4 NM to fld. 782.
DME unusable:
020°–050° byd 26 NM blo 3,500′
020°–050° byd 32 NM blo 4,500′
075°–105° byd 39 NM blo 4,500′
105°–135° byd 35 NM blo 4,500′




FORDYCE MUNI (5M4) 3 NE UTC–6(–5DT) N33°50.75′ W92°21.93′ **MEMPHIS**
193 B NOTAM FILE JBR **L–18F**
RWY 05–23: H3183X60 (ASPH) S–4 MIRL
RWY 05: Trees.
RWY 23: Trees.
SERVICE: **FUEL** 100LL **LGT** Rwy 05–23 MIRL oprs Dusk–0700Z‡. Bcn oprs dusk–0700Z+.
AIRPORT REMARKS: Unattended. Deer & migratory birds on & invof airport. Fuel avbl 24 hr self service with credit card.
AIRPORT MANAGER: 870-313-2870
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.
PINE BLUFF (VL) (L) VORW/DME 116.0 PBF Chan 107 N34°14.81′ W91°55.57′ 218° 32.5 NM to fld. 212/4E.
VOR unusable:
020°–021° byd 40 NM
067°–069° byd 40 NM
108°–110° byd 40 NM
140°–145° byd 35 NM blo 4,900′
170°–172° byd 40 NM
176°–178° byd 40 NM
239°–249° byd 40 NM blo 6,000′
239°–249° byd 59 NM
260°–275° byd 25 NM
292°–294° byd 40 NM
322°–328° byd 40 NM



FORREST CITY

HUTFLY (FCY)(KFCY) 4 S UTC–6(–5DT) N34°56.52′ W90°46.50′ **MEMPHIS**
249 B NOTAM FILE JBR **L–18F**
RWY 18–36: H3014X50 (ASPH) S–20 MIRL
RWY 18: REIL. PAPI(P2L)—GA 4.0° TCH 36′.
RWY 36: REIL. PAPI(P2R)—GA 4.0° TCH 36′. Trees.
SERVICE: S4 **FUEL** JET A **LGT** Dusk–Dawn. ACTVT PAPI Rwy 18 and 36; MIRL Rwy 18–36—CTAF. Rotg bcn OTS indefly. Rwy 18–36 REIL OTS indefly. Rwy 18–36 PAPI OTS indefly.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Rwy 36 ditch 201′ from south end of rwy. 494′ lgtd twr 3 miles north on centerline.
AIRPORT MANAGER: 870-633-4511
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.3
CLEARANCE DELIVERY PHONE: For CD ctc Memphis Apch at 901-842-8457.



FORT SMITH RGNL (FSM)(KFSM) P (ANG) 3 SE UTC–6(–5DT) N35°20.20′ W94°21.97′ **MEMPHIS**
469 B Class I, ARFF Index B NOTAM FILE FSM **H–6I, L–16F**
RWY 08–26: H9318X150 (ASPH–GRVD) S–114, D–175, 2D–258, 2D/2D2–714 PCR 470 F/C/W/T HIRL **IAP, AD**
RWY 08: MALSR. PAPI(P4R)—GA 3.0° TCH 51′. RVR–R Tree.
RWY 26: MALSR. PAPI(P4L)—GA 3.0° TCH 50′. RVR–T Tree.
RWY 02–20: H5001X150 (ASPH–GRVD) S–102, D–138, 2D–193 PCR 425 F/D/X/T MIRL
RWY 02: PAPI(P4R)—GA 3.0° TCH 50′. Railroad.
RWY 20: PAPI(P4L)—GA 3.0° TCH 40′. Tree.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 02: TORA–5001 TODA–5001 ASDA–5001 LDA–5001
RWY 20: TORA–5001 TODA–5001 ASDA–5001 LDA–5001
ARRESTING GEAR/SYSTEM
RWY 08 BAK–14 BAK–12B(B) (1500′) BAK–14 BAK–12B(B) (1651′) **RWY 26**
SERVICE: S4 **FUEL** 100LL, JET A **LGT** When ATCT clsd ACTVT MALSR Rwy 08 and 26; MIRL Rwy 02–20; HIRL Rwy 08–26—CTAF. Rwy 02 PAPI unusbl 8 degs left of cntrln. Rwy 20 PAPI unusbl 5 deg right of cntrln. **MILITARY— A–GEAR** Rwy 08 and Rwy 26 BAK–14 in–gn barrier housings lctd 275 ft cntrln. Rwy 08 BAK–12 abv gnd 2000 ft fm Rwy 08 thld. A–Gear unavbl when twr clsd. **FUEL** A+ (C479–646–1611.) (NC–100LL – avbl H24 self svc; A – not avbl 0400Z‡ Sat – 1200Z‡ Sun and 0400Z‡ Sun – 1200Z‡ Mon.) **FLUID** PRESAIR LOX **OIL** O–128–(133–148 Mil) SOAP
AIRPORT REMARKS: Attended continuously. Flock of migratory birds on and in vicinity of arpt. Fuel 100LL avbl 24 hrs self serve. For Jet A Sat and Sun 0400–1200Z‡ call 479–646–1611. Rwy 02 aiming points 1390′ fm thld. Landing fee for all FAR 121 and FAR 135 opns above 12,500 lbs. PPR for all acft (including U.S. government) above 100,000 lbs contact arpt manager Mon–Fri 1400–2300Z‡ 479–452–7000 minimum 24 hrs in advance. 24 hrs PPR for unscheduled air carrier ops with more than 30 passenger seats call arpt manager 479–452–7000.
AIRPORT MANAGER: 479-650-3304
WEATHER DATA SOURCES: ASOS (479) 649–2425 LLWAS.
COMMUNICATIONS: CTAF 118.3 **ATIS** 124.775 **UNICOM** 122.95
RCO 122.2 (JONESBORO RADIO)
Ⓡ **RAZORBACK APP/DEP CON** 120.9 (1130–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1 (0500–1130Z‡)
TOWER 118.3 (1130–0500Z‡) **GND CON** 121.9 **CLNC DEL** 133.85
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS D svc 1130–0500Z‡; other times CLASS E.
TRSA svc ctc **APP CON** within 25 NM. **TRSA** service not provided within R2401 and R2402 when activated.
RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.
(L) (L) VORTACW 110.4 FSM Chan 41 N35°23.30′ W94°16.29′ 229° 5.6 NM to fld. 432/7E.
ILS 111.3 I–GKV Rwy 08. Class IE.
ILS 111.3 I–FSM Rwy 26. Class IT. Unmonitored when ATCT clsd. LOC unusable byd 20° right of course.
ASR

FRANK FEDERER MEML (See BRINKLEY on page 39)


GASTONS (See LAKEVIEW on page 63)

GILMORE N35°20.82′ W90°28.69′ NOTAM FILE JBR. **MEMPHIS**
(L) (L) VORW/DME 113.0 GQE Chan 77 015° 11.8 NM to Marked Tree Muni. 211/4E. **H–6J, L–16H**


GREENBRIER

ARKAVALLEY (12A) 5 SE UTC–6(–5DT) N35°10.65′ W92°20.10′ **MEMPHIS**
329 NOTAM FILE JBR **L–16G**
RWY 18–36: H3133X40 (ASPH) MIRL
RWY 18: Tree.
SERVICE: **LGT** ACTIVATE MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Unattended. Rising terrain north end.
AIRPORT MANAGER: 501-514-0204
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 338° 23.8 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′

GURDON LOWE FLD (5M8) 1 NW UTC–6(–5DT) N33°55.43′ W93°10.09′ **MEMPHIS**
229 B NOTAM FILE JBR **L–17E**
RWY 08–26: H4403X60 (ASPH) S–12.5 MIRL
RWY 08: Trees.
RWY 26: Thld dsplcd 114′. Road. Rgt tfc.
SERVICE: **LGT** ACTVT MIRL Rwy 08–26—122.9. Rwy 26 NSTD dsplcd thld lights, thld lights at rwy end.
AIRPORT REMARKS: Unattended. Deer on and invof arpt. Ultralight activity on and invof arpt.
AIRPORT MANAGER: 870-353-2514
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.
EL DORADO (VH) (DH) VORW/DME 115.5 ELD Chan 102 N33°15.37′ W92°44.64′ 325° 45.3 NM to fld. 230/7E.
DME unusable:
020°–035° blo 2,000′
036°–019° byd 30 NM blo 3,200′
VOR unusable:
110°–120° byd 40 NM



HAMPTON MUNI (ØR6) 2 SE UTC–6(–5DT) N33º31.36´ W92º27.62´ **MEMPHIS**
178 NOTAM FILE JBR **L–18F**
RWY 02–20: H4326X50 (ASPH)
RWY 02: Trees.
RWY 20: Trees.
AIRPORT REMARKS: Unattended. Deer on and invof arpt. Rwy 02–20 potholes northern third of rwy. Rwy 02 and 20 markings faded.
AIRPORT MANAGER: 870-798-4818
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.
EL DORADO (VH) (DH) VORW/DME 115.5 ELD Chan 102
N33º15.37´ W92º44.64´ 035º 21.4 NM to fld. 230/7E.
DME unusable:
020º–035º blo 2,000´
036º–019º byd 30 NM blo 3,200´
VOR unusable:
110º–120º byd 40 NM



HARRELL FLD (See CAMDEN on page 40)

HARRISON

BOONE CO (HRO)(KHRO) 3 NW UTC–6(–5DT) N36º15.69´ W93º09.28´ **KANSAS CITY**
1365 B TPA—2201(836) NOTAM FILE HRO **H–6I, L–16F**
RWY 18–36: H6161X150 (ASPH–GRVD) S–38, D–53, 2D–84 HIRL **IAP, AD**
RWY 18: REIL. VASI(V4L)—GA 3.0º TCH 50´.
RWY 36: MALSR. VASI(V4L)—GA 3.0º TCH 50´.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTIVATE MALSR Rwy 36, REIL Rwy 18 and HIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended 1300–0100Z‡. 100LL avbl 24 hrs self serve. For service after hrs call 870–741–4510; fee charged; call ahead if possible. Deer and birds on and invof arpt.
AIRPORT MANAGER: 870-741-6954
WEATHER DATA SOURCES: ASOS 121.125 (870) 365–8550.
COMMUNICATIONS: CTAF/UNICOM 123.0
HARRISON RCO 122.4 (JONESBORO RADIO)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.85
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS E svc 1200–0400Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE HRO.
HARRISON (VL) (L) VORW/DME 112.5 HRO Chan 72 N36º19.10´ W93º12.80´ 136º 4.4 NM to fld. 1400/4E.
DME unusable:
245º–260º byd 30 NM blo 4,500´
VOR unusable:
000º–086º byd 40 NM
087º–097º byd 40 NM blo 3,000´
087º–097º byd 55 NM
098º–166º byd 40 NM
165º–215º byd 20 NM blo 5,000´
165º–215º byd 30 NM blo 6,500´
167º–177º byd 40 NM blo 10,000´
167º–177º byd 69 NM
178º–250º byd 40 NM
300º–359º byd 40 NM
ILS/DME 111.7 I–HRO Chan 54 Rwy 36.

HAZEN MUNI DAVID DUCH FLD (6MØ) 3 SW UTC–6(–5DT) N34º45.55´ W91º38.28´ **MEMPHIS**
230 B NOTAM FILE JBR **L–18F**

RWY 18–36: H4048X150 (ASPH) S–12 MIRL
RWY 18: PAPI(P2L)—GA 3.0º TCH 52´.
RWY 36: PAPI(P2L)—GA 3.0º TCH 52´.

SERVICE: S4 **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—CTAF.

AIRPORT REMARKS: Attended dalgt hrs. For svc after hrs call 501–554–6590. Migratory birds invof arpt Oct–Mar. Extensive agriculture operations Jan–Sep. 100LL avbl 24 hrs self serve with credit card.

AIRPORT MANAGER: 501-554-6590

COMMUNICATIONS: CTAF/UNICOM 122.8

CLEARANCE DELIVERY PHONE: For CD ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.


RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34º48.61´ W92º09.12´ 097º 25.6 NM to fld. 276/0W.

TACAN AZIMUTH unusable:
000º–030º byd 38 NM blo 3,000´
031º–080º byd 37 NM blo 2,300´
191º–235º byd 34 NM blo 2,800´
236º–285º byd 30 NM blo 4,500´
286º–359º byd 33 NM blo 4,000´

DME unusable:
000º–030º byd 38 NM blo 3,000´
031º–080º byd 37 NM blo 2,300´
081º–133º byd 39 NM blo 2,000´
191º–235º byd 34 NM blo 2,800´
236º–285º byd 30 NM blo 4,500´
286º–359º byd 33 NM blo 4,000´

VOR unusable:
250º–252º byd 40 NM blo 18,000´
253º–270º byd 40 NM
271º–275º byd 40 NM blo 18,000´



HEBER SPRINGS MUNI/CHARLIE EVANS FLD (HBZ)(KHBZ) 2 NE UTC–6(–5DT) N35º30.70´ **MEMPHIS**
W92º00.78´ **L–16G**
632 B TPA—1430(798) NOTAM FILE JBR **IAP**

RWY 06–24: H4002X75 (ASPH) S–12.5 MIRL
RWY 06: REIL. PAPI(P2L)—GA 3.0º TCH 36´. Trees.
RWY 24: REIL. PAPI(P2L)—GA 3.0º TCH 39´.

SERVICE: S4 **FUEL** 100LL, JET A **OX** 4 **LGT** ACTIVATE REIL Rwy 06–24 and MIRL Rwy 06–24—CTAF.

AIRPORT REMARKS: Attended 1400–2300Z‡. Deer on and invof arpt. Self svc fuel avbl 24 hrs with credit card (100LL and Jet A). Rwy 06–24 no line of sight btn rwy ends.

AIRPORT MANAGER: 501-362-3294

COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.85

CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34º48.61´ W92º09.12´ 009º 42.6 NM to fld. 276/0W.


TACAN AZIMUTH unusable:
000º–030º byd 38 NM blo 3,000´
031º–080º byd 37 NM blo 2,300´
191º–235º byd 34 NM blo 2,800´
236º–285º byd 30 NM blo 4,500´
286º–359º byd 33 NM blo 4,000´

DME unusable:
000º–030º byd 38 NM blo 3,000´
031º–080º byd 37 NM blo 2,300´
081º–133º byd 39 NM blo 2,000´
191º–235º byd 34 NM blo 2,800´
236º–285º byd 30 NM blo 4,500´
286º–359º byd 33 NM blo 4,000´

VOR unusable:
250º–252º byd 40 NM blo 18,000´
253º–270º byd 40 NM
271º–275º byd 40 NM blo 18,000´


HELENA/WEST HELENA

THOMPSON–ROBBINS (HEE)(KHEE) 5 NW UTC–6(–5DT) N34°34.59′ W90°40.55′ **MEMPHIS**
242 B TPA—1202(960) NOTAM FILE JBR **H–6J, L–18F**
RWY 18–36: H5001X100 (ASPH–GRVD) S–15 MIRL **IAP**
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 48′.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 48′.
RWY 09–27: H3011X60 (ASPH) S–16 MIRL
RWY 09: Tree.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 09–27 and Rwy 18–36—CTAF. PAPI Rwy 18 and 36 on consly.
AIRPORT REMARKS: Attended Mon–Fri daylight hours, Sat 1400–1800Z‡. Numerous agriculture ops Feb thru Oct.
AIRPORT MANAGER: 870-714-1844
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.3
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
MARVELL (VL) (L) VORW/DME 113.65 UJM Chan 83(Y) N34°34.50′ W90°40.46′ at fld. 243/1E.
DME unusable:
030°–064°
065°–094° byd 27 NM blo 3,500′
095°–114° byd 29 NM blo 4,000′
115°–129° byd 29 NM blo 3,500′
130°–190° byd 34 NM blo 2,800′




HOLLEY MOUNTAIN AIRPARK (See CLINTON on page 43)


HOLLY GROVE MUNI (2A6) 1 SE UTC–6(–5DT) N34°34.95′ W91°09.91′ **MEMPHIS**
176 B NOTAM FILE JBR **L–18F**
RWY 15–33: H4469X50 (ASPH) S–12.5 MIRL
RWY 15: TRCV(TRIL)—GA 3.0° TCH 10′. Tree.
RWY 33: TRCV(TRIL)—GA 3.0° TCH 10′. Fence.
SERVICE: **LGT** Bcn OTS indef. Rwy 15 TRIL OTS indef. ACTIVATE MIRL Rwy 15–33, VASI Rwy 15 and Rwy 33—CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. For attendant aft hrs call 870–672–1807. Deer on and invof arpt.
AIRPORT MANAGER: 870-462-3675
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.
PINE BLUFF (VL) (L) VORW/DME 116.0 PBF Chan 107 N34°14.81′ W91°55.57′ 058° 42.8 NM to fld. 212/4E.
VOR unusable:
020°–021° byd 40 NM
067°–069° byd 40 NM
108°–110° byd 40 NM
140°–145° byd 35 NM blo 4,900′
170°–172° byd 40 NM
176°–178° byd 40 NM
239°–249° byd 40 NM blo 6,000′
239°–249° byd 59 NM
260°–275° byd 25 NM
292°–294° byd 40 NM
322°–328° byd 40 NM



HOPE MUNI (M18) 4 NW UTC–6(–5DT) N33°43.20′ W93°39.53′ **MEMPHIS**
359 B NOTAM FILE JBR **H–6I, L–17E**
RWY 16–34: H5501X100 (CONC) S–40, D–55, 2S–70, 2D–105 **IAP**
MIRL(NSTD) 0.3% up NW
RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 43′. Tree.
RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 44′. Trees.
RWY 04–22: H5301X100 (CONC) S–40, D–55, 2S–70, 2D–105
0.4% up NE
RWY 04: Thld dsplcd 1190′. Trees.
RWY 22: Thld dsplcd 344′.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–Dawn. REIL and MIRL Rwy 16–34 oper dusk–0400Z‡; aft 0400Z‡ ACTVT—CTAF. Rwy 16–34 NSTD MIRL–lgts lctd approximately 35 ft from marked rwy edge.
AIRPORT REMARKS: Attended Mon–Thu 1200–2230Z‡. Deer on and invof arpt. For svc aft hrs call 870–397–1651. Self–serve fuel avbl 24 hrs (100LL & Jet A). Rwy 04–22 and Rwy 16–34 cntrln and thr mkgs faded.
AIRPORT MANAGER: 870-777-3444
COMMUNICATIONS: **CTAF/UNICOM** 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 123.925
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.
TEXARKANA (VH) (H) VORTACW 116.3 TXK Chan 110 N33°30.83′ W94°04.39′ 052° 24.2 NM to fld. 273/7E.




HORSESHOE BEND (6M2) 1 NE UTC–6(–5DT) N36°13.28′ W91°45.33′ **KANSAS CITY**
782 B NOTAM FILE JBR **L–16G**
RWY 13–31: H4502X60 (ASPH) S–4 MIRL **IAP**
RWY 13: Thld dsplcd 994′. Trees.
RWY 31: PAPI(P2L)—GA 3.0° TCH 40′. Tree.
SERVICE: S4 **FUEL** 100LL **LGT** Dusk–dawn ACTVT MIRL Rwy 13–31—CTAF. PAPI Rwy 31 opr consly.
AIRPORT REMARKS: Unattended. Deer on and invof arpt. 100LL self serve fuel. Rwy 13 tkof recommended due to rapidly rising trrn NW of arpt.
AIRPORT MANAGER: 304-268-3666
COMMUNICATIONS: **CTAF/UNICOM** 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.
WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92
N36°06.60′ W90°57.22′ 276° 39.5 NM to fld. 265/4E.
TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′
VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM



HOSSY N34°25.35′ W93°11.38′ NOTAM FILE HOT. **MEMPHIS**
NDB (LOMW) 385 HO 053° 5.7 NM to Meml Fld. 471/1E. **L–17E**
mntrd by HOT & LIT ATCT


HOT SPRINGS

MEML FLD (HOT)(KHOT) 3 SW UTC–6(–5DT) N34°28.68′ W93°05.77′ **MEMPHIS**
540 B Class II, ARFF Index A NOTAM FILE HOT **H–6I, L–17E**
RWY 05–23: H6595X150 (ASPH–GRVD) S–75, D–125, 2S–158, **IAP**
2D–210, 2D/2D2–400 PCR 370 F/B/X/U HIRL 0.6% up NE
RWY 05: MALSR. Rgt tfc.
RWY 23: PAPI(P4L)—GA 3.0° TCH 40′. Pole.
RWY 13–31: H4098X100 (ASPH) S–28, D–36, 2D–63
PCR 28 F/B/Y/U MIRL 0.4% up NW
RWY 13: REIL. Trees. Rgt tfc.
RWY 31: Pole.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 05: TORA–6595 TODA–6595 ASDA–6595 LDA–6595
RWY 13: TORA–3210 TODA–4098 ASDA–4098 LDA–4098
RWY 23: TORA–6595 TODA–6595 ASDA–6235 LDA–6235
RWY 31: TORA–4098 TODA–4098 ASDA–4098 LDA–3210
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT HIRL Rwy 05–23, MIRL Rwy 13–31, MALSR Rwy 05, PAPI Rwy 23, REIL Rwy 13—CTAF. Rwy 23 PAPI unusbl byd 6° right of cntrln.
AIRPORT REMARKS: Attended 1100–0400Z‡. Fuel: 100LL: for fuel aft hrs call 501–617–0324.
AIRPORT MANAGER: 501-321-6750
WEATHER DATA SOURCES: ASOS 119.925 (501) 624–7633.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.475
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453.
AIRSPACE: CLASS E svc 1200–0400Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE HOT.
HOT SPRINGS (L) (L) VORW/DME 110.0 HOT Chan 37 N34°28.72′ W93°05.44′ at fld. 529/4E.
VOR unusable:
005°–014° byd 10 NM
015°–064° byd 15 NM blo 5,000′
065°–090° byd 8 NM
091°–099° byd 15 NM blo 4,800′
100°–135° byd 13 NM blo 11,000′
100°–135° byd 8 NM blo 3,000′
136°–174° byd 26 NM blo 8,000′
136°–174° byd 9 NM blo 3,500′
175°–196° byd 9 NM blo 8,000′
197°–235° byd 9 NM blo 3,500′
236°–250° byd 22 NM blo 5,000′
251°–320° byd 30 NM blo 4,000′
321°–339° byd 10 NM blo 5,500′
321°–339° byd 16 NM blo 10,500′
321°–339° byd 35 NM blo 14,500′
340°–348° byd 30 NM blo 10,500′
349°–004° byd 30 NM blo 4,500′
DME unusable:
015°–064° byd 15 NM blo 5,000′
065°–090° byd 8 NM
091°–099° byd 15 NM blo 4,800′
100°–135° byd 13 NM blo 11,000′
100°–135° byd 8 NM blo 3,000′
136°–174° byd 26 NM blo 8,000′
136°–174° byd 9 NM blo 3,500′
175°–196° byd 9 NM blo 8,000′
184°–215° byd 15 NM blo 7,500′
197°–235° byd 9 NM blo 3,500′
236°–250° byd 22 NM blo 5,000′
251°–320° byd 30 NM blo 4,000′
321°–014° byd 10 NM
HOSSY NDB (LOMW) 385 HO N34°25.35′ W93°11.38′ 053° 5.7 NM to fld. 471/1E.
mntrd by HOT & LIT ATCT
ILS/DME 111.5 I–HOT Chan 52 Rwy 05. Class IA. LOM HOSSY NDB. ILS and LOM unmonitored.



HOWARD CO (See NASHVILLE on page 73)

HUNTSVILLE MUNI (H34) 2 SW UTC–6(–5DT) N36°04.69′ W93°45.29′ **KANSAS CITY**
1748 B NOTAM FILE JBR **L–16F**
RWY 12–30: H3601X60 (ASPH) S–12.5 MIRL **IAP**
RWY 03–21: 1250X60 (TURF)
SERVICE: **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 12–30—CTAF.
AIRPORT REMARKS: Unattended. Self service fuel avbl 24 hrs with credit card. Rwy 03 and Rwy 21 steep dropoffs at Rwy ends. Ultralight activity on and invof arpt.
AIRPORT MANAGER: 479-738-7287
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **RAZORBACK APP/DEP CON** 126.6 (1130–0500Z‡)
MEMPHIS CENTER APP/DEP CON 126.1 (0500–1130Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36°14.79′ W94°07.28′ 115° 20.5 NM to fld. 1332/4E.
VOR unusable:
025°–035° byd 40 NM
025°–150° byd 22 NM blo 4,000′
070°–080° byd 40 NM
093°–103° byd 40 NM blo 17,000′
104°–144° byd 40 NM
145°–155° byd 40 NM blo 6,500′
145°–155° byd 67 NM blo 9,500′
150°–210° byd 22 NM blo 3,500′
156°–170° byd 40 NM
195°–215° byd 40 NM
210°–220° byd 22 NM blo 3,000′
234°–245° byd 40 NM
310°–025° byd 22 NM blo 3,000′
TACAN AZIMUTH unusable:
148°–160°
225°–240°



HUTFLY (See FORREST CITY on page 54)


J LYNN HELMS SEVIER CO (See DE QUEEN on page 47)

JACKSONVILLE N34°55.08′ W92°09.46′ NOTAM FILE JBR. **MEMPHIS**
(T) TACAN 109.2 LRF Chan 29 at Little Rock AFB. 361/1W. **L–18F**
No NOTAM MP: 1000–1430Z‡ Tue
DME unusable:
300°–315° byd 35 NM blo 3,000′
355°–056° byd 38 NM blo 3,000′

JB WEST MUNI AIRPORT (See STAR CITY on page 88)

JONESBORO MUNI (JBR)(KJBR) 3 E UTC–6(–5DT) N35°49.90′ W90°38.79′ **MEMPHIS**
262 B NOTAM FILE JBR MON Airport **H–6J, L–16H**
IAP

RWY 05–23: H6200X150 (ASPH–GRVD) S–100, D–160, 2D–200
PCR 420 F/C/X/T MIRL
RWY 23: ODALS. VASI(V4L)—GA 3.0° TCH 54′.
RWY 13–31: H4099X150 (ASPH–GRVD) S–50, D–60, 2D–95 MIRL
0.3% up NW
RWY 13: Road.
RWY 31: Tree.




SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT ODALS Rwy 23; VASI Rwy 23; MIRL Rwy 05–23 and Rwy 13–31; twy lgts—CTAF.
AIRPORT REMARKS: Attended 1200–0300Z‡. For svc after hrs, call 870–935–1770.
AIRPORT MANAGER: 870-761-4149
WEATHER DATA SOURCES: ASOS 118.525 (870) 932–4010.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **MEMPHIS CENTER APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS E svc continuous.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
(VL) (L) VORW/DME 115.85 JBR Chan 105(Y) N35°52.49′ W90°35.31′ 228° 3.8 NM to fld. 247/0W.
DME unusable:
235°–270° byd 37 NM blo 3,000′
310°–010° byd 33 NM blo 4,000′
VOR unusable:
015°–025° byd 14 NM blo 5,000′
015°–025° byd 27 NM blo 8,000′
022°–027° byd 43 NM blo 8,000′
035°–080° byd 40 NM
040°–069° byd 10 NM blo 5,000′
040°–069° byd 25 NM blo 7,000′
070°–090° byd 10 NM blo 7,000′
081°–100° byd 50 NM blo 7,000′
100°–114° byd 18 NM blo 7,000′
101°–121° byd 50 NM blo 11,000′
115°–150° byd 15 NM blo 7,000′
122°–155° byd 40 NM
175°–200° byd 40 NM
182°–192° byd 22 NM blo 5,000′
238°–250° byd 40 NM
253°–021° byd 40 NM
310°–345° byd 14 NM blo 4,000′
310°–345° byd 25 NM blo 7,000′
ILS 110.15 I–JBR Rwy 23. Class IT.

KIRK FLD (See PARAGOULD on page 76)

KIZER FLD (See PRESCOTT on page 79)

LADOS N33°17.17′ W92°43.68′ NOTAM FILE ELD. **MEMPHIS**
NDB (LOMW) 418 EL 224° 5.7 NM to South Arkansas Rgnl at Goodwin Fld. 140/3E.

LAKE VILLAGE MUNI (M32) 2 W UTC–6(–5DT) N33°20.79′ W91°18.93′ **MEMPHIS**
126 B NOTAM FILE JBR **L–18F**
RWY 01–19: H4400X75 (ASPH) S–18 MIRL **IAP**
RWY 01: PAPI(P2L)—GA 3.0° TCH 24′. Trees.
RWY 19: PAPI(P2L)—GA 3.0° TCH 33′. Trees.
SERVICE: FUEL 100LL, JET A **LGT** ACTVT MIRL Rwy 01–19, PAPI Rwy 01 and 19—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–2300Z‡, Sat 1300–1800Z‡. Numerous agriculture ops Feb–Oct below 500′.
AIRPORT MANAGER: 870-265-2723
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GLH.
GREENVILLE (VL) (DH) VORW/DME 114.25 GLH Chan 89(Y)
N33°31.41′ W90°58.98′ 234° 19.8 NM to fld. 130/4E.
VOR unusable:
144°–157° byd 40 NM



LAKEVIEW

GASTONS (3MØ) 1 S UTC–6(–5DT) N36°20.94′ W92°33.35′ **KANSAS CITY**
479 TPA—1300(821) NOTAM FILE JBR
RWY 06–24: 3200X55 (TURF)
RWY 06: Road.
RWY 24: Tree.
SERVICE: FUEL 100LL
AIRPORT REMARKS: Attended 1230–0300Z‡. Fuel avbl dalgt only. Rwy 24 has 20′ drop 50′ from end of rwy. All acft land Rwy 24, takeoff Rwy 06.
AIRPORT MANAGER: 870-431-5202
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

LAWRENCE CO N36°12.42′ W90°55.39′ NOTAM FILE ARG. **ST LOUIS**
NDB (MHW) 227 TNZ 180° 4.9 NM to Walnut Ridge Rgnl. 262/1E. NDB unmonitored 2300–1300Z‡. **L–16G**

LITTLE ROCK

BILL AND HILLARY CLINTON NTL/ADAMS FLD (LIT)(KLIT) 2 E UTC–6(–5DT) N34°43.77´ W92°13.49´ **MEMPHIS H–6I, L–18F IAP, AD**

266 B LRA Class I, ARFF Index C NOTAM FILE LIT

RWY 04L–22R: H8273X150 (CONC–GRVD) S–75, D–200, 2S–175, 2D–350 PCR 865 R/B/W/T HIRL CL

RWY 04L: MALSR. PAPI(P4L)—GA 3.0° TCH 50´. RVR–TMR Thld dsplcd 297´. Railroad.

RWY 22R: ALSF2. TDZL. PAPI(P4R)—GA 3.0° TCH 58´. RVR–TMR Rgt tfc.

RWY 04R–22L: H8251X150 (CONC–GRVD) S–75, D–200, 2S–175, 2D–350 PCR 719 R/A/W/T HIRL CL

RWY 04R: MALSR. PAPI(P4R)—GA 3.0° TCH 50´. RVR–TR Thld dsplcd 1050´. Pole. Rgt tfc.

RWY 22L: MALSF. PAPI(P4L)—GA 3.0° TCH 50´. RVR–TR Trees.

RWY 18–36: H6224X150 (CONC–GRVD) S–75, D–100, 2S–127, 2D–135 PCR 347 R/B/W/T MIRL

RWY 18: PAPI(P4L)—GA 3.0° TCH 50´. Tree.

RWY 36: PAPI(P4R)—GA 3.75° TCH 63´. Thld dsplcd 164´. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04L: TORA–8273 TODA–8273 ASDA–8273 LDA–7976

RWY 04R: TORA–8250 TODA–8250 ASDA–8250 LDA–7200

RWY 18: TORA–6060 TODA–6060 ASDA–6060 LDA–6060

RWY 22L: TORA–7200 TODA–7200 ASDA–7200 LDA–7200

RWY 22R: TORA–8273 TODA–8273 ASDA–8273 LDA–8273

RWY 36: TORA–6224 TODA–6224 ASDA–6224 LDA–6060

ARRESTING GEAR/SYSTEM

RWY 22R: EMAS

SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3

AIRPORT REMARKS: Attended continuously. Large concentrations of birds invof arpt most activity between SR–SS up to 1500´ MSL. Be alert North Little Rock Muni arpt is lctd 6 miles north–northwest with similar rwy configurations. Twy A 315´ south of Twy A6 intersection to Rwy 36 clsd except acft with wingspan less than 79´. No general aviation parking on terminal or cargo ramp. Cargo and terminal ramps are non–movement areas. SMGCS suspended UFN. Psgr ACR acft ADG–IV and hyr restricted from using Twy F btn Twy E and hngr ramp due to non–std safety area. Landing fee.

AIRPORT MANAGER: 501-537-7311

WEATHER DATA SOURCES: ASOS (501) 376–0247 LLWAS.

COMMUNICATIONS: D–ATIS 125.65 (501) 379–2915 **UNICOM** 122.95

Ⓡ **LITTLE ROCK APP/DEP CON** 135.4 (040°–239°) 119.5 (240°–039°)

TOWER 118.7 **GND CON** 121.9 **CLNC DEL** 118.95 **PRE TAXI CLNC** 118.95

PDC

CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.

AIRSPACE: CLASS C svc ctc **APP CON**.

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61´ W92°09.12´ 217° 6.0 NM to fld. 276/0W.

TACAN AZIMUTH unusable:
- 000°–030° byd 38 NM blo 3,000´
- 031°–080° byd 37 NM blo 2,300´
- 191°–235° byd 34 NM blo 2,800´
- 236°–285° byd 30 NM blo 4,500´
- 286°–359° byd 33 NM blo 4,000´

DME unusable:
- 000°–030° byd 38 NM blo 3,000´
- 031°–080° byd 37 NM blo 2,300´
- 081°–133° byd 39 NM blo 2,000´
- 191°–235° byd 34 NM blo 2,800´
- 236°–285° byd 30 NM blo 4,500´
- 286°–359° byd 33 NM blo 4,000´

VOR unusable:
- 250°–252° byd 40 NM blo 18,000´
- 253°–270° byd 40 NM
- 271°–275° byd 40 NM blo 18,000´

ILS/DME 110.3 I–LIT Chan 40 Rwy 04L. Class IA. DME also serves Rwy 22R. DME unusable byd 30° left and byd 15° right of course.

ILS/DME 111.3 I–CNL Chan 50 Rwy 04R. Class IA. Autopilot cpd apch NA blw 460´ MSL.


ILS/DME 110.7 I–BWY Chan 44 Rwy 22L. Class IB. LOC offset 1.87 degs.

ILS/DME 110.3 I–AAY Chan 40 Rwy 22R. Class IIIE. DME also serves Rwy 04L.


LITTLE ROCK AFB (LRF)(KLRF) AF (ANG) 1 SE UTC–6(–5DT) N34°55.05′ W92°08.70′ **MEMPHIS**
309 B TPA—See Remarks NOTAM FILE LRF Not insp. **H–6I, L–18F**
RWY 07–25: H12001X150 (CONC) PCN 95 R/B/W/T HIRL CL **DIAP, AD**
RWY 07: ALSF1. PAPI(P4L)—GA 2.83° TCH 50′. RVR–TMR
RWY 25: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 55′. RVR–TMR Rgt tfc.
RWY 071–251: H3354X60 (CONC)
SERVICE: **LGT** SFL ints unctl may be turned off O/R. NSTD infra–red lgt co–lctd with Rwy 07, 25 and 250° edge lgt and one NSTD infra–red strobe lctd end of Rwy 07 and 250° ovrn. Infra–red strobe lctd end of Rwy 25 co—ctd with rwy end lgt. These lgt are vis only thru NVD. Rwy 25 ILS and PAPI GS not coincidental. **MILITARY— JASU** 5(A/M 32A–86) **FUEL** A–Min POL capability 2200–0600Z‡ Mon–Fri, exp 2–4 hr delay dur lcl flying. **FLUID** SP PRESAIR LHOX LOX **OIL** O–133–148–156 **TRAN ALERT** Svc avbl 1300–0100Z‡ Mon thru Fri, no weekend support. After hr support for Higher HQ msn only.
NOISE: Noise abatement: Departing heavy acft climb rwy heading to 1500′ AGL prior to turning on course.
MILITARY REMARKS: Opr continuously. Arpt nmly clsd fed hol fm 0400Z‡ or last land, thru 1300Z‡ succeeding day.
RSTD Degraded firefighting capability for B–2, C–5, VC–25, E–4, KC–10, MD–11, 747 and 777 acft—coordinate 48 hours prior to arrival for PPR and SVC. Confirm rescue and firefighting avbl prior ldg or tkf. PPR except AIREVAC and Armed Forces Courier. Offl bus only 1700–2100Z‡ wkd exc AIREVAC and Armed Forces Carrier. Obtain PPR 72 hrs prior to arrival. Call DSN 731–6123 or C501–987–6123, PPR is valid +/– 30 min of proposed ETA. No practice apch or landing during local flying. Dep acft remain at or blo 1400′ until dep end of rwy. Fighter acft unable to ctc dep until airborne. B52 acft prohibited. Use of alert apron (x–mas tree) stub 1 rqr prior coordination with airfield management. Rwy 25 centerline markings obscured by rubber deposits. No fighter type acft PPRs 1500–1600Z‡ and 1800–2000Z‡. Tran aircrews are advised to carry crew orders to avoid potential delays. **CAUTION** Nstd rwy markings–assault strip marked (500′ x 60′) painted on Rwy 25. Extensive turbo prop training Mon–Fri 1300–0600Z‡. Tran ramp marking may not be appropriate for large acft follow marshallers instructions. Significant increase in bird activity Apr–May, Sep–Nov. Deer hazard. Phase II in effect Apr–May and Sep–Nov. High potential for hydroplaning on Rwy 07–25 during periods of wet wx. Numerous unlighted obstructions located in primary surface. Afld lgt intermittent between SS/SR due to local ngt vision training, non participating acft ctc twr prior to entering Class D airspace and to incr ints. 3′ tall fire hydrants lctd N of Twy F 100′ from cntrln. **TFC PAT** TPA—Rectangular 1400 (1090), overhead 1900 (1590). **CTMS/AG/IMG** Ctc security forces C501–987–3221 min 24 hr PN. **MISC** AN/FMQ–19 automated obsn system in use, augmented by human obsn when necessary during afld hrs. No COMSEC avbl for tran issue. No classified material stor at AM OPS, stor avbl at comd post. ATC personnel IAW cooperative Wx watch will alert wx pers on any unreported wx cond that could affect flt safety. All tran acft ctc Comd Post 20 minutes prior to arrival. Ltd aircrew transportation on weekends. Aerodrome for NVG ops tran acft should receive briefing from 19 OSS Tactics at DNS 731–7013 or 19OSS.OSKTACTICS@US.AF.MIL. To ensure aircrew transportation avbl upon arrival, ctc afld management at least 20 min prior to ldg. ARFF—CAT 3, with 14 performance, 4880–5000 gallon of capability, ctc AMOP 731–6123 for updated ARFF status. Radar see Terminal FLIP for Radar Minima. NOTE: See Special Notices—CAUTION—High density student flying.
AIRPORT MANAGER: 501-987-3103
COMMUNICATIONS: SFA (Tfc permitting.) **ATIS** 119.175 251.1 (Mon–Fri 1200–0500Z‡, Sat–Sun 1500–2300Z‡ except holidays.) **PTD** 372.2
Ⓡ **APP/DEP CON** 119.5 306.2
TOWER 120.6 269.075 Opr continuously. (Hol, arpt CLOSED from 0300Z‡ preceding day thru 1300Z‡ succeeding day. Holiday on Mon, CLOSED 0500Z‡ preceding Sat thru 1300Z‡ succeeding Tue. CLOSED Dec 24, 0300Z‡ thru Dec 26, 1300Z‡ and CLOSED Dec 31, 0300Z‡ thru Jan 2 1300Z‡)
GND CON 132.8 275.8 **CLNC DEL** 253.5 (1300–0500Z‡ wkd, OT or VHF only acft ctc Gnd Con. Ctc Clnc Del for engine start and req prior to taxi.)
COMD POST (ROCK OPS) 349.4
HAWG OPS (ANG) 138.6 225.45 **PMSV METRO** 239.8 WX svc avbl 24 hr unless aerodrome CLOSED at DSN 731–6152/6444, C501–987–6152/6444. AN/FMQ automated sys in use, augmented by human observation when necessary. Vis of afld rstd for base WX ops southeast–south during manual augmentation by WX forecaster. Contact 26 OPR WX squadron DSN 731–2651/2652, C318–529–2651/2652 dur wx flt closure or evac.
CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.
AIRSPACE: CLASS D svc 24 exc clsd hol; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
JACKSONVILLE (T) TACAN Chan 29 LRF (109.2) N34°55.08′ W92°09.46′ at fld. 361/1W.
No NOTAM MP: 1000–1430Z‡ Tue
DME unusable:
300°–315° byd 35 NM blo 3,000′
355°–056° byd 38 NM blo 3,000′
ILS 109.9 I–TYV Rwy 25. Class IIE. No NOTAM MP: ILS 1000–1430Z‡ Wed/Thu. No auto–coupled apch blw 730′ MSL.

MAGNOLIA


RALPH C WEISER FLD (AGO)(KAGO) 3 SE UTC–6(–5DT) N33°13.65′ W93°13.02′ **MEMPHIS**
319 B NOTAM FILE JBR **H–61, L–17E**
RWY 18–36: H5007X100 (ASPH–GRVD) S–50, D–75, 2D–130 MIRL **IAP**
0.4% up S
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 34′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 4.0° TCH 40′.
SERVICE: **FUEL** 100LL, JET A **LGT** PAPI Rwys 18 and 36 on 24/7. ACTVT REIL and MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Unattended. Self serve fuel avbl 24 hrs with credit card. For svc after hrs call 870–904–6731. For svc call 870–904–6731.
AIRPORT MANAGER: (870) 904-6731
WEATHER DATA SOURCES: AWOS–3 118.05 (870) 901–3532.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.
EL DORADO (VH) (DH) VORW/DME 115.5 ELD Chan 102
N33°15.37′ W92°44.64′ 259° 23.9 NM to fld. 230/7E.
DME unusable:
020°–035° blo 2,000′
036°–019° byd 30 NM blo 3,200′
VOR unusable:
110°–120° byd 40 NM




MALVERN MUNI (M78) 3 SE UTC–6(–5DT) N34°20.00′ W92°45.69′ **MEMPHIS**
538 B NOTAM FILE JBR **L–17E**
RWY 04–22: H3188X60 (ASPH) S–10 MIRL **IAP**
RWY 22: Thld dsplcd 376′. Trees.
SERVICE: S4 **FUEL** 100LL **LGT** ACTVT MIRL Rwy 04–22—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1330–2230Z‡. For svc aft hrs call 501–315–9004.
AIRPORT MANAGER: 501-337-9939
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.475
CLEARANCE DELIVERY PHONE: For CD ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 227° 41.6 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′



MANILA MUNI (MXA)(KMXA) 2 NE UTC–6(–5DT) N35°53.67′ W90°09.27′ **MEMPHIS**
243 B NOTAM FILE JBR **L–16H**
RWY 18–36: H4201X75 (ASPH) S–15 MIRL **IAP**
RWY 18: REIL. PAPI(P2R)—GA 4.0° TCH 48′. Tree.
RWY 36: REIL. PAPI(P2L)—GA 4.0° TCH 28′. Thld dsplcd 60′. Road. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 18 and 36; MIRL Rwy 18–36; and PAPI Rwy 18 and—CTAF. Local arpt WX 4 clicks.
AIRPORT REMARKS: Attended dalgt hours Mon–Fri. For svc aft hrs call 479–757–0722 no fee. Fuel avbl with credit card 24 hr. Numerous agricultural acft ops from Feb–Nov 500′ AGL and below.
AIRPORT MANAGER: 479-757-0722
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
GILMORE (L) (L) VORW/DME 113.0 GQE Chan 77 N35°20.82′ W90°28.69′ 022° 36.4 NM to fld. 211/4E.
COMM/NAV/WEATHER REMARKS: UNICOM freq: 4 clicks for temp, wind, and density alt.



MARIANNA/LEE CO–STEVE EDWARDS FLD (6M7) 3 W UTC–6(–5DT) N34°46.97′ W90°48.60′ **MEMPHIS**
219 B NOTAM FILE JBR **L–18F**
RWY 18–36: H4021X75 (ASPH) MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 52′. Tree.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 53′. Tree.
SERVICE: **FUEL** 100LL **LGT** ACTVT REIL Rwy 18 & 36; PAPI Rwy 18 & 36; MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended Mon–Fri dalgt hours. For fuel aft hours call 870–295–3485. Rwy 36 75 ft unlgtd pline 2300 ft south of thr. Nmrs agriculture ops Feb–Oct. Mrkgs Rwy 18 faded. Mrkgs Rwy 36 faded.
AIRPORT MANAGER: 870-295-3485
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.3
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
GILMORE (L) (L) VORW/DME 113.0 GQE Chan 77 N35°20.82′ W90°28.69′ 202° 37.5 NM to fld. 211/4E.




MARION CO RGNL (See FLIPPIN on page 53)

MARKED TREE MUNI (6M8) 1 E UTC–6(–5DT) N35°31.99′ W90°24.01′ **MEMPHIS**
219 B NOTAM FILE JBR **L–16H**
RWY 18–36: H3200X60 (ASPH) S–8 MIRL
RWY 18: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 36: PAPI(P2L)—GA 3.0° TCH 40′. Road.
SERVICE: **LGT** ACTIVATE MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended irregularly. For svc aft hrs call 870–358–2024. Numerous agricultural acft ops from Feb–Nov 500′ AGL and below.
AIRPORT MANAGER: (870) 375-3025
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Memphis Apch at 901-842-8457.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
GILMORE (L) (L) VORW/DME 113.0 GQE Chan 77 N35°20.82′ W90°28.69′ 015° 11.8 NM to fld. 211/4E.


MARSHALL

SEARCY CO (4A5) 1 SW UTC–6(–5DT) N35°53.92′ W92°39.38′ MEMPHIS
964 B NOTAM FILE JBR L–16G
RWY 05–23: H4003X75 (ASPH) S–12.5 MIRL 1.0% up NE IAP
RWY 05: REIL. PAPI(P2L)—GA 3.25° TCH 43′.
RWY 23: REIL. PAPI(P2L)—GA 3.25° TCH 44′. Rgt tfc.
SERVICE: **FUEL** 100LL **LGT** ACTVT REIL Rwy 05 and 23; MIRL Rwy 05–23—CTAF. Rwy 05 PAPI unusbl 9 degs each side of cntrln. Rwy 23 PAPI unusbl byd 7 degs right of cntrln. Rwy 05 REIL and PAPI OTS indefly. Rwy 23 REIL and PAPI OTS indefly.
AIRPORT REMARKS: Unattended. Fuel 100LL: self svc avbl H24 with credit card. Deer on and invof arpt. Lgtd twr 2059 ft MSL/299 ft AGL on mt top 1 mile E of arpt.
AIRPORT MANAGER: 512-618-5331
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.850
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE FLP.
FLIPPIN (DH) DME 116.05 FLP Chan 107(Y) N36°17.98′ W92°27.50′ 202° 25.9 NM to fld. 782.
DME unusable:
020°–050° byd 26 NM blo 3,500′
020°–050° byd 32 NM blo 4,500′
075°–105° byd 39 NM blo 4,500′
105°–135° byd 35 NM blo 4,500′




MARVELL N34°34.50′ W90°40.46′ NOTAM FILE JBR. MEMPHIS
(VL) (L) VORW/DME 113.65 UJM Chan 83(Y) at Thompson–Robbins. 243/1E. H–6J, L–18F
DME unusable:
030°–064°
065°–094° byd 27 NM blo 3,500′
095°–114° byd 29 NM blo 4,000′
115°–129° byd 29 NM blo 3,500′
130°–190° byd 34 NM blo 2,800′

MC GEHEE MUNI (7M1) 2 E UTC–6(–5DT) N33°37.21′ W91°21.89′ MEMPHIS
141 B NOTAM FILE JBR L–18F
RWY 18–36: H4007X75 (ASPH) S–12.5 MIRL IAP
SERVICE: **FUEL** 100LL, JET A
AIRPORT REMARKS: Attended Feb–Oct Mon–Fri 1400–2300Z‡. For srvc aft hrs call 870–644–0069 or 870–222–8830. 24 hr self svc fuel avbl with credit card. Numerous agriculture acft ops from Feb–Nov 500′ AGL and blo. Rwy 36 turnaround has 3–4′ drop–off on east and north side.
AIRPORT MANAGER: 870-919-5172
COMMUNICATIONS: CTAF 122.9
MEMPHIS CENTER APP/DEP CON 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
MONTICELLO (L) DME 111.6 MON Chan 53 N33°33.72′ W91°42.93′ 079° 17.9 NM to fld. 208.




MELBOURNE MUNI/JOHN E MILLER FLD (42A) 3 E UTC–6(–5DT) N36°04.26′ W91°49.81′ **KANSAS CITY L–16G IAP**
735 B NOTAM FILE JBR
RWY 03–21: H4003X75 (ASPH) MIRL 0.6% up SW
RWY 03: REIL. PAPI(P2L)—GA 3.0° TCH 45′. Tree.
RWY 21: REIL. PAPI(P2L)—GA 3.0° TCH 43′. Tree.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 03–21 and REIL 03–21—CTAF.
AIRPORT REMARKS: Attended Mon–Sat dalgt. Self serve fuel H24 with credit card. 150 ft paved stopway each end–full strength.
AIRPORT MANAGER: (870) 291-1227
WEATHER DATA SOURCES: AWOS–3PT 121.575 (870) 916–2768.
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.85
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE FLP.
FLIPPIN (DH) DME 116.05 FLP Chan 107(Y) N36°17.98′ W92°27.50′ 114° 33.4 NM to fld. 782.
DME unusable:
020°–050° byd 26 NM blo 3,500′
020°–050° byd 32 NM blo 4,500′
075°–105° byd 39 NM blo 4,500′
105°–135° byd 35 NM blo 4,500′




MEML FLD (See HOT SPRINGS on page 60)

MENA INTERMOUNTAIN MUNI (MEZ)(KMEZ) 2 SE UTC–6(–5DT) N34°32.73′ W94°12.14′ **MEMPHIS H–6I, L–17E IAP, AD**
1080 B NOTAM FILE MEZ
RWY 09–27: H5485X100 (ASPH) S–75, D–200, 2S–175, 2D–300 MIRL 0.5% up W
RWY 09: REIL. PAPI(P4L)—GA 3.5° TCH 44′.
RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 49′.
RWY 17–35: H5001X75 (ASPH) S–75, D–100, 2S–127, 2D–160 MIRL 0.8% up S
RWY 17: PAPI(P4L)—GA 3.0° TCH 53′. Tree.
RWY 35: REIL. Tree.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 4 **LGT** MIRL Rwy 09–27 opr SS–SR. ACTVT PAPI Rwys 09, 27 and 17; MIRL Rwy 17–35—CTAF. PAPI Rwy 09 unusbl byd 7 deg right of cntrln.
AIRPORT REMARKS: Attended dawn–dusk. Migratory birds and deer on and invof arpt. Mountains north and south southwest of arpt.
AIRPORT MANAGER: 479-394-4077
WEATHER DATA SOURCES: AWOS–3 118.025 (479) 394–5149.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
RICH MOUNTAIN (VL) (L) VORTACW 113.5 PGO Chan 82 N34°40.83′ W94°36.54′ 108° 21.7 NM to fld. 2700/4E.
VOR unusable:
016°–021° byd 40 NM
028°–029° byd 40 NM
030°–040°
050°–075° blo 4,000′
090°–145°
167°–169° byd 40 NM
170°–200°
235°–245° byd 30 NM blo 5,000′
250°–271°
260°–280° byd 35 NM blo 5,000′
329°–335° byd 40 NM
340°–345° blo 5,000′
358°–002° byd 40 NM
ILS/DME 108.7 I–VMU Chan 24 Rwy 27. Unmonitored.




MONTICELLO MUNI/ELLIS FLD (LLQ)(KLLQ) 2 E UTC–6(–5DT) N33°38.31′ W91°45.06′ **MEMPHIS**
268 B NOTAM FILE LLQ **H–6J, L–18F**
RWY 03–21: H5020X75 (ASPH) S–17 MIRL 0.7% up SW **IAP**
RWY 03: REIL. PAPI(P2L)—GA 3.0° TCH 52′. P–line.
RWY 21: REIL. PAPI(P2L)—GA 3.0° TCH 52′. Road.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 03–21, PAPI Rwy 03 and 21, and MIRL Rwy 03–21—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–2130Z‡. Self service fuel avbl 24 hrs with credit card (100LL and Jet A). FBO mgr: 870–367–4450.
AIRPORT MANAGER: 870-723-6611
WEATHER DATA SOURCES: ASOS 133.325 (870) 367–1019.
COMMUNICATIONS: CTAF/UNICOM 122.8
MEMPHIS CENTER APP/DEP CON 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
(L) DME 111.6 MON Chan 53 N33°33.72′ W91°42.93′ 339° 4.9 NM to fld. 208.




MONTICELLO N33°33.72′ W91°42.93′ NOTAM FILE JBR. **MEMPHIS**
(L) DME 111.6 MON Chan 53 339° 4.9 NM to Monticello Muni/Ellis Fld. 208. **L–18F**

MORRILTON

MORRILTON MUNI (BDQ)(KBDQ) 2 SE UTC–6(–5DT) N35°08.17′ W92°42.82′ **MEMPHIS**
321 B NOTAM FILE JBR **L–17E**
RWY 09–27: H3998X75 (ASPH) S–4 MIRL 0.3% up W **IAP**
RWY 09: Tree.
RWY 27: PAPI(P2L). Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT MIRL Rwy 09–27—122.9.
AIRPORT REMARKS: Attended 1400–0000Z‡. For after hrs svc please call 501–306–5656. Jet A and 100LL fuel self service with credit card. Ultralight activity on and invof arpt. Deer on and invof arpt. Rwy 09 and Rwy 27 markings faded.
AIRPORT MANAGER: (501) 306-5656
WEATHER DATA SOURCES: AWOS–3PT 119.6 (501) 645–1010.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.475
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 305° 33.9 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′




PETIT JEAN PARK (MPJ)(KMPJ) 8 W UTC–6(–5DT) N35º08.33´ W92º54.55´ **MEMPHIS**
923 B NOTAM FILE JBR **H–6I, L–17E**
RWY 03–21: H5852X75 (ASPH) S–17 MIRL 0.6% up NE **IAP**
RWY 03: PAPI(P2R)—GA 4.0º TCH 50´. Thld dsplcd 438´. Trees.
RWY 21: PAPI(P2L)—GA 4.0º TCH 44´. Thld dsplcd 190´. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT PAPI Rwy 03 and 21; MIRL Rwy 03–21—CTAF. PAPI Rwy 03 and 21 unavbl 0400–1000Z‡. ACTVT rotg bcn—CTAF. Bcn unavbl 0400–1000Z‡. Rwy 03–21 MIRL and PAPI OTS indefly.
AIRPORT REMARKS: Unattended. For svc aft 2300Z‡, call 501–727–5441 or 501–727–5431. Deer and migratory birds on and invof arpt. Ultralight activity on and invof arpt. Self svc fuel temp unavbl (100LL and Jet A).
AIRPORT MANAGER: 501-727-5441
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.475
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34º48.61´ W92º09.12´ 298º 42.2 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000º–030º byd 38 NM blo 3,000´
031º–080º byd 37 NM blo 2,300´
191º–235º byd 34 NM blo 2,800´
236º–285º byd 30 NM blo 4,500´
286º–359º byd 33 NM blo 4,000´
DME unusable:
000º–030º byd 38 NM blo 3,000´
031º–080º byd 37 NM blo 2,300´
081º–133º byd 39 NM blo 2,000´
191º–235º byd 34 NM blo 2,800´
236º–285º byd 30 NM blo 4,500´
286º–359º byd 33 NM blo 4,000´
VOR unusable:
250º–252º byd 40 NM blo 18,000´
253º–270º byd 40 NM
271º–275º byd 40 NM blo 18,000´




MOUNT IDA

BEARCE (7M3) 5 E UTC–6(–5DT) N34°31.74′ W93°31.77′ **MEMPHIS L–17E**
644 B NOTAM FILE JBR
RWY 08–26: H4000X75 (ASPH) S–12.5, D–15 MIRL
RWY 08: PAPI(P2R)—GA 4.0° TCH 70′. Tree.
RWY 26: PAPI(P2R)—GA 4.0° TCH 72′. Thld dsplcd 180′. Trees. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT PAPI Rwy 08 and Rwy 26; MIRL Rwy 08–26—CTAF. Rwy 08 PAPI unusbl byd 8 degs left and byd 5 degs right of cntrln. Rwy 26 PAPI unusbl byd 8 degs right of cntrln.
AIRPORT REMARKS: Unatndd. Deer and coyotes on and invof arpt. Self service fuel avbl 24 hrs with credit card (Jet A and 100LL).
AIRPORT MANAGER: 817-999-3310
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 257° 70.2 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′



MOUNTAIN HOME

BAXTER CO (BPK)(KBPK) 4 NW UTC–6(–5DT) N36°22.14′ W92°28.23′ **KANSAS CITY H–6I, L–16G IAP**
928 B NOTAM FILE BPK
RWY 05–23: H5000X75 (ASPH) S–17 MIRL 0.3% up SW
RWY 05: REIL. PAPI(P4R)—GA 3.0° TCH 38′. Road.
RWY 23: PAPI(P2L)—GA 4.0° TCH 46′. P–line.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** ACTVT REIL Rwy 05; PAPI Rwy 05 and 23; MIRL 05–23—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–2230Z‡. For svc aft hrs call 870–402–9000. No ARFF svcs avbl until further notice. FBO on 870–402–9000.
AIRPORT MANAGER: 870-481-5418
WEATHER DATA SOURCES: ASOS 133.975 (870) 481–5946.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ**MEMPHIS CENTER APP/DEP CON** 126.85
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC flight data on 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE FLP.
FLIPPIN (DH) DME 116.05 FLP Chan 107(Y) N36°17.98′ W92°27.50′ 352° 4.2 NM to fld. 782.
DME unusable:
020°–050° byd 26 NM blo 3,500′
020°–050° byd 32 NM blo 4,500′
075°–105° byd 39 NM blo 4,500′
105°–135° byd 35 NM blo 4,500′
ILS/DME 111.95 I–BPK Chan 56(Y) Rwy 05. Class IT. Unmonitored. Glideslope unusable blw 1,200′; byd 3° left of course; byd 5° right of course.



MOUNTAIN VIEW WILCOX MEML FLD (7M2) 2 E UTC–6(–5DT) N35°51.87′ W92°05.42′ **MEMPHIS L–16G IAP**

805 B NOTAM FILE JBR

RWY 09–27: H4502X70 (ASPH) MIRL 0.5% up W

RWY 09: Bldg.

RWY 27: Tower.

SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 09–27—CTAF (3–low, 5–med, 7–high)

AIRPORT REMARKS: Unatndd. Self–service fuel avbl 24 hrs with credit card. For svc after hrs call 501–203–8644. Deer & coyotes on & invof arpt. Rwy 27 has a 15 ft dropoff 400 ft from thld.

AIRPORT MANAGER: 501-203-8644

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.85


CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92 N36°06.60′ W90°57.22′ 251° 57.3 NM to fld. 265/4E.

TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′

VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM



NASHVILLE

HOWARD CO (M77) 3 N UTC–6(–5DT) N33°59.83′ W93°50.29′ **MEMPHIS L–17E IAP**

553 B NOTAM FILE JBR

RWY 01–19: H3994X75 (ASPH) S–8 MIRL 0.5% up N

RWY 01: PAPI(P2L)—GA 3.0° TCH 40′. Thld dsplcd 115′. Trees.

RWY 19: PAPI(P2L)—GA 3.0° TCH 40′. Trees.

SERVICE: **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 01–19; PAPI Rwy 01 and Rwy 19 —CTAF.

AIRPORT REMARKS: Unattended. 100LL self serve fuel avbl 24 hrs. Rwy 19 turnaround has a 10′ drop off. Rwy 01 fence 3′ and road 7′ below thld 200′ from rwy end. Rwy 01 and Rwy 19 markings faded.

AIRPORT MANAGER: 870-904-0733


COMMUNICATIONS: CTAF 122.9

Ⓡ **FORT WORTH CENTER APP/DEP CON** 123.925

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.

TEXARKANA (VH) (H) VORTACW 116.3 TXK Chan 110 N33°30.83′ W94°04.39′ 015° 31.2 NM to fld. 273/7E.



NEWPORT RGNL (M19) 5 NE UTC–6(–5DT) N35°38.26′ W91°10.58′
239 B NOTAM FILE M19
RWY 04–22: H5002X150 (CONC) S–30
RWY 04: Rgt tfc.
RWY 18–36: H5002X150 (CONC) S–30 MIRL
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 44′. P–line.
RWY 36: REIL. PAPI(P4R)—GA 3.0° TCH 44′. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–Dawn.ACTVT MIRL Rwy 18–36—CTAF. REIL Rwy 18, Rwy 36 OTS tempo.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat 1400–1800Z‡. For svc aft hrs call 870–217–1400. Self svc fuel avbl after hrs with credit card Jet A and 100LL. Numerous agricultural opns March thru August.
AIRPORT MANAGER: 870-523-3613
WEATHER DATA SOURCES: AWOS–3PT 118.15 (870) 523–2189.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.
WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92
N36°06.60′ W90°57.22′ 197° 30.3 NM to fld. 265/4E.
TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′
VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM

MEMPHIS
H–6J, L–16G
IAP




NORTH LITTLE ROCK MUNI (ORK)(KORK) 4 N UTC–6(–5DT) N34°49.99′ W92°15.25′ **MEMPHIS**
545 B TPA—See Remarks NOTAM FILE JBR **H–6I, L–18F**
RWY 05–23: H5002X75 (CONC) S–30, D–60 MIRL 0.5% up SW **IAP, AD**
RWY 05: REIL. PAPI(P2R)—GA 3.0° TCH 49′. Trees.
RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 43′. Rgt tfc.
RWY 17–35: H3019X75 (ASPH) S–17 MIRL
RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 44′. Ground. Rgt tfc.
RWY 35: PAPI(P2L)—GA 3.0° TCH 44′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwys 05, 23, 17; MIRL Rwys 05–23 and 17–35—CTAF. PAPI Rwys 05, 23, 17 and 35 opr consly.
AIRPORT REMARKS: Attended 1200–0200Z‡. For arpt access call 501–835–5654, 501–529–1051. Deer on and invof arpt. Ultralight activity on and invof arpt. 100LL avbl 24 hr self service with credit card. Rwy 35 calm wind preferred tkf/ldg to the north when possible. Rwy 23 thld not visible from Rwy 17 thld. Rwy 17–35 500′ blast pad north end. TPA—helicopters 1045 (500), prop acft 1545 (1000), turboprop 2045 (1500).
AIRPORT MANAGER: 501-835-5654
WEATHER DATA SOURCES: AWOS–3PT 123.775 (501) 906–6529.
COMMUNICATIONS: CTAF/UNICOM 123.075
Ⓡ **LITTLE ROCK APP/DEP CON** 119.5
CLNC DEL 121.6
CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 285° 5.2 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′
LOC/DME 111.9 I–ORK Chan 56 Rwy 05. DME unusable byd 20° right of course.

NORTHWEST ARKANSAS NTL (See FAYETTEVILLE/SPRINGDALE/ROGERS on page 52)


OSCEOLA MUNI (7M4) 2 SW UTC–6(–5DT) N35°41.47′ W90°00.61′ **MEMPHIS**
235 B NOTAM FILE JBR **L–16H**
RWY 01–19: H3799X75 (ASPH) S–8.5 MIRL **IAP**
RWY 01: REIL. Tree.
RWY 19: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Pole.
SERVICE: **FUEL** 100LL **LGT** ACTVT REIL Rwy 19; MIRL Rwy 01–19—CTAF.
AIRPORT REMARKS: Unattended. For arpt attendant call 870–532–7309. Fuel avbl 24 hrs with credit card.
AIRPORT MANAGER: 870-763-0200
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS APP/DEP CON** 119.1
CLEARANCE DELIVERY PHONE: For CD ctc Memphis Apch at 901-842-8457.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
GILMORE (L) (L) VORW/DME 113.0 GQE Chan 77 N35°20.82′ W90°28.69′ 044° 30.8 NM to fld. 211/4E.

OZARK/FRANKLIN CO (7M5) 2 NW UTC–6(–5DT) N35°30.64′ W93°50.36′ **MEMPHIS**
648 B NOTAM FILE JBR **L–16F**
RWY 04–22: H3302X75 (ASPH) S–12 MIRL 1.3% up NE **IAP**
RWY 04: PAPI(P2L)—GA 3.0° TCH 17′. Bldg.
RWY 22: PAPI(P2L)—GA 4.0° TCH 22′. Tree.
SERVICE: **FUEL** 100LL **LGT** Lgts dusk–dawn. ACTVT MIRL Rwy 04–22, PAPI Rwy 04 and 22—CTAF. Rwy 22 PAPI unusable byd 2° right of cntrln. Rwy 22 PAPI does not prvd obstn clnc byd 4 NM from thld, unusable byd 4 NM.
AIRPORT REMARKS: Unattended. Use extreme caution, wildlife may be on field. Self svc fuel avbl 24 hrs with credit card.
AIRPORT MANAGER: 479-751-7225
COMMUNICATIONS: **CTAF/UNICOM** 122.8
Ⓡ **RAZORBACK APP/DEP CON** 120.9 (1130–0500Z‡)
MEMPHIS CENTER APP/DEP CON 128.475 (0500–1130Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch at 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.
FORT SMITH (L) (L) VORTACW 110.4 FSM Chan 41 N35°23.30′ W94°16.29′ 064° 22.4 NM to fld. 432/7E.



PARAGOULD

KIRK FLD (PGR)(KPGR) 1 NW UTC–6(–5DT) N36°03.83′ W90°30.55′ **ST LOUIS**
290 B TPA—1099(809) NOTAM FILE JBR **L–16H**
RWY 04–22: H4500X75 (ASPH) S–12.5 MIRL **IAP**
RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 18′. Thld dsplcd 489′. Road.
RWY 22: REIL. PAPI(P2L)—GA 4.0° TCH 59′. Thld dsplcd 148′. Road.
RWY 08–26: 2792X100 (TURF)
RWY 08: P–line.
RWY 26: Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 04–22, REIL and PAPI Rwys 04 and 22—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–2200Z‡. Wildlife on and invof rwy and twy. For svc after hrs call 870–450–7599 fee charged. 24 hr self svc fuel avbl with credit card (100LL & Jet A). Unlgtd twr 250′ AGL 0.17 miles east southeast AER 04. Rwy 08–26 soft when wet.
AIRPORT MANAGER: 870-239-7505
COMMUNICATIONS: **CTAF/UNICOM** 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92 N36°06.60′ W90°57.22′ 093° 21.8 NM to fld. 265/4E.

TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′

VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM

JONESBORO (VL) (L) VORW/DME 115.85 JBR Chan 105(Y) N35°52.49′ W90°35.31′ 019° 12.0 NM to fld. 247/0W. NOTAM FILE JBR.

DME unusable:
235°–270° byd 37 NM blo 3,000′
310°–010° byd 33 NM blo 4,000′

VOR unusable:
015°–025° byd 14 NM blo 5,000′
015°–025° byd 27 NM blo 8,000′
022°–027° byd 43 NM blo 8,000′
035°–080° byd 40 NM
040°–069° byd 10 NM blo 5,000′
040°–069° byd 25 NM blo 7,000′
070°–090° byd 10 NM blo 7,000′
081°–100° byd 50 NM blo 7,000′
100°–114° byd 18 NM blo 7,000′
101°–121° byd 50 NM blo 11,000′
115°–150° byd 15 NM blo 7,000′
122°–155° byd 40 NM
175°–200° byd 40 NM
182°–192° byd 22 NM blo 5,000′
238°–250° byd 40 NM
253°–021° byd 40 NM
310°–345° byd 14 NM blo 4,000′
310°–345° byd 25 NM blo 7,000′

PARIS (SUBIACO)


PARIS MUNI (7M6) 2 E UTC–6(–5DT) N35°17.95′ W93°40.90′ **MEMPHIS**
430 B NOTAM FILE JBR
RWY 03–21: H2710X60 (ASPH) S–10 MIRL 0.7% up SW
RWY 03: Road.
RWY 21: PAPI(P2L)—GA 3.0° TCH 43′. Tree.
SERVICE: **LGT** ACTVT MIRL Rwy 03–21—CTAF. Rwy 03–21 MIRL OTS indefly. Rwy 21 PAPI OTS indefly.
AIRPORT REMARKS: Unattended. Agriculture ops Feb–Oct blo 500′ AGL.
AIRPORT MANAGER: 479-629-0734
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

PETIT JEAN PARK (See MORRILTON on page 71)

PIGGOTT MUNI (7M7) 2 E UTC–6(–5DT) N36°22.69′ W90°09.97′ **ST LOUIS**
275 B NOTAM FILE JBR
RWY 18–36: H2550X50 (ASPH) S–10 MIRL
RWY 18: Thld dsplcd 550′.
RWY 36: Thld dsplcd 230′. Trees.
SERVICE: **LGT** ACTVT MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Unattended. South end of Rwy 18–36 flooded after heavy rain.
AIRPORT MANAGER: 870-324-2358
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

PINE BLUFF


PINEBLUFF RGNL/GRIDER FLD (PBF)(KPBF) P (NG) 4 SE UTC–6(–5DT) N34°10.47′ W91°56.14′ **MEMPHIS**
206 B TPA—1200(994) NOTAM FILE PBF **H–6J, L–18F**
RWY 18–36: H5998X150 (ASPH) S–40, D–56, 2D–90 MIRL **IAP**
RWY 18: MALSR. VASI(V4L)—GA 3.0° TCH 52′.
RWY 36: VASI(V4L)—GA 3.0° TCH 52′.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–dawn. ACTVT MIRL Rwy 18–36 and MALSR Rwy 18—CTAF.
MILITARY— FUEL (NC–100LL, A – Self svc avbl H24 with credit card)
AIRPORT REMARKS: Attended Nov–Mar 1300–2100Z‡, Apr–Oct 1400–0000Z‡. For arpt attendant after hours call 870–540–9439. Self svc fuel avbl 24 hrs with credit card (100LL and JET A). Arpt CLOSED to acft with 30 or more passengers. Migratory birds invof arpt. Numerous agricultural opns on and invof arpt year round.
AIRPORT MANAGER: 870-534-4131
WEATHER DATA SOURCES: ASOS 120.775 (870) 536–0228.
COMMUNICATIONS: CTAF/UNICOM 123.0
PINE BLUFF RCO 122.6 (JONESBORO RADIO)
Ⓡ **LITTLE ROCK APP/DEP CON** 119.85
CLNC DEL 119.85 (501) 379–2908
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS E.



RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.
PINE BLUFF (VL) (L) VORW/DME 116.0 PBF Chan 107 N34°14.81′ W91°55.57′ 182° 4.4 NM to fld. 212/4E.
VOR unusable:
020°–021° byd 40 NM
067°–069° byd 40 NM
108°–110° byd 40 NM
140°–145° byd 35 NM blo 4,900′
170°–172° byd 40 NM
176°–178° byd 40 NM
239°–249° byd 40 NM blo 6,000′
239°–249° byd 59 NM
260°–275° byd 25 NM
292°–294° byd 40 NM
322°–328° byd 40 NM
ILS 111.7 I–PBF Rwy 18. Class IT. Unmonitored indef. Autopilot cpd apch NA blw 900 MSL.


PINEBLUFF RGNL/GRIDER FLD (See PINE BLUFF on page 78)

POCAHONTAS MUNI (M7Ø) 1 SE UTC–6(–5DT) N36°14.73′ W90°57.31′ **ST LOUIS**
273 B NOTAM FILE JBR **L–16G**
RWY 18–36: H4000X75 (ASPH) S–19 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 43′. Tree.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Road.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 18 and 36; MIRL Rwy 18–36—CTAF. PAPI Rwy 18 and 36 oper cons.
AIRPORT REMARKS: Attended 1400–2300Z‡. For srvc aftr hrs call 870–260–8283. 24 hr self serve fuel avbl with credit card (100LL, Jet A). Full svc avbl (Jet A).
AIRPORT MANAGER: 870-248-1141
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.
WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92
N36°06.60′ W90°57.22′ 355° 8.1 NM to fld. 265/4E.
TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′
VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM



PRESCOTT

KIZER FLD (4F7) 1 E UTC–6(–5DT) N33°48.23′ W93°21.73′ **MEMPHIS**
319 B NOTAM FILE JBR **L–17E**
RWY 18–36: H3464X50 (ASPH) S–12 MIRL
RWY 18: Road.
RWY 36: Trees.
AIRPORT REMARKS: Unattended. Arpt gate locked from 0300–1100Z‡, call police for access 870–887–2676. Rwy 36 apch ground slope downward 6′ in 100′; 100′ from rwy end.
AIRPORT MANAGER: 870-887-2210
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.
TEXARKANA (VH) (H) VORTACW 116.3 TXK Chan 110 N33°30.83′ W94°04.39′ 057° 39.6 NM to fld. 273/7E.



RALPH C WEISER FLD (See MAGNOLIA on page 66)

RAZORBACK N36°14.79′ W94°07.28′ NOTAM FILE JBR. **KANSAS CITY H–6I, L–16F**

(VH) (H) VORTACW 116.4 RZC Chan 111 175° 4.2 NM to Springdale Muni. 1332/4E.

VOR unusable:
025°–035° byd 40 NM
025°–150° byd 22 NM blo 4,000′
070°–080° byd 40 NM
093°–103° byd 40 NM blo 17,000′
104°–144° byd 40 NM
145°–155° byd 40 NM blo 6,500′
145°–155° byd 67 NM blo 9,500′
150°–210° byd 22 NM blo 3,500′
156°–170° byd 40 NM
195°–215° byd 40 NM
210°–220° byd 22 NM blo 3,000′
234°–245° byd 40 NM
310°–025° byd 22 NM blo 3,000′

TACAN AZIMUTH unusable:
148°–160°
225°–240°

RECTOR (7M8) 2 SW UTC–6(–5DT) N36°15.00′ W90°19.17′ **ST LOUIS L–16H**

281 B NOTAM FILE JBR

RWY 18–36: H3405X60 (ASPH) S–5 MIRL

RWY 18: Tree.

RWY 36: Thld dsplcd 266′. Tree.


SERVICE: **LGT** ACTIVATE MIRL Rwy 18–36—CTAF.

AIRPORT REMARKS: Unattended.

AIRPORT MANAGER: 870-243-8421

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.




ROGERS EXEC – CARTER FLD (ROG)(KROG) 2 N UTC–6(–5DT) N36°22.35′ W94°06.42′ 1359 B TPA—2358(999) NOTAM FILE ROG

KANSAS CITY
H–6I, L–16F
IAP, AD

RWY 02–20: H6011X100 (ASPH–GRVD) S–45, D–100, 2S–92 PCN 42 F/B/X/T HIRL 0.3% up S

RWY 02: REIL. PAPI(P4L)—GA 3.0° TCH 55′.

RWY 20: MALSR. PAPI(P4L)—GA 3.0° TCH 55′.



SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** When twr clsd ACTIVATE HIRL Rwy 02–20, REIL Rwy 02, twy lgts, MALSR Rwy 20, PAPI Rwy 02 and Rwy 20—CTAF.

AIRPORT REMARKS: Attended Mon–Fri 1000–0300Z‡, Sat–Sun 1300–0100Z‡. For fuel after hrs call 479–636–9400, fee charged. Bird activity on and invof arpt. Deer and coyote on and invof arpt. Rwy 20 designated calm wind rwy. ARFF available upon request.

AIRPORT MANAGER: 479-631-1400

WEATHER DATA SOURCES: AWOS–3PT 134.375 (479) 631–9196. LAWRS.

COMMUNICATIONS: CTAF 119.375

Ⓡ **RAZORBACK APP/DEP CON** 126.6 (1130–0500Z‡)

MEMPHIS CENTER APP/DEP CON 126.1 (0500–1130Z‡)

TOWER 119.375 (Mon–Fri 1130–0130Z‡, Sat–Sun 1400–0100Z‡)

GND CON 118.0 **CLNC DEL** 121.75

CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.

AIRSPACE: CLASS D svc 1130–0130Z‡ Mon–Fri, 1400–0100Z‡ Sat–Sun; other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.


RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36°14.79′ W94°07.28′ 001° 7.6 NM to fld. 1332/4E.

VOR unusable:
- 025°–035° byd 40 NM
- 025°–150° byd 22 NM blo 4,000′
- 070°–080° byd 40 NM
- 093°–103° byd 40 NM blo 17,000′
- 104°–144° byd 40 NM
- 145°–155° byd 40 NM blo 6,500′
- 145°–155° byd 67 NM blo 9,500′
- 150°–210° byd 22 NM blo 3,500′
- 156°–170° byd 40 NM
- 195°–215° byd 40 NM
- 210°–220° byd 22 NM blo 3,000′
- 234°–245° byd 40 NM
- 310°–025° byd 22 NM blo 3,000′

TACAN AZIMUTH unusable:
- 148°–160°
- 225°–240°


ILS/DME 111.5 I–ROG Chan 52 Rwy 20. Class IB. Glideslope unusable byd 5° right of course. Glideslope unusable for auto coupled apchs blo 1,670′. Unmonitored.

RUSSELLVILLE RGNL (RUE)(KRUE) 2 SE UTC–6(–5DT) N35°15.56′ W93°05.56′ **MEMPHIS**
409 B TPA—1414(1005) NOTAM FILE RUE **H–6I, L–16F**
RWY 07–25: H5505X75 (ASPH) S–32, D–46 MIRL 0.7% up NE **IAP**
RWY 07: REIL. PAPI(P4L)—GA 3.0° TCH 60′. Tree.
RWY 25: REIL. PAPI(P4L)—GA 4.0° TCH 83′. Thld dsplcd 706′. Tree.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–dawn.ACTVT REIL Rwys 07 and 25; PAPI Rwys 07 and 25; MIRL Rwy 07–25—CTAF.
AIRPORT REMARKS: Attended Mar–Nov Mon–Fri 1330–0030Z‡; Nov–Mar Mon–Fri 1330–2330Z‡; Sat–Sun 1400–0000Z‡. For svc aft hrs call 479–857–0362 or 479–857–4076. Deer on & invof rwy. Flocks of migratory birds invof arpt. Self svc fuel avbl 24 hrs with credit card (100LL). Heli service center on fld.
AIRPORT MANAGER: 479-967-1227
WEATHER DATA SOURCES: ASOS 132.475 (479) 968–2267.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.475
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 300° 53.6 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′
NDB (MHW) 379 RUE N35°15.42′ W93°05.68′ at fld. 379/3E. NOTAM FILE RUE. NDB unmonitored.



SALEM (7M9) 1 S UTC–6(–5DT) N36°21.35′ W91°49.86′
787 B NOTAM FILE JBR
RWY 02–20: H3489X50 (ASPH) MIRL
RWY 02: Thld dsplcd 1233′. Hill.
RWY 20: Thld dsplcd 248′. Tree.
SERVICE: **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 02–20—CTAF. Obstruction lgts OTS indef.
AIRPORT REMARKS: Unattended. Fuel: For svc call 870–371–0756 or 870–371–1025 (no fee). Deer on and invof rwy. All acft land Rwy 20, tkf Rwy 02. Rwy 02 has 3′ ditch at end of rwy extending 700′ along east side of rwy.
AIRPORT MANAGER: (870) 371-0756
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.
WALNUT RIDGE (VH) (H) VORTACW 114.5 ARG Chan 92
N36°06.60′ W90°57.22′ 285° 45.1 NM to fld. 265/4E.
TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′
VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM

KANSAS CITY
L–16G




SALINE CO RGNL (See BENTON on page 35)

SALLY WOFFORD (See WEINER on page 92)

SEARCY CO (See MARSHALL on page 68)


SEARCY RGNL (SRC)(KSRC) 3 S UTC–6(–5DT) N35°12.64′ W91°44.25′ **MEMPHIS**
265 B TPA—1065(800) NOTAM FILE SRC **H–6J, L–16G**
RWY 01–19: H6008X100 (ASPH) S–40, D–65, 2D–290 MIRL **IAP**
0.5% up N
RWY 01: MALSR. PAPI(P4L)—GA 3.0° TCH 57′.
RWY 19: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Tree.



SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3 **LGT** ACTVT REIL Rwy 19; PAPI 01 and 19; MIRL Rwy 01–19—CTAF. MIRL preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1300–0000Z‡. 100LL avbl self serve with credit card. For JET A fuel or svc aft hrs call 501–279–1080. Nmrs gyrocopter opns dalgt hrs. Nmrs student pilot opns. No line of sight btn rwy ends—small acft. Nmrs agricultural acft opns fm Feb–Nov 500 ft AGL and blw.
AIRPORT MANAGER: 501-279-1080
WEATHER DATA SOURCES: AWOS–3PT 128.325 (501) 268–4280.
COMMUNICATIONS: CTAF/UNICOM 122.7
LITTLE ROCK APP/DEP CON 119.75
CLNC DEL 119.75
CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 040° 31.5 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′
ILS/DME 110.1 I–DSY Chan 38 Rwy 01. Class IE. Unmonitored indef.

SHARP CO RGNL (See ASH FLAT on page 33)

SHERIDAN–GRANT CO RGNL (9M8) 3 E UTC–6(–5DT) N34°19.65′ W92°21.08′ **MEMPHIS**
236 B NOTAM FILE JBR **L–18F**
RWY 01–19: H3202X75 (ASPH) S–12.5 MIRL **IAP**
RWY 01: PAPI(P2L)—GA 3.75° TCH 38′. Trees.
RWY 19: PAPI(P2L)—GA 3.25° TCH 43′. Trees.
SERVICE: **FUEL** 100LL **LGT** ACTVT PAPI Rwys 01 and 19; MIRL Rwy 01–19—CTAF. Rwy 01 PAPI unusable byd 6° left of centerline.
AIRPORT REMARKS: Unattended. Self svc fuel avbl 24 hrs with credit card.
AIRPORT MANAGER: 870-941-9595
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LITTLE ROCK APP/DEP CON** 135.4 353.6
CLEARANCE DELIVERY PHONE: For CD ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.
LITTLE ROCK (VH) (H) VORTACW 115.1 LIT Chan 98 N34°48.61′ W92°09.12′ 199° 30.5 NM to fld. 276/0W.
TACAN AZIMUTH unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
DME unusable:
000°–030° byd 38 NM blo 3,000′
031°–080° byd 37 NM blo 2,300′
081°–133° byd 39 NM blo 2,000′
191°–235° byd 34 NM blo 2,800′
236°–285° byd 30 NM blo 4,500′
286°–359° byd 33 NM blo 4,000′
VOR unusable:
250°–252° byd 40 NM blo 18,000′
253°–270° byd 40 NM
271°–275° byd 40 NM blo 18,000′



SHERRILL

SMITH'S INTL (99A) 1 NW UTC–6(–5DT) N34°24.37′ W91°57.53′ **MEMPHIS**
218 NOTAM FILE JBR
RWY 17–35: 3800X75 (TURF)
RWY 17: Road.
RWY 35: Trees. Rgt tfc.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: (870) 766-4619
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911.

SHOFFNER

EFS (76A) 1 S UTC–6(–5DT) N35°27.84′ W91°13.80′ **MEMPHIS**
215 NOTAM FILE JBR Not insp.
RWY 18–36: H2695X24 (ASPH–GRVL)
AIRPORT MANAGER: 870-217-1865

SILOAM SPRINGS

SMITH FLD (SLG)(KSLG) 3 NE UTC–6(–5DT) N36º11.51´ W94º29.40´ **KANSAS CITY**
1191 B NOTAM FILE SLG **L–16F**
RWY 18–36: H5001X75 (ASPH) S–24 MIRL 0.3% up N **IAP, AD**
RWY 18: REIL. PAPI(P2L)—GA 3.0º TCH 44´.
RWY 36: REIL. PAPI(P2L)—GA 3.0º TCH 43´.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 18 and 36; PAPI Rwy 18 and 36 MIRL Rwy 18–36—CTAF. Rwy 36 VGSI unusbl byd 7º right of cntrln.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. For svc aft hrs call 479–524–4103. Self–serve 100LL available 24 hrs with credit card.
AIRPORT MANAGER: 479-524-4103
WEATHER DATA SOURCES: AWOS–3PT 118.375 (479) 524–9893.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **RAZORBACK APP/DEP CON** 121.0 (1130–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1 (0500–1130Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36º14.79´ W94º07.28´ 256º 18.2 NM to fld. 1332/4E.
VOR unusable:
025º–035º byd 40 NM
025º–150º byd 22 NM blo 4,000´
070º–080º byd 40 NM
093º–103º byd 40 NM blo 17,000´
104º–144º byd 40 NM
145º–155º byd 40 NM blo 6,500´
145º–155º byd 67 NM blo 9,500´
150º–210º byd 22 NM blo 3,500´
156º–170º byd 40 NM
195º–215º byd 40 NM
210º–220º byd 22 NM blo 3,000´
234º–245º byd 40 NM
310º–025º byd 22 NM blo 3,000´
TACAN AZIMUTH unusable:
148º–160º
225º–240º
SILOAM SPRINGS NDB (MHW) 284 SLG N36º11.35´ W94º29.31´ at fld. 1625/4E. NOTAM FILE SLG. VFR only.

SILOAM SPRINGS N36º11.35´ W94º29.31´ NOTAM FILE SLG. **KANSAS CITY**
NDB (MHW) 284 SLG at Smith Fld. 1625/4E. (VFR only).


SMITH FLD (See SILOAM SPRINGS on page 86)

SMITH'S INTL (See SHERRILL on page 85)

SOUTH ARKANSAS RGNL AT GOODWIN FLD (See EL DORADO on page 50)

SPRINGDALE MUNI (ASG)(KASG) 1 SE UTC–6(–5DT) N36º10.58´ W94º07.16´ **KANSAS CITY**
1353 B NOTAM FILE ASG MON Airport **H–6I, L–16F**
IAP, AD


RWY 18–36: H5302X76 (ASPH–GRVD) S–35, D–50, 2D–90 HIRL
RWY 18: MALSF. REIL. PAPI(P4L)—GA 3.0º TCH 43´. Thld dsplcd 363´.
RWY 36: REIL. PAPI(P4R)—GA 3.0º TCH 40´. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18: TORA–5302 TODA–5302 ASDA–5302 LDA–4939
RWY 36: TORA–5302 TODA–5302 ASDA–5302 LDA–5302
SERVICE: S4 **FUEL** 100LL, JET A **OX** 4 **LGT** ACTIVATE HIRL Rwy 18–36—CTAF. When twr clsd ACTIVATE MALSF Rwy 18—CTAF. ACTIVATE REIL Rwy 18 and Rwy 36—122.8.
AIRPORT REMARKS: Attended 1200–0300Z‡. For svc after hours call 479–751–4462. 100LL avbl 24 hrs self serve with credit card. All acft left overnight will be charged a ramp fee unless fuel has been purchased.
AIRPORT MANAGER: 479-966-2010
WEATHER DATA SOURCES: AWOS–3 124.675 (479) 750–2967. LAWRS (1200–0300Z‡).
COMMUNICATIONS: CTAF 118.2 **UNICOM** 122.95
Ⓡ **RAZORBACK APP/DEP CON** 126.6 (1130–0500Z‡)
MEMPHIS CENTER APP/DEP CON 126.1 (0500–1130Z‡)
TOWER 118.2 (1200–0300Z‡) **GND CON** 121.6



CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS D svc 1200–0300Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36º14.79´ W94º07.28´ 175º 4.2 NM to fld. 1332/4E.
VOR unusable:
025º–035º byd 40 NM
025º–150º byd 22 NM blo 4,000´
070º–080º byd 40 NM
093º–103º byd 40 NM blo 17,000´
104º–144º byd 40 NM
145º–155º byd 40 NM blo 6,500´
145º–155º byd 67 NM blo 9,500´
150º–210º byd 22 NM blo 3,500´
156º–170º byd 40 NM
195º–215º byd 40 NM
210º–220º byd 22 NM blo 3,000´
234º–245º byd 40 NM
310º–025º byd 22 NM blo 3,000´
TACAN AZIMUTH unusable:
148º–160º
225º–240º
ILS 110.9 I–ASG Rwy 18. Autopilot cpd apch NA blo 1,900´. Rate of change/reversal at 1.4NM fm thr.


STAR CITY

JB WEST MUNI AIRPORT (55M) 2 SW UTC–6(–5DT) N33°55.59′ W91°51.67′ **MEMPHIS**
398 NOTAM FILE JBR **L–18F**
RWY 18–36: H3000X60 (ASPH) S–4 MIRL
RWY 18: Tree.
RWY 36: Tree.
SERVICE: **FUEL** 100LL
AIRPORT REMARKS: Unattended. Self serve fuel avbl 24 hrs with credit card. Rwy 18 markings faded. Rwy 36 markings faded.
AIRPORT MANAGER: 870-329-0484
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.
PINE BLUFF (VL) (L) VORW/DME 116.0 PBF Chan 107 N34°14.81′ W91°55.57′ 166° 19.5 NM to fld. 212/4E.
VOR unusable:
020°–021° byd 40 NM
067°–069° byd 40 NM
108°–110° byd 40 NM
140°–145° byd 35 NM blo 4,900′
170°–172° byd 40 NM
176°–178° byd 40 NM
239°–249° byd 40 NM blo 6,000′
239°–249° byd 59 NM
260°–275° byd 25 NM
292°–294° byd 40 NM
322°–328° byd 40 NM




STEPHENS

WILSON (4F8) 2 NE UTC–6(–5DT) N33°26.59′ W93°03.26′ **MEMPHIS**
230 B NOTAM FILE JBR **L–17E**
RWY 02–20: H3000X50 (ASPH) S–4 MIRL
RWY 02: Trees.
RWY 20: Trees.
SERVICE: **LGT** Beacon OTS indef. Rwy lights OTS indef.
AIRPORT REMARKS: Unattended. Deer on and invof arpt. Rwy 02–20 many longitudinal cracks with vegetation. Rwy 02–20 markings faded.
AIRPORT MANAGER: 870-510-5874
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.
EL DORADO (VH) (DH) VORW/DME 115.5 ELD Chan 102 N33°15.37′ W92°44.64′ 299° 19.2 NM to fld. 230/7E.
DME unusable:
020°–035° blo 2,000′
036°–019° byd 30 NM blo 3,200′
VOR unusable:
110°–120° byd 40 NM



STUTTGART MUNI CARL HUMPHREY FLD (SGT)(KSGT) 7 N UTC–6(–5DT) N34°35.97′ W91°34.50′ **MEMPHIS**
224 B NOTAM FILE SGT **H–6J, L–18F**
IAP


RWY 18–36: H6015X100 (ASPH–GRVD) S–75, D–150, 2S–82, 2D–200, 2D/2D2–300 MIRL
RWY 18: REIL.
RWY 36: MALSF.
RWY 09–27: H5002X150 (CONC) S–25, D–65, 2S–82, 2D–120 MIRL
RWY 09: PAPI(P2L)—GA 3.0° TCH 43′.
RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 43′.



SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT MALSF Rwy 36; REIL Rwy 18 and Rwy 27; PAPI Rwy 09 and Rwy 27; MIRL Rwys 09–27 and 18–36—CTAF.
AIRPORT REMARKS: Attended Nov–Jan 1400–0200Z‡, Feb–Oct Mon–Fri 1400–2200Z‡. Nmrs agricultural acft ops from Feb–Sep 500′ AGL and blw. 100LL avbl 24 hrs self–serve with credit card. For fuel nights call 870–672–2005. For svc aft hrs call 870–672–2005. Migratory birds on and invof arpt Nov–Feb. Rwy 09 and Rwy 27 nr faded.
AIRPORT MANAGER: 870-673-2960
WEATHER DATA SOURCES: AWOS–3PT 119.025 (870) 673–1884.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LITTLE ROCK APP/DEP CON** 135.4
CLNC DEL 123.7
CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Little Rock Apch 501-379-2908 or Little Rock ATCT 501-379-2911
RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.
PINE BLUFF (VL) (L) VORW/DME 116.0 PBF Chan 107 N34°14.81′ W91°55.57′ 035° 27.4 NM to fld. 212/4E.
VOR unusable:
020°–021° byd 40 NM
067°–069° byd 40 NM
108°–110° byd 40 NM
140°–145° byd 35 NM blo 4,900′
170°–172° byd 40 NM
176°–178° byd 40 NM
239°–249° byd 40 NM blo 6,000′
239°–249° byd 59 NM
260°–275° byd 25 NM
292°–294° byd 40 NM
322°–328° byd 40 NM
ILS/DME 110.55 I–TTL Chan 42(Y) Rwy 36. Class IE. Unmonitored.

TECCO N33°31.44′ W93°54.36′ NOTAM FILE TXK. **MEMPHIS**
NDB (LOMW) 234 TX 220° 6.0 NM to Texarkana Rgnl–Webb Fld. 260/5E. **L–17E**

TEXARKANA RGNL–WEBB FLD (TXK)(KTXK) 3 NE UTC–6(–5DT) N33°27.22′ W93°59.46′ **MEMPHIS H–6I, L–17E IAP, AD**
390 B TPA—1590(1200) Class I, ARFF Index A NOTAM FILE TXK MON Airport
RWY 04–22: H6602X150 (ASPH–GRVD) S–50, D–86, 2S–109, 2D–120 PCR 459 F/B/X/T HIRL 0.7% up NE
RWY 04: VASI(V4L)—GA 3.0° TCH 52′. Trees.
RWY 22: MALSR. Trees.
RWY 13–31: H5200X100 (ASPH–GRVD) S–25 PCR 180 F/C/Y/U MIRL 0.5% up SE
RWY 13: PAPI(P4L)—GA 3.0° TCH 48′. Thld dsplcd 641′. Railroad.
RWY 31: Tree.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 04: TORA–6602 TODA–6602 ASDA–6602 LDA–6602
RWY 13: TORA–5200 TODA–5200 ASDA–5200 LDA–4559
RWY 22: TORA–6602 TODA–6602 ASDA–6602 LDA–6602
RWY 31: TORA–5200 TODA–5200 ASDA–4559 LDA–4559
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** When ATCT clsd ACTVT MALSR Rwy 22; HIRL Rwy 04–22; MIRL Rwy 13–31—CTAF.
AIRPORT REMARKS: Attended 1200–0400Z‡. Deer on and invof arpt. Birds on and invof arpt. Ldg Fee. NOTE: See Special Notices—Controlled Firing.
AIRPORT MANAGER: 870-774-2171
WEATHER DATA SOURCES: ASOS 120.2 (870) 774–0404.
COMMUNICATIONS: CTAF 123.875 **ATIS** 120.2
RCO 122.2 (JONESBORO RADIO)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 123.925
TOWER 123.875 (1200–0400Z‡) **GND CON** 119.225
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.
(VH) (H) VORTACW 116.3 TXK Chan 110 N33°30.83′ W94°04.39′ 124° 5.5 NM to fld. 273/7E.
TECCO NDB (LOMW) 234 TX N33°31.44′ W93°54.36′ 220° 6.0 NM to fld. 260/5E.
ILS/DME 111.9 I–TXK Chan 56 Rwy 22. Class IA. LOM TECCO NDB. Unmonitored when ATCT clsd. DME unusable byd 32° right of course.




THOMPSON–ROBBINS (See HELENA/WEST HELENA on page 58)

TRIGGER GAP (See BERRYVILLE on page 37)

WALDRON MUNI (M27) 2 SW UTC–6(–5DT) N34°52.56′ W94°06.53′ **MEMPHIS L–17E**
705 B NOTAM FILE JBR
RWY 09–27: H3650X60 (ASPH) S–4 MIRL 0.5% up E
RWY 09: Trees.
RWY 27: Tree.
SERVICE: **LGT** ACTVT MIRL Rwy 09–27—CTAF.
AIRPORT REMARKS: Unattended. Deer on and invof arpt.
AIRPORT MANAGER: 479-637-3181
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch at 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
RICH MOUNTAIN (VL) (L) VORTACW 113.5 PGO Chan 82 N34°40.83′ W94°36.54′ 061° 27.4 NM to fld. 2700/4E.
VOR unusable:
016°–021° byd 40 NM
028°–029° byd 40 NM
030°–040°
050°–075° blo 4,000′
090°–145°
167°–169° byd 40 NM
170°–200°
235°–245° byd 30 NM blo 5,000′
250°–271°
260°–280° byd 35 NM blo 5,000′
329°–335° byd 40 NM
340°–345° blo 5,000′
358°–002° byd 40 NM

WALNUT RIDGE RGNL (ARG)(KARG) 4 NE UTC–6(–5DT) N36°07.48′ W90°55.51′ **MEMPHIS**
279 B NOTAM FILE ARG **H–6J, L–16G**
RWY 04–22: H6001X150 (ASPH) S–40, D–60, 2D–110 MIRL **IAP, AD**
RWY 04: MALSF.
RWY 22: PAPI(P4L)—GA 3.0° TCH 47′.
RWY 13–31: H5003X150 (CONC) S–40, D–60, 2D–110
RWY 13: Road.
RWY 31: Berm.
RWY 18–36: H5001X150 (CONC) S–40, D–60, 2D–110 MIRL
RWY 18: ODALS. REIL. Road.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MALSF Rwy 04; ODALS Rwy 18; REIL Rwy 18; MIRL Rwy 04–22, Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. If arpt attendant not avbl, call 870–886–5432. Fee chrg unless prior arrangements made. 100LL and Jet A self svc fuel avbl 24 hrs with credit card/full svc avbl 1400–2300Z‡. Government contract fuel avbl. Agricultural ops on and invof arpt Apr thru Sep. Migratory birds invof arpt Oct thru Jan.
AIRPORT MANAGER: 870-886-5432
WEATHER DATA SOURCES: AWOS–3PT 126.525 (870) 886–2537.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.
(VH) (H) VORTACW 114.5 ARG Chan 92 N36°06.60′ W90°57.22′ 054° 1.6 NM to fld. 265/4E.
TACAN AZIMUTH unusable:
011°–021° byd 15 NM blo 5,000′
VOR unusable:
010°–021° byd 59 NM blo 5,300′
011°–021° byd 8 NM blo 4,000′
022°–025° byd 46 NM blo 5,300′
026°–047° byd 40 NM
048°–052° byd 43 NM blo 12,000′
053°–078° byd 40 NM blo 2,300′
053°–078° byd 64 NM
079°–175° byd 40 NM blo 18,000′
195°–216° byd 40 NM blo 18,000′
217°–278° byd 40 NM blo 3,000′
217°–278° byd 61 NM blo 18,000′
279°–350° byd 40 NM blo 3,400′
279°–350° byd 59 NM
LAWRENCE COUNTY NDB (MHW) 227 TNZ N36°12.42′ W90°55.39′ 180° 4.9 NM to fld. 262/1E. NDB unmonitored 2300–1300Z‡.
LOC 111.1 I–ARG Rwy 18. LOC unmonitored 2300–1300Z‡.


WARREN MUNI/JOHN B FRAZER JR FLD (3M9) 3 S UTC–6(–5DT) N33°33.63′ W92°05.12′ **MEMPHIS**
235 B NOTAM FILE JBR **L–18F**
RWY 03–21: H3829X75 (ASPH) S–4 LIRL 1.0% up NE **IAP**
RWY 03: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 21: PAPI(P2L)—GA 3.5° TCH 40′. Road.
SERVICE: **FUEL** 100LL **LGT** ACTVT LIRL and PAPI Rwy 03–21—CTAF. Rwy 03 PAPI unusbl byd 2 degs left of cntrln. Rwy 21 PAPI unusbl byd 3 degs right and left of cntrln.
AIRPORT REMARKS: Unattended. Self svc fuel avbl 24 hrs with credit card. For services call 870–226–6743 or after hrs 870–226–3703. Deer on and invof arpt. Ctc police 870–226–3703 to clear rwy.
AIRPORT MANAGER: 870-820-9119
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.875
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
MONTICELLO (L) DME 111.6 MON Chan 53 N33°33.72′ W91°42.93′ 270° 18.5 NM to fld. 208.



WEINER

SALLY WOFFORD (8M2) 3 S UTC–6(–5DT) N35°35.42′ W90°54.82′ **MEMPHIS**
245 NOTAM FILE JBR
RWY 01–19: H2330X160 (ASPH–TURF)
AIRPORT REMARKS: Unattended. Numerous agricultural acft ops. Rwy 01–19 2000 ft X 28 ft asph superimposed on Rwy 19 end, remainder turf.
AIRPORT MANAGER: (870) 930-4555
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

WEST MEMPHIS MUNI (AWM)(KAWM) 3 W UTC–6(–5DT) N35°08.10′ W90°14.07′ **MEMPHIS**
213 B NOTAM FILE AWM **H–6J, L–16H**
RWY 17–35: H6003X100 (CONC) S–85, D–104, 2D–167 PCN 33 **IAP**
R/D/W/T MIRL
RWY 17: MALSR.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 17–35 preset low ints, to increase ints and ACTIVATE MALSR Rwy 17; PAPI Rwy 35; REIL Rwy 35—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–0100Z‡, Sat–Sun 1400–2300Z‡. For svc after hrs call 870–735–4656, fee charged. 100LL avbl 24 hr self service with credit card.
AIRPORT MANAGER: 870-735-4656
WEATHER DATA SOURCES: ASOS 118.175 (870) 733–9987.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **MEMPHIS APP CON** 119.1
Ⓡ **MEMPHIS DEP CON** 124.65
CLNC DEL 121.7
CLEARANCE DELIVERY PHONE: For CD ctc Memphis Apch at 901-842-8457.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
GILMORE (L) (L) VORW/DME 113.0 GQE Chan 77 N35°20.82′ W90°28.69′ 133° 17.5 NM to fld. 211/4E.
ILS/DME 110.7 I–LWR Chan 44 Rwy 17. Class IE. Unmonitored indef. Autopilot cpd apch NA blw 620′.




WILSON (See STEPHENS on page 88)

WOODRUFF CO (See AUGUSTA on page 33)

Z M JACK STELL FLD (See CROSSETT on page 45)

ABBEVILLE CHRIS CRUSTA MEML (IYA)(KIYA) 3 E UTC–6(–5DT) N29°58.55′ W92°05.05′ **HOUSTON**
16 B TPA—See Remarks NOTAM FILE DRI **H–7D, L–21B, 22E, GOAC**
RWY 16–34: H5000X75 (ASPH) S–17 MIRL **IAP**
RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Fence.
RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 16–34; REIL Rwy 16 and 34 preset on low intst dusk to dawn; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended daylight hours. TPA—352 (336) ultralight within 3 miles of arpt. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: (337) 898-4206
WEATHER DATA SOURCES: AWOS–3PT 118.875 (337) 892–0526.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LAFAYETTE APP/DEP CON** 121.1 (1130–0430Z‡)
HOUSTON CENTER APP/DEP CON 126.35 (0430–1130Z‡)
GCO 135.075 (LAFAYETTE APCH and DE RIDDER FSS)
CLEARANCE DELIVERY PHONE: For CD ctc Lafayette Apch at 337-262-2729, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.
LAFAYETTE (L) (L) VORTACW 109.8 LFT Chan 35 N30°11.63′ W91°59.55′ 197° 13.9 NM to fld. 36/3E.
TACAN AZIMUTH unusable:
295°–320° blo 4,000′
NDB (MHW) 230 BNZ N30°03.67′ W92°07.40′ 156° 5.5 NM to fld. 13/2E. NOTAM FILE DRI.
LOC 110.95 I–IYA Rwy 16.



HELIPAD H1: H80X80 (CONC)

ACADIANA RGNL (See NEW IBERIA on page 125)

ALEXANDRIA

ALEXANDRIA INTL (AEX)(KAEX) P (ANG) 4 W UTC–6(–5DT) N31°19.64′ W92°32.91′ **HOUSTON**
88 B TPA—See Remarks Class I, ARFF Index D NOTAM FILE AEX **H–6I, L–21B, 22E**
RWY 14–32: H9352X150 (CONC–GRVD) S–81, D–180, 2S–175, 2D–330, 2D/2D2–850 PCR 630 R/A/W/T HIRL **IAP, AD**
RWY 14: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 71′. RVR–TR
RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 80′. RVR–TR
RWY 18–36: H7001X150 (ASPH–CONC–GRVD) S–75, D–130, 2S–165, 2D–191, 2D/2D2–502 PCR 580 R/A/W/T HIRL
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 79′.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 77′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 14: TORA–9352 TODA–9352 ASDA–9352 LDA–9352
RWY 18: TORA–7001 TODA–7001 ASDA–7001 LDA–7001
RWY 32: TORA–9352 TODA–9352 ASDA–9352 LDA–9352
RWY 36: TORA–7001 TODA–7001 ASDA–7001 LDA–7001
SERVICE: S4 **FUEL** 100, JET A, MOGAS **OX** 2, 4 **MILITARY— FUEL** A+ (C318–443–5566.) (NC–100LL, A)
AIRPORT REMARKS: Attended continuously. Extensive helicopter tfc during military exercises. Center 75′ of first 3000′ of Rwy 18 is concrete, remainder is asphalt. Light acft frequently cross apch zones to Rwy 14–32 blo 2000′ MSL. Extensive lgt acft tfc (cropdusters) below 900′ to civ arpt 3.5 NM west southwest of field. TPA—right rectangular 1289 (1200), left overhead 1789 (1700). Commercial and lifeguard acft only on Commercial Terminal Ramp, all other acft utilize Twy A to FBO.
AIRPORT MANAGER: 318-427-6419
WEATHER DATA SOURCES: ASOS 123.975 (318) 442–6583.
COMMUNICATIONS: CTAF 127.35
Ⓡ **MAKS APP/DEP CON** 125.4
TOWER 127.35 **GND CON** 121.9 **CLNC DEL** 121.9

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS D.

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.

(VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 327° 4.9 NM to fld. 76/3E.

VOR unusable:

035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′

ILS 110.1 I–ERJ Rwy 14. Class IT.

COMM/NAV/WEATHER REMARKS: Multicom frequency 130.0 avbl.

ESLER RGNL (ESF)(KESF) P (ARNG) 10 NE UTC–6(–5DT) N31°23.69′ W92°17.75′ 112 B NOTAM FILE ESF

HOUSTON
H–6I, L–21B, 22E
IAP

RWY 09–27: H5998X150 (ASPH–GRVD) S–75, D–150, 2S–175, 2D–220 HIRL

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 51′. Trees.

RWY 27: MALSR.

RWY 14–32: H5600X150 (ASPH–GRVD) S–75, D–150, 2S–175, 2D–220 MIRL 0.4% up NW

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 36′. Trees.

RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 56′. Fence.

SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT MALSR Rwy 27; REIL Rwy 09, 14–32; MIRL Rwy 14–32; HIRL Rwy 09–27; twy lgts Twys A, B, C, D and E—CTAF. Rwy 09 REILS OTS. Rwy 14 REIL OTS. Rwy 14 PAPI OTS. **MILITARY— FUEL** A+ (avbl 1300–2300Z‡ Tue–Fri; OT, C318–443–5566.) (NC–100LL)


AIRPORT REMARKS: Attended Tue–Fri 1300–2330Z‡. Fuel avbl Tue–Fri 1300–2300Z‡; Sat–Mon on call in advance call 318–443–5566. 100LL self serve 24hrs. Birds on and invof arpt seasonally. PAEW adj rwys and twys. Ctc aprt mgr for dsgnd ramp space for pub use. Rwy 14 and Rwy 32 rwy markings severely faded.

AIRPORT MANAGER: 985-750-0485

WEATHER DATA SOURCES: ASOS 119.425 (318) 484–9031.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **MAKS APP/DEP CON** 125.4



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31º15.40´ W92º30.06´ 049º 13.4 NM to fld. 76/3E.
VOR unusable:
035º–065º blo 2,000´
066º–094º byd 35 NM blo 3,000´
115º–120º byd 40 NM blo 18,000´
130º–215º byd 40 NM
185º–200º byd 35 NM blo 3,000´
201º–214º byd 35 NM blo 2,000´
215º–260º blo 2,000´
220º–229º byd 40 NM
230º–240º byd 40 NM blo 8,000´
241º–245º byd 40 NM
246º–255º byd 40 NM blo 8,000´
261º–285º byd 35 NM blo 2,000´
265º–270º byd 49 NM blo 18,000´
271º–285º byd 40 NM
286º–290º byd 40 NM blo 18,000´
300º–304º byd 40 NM blo 5,000´
300º–304º byd 68 NM
305º–325º byd 40 NM
340º–080º byd 40 NM
357º–034º byd 35 NM blo 3,000´
ILS/DME 111.5 I–ESF Chan 52 Rwy 27. Class IA. ILS/DME unmonitored. DME unusable byd 25º right of course.

ALLEN PARISH (See OAKDALE on page 130)


ALVIN CALLENDER FLD (See NEW ORLEANS NAS JRB (ALVIN CALLENDER FLD) on page 128)

ANGER N30º36.38´ W90º25.27´ NOTAM FILE DRI. NEW ORLEANS

NDB (LOMW) 212 HP 178º 5.1 NM to Hammond Northshore Rgnl. 94/0E.

ARCADIA–BIENVILLE PARISH (5FØ) 2 SW UTC–6(–5DT) N32º31.93´ W92º57.17´ MEMPHIS L–17E

440 B NOTAM FILE DRI
RWY 14–32: H3000X75 (ASPH) S–16 MIRL
RWY 14: Trees.
RWY 32: Trees.
SERVICE: **LGT** ACTVT MIRL Rwy 14–32—CTAF. MIRL Rwy 14–32 OTS indefly. Rotg bcn 0.5 mile SE of arpt OTS.
AIRPORT REMARKS: Unattended. For arpt attendant call 318–263–2013. Golf crs adj to arpt. Hold shrt line nstd dist fm rwy. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 318-263-8456
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.
ELM GROVE (VL) (L) VORTACW 116.65 EMG Chan 113(Y)
N32º24.02´ W93º35.71´ 069º 33.5 NM to fld. 160/7E.
controlled by SHV RAPCON
TACAN AZIMUTH unusable:
293º–297º byd 17 NM
VOR unusable:
057º–062º byd 40 NM
210º–216º byd 47 NM
217º–220º byd 40 NM
302º–307º byd 40 NM
347º–003º byd 34 NM
DME unusable:
233º–240º byd 36 NM
293º–297º byd 17 NM
347º–003º byd 34 NM



BARKSDALE AFB (BAD)(KBAD) AF 3 E UTC–6(–5DT) N32°30.12′ W93°39.76′ **MEMPHIS**
165 B NOTAM FILE DRI Not insp. **H–6I, L–17E**
RWY 15–33: H11758X299 (PEM) PCN 82 R/C/W/T HIRL **DIAP, AD**
RWY 15: ALSF1. PAPI(P4L)—GA 2.5° TCH 53′. RVR–T
RWY 33: ALSF1. PAPI(P4L)—GA 2.5° TCH 50′. RVR–T
ARRESTING GEAR/SYSTEM
BAK–12(B) (1102¹). **RWY 33**
SERVICE: S4 **FUEL** JET A++ **OX** 2 **LGT** Rwy 15 ALSF–1 NSTD configh–dist fm thr lgt to pre–thr lgt is 128 ft; pre–thr lgt to term bar is 128 ft. **MILITARY— A–GEAR** BAK–12B avbl upon req 1 hr prior. W side A–Gear mrk perm removed.MP every third Fri fr 1200–1400Z‡. **JASU** 1(MA–1A) 7(A/M32A–86) 1(AM32A–95) 1(AM32A–60) **FLUID** W SP PRESAIR LHOX LOX **OIL** O–132–133–148–156 JOAP **TRAN ALERT** Tran maint svc hr 1400–0100Z‡ Mon–Fri; 1400–2400Z‡ Sat–Sun; clsd hol. No priority basis. Exp svc delays of 2 hr or more. Ltd fleet svc avbl. Potable water unavbl.
MILITARY REMARKS: Opr 1200Z–0630Z‡ Mon–Fri, 1400Z–2200Z‡ wkends; clsd AFGSC family days and fed hol. **RSTD** PPR, call Afld OPS DSN 781–3226/4978 or C318–456–3226. All tran aircrews must rpt to Afld OPS. Practice apch may be restricted by twr, depending on tfc and time of day. PPR req no more than 7 days prior, NLT 24 hr prior to arr. PPR good for +/– 15 minute PPR time. Coord of PPR outside of block time by fone is rqr or PPR nr will be considered cnl. 180° deg turns for C135 and hvy acft are auth in the first 750 ft Rwy 15 and the first 1000 ft Rwy 33. Tran acft with ordnance not authorized. Twy C unlgtd, open to all acft for daytime ops only exc for B–52. Twy E and Twy E1 unlighted and usable for daylgt VFR only. Training for tran acft will not be permitted to interfere with local acft opr. Non–AFGSC acft may be subjected to less than rqr Quantity–Distance separation due munitions opr. Aircrews should exercise appropriate risk management in determining afld suitability. **CAUTION** Lgt acft and prcht opr invof Shreveport Downtown 3.3 NM NW dur final apch Rwy 15 and dep Rwy 33. **TFC PAT** Rectangular 1200 ft, Overhead 1700 ft. VFR copter enter tfc pat at 700 ft fm E and 1000 ft fm W. Ovft of munitions stor area E–NE of fld not auth. **MISC** Wx svc avbl 1300–0400Z‡Mon–Fri 1400–2200Z‡wkends; Clsd AFGSC Family Day and Federal hol. DSN 781–3136, C318–456–3136. AN/FMQ–19 ASOS in use; augmented by human obsn when nec. Dur evac of wx flt ctc 26 OWS at nr abv. Observed surface visibility restricted from 150° to 330° by obstructions and lack of visibility markers byd 2 NM. Acft with distinguished visitor ctc PTD or Comd Post at least 20 minutes prior to ETA. Afld ops unable to issue COMSEC and has no storage capability. USAF Afld Mgmt pers do not determine/rpt a Rwy Cond Code (RwyCC) nor issue FAA formatted fld cond NOTAM (FICON). **RWY** First 1184 ft Rwy 15 and first 1600 ft Rwy 33 is concrete. Middle 8972 ft is asphalt with first 3000 ft at each end having a 75 ft wide concrete keel sfc in cntr and the mid 2972 ft having a 50 ft conc keel sfc. NSTD spacing of 150 ft btn Rwy 15 and Rwy 33 overun mrks.
AIRPORT MANAGER: 318-456-3226
COMMUNICATIONS: ATIS 307.025 **PTD** 254.425
Ⓡ **SHREVEPORT APP/DEP CON** 123.75 360.725 (320°–152°) 119.9 335.55 (153°–319°)
TOWER 128.25 278.3 (Opr 1300–0400Z‡Mon–Fri 1400–2200Z‡ Wkends: clsd AFGSC family days, federal hol.)
GND CON 121.8 253.5
COMD POST (Call RAYMOND 06) 311.0 321.0 **PMSV METRO** 227.4
AIRSPACE: CLASS C svc ctc **APP CON**.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.

(L) TACAN Chan 105 BAD (115.8) N32°30.20´ W93°40.07´ at fld. 162/2E.
No NOTAM MP: 1600–1800Z‡ Wed. mnt dur publ opr hr only
TACAN AZIMUTH unusable:
010°–053° byd 30 NM blo 5,000´
054°–064° byd 20 NM blo 5,000´
065°–104° byd 30 blo 5,000´
105°–115° byd 18 NM blo 5,000´
116°–277° byd 30 NM blo 3,000´
278°–288° byd 30 NM
289°–330° byd 30 NM blo 5,000´
TACAN DME unusable:
010°–053° byd 30 NM blo 5,000´
054°–064° byd 20 NM blo 5,000´
065°–104° byd 30 blo 5,000´
105°–115° byd 18 NM blo 5,000´
116°–277° byd 30 NM blo 3,000´
278°–288° byd 30 NM
289°–330° byd 30 NM blo 5,000´

ELM GROVE (VL) (L) VORTACW 116.65 EMG Chan 113(Y) N32°24.02´ W93°35.71´ 324° 7.0 NM to fld. 160/7E.
controlled by SHV RAPCON
TACAN AZIMUTH unusable:
293°–297° byd 17 NM
VOR unusable:
057°–062° byd 40 NM
210°–216° byd 47 NM
217°–220° byd 40 NM
302°–307° byd 40 NM
347°–003° byd 34 NM
DME unusable:
233°–240° byd 36 NM
293°–297° byd 17 NM
347°–003° byd 34 NM

BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28´ W93°48.60´ 148° 17.8 NM to fld. 190/7E. NOTAM FILE SHV.

ILS 108.9 I–JKC Rwy 15.


ILS 109.9 I–BAD Rwy 33. Unmonitored when ATCT clsd.. No NOTAM MP: 1100–1400Z‡ Tue, Thu. Mnt dur publ opr hr only. Glide SLOPE unusable for cpd apchs blw 425´ MSL.

ASR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. Wx DSN 781–3136 or C318–456–3136.


BASTROP

MOREHOUSE MEML (BQP)(KBQP) 2 SE UTC–6(–5DT) N32°45.37′ W91°52.84′
168 B TPA—1201(1033) NOTAM FILE DRI
RWY 16–34: H4002X100 (ASPH) S–15.5 MIRL
RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 50′.
RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 50′.
SERVICE: S2 **FUEL** 100LL **LGT** Dusk–Dawn. REIL Rwys 16 and 34; MIRL Rwy 16–34 preset low intst dusk–dawn, to incr intst ACTVT—CTAF. PAPI Rwy 16 OTS indef. Rwy 34 REIL OTS indefly.
AIRPORT REMARKS: Attended Mon–Fri 1315–2100Z‡. Deer on and invof rwy. Self serve fuel avbl 24 hrs with credit card. Rwy 16 mkgs in poor cond due to fading and mold growth. Rwy 34 cracking, fading, and mold growth on rwy mkgs. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 318-281-2018
WEATHER DATA SOURCES: AWOS–3PT 118.375 (318) 281–1443. Wind unrel.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MONROE APP/DEP CON** 126.9 (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.325 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Monroe Apch at 318-327-5641, if unavbl, ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.
MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 026° 16.3 NM to fld. 77/3E.
VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM
DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
BASTROP NDB (MHW) 329 BQP N32°45.28′ W91°53.01′ at fld. 159/3E. NOTAM FILE DRI.
AWOS broadcasted on NDB



BATON ROUGE METRO, RYAN FLD (BTR)(KBTR) 4 N UTC–6(–5DT) N30°31.98′ W91°08.99′ **HOUSTON**
70 B LRA ARFF Index—See Remarks NOTAM FILE BTR MON Airport **H–7D, L–21B, 22F**
IAP, AD

RWY 04L–22R: H7500X150 (CONC–GRVD) S–120, D–170, 2S–175, 2D–300 PCR 700 R/A/W/T HIRL CL
RWY 04L: RVR–TR Pole.
RWY 22R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 56′. RVR–TR Rgt tfc.
RWY 13–31: H7005X150 (ASPH–GRVD) S–120, D–170, 2S–175, 2D–300 PCR 990 F/D/W/T HIRL
RWY 13: MALSR. RVR–T Thld dsplcd 597′. Pole.
RWY 31: MALS. VASI(V4L)—GA 3.0° TCH 64′. RVR–R Thld dsplcd 314′. Road.
RWY 04R–22L: H3799X75 (ASPH) S–30, D–45 PCN 26 F/C/X/T MIRL No Part 121/Part 380 Ops
RWY 04R: Rgt tfc.



RUNWAY DECLARED DISTANCE INFORMATION

RWY 04L:	TORA–7500	TODA–7500	ASDA–7500	LDA–7500
RWY 04R:	TORA–3799	TODA–3799	ASDA–3799	LDA–3799
RWY 13:	TORA–7004	TODA–7004	ASDA–6317	LDA–5720
RWY 22L:	TORA–3799	TODA–3799	ASDA–3799	LDA–3799
RWY 22R:	TORA–7500	TODA–7500	ASDA–7500	LDA–7500
RWY 31:	TORA–7004	TODA–7004	ASDA–6407	LDA–6094

ARRESTING GEAR/SYSTEM
RWY 13: EMAS

SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3 **LGT** ACTVT MALSR Rwy 22R & 13 and MALS Rwy 31—CTAF. When ATCT clsd HIRL Rwys 13–31 & 04L–22R preset low intst; to incr intst ACTVT—CTAF. MIRL Rwy 04R–22L not avbl.
AIRPORT REMARKS: Attended 1100–0600Z‡. Migratory birds on and in vicinity of arpt during months of Mar, Apr, Sep and Oct. Class I ARFF Index C, 24 hrs PPR for unscheduled air carrier ops with more than 30 passenger seats 0600–1100Z‡, call arpt manager 225–355–2068/0333. When twr clsd use 121.9 to ctc ARFF for emergency request. Rwy 04R–22L and Twy E are similar in appearance. Use caution when exiting Rwy 13–31. Ramp and twy lane adjacent to the commercial air carrier terminal building is limited to commercial air carrier and passenger airtaxi acft only. Twy E weight restrictions: single 44,000 lbs, dual 55,000 lbs, dual tandem 93,000 lbs. Twy E, Twy F btn Rwy 04R–22L and AER 31 not avbl for skedd ACR ops. Twy F btn Rwy 04–22L and 31 rdcs to 40 ft wid. Dsgnd free pub use prkg for GA acft in the back row of the S ramp.
AIRPORT MANAGER: 225-355-0333
WEATHER DATA SOURCES: ASOS (225) 370–8455 LLWAS.
COMMUNICATIONS: CTAF 118.45 **ATIS** 125.2 225–354–2170 **UNICOM** 122.95
Ⓡ **APP/DEP CON** 120.3 WEST 133.225 EAST (1100–0600Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 126.35 (0600–1100Z‡)
TOWER 118.45 (1100–0600Z‡) **GND CON** 121.9 **CLNC DEL** 119.4
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS C svc ctc **APP CON** svc (per TWR/NOTAM 1100–0600Z‡); other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE BTR.
FIGHTING TIGER (VL) (L) VORTACW 116.5 LSU Chan 112 N30°29.11′ W91°17.64′ 063° 8.0 NM to fld. 20/6E.
RUNDI NDB (LOMW) 284 BT N30°34.98′ W91°12.66′ 133° 4.4 NM to fld. 69/0E.
ILS/DME 110.3 I–BTR Chan 40 Rwy 13. Class ID. LOM RUNDI NDB. Unmonitored when ATCT closed.
ILS/DME 108.7 I–CLZ Chan 24 Rwy 22R. Class IIE. Unmonitored when ATCT closed.
ASR (1100-0600Z‡)

BEAUREGARD RGNL (See DE RIDDER on page 104)


BELCHER N32°46.28′ W93°48.60′ NOTAM FILE SHV. **MEMPHIS**
(H) (H) VORTACW 117.4 EIC Chan 121 159° 14.2 NM to Shreveport Downtown. 190/7E. **H–6I, L–17E**

BLOCK WR29 WBF N26°55.80′ W90°31.20′/206
AWOS–3 118.525 (985) 773–5497 Wind unrel. **L–21B, GOAC**

BLUEBIRD HILL (See KEITHVILLE on page 114)


BOGALUSA

GEORGE R CARR MEML AIR FLD (BXA)(KBXA) 2 N UTC–6(–5DT) N30°48.82′ W89°51.90′ **NEW ORLEANS**
119 B NOTAM FILE DRI **H–6J, 8F, L–21B, 22F**
RWY 18–36: H5002X100 (ASPH) S–22 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 52′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Dusk–Dawn. REIL Rwys 18 and 36; MIRL Rwy 18–36 preset low intst dusk–dawn; to incr intst—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. Fuel avbl 24 hrs self svc with credit card. Single point and overwing fueling avbl. Ctc amgr for dsgnd ramp space for pub use. Rwy 18–36 contains svrl cracks withgrass eruption and raveling. Rwy 18–36 markings are faded and covered with mold.
AIRPORT MANAGER: 985-516-3888
WEATHER DATA SOURCES: AWOS–3PT 118.025 (985) 732–6224.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 126.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
PICAYUNE (VL) (DH) VORW/DME 113.95 PCU Chan 86(Y)
N30°33.67′ W89°43.83′ 330° 16.6 NM to fld. 70/5E.
VOR unusable:
011°–055° byd 40 NM blo 8,000′
056°–078° byd 40 NM
079°–102° byd 40 blo 8,000′
103°–140° byd 40 NM
220°–010° byd 40 NM
285°–305° byd 6 NM blo 4,000′
325°–076° byd 26 NM blo 2,500′
DME unusable:
078°–180° byd 32 NM blo 3,000′
331°–064° byd 27 NM blo 4,000′
BOGALUSA NDB (MHW) 353 GVB N30°52.90′ W89°51.73′ 182° 4.1 NM to fld. 148/0W. NOTAM FILE DRI.
NDB unmonitored indef.
LOC 111.1 I–BXA Rwy 18.



BOOTHVILLE LNQ N29°21.16′ W89°26.18′/1 **NEW ORLEANS**
AWOS–3 118.475 (337) 230–8021 **L–21B, 22G, GOAC**

BUNKIE MUNI (2R6) 2 S UTC–6(–5DT) N30°57.40´ W92°14.05´ **HOUSTON**
62 B NOTAM FILE DRI **L–21B, 22E**
RWY 18–36: H3005X75 (ASPH) S–8 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 25´.
RWY 36: REIL. PAPI(P2L)—GA 3.25° TCH 26´. Trees.
SERVICE: **FUEL** 100LL **LGT** ACTVTREIL Rwy 18 and Rwy 36; MIRL Rwy 18–36—CTAF. MIRL Rwy 18–36 preset low intst dusk–dawn; incr intst—CTAF.
AIRPORT REMARKS: Unattended. 100LL fuel avbl by appt call 318–359–0716. Ctc arpt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 318-359-0716
COMMUNICATIONS: CTAF 122.9
Ⓡ **MAKS APP/DEP CON** 125.4
CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108
N31°15.40´ W92°30.06´ 139° 22.6 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000´
066°–094° byd 35 NM blo 3,000´
115°–120° byd 40 NM blo 18,000´
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000´
201°–214° byd 35 NM blo 2,000´
215°–260° blo 2,000´
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000´
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000´
261°–285° byd 35 NM blo 2,000´
265°–270° byd 49 NM blo 18,000´
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000´
300°–304° byd 40 NM blo 5,000´
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000´



BYERLEY (See LAKE PROVIDENCE on page 117)

C E 'RUSTY' WILLIAMS (See MANSFIELD on page 119)

CALDWELL PARISH (See COLUMBIA on page 102)

CHENNAULT INTL (See LAKE CHARLES on page 116)

COLUMBIA

CALDWELL PARISH (F86) 2 NE UTC–6(–5DT) N32°07.33′ W92°03.27′ MEMPHIS
67 B NOTAM FILE DRI L–18F

RWY 01–19: H3501X75 (ASPH) S–6 MIRL
RWY 01: REIL. PAPI(P2L)—GA 3.5° TCH 63′. Trees.
RWY 19: REIL. PAPI(P2L)—GA 3.0° TCH 53′.

SERVICE: **LGT** ACTIVATE MIRL Rwy 01–19—CTAF. REIL Rwy 01–19 opr continuously. Rwy 01 REIL OTS approach end Rwy 01. Rwy 19 REIL OTS approach end Rwy 19. Rwy 01–19 intensity lights–OTS indef. Rwy 19 PAPI–OTS.

AIRPORT REMARKS: Unattended. Birds invof arpt. Foreign objects and debris present on apron. Grass growing through cracks. Windsock OTS temp. Ctc arpt mngr for dsgnd ramp space for pub use.

AIRPORT MANAGER: (318) 331-3888

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Monroe Apch at 318-327-5641, if unavbl, ctc Fort Worth ARTCC at 817-858-7584.


RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.

MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 179° 23.7 NM to fld. 77/3E.

VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM

DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM

TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM



CONCORDIA PARISH (See VIDALIA on page 142)

COUSHATTA

THE RED RIVER (ØR7) 2 SE UTC–6(–5DT) N31°59.42′ W93°18.46′ HOUSTON
177 B NOTAM FILE DRI H–6I, L–22E
RWY 18–36: H5002X74 (ASPH) S–44 MIRL IAP
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.

SERVICE: **LGT** MIRL Rwy 18–36, REIL Rwy 18 and 36 preset low intst dusk–dawn, to incr intst ACTVT—CTAF. Rwy 18 and 36 REILS out of service. Rwy 18 and 36 PAPI out of service. Airport beacon out of service.

AIRPORT REMARKS: Unattended. 66′ trees 253′ east of rwy centerline full length. Ctc aprt mgr for dsgnd ramp space for pub use. NOTE: See Special Notices—Aerobatic Practice Area.

AIRPORT MANAGER: 318-932-5710


COMMUNICATIONS: CTAF 122.9

Ⓡ **MAKS APP/DEP CON** 132.05

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.

BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28′ W93°48.60′ 144° 53.3 NM to fld. 190/7E.



COVINGTON

ST TAMMANY RGNL (L31) 6 SE UTC–6(–5DT) N30°26.70′ W89°59.33′ **NEW ORLEANS**
38 B NOTAM FILE DRI **L–21B, 22F**

RWY 18–36: H3004X75 (ASPH) S–17.5 MIRL
RWY 18: Trees.
RWY 36: Trees.

SERVICE: S2 **FUEL** 100LL **LGT** MIRL Rwy 18–36 preset med int.

AIRPORT REMARKS: Attended Mon–Fri 1400–2100Z‡. Self service fuel avbl 24 hrs with credit card. Parachute jumping activities and skydiving act on weekends. Ctc aprt mgr for dsgnd ramp space for pub use.


AIRPORT MANAGER: (985) 898-2792

COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **NEW ORLEANS APP/DEP CON** 133.15

CLEARANCE DELIVERY PHONE: For CD ctc New Orleans Apch at 504-471-4350.

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

PICAYUNE (VL) (DH) VORW/DME 113.95 PCU Chan 86(Y)
N30°33.67′ W89°43.83′ 238° 15.1 NM to fld. 70/5E.
VOR unusable:
011°–055° byd 40 NM blo 8,000′
056°–078° byd 40 NM
079°–102° byd 40 blo 8,000′
103°–140° byd 40 NM
220°–010° byd 40 NM
285°–305° byd 6 NM blo 4,000′
325°–076° byd 26 NM blo 2,500′
DME unusable:
078°–180° byd 32 NM blo 3,000′
331°–064° byd 27 NM blo 4,000′



CROWLEY

LE GROS MEML (3R2) 7 SW UTC–6(–5DT) N30°09.71′ W92°29.04′ **HOUSTON**
14 B NOTAM FILE DRI **L–21B, 22E**

RWY 04–22: H4304X150 (CONC) S–30, D–47, 2D–87 MIRL
RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 50′.
RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 50′.

RWY 13–31: H4003X150 (CONC) S–30, D–47, 2D–87
RWY 13: Thld dsplcd 240′. Tree.

SERVICE: **LGT** Dusk–Dawn. MIRL Rwy 04–22, REIL Rwy 04 and Rwy 22 preset low ints, to increase ints ACTVT—CTAF.

AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Ctc arpt mgr for dsngd ramp space for pub use at arpt. NOTE: See Special Notices—Aerobatic Practice Area.


AIRPORT MANAGER: 318-788-8800

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Lafayette Apch at 337-262-2729, when Apch clsd ctc Houston ARTCC at 281-230-5622.


RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.

LAFAYETTE (L) (L) VORTACW 109.8 LFT Chan 35 N30°11.63′ W91°59.55′ 263° 25.6 NM to fld. 36/3E.
TACAN AZIMUTH unusable:
295°–320° blo 4,000′




DAVID G JOYCE (See WINNFIELD on page 143)

DE QUINCY INDUSTRIAL AIRPARK (5R8) 2 SW UTC–6(–5DT) N30°26.47′ W93°28.42′ **HOUSTON**
83 B NOTAM FILE 5R8 **L–21B, 22E**
RWY 16–34: H4997X75 (ASPH) S–18 MIRL **IAP**
RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Tree.
RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
SERVICE: S2 **FUEL** 100LL **LGT** MIRL Rwy 16–34, REIL Rwy 16 and Rwy 34 preset low ints dusk–dawn, to increase ints ACTIVATE—CTAF.
AIRPORT REMARKS: Attended Mon–Thurs 1300–2200Z‡, Fri 1300–1700Z‡. Self svc fuel with credit card. Emerg airframe rpr avbl call arpt mgr for details. Emerg pwr plant rpr avbl call arpt mgr for details. Courtesy car and pilots lounge avbl. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 337-660-3488
WEATHER DATA SOURCES: AWOS–3PT 121.2 (337) 786–1518.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LAKE CHARLES APP/DEP CON** 119.35 (1200–0400Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 124.7 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Lake Charles Apch at 337-480-3103, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.
LAKE CHARLES (VH) (H) VORTACW 113.4 LCH Chan 81 N30°08.49′ W93°06.33′ 306° 26.2 NM to fld. 20/7E.
VOR unusable:
181°–359° byd 30 NM blo 1,500′
198°–203° byd 40 NM blo 11,000′
198°–203° byd 61 NM




DE RIDDER

BEAUREGARD RGNL (DRI)(KDRI) 3 SW UTC–6(–5DT) N30°49.90′ W93°20.39′ **HOUSTON**
202 B TPA—1202(1000) NOTAM FILE DRI **H–6I, L–21B, 22E**
RWY 18–36: H5494X100 (ASPH–CONC–AFSC) S–60 MIRL **IAP**
RWY 18: REIL. PAPI(P4R)—GA 3.0° TCH 50′. Trees.
RWY 36: ODALS. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RWY 14–32: H4218X60 (ASPH)
RWY 14: Thld dsplcd 454′. Trees.
RWY 32: Trees.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** REIL Rwy 18 andMIRL Rwy 18–36 preset low intst dusk–dawn; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. For attendant other times call 337–401–2967. 100LL avbl 24 hrs self svc with credit card. For Jet A aft hrs and hols call 337–401–2967. Ctc aprt mgr for dsgnd ramp space for pub use. Rwy 18 and Rwy 36 markings faded.
AIRPORT MANAGER: 337-463-8250
WEATHER DATA SOURCES: AWOS–3PT 118.225 (337) 463–8278.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MAKS APP/DEP CON** 123.7
MAKS APP VOIP 726–780–0456
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.
LAKE CHARLES (VH) (H) VORTACW 113.4 LCH Chan 81 N30°08.49′ W93°06.33′ 337° 43.1 NM to fld. 20/7E.
VOR unusable:
181°–359° byd 30 NM blo 1,500′
198°–203° byd 40 NM blo 11,000′
198°–203° byd 61 NM



DELHI MUNI (ØM9) 3 S UTC–6(–5DT) N32°24.64′ W91°29.91′ **MEMPHIS**
91 B NOTAM FILE DRI **L–18F**
RWY 18–36: H3000X75 (ASPH) S–5 MIRL
RWY 18: REIL. Trees.
RWY 36: REIL. Road.
SERVICE: **LGT** MIRL Rwy 18–36, REIL Rwy 18 and Rwy 36 preset low ints dusk–dawn, to incr ints ACTIVATE—CTAF.
AIRPORT REMARKS: Unattended. Rwy 18–36 4′ fence 123′ from centerline on both sides of rwy. Ctc arpt mgr for dsgnd ramp space for pub use. Rwy 18 and Rwy 36 markings faded.
AIRPORT MANAGER: (318) 614-9210
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Monroe Apch at 318-327-5641, if unavbl, ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.
MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 100° 28.0 NM to fld. 77/3E.
VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM
DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM



EAST CAMERON 321A EZP N28°13.20′ W92°47.40′/75 **HOUSTON**
AWOS–3 119.050 (504) 323–0220 **L–21B, GOAC**


ELM GROVE N32°24.02′ W93°35.71′ NOTAM FILE DRI. **MEMPHIS**
(VL) (L) VORTACW 116.65 EMG Chan 113(Y) 324° 7.0 NM to Barksdale AFB. 160/7E. **H–6I, L–17E**
controlled by SHV RAPCON
TACAN AZIMUTH unusable:
293°–297° byd 17 NM
VOR unusable:
057°–062° byd 40 NM
210°–216° byd 47 NM
217°–220° byd 40 NM
302°–307° byd 40 NM
347°–003° byd 34 NM
DME unusable:
233°–240° byd 36 NM
293°–297° byd 17 NM
347°–003° byd 34 NM

ESLER RGNL (See ALEXANDRIA on page 94)

EUGENE ISLAND 251A EKE N28°30.00′ W91°34.20′/87 **HOUSTON**
AWOS–3P 119.925 (985) 510–2076 **L–21B, GOAC**

EUGENE ISLAND BLK 338 CTH N28°11.77′ W91°39.99′/145 **HOUSTON**
AWOS–3 118.975 (281) 486–7115 **L–21B, GOAC**


EUNICE (4R7) 2 S UTC–6(–5DT) N30°27.98′ W92°25.43′ **HOUSTON**
42 B NOTAM FILE DRI **H–7D, L–21B, 22E, GOAC**
RWY 16–34: H5001X75 (ASPH) S–21 MIRL **IAP**
RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** REIL Rwy 16–34, MIRL Rwy 16–34 preset low ints dusk to dawn; to incr ints ACTIVATE—CTAF. Rwy 16 PAPI unusbl byd 6° left of cntrln.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat and Sun on call. For fuel after hours call 337–457–6585. Ctc aprt mgr for dsgnd ramp space for pub use. Rwy 16 and 34 runway markings severely faded.
AIRPORT MANAGER: 337-457-6585
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LAFAYETTE APP/DEP CON** 128.7 (1030–0530Z‡)
HOUSTON CENTER APP/DEP CON 126.35 (0530–1030Z‡)
GCO 135.075 (LAFAYETTE APCH and DE RIDDER FSS)
CLEARANCE DELIVERY PHONE: For CD ctc Lafayette Apch at 337-262-2729, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.
LAFAYETTE (L) (L) VORTACW 109.8 LFT Chan 35 N30°11.63′ W91°59.55′ 303° 27.7 NM to fld. 36/3E.
TACAN AZIMUTH unusable:
295°–320° blo 4,000′



FALSE RIVER RGNL (See NEW ROADS on page 129)

FARMERVILLE

UNION PARISH (F87) 4 SE UTC–6(–5DT) N32°43.49′ W92°20.23′ **MEMPHIS**
119 B NOTAM FILE DRI **L–22E**
RWY 16–34: H3003X75 (ASPH) S–8 MIRL
RWY 16: REIL. PAPI(P2L)—GA 3.83° TCH 63′. Trees.
RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 16–34; REIL Rwy 16 and 34 preset low intst dusk–dawn; PAPI Rwy 16 and 34; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Unattended. Rwy CLSD to acft over 12,500 lbs. Oxidation pond with 6 ft fence 150 ft west of centerline on the north end of Rwy 16. Ctc aprt mgr for dsgnd ramp space for pub use. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 318-243-4155
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Monroe Apch at 318-327-5641, if unavbl, ctc Fort Worth ARTCC at 817-858-7584.



FELICIANA AIRPARK (See JACKSON on page 111)

FIGHTING TIGER N30°29.11′ W91°17.64′ NOTAM FILE BTR. **HOUSTON**
(VL) (L) VORTACW 116.5 LSU Chan 112 063° 8.0 NM to Baton Rouge Metro, Ryan Fld. 20/6E. **H–7D, L–21B, 22F**

FRANKLINTON (2R7) 3 SE UTC–6(–5DT) N30°49.17′ W90°06.75′ **NEW ORLEANS**
175 B NOTAM FILE DRI **L–21B, 22F**

RWY 13–31: H3000X75 (ASPH) S–20 MIRL
RWY 13: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 31: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.

SERVICE: **LGT** MIRL Rwy 13–31 preset low intst; to incr intst ACTVT—CTAF. Rwy 13 and Rwy 31 REILs OTS. Rwy 13 and Rwy 31 PAPI OTS indefly. Arpt lgtg OTS. VFR only.

AIRPORT REMARKS: Unattended. Golf course .25 miles north of arpt. Ctc aprt mgr for dsgnd ramp space for pub use. Rwy 13 and Rwy 31 runway markings chipped and faded.


AIRPORT MANAGER: (225) 333-1579

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

PICAYUNE (VL) (DH) VORW/DME 113.95 PCU Chan 86(Y)
N30°33.67′ W89°43.83′ 303° 25.1 NM to fld. 70/5E.
VOR unusable:
011°–055° byd 40 NM blo 8,000′
056°–078° byd 40 NM
079°–102° byd 40 blo 8,000′
103°–140° byd 40 NM
220°–010° byd 40 NM
285°–305° byd 6 NM blo 4,000′
325°–076° byd 26 NM blo 2,500′
DME unusable:
078°–180° byd 32 NM blo 3,000′
331°–064° byd 27 NM blo 4,000′



GALLIANO

SOUTH LAFOURCHE LEONARD MILLER JR (GAO)(KGAO) 1 E UTC–6(–5DT) N29°26.47′ **NEW ORLEANS**
W90°15.67′ **H–7E, L–21B, 22F, GOAC**
00 B LRA NOTAM FILE DRI **IAP**

RWY 18–36: H6500X100 (ASPH) S–60, D–75 MIRL
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RWY 36: SSALR. PAPI(P4L)—GA 3.0° TCH 50′.

SERVICE: **FUEL** 100LL, JET A1+ **LGT** SSALR Rwy 36; REIL Rwy 18 and MIRL Rwy 18 and 36 preset low intst dusk–dawn; PAPI Rwy 18 and 36 opr consly; to incr intst ACTVT—CTAF.

AIRPORT REMARKS: Attended continuously. Fuel avbl 24/7 with credit card. All sfcs work in progress mowing. Bird activity invof Rwy 18–36. Ctc aprt mgr for dsgnd ramp space for pub use.

AIRPORT MANAGER: 985-291-0818

WEATHER DATA SOURCES: AWOS–3PT 118.175 (985) 475–5178.


COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **NEW ORLEANS APP/DEP CON** 120.85
CLNC DEL 120.85

CLEARANCE DELIVERY PHONE: For CD ctc New Orleans Apch at 504-471-4350 or 120.85.

RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.

LEEVILLE (VH) (H) VORTACW 113.5 LEV Chan 82 N29°10.51′ W90°06.24′ 331° 17.9 NM to fld. 2/2E.

ILS/DME 109.1 I–GAO Chan 28 Rwy 36. Class 1B. Glideslope unusable byd 005 degrees right of course.



HELIPAD H1: H60X60 (CONC)

GALLIANO 2LS N29°24.82′ W90°17.73′/–2 **NEW ORLEANS**
AWOS–3PT 118.175 (985) 475–5178 AWOS is assocd with heli 2LS0. **L–22F**

GARDEN BANKS 172 GHB N27°50.40′ W91°59.40′/68
AWOS–3 118.025 (504) 321–2911 Winds unreliable. **L–21B, GOAC**

GARDEN BANKS 426 AGI N27°32.77′ W92°26.61′/134
AWOS–3PT 118.375 (504) 425–5011 Wind unrel 345–022. **L–21B, GOAC**


GARDEN BANKS 783 GBK N27°12.23′ W92°12.15′/178
AWOS–3 118.825 (713) 513–8692 Winds unrel east.
L–21B, GOAC

GEORGE R CARR MEML AIR FLD (See BOGALUSA on page 100)

GONZALES

LOUISIANA RGNL (REG)(KREG) 2 S UTC–6(–5DT) N30°10.28′ W90°56.42′
14 B LRA NOTAM FILE DRI
NEW ORLEANS
L–21B, 22F, GOAC
IAP

RWY 17–35: H5003X100 (ASPH) S–30, D–60 MIRL
RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** Dusk–dawn. MIRL Rwy 17–35 and REIL Rwy 17 and 35 preset low intst dusk to dawn; to incr intst ACTVT—CTAF.
NOISE: Climb to 800 AGL bfr L turn on dep from Rwy 17 for noise.
AIRPORT REMARKS: Attended 1400–2300Z‡. Deer on and invof arpt. 100LL avbl self service with credit card, Jet A avbl after hours call 225–644–1959. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 225-644-1959
WEATHER DATA SOURCES: AWOS–3PT 121.175 (225) 644–4014.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **BATON ROUGE APP/DEP CON** 133.225 (1100–0600Z‡)
HOUSTON CENTER APP/DEP CON 126.35 (0600–1100Z‡)
GCO 135.075 (BATON ROUGE APCH and DE RIDDER FSS)
CLEARANCE DELIVERY PHONE: For CD if una via GCO ctc Baton Rouge Apch at 225-354-2142 or Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE BTR.
FIGHTING TIGER (VL) (L) VORTACW 116.5 LSU Chan 112
N30°29.11′ W91°17.64′ 130° 26.3 NM to fld. 20/6E.



GREEN CANYON 19 XER N27°56.40′ W91°00.00′/90
AWOS–3 118.55 (504) 728–8250 Wind unrel 250–090.
L–21B, GOAC

GREEN CANYON 338 GRY N27°37.20′ W90°26.40′/183
AWOS–3 118.875 (281) 846–7109 Winds unreliable.
L–21B, GOAC

GREEN CANYON 787 ATP N27°11.40′ W90°01.80′/209
AWOS–3 119.525 (979) 235–2225
L–21B, GOAC

GREEN CANYON BLK 433 MKQ N27°31.18′ W90°05.88′/131
AWOS–3 118.150 (832) 917–1460 Wind unrel 320–020.
L–21B, GOAC


GREEN CANYON BLK 641 TAH N27°19.55′ W90°42.85′/223
AWOS–3 118.2 (985) 773–7924 Wind unrel 240–280.
L–21B, GOAC

GREEN CANYON BLK 763 ANR N27°13.80′ W91°11.40′/302
AWOS–3P 118.975 (985) 773–5700
L–21B, GOAC

GULF OF AMERICA JSL N26°13.80′ W91°15.60′/156
AWOS–3 119.575 (985) 773–5178 Wind unrel nne.
L–21B, GOAC

HAMMOND NORTHSHORE RGNL (HDC)(KHDC) 3 NE UTC–6(–5DT) N30°31.30´ W90°25.10´
46 B TPA—1002(956) NOTAM FILE DRI
NEW ORLEANS
H–7D, L–21B, 22F, GOAC
IAP, AD

RWY 13–31: H6502X100 (ASPH–CONC) S–22, D–33 MIRL
RWY 13: REIL. PAPI(P4L)—GA 3.3° TCH 50´.
RWY 31: REIL. PAPI(P4L)—GA 3.3° TCH 56´. Thld dsplcd 690´. Trees.
RWY 18–36: H5001X150 (CONC) S–27, D–41 MIRL
RWY 18: MALSR. PAPI(P4L)—GA 3.0° TCH 52´.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 52´.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MALSR Rwy 18; REIL Rwy 13, 31, and 36; MIRL Rwy 13–31 and 18–36; preset low intst dusk–dawn; to incr intst—CTAF. Rwy 31 right side REIL OTS.
AIRPORT REMARKS: Attended Mon–Fri 1200–0200Z‡, Sat–Sun 1400–0000Z‡. Birds, deer and coyotes on and invof arpt. Pilots conducting EFVS ops; be aware LED ALS in use Rwy 18. Mil and govt acft serviced at NW apron at FBO. Rwy 18–36 all safety areas nstd. Ctc aprt mgr for dsgnd ramp space for pub use. Twy D unmrk and unlgtd.
AIRPORT MANAGER: 985-277-5667
WEATHER DATA SOURCES: AWOS–3PT (985) 277–5670
COMMUNICATIONS: CTAF 120.575 **ATIS** 118.325
Ⓡ **NEW ORLEANS APP/DEP CON** 119.3
TOWER 120.575 (1400–2200Z‡) **GND CON** 119.85
CLNC DEL 119.3 (when twr closed)



CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc MSY Apch at 504-471-4350 or 119.3.
AIRSPACE: CLASS D svc 1400–2200Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE MSY.
RESERVE (L) (L) VORW/DME 110.8 RQR Chan 45 N30°05.25´ W90°35.32´ 017° 27.5 NM to fld. 5/2E.
ANGER NDB (LOMW) 212 HP N30°36.38´ W90°25.27´ 178° 5.1 NM to fld. 94/0E. NOTAM FILE DRI.
ILS 111.5 I–HPF Rwy 18. Class ID. LOM ANGER NDB. ILS and LOM unmonitored.


HARRY P WILLIAMS MEML (See PATTERSON on page 131)

HART (See MANY on page 120)

HARVEY N29°51.01´ W90°00.18´ NOTAM FILE NEW.
NEW ORLEANS
H–7E, 8F, L–21B, 22F, GOAC
(VH) (H) VORTACW 114.1 HRV Chan 88 351° 11.6 NM to Lakefront. 2/2E.
VOR unusable:
000°–014° byd 40 NM
015°–025° byd 40 NM blo 18,000´
026°–050° byd 40 NM
040°–060° byd 34 NM blo 2,500´
051°–068° byd 40 NM blo 3,500´
051°–068° byd 66 NM
069°–252° byd 40 NM
253°–263° byd 40 NM blo 17,000´
264°–296° byd 40 NM
270°–280° byd 28 NM blo 4,000´
270°–280° byd 35 NM blo 5,000´
297°–307° byd 40 NM blo 18,000´
308°–359° byd 40 NM
325°–330° byd 28 NM blo 3,000´
TACAN AZIMUTH unusable:
040°–060° byd 24 NM blo 2,500´
DME unusable:
040°–060° byd 34 NM blo 2,500´
070°–090° blo 2,400´
070°–090° byd 26 NM blo 3,400´

HOMER MUNI (5F4) 3 E UTC–6(–5DT) N32°47.31′ W93°00.22′ **MEMPHIS**
244 B NOTAM FILE DRI **L–17E**

RWY 12–30: H3200X60 (ASPH) S–12 MIRL 0.5% up NW
RWY 12: REIL. Trees.
RWY 30: REIL. Trees.



SERVICE: **LGT** REIL Rwy 12–30 MIRL Rwy 12–30 preset low ints dusk–dawn; to incr intst ACTVT—CTAF.

AIRPORT REMARKS: Unattended. Excessive rwy edge lips exist after overlay project, pilots are cautioned to stay in the center of the rwy and twy. Ctc arpt mgr for dsgnd space for pub use.

AIRPORT MANAGER: 318-225-0911

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.

BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28′ W93°48.60′ 081° 40.8 NM to fld. 190/7E.

HOUMA–TERREBONNE (HUM)(KHUM) 3 SE UTC–6(–5DT) N29°33.99′ W90°39.63′ **NEW ORLEANS**
9 B LRA NOTAM FILE HUM **H–7D, L–21B, 22F**
IAP, AD

RWY 18–36: H6509X150 (CONC–GRVD) S–116, D–224, 2S–89, 2D–406, 2D/2D2–907 PCN 63 R/B/W/T MIRL
RWY 18: MALSR. PAPI(P2L)—GA 3.0° TCH 52′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.

RWY 12–30: H4999X185 (CONC) S–50, D–70, 2S–89, 2D–137 MIRL
RWY 12: REIL. PAPI(P2L)—GA 3.0° TCH 43′. Trees.
RWY 30: REIL. PAPI(P2L)—GA 3.0° TCH 39′.



RUNWAY DECLARED DISTANCE INFORMATION
RWY 12: TORA–4999 TODA–4999 ASDA–4843 LDA–4843
RWY 18: TORA–6508 TODA–6508 ASDA–6143 LDA–6143
RWY 30: TORA–4999 TODA–4999 ASDA–4999 LDA–4999
RWY 36: TORA–6508 TODA–6508 ASDA–6508 LDA–6508

SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2, 3, 4 **LGT** ACTVT MALSR Rwy 18; REIL Rwy 12, 30 and 36; MIRL Rwy 12–30 and 18–36—CTAF.

AIRPORT REMARKS: Attended 1200–0100Z‡. Fuel avbl 24 hrs with credit card. Birds on and invof arpt, numerous birds 500′ AGL and blo 2.8 NM south–southwest AER 36, avoidance advised. Extensive helicopter ops south thru west of arpt. Rwy 12–30 surface skid resistance fair when wet. Ctc aprt mgr for dsgnd ramp space for pub use.

AIRPORT MANAGER: 985-872-4646

WEATHER DATA SOURCES: AWOS–3PT 120.25 (985) 876–4055. LAWRS.

COMMUNICATIONS: CTAF 125.3 **ATIS** 120.25 **UNICOM** 122.95
Ⓡ **NEW ORLEANS APP/DEP CON** 118.9
TOWER 125.3 (1200–0100Z‡) **GND CON** 123.875
CLNC DEL 118.9 (when twr closed)

CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc MSY Apch at 504-471-4350 or 118.9.

AIRSPACE: CLASS D svc 1200–0100Z‡; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.

TIBBY (VL) (DH) VORW/DME 117.15 TBD Chan 118(Y) N29°39.86′ W90°49.75′ 122° 10.6 NM to fld. 10/2E.
VOR unusable:
244°–255° byd 40 NM

ILS 108.5 I–HUM Rwy 18. Class IE. Unmonitored when ATCT clsd.

IDAS HELIPORT (L87) 0 N UTC–6(–5DT) N33°00.26′ W93°53.59′ **MEMPHIS**
286 NOTAM FILE DRI
HELIPAD H1: H40X40 (CONC) PERIMETER LGTS
SERVICE: **LGT** For perimeter lgts call 318–284–3231.
HELIPORT REMARKS: Attended continuously. Helipad markings faded. Helipad H1 apch 200°–departure 020°.
AIRPORT MANAGER: (903) 826-8608
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


INTRACOASTAL CITY LA9 N29°47.22′ W92°09.27′/2 **HOUSTON**
AWOS–3 123.875 (337) 500–1178 AWOS associated with airport LA09. **L–22E**

JACKSON

FELICIANA AIRPARK (LA3) 2 S UTC–6(–5DT) N30°48.47′ W91°12.80′ **HOUSTON**
204 NOTAM FILE DRI **L–22F**
RWY 15–33: H3000X75 (ASPH) S–12
RWY 15: Trees. Rgt tfc.
RWY 33: Trees.
AIRPORT REMARKS: Unattended. Rwy 15–33 closed SS–SR. PAJA operations are prohibited on arpt. Rwy 15–33 has cracks with overgrown grass. 50′ downslopes begin 80′ outboard from both ends of the rwy. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: (225) 405-8901
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Baton Rouge Apch at 225-354-2142, when Apch clsd ctc Houston ARTCC at 281-230-5622.

JEANERETTE

LE MAIRE MEML (2R1) 1 S UTC–6(–5DT) N29°53.94′ W91°39.96′ **HOUSTON**
14 B NOTAM FILE DRI **L–21B, 22F**
RWY 04–22: H3000X75 (ASPH) S–6 MIRL
RWY 04: REIL. PAPI(P2L)—GA 4.5° TCH 75′. Trees.
RWY 22: REIL. PAPI(P2L)—GA 3.75° TCH 63′. Thld dsplcd 603′. Trees.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 04–22 and REIL Rwys 04 and Rwy 22 preset low ints SS–SR, to incr ints ACTIVATE–122.9.
AIRPORT REMARKS: Unattended. For arpt attended call 337–365–7202. Fuel avbl 24 hrs self svc with credit card SS–SR. Rwy 22 pavement roughness, mdt to sev longitudinal cracking, raveling producing FOD approximately 1000 ft fm EOR 22. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 337-365-7202
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lafayette Apch at 337-262-2729, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.
LAFAYETTE (L) (L) VORTACW 109.8 LFT Chan 35 N30°11.63′ W91°59.55′ 133° 24.5 NM to fld. 36/3E.
TACAN AZIMUTH unusable:
295°–320° blo 4,000′



JENA (1R1) 2 SW UTC–6(–5DT) N31°40.13′ W92°09.46′
216 B NOTAM FILE DRI
HOUSTON
L–22E

RWY 18–36: H4901X75 (ASPH) S–12 MIRL
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Thld dsplcd 1101′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.

SERVICE: **LGT** Dusk–Dawn. MIRL Rwy 18–36 and REIL Rwy 18 and 36 preset low intst dusk–dawn, to incr intst ACTVT—CTAF. Rwy 36 REIL OTS. Rwy 36 PAPI OTS.

AIRPORT REMARKS: Unattended. Ctc aprt mgr for dsgnd ramp space for pub use.

AIRPORT MANAGER: 318-312-1200


COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.

ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 032° 30.3 NM to fld. 76/3E.

VOR unusable:
035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′



JENNINGS (3R7) 1 NW UTC–6(–5DT) N30°14.56′ W92°40.41′
23 B NOTAM FILE DRI
HOUSTON
H–7D, L–21B, 22E, GOAW
IAP

RWY 08–26: H5002X75 (ASPH) S–12 MIRL
RWY 08: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 26: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Pole. Rgt tfc.


RWY 13–31: H3601X75 (ASPH) S–12 MIRL
RWY 13: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Sign. Rgt tfc.
RWY 31: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Thld dsplcd 588′. Bldg.

RWY 17–35: 1977X150 (TURF)
RWY 17: Pole. Rgt tfc.
RWY 35: P–line.

SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 08–26, Rwy 13–31—CTAF.

AIRPORT REMARKS: Attended Mon–Fri 1200–2200Z‡. Ultralight activity invof arpt. Numerous agricultural acft invof arpt. Self svc fuel avbl after hrs with credit card. Rwy 17–35 and thld outlined with orange cones. 20′ unlgtd tower 150′ from approach end Rwy 35. Ctc arpt mgr for dsngd ramp space for pub use at arpt. NOTE: See Special Notices—Aerobatic Practice Area.

AIRPORT MANAGER: 337-616-2370




CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE


WEATHER DATA SOURCES: AWOS–3PT 121.150 (337) 824–0517.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LAKE CHARLES APP/DEP CON** 119.8 (1200–0400Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 124.7 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.
LAKE CHARLES (VH) (H) VORTACW 113.4 LCH Chan 81 N30°08.49′ W93°06.33′ 068° 23.3 NM to fld. 20/7E.
VOR unusable:
181°–359° byd 30 NM blo 1,500′
198°–203° byd 40 NM blo 11,000′
198°–203° byd 61 NM

JOHN H HOOKS JR MEML (See RAYVILLE on page 134)

JONESBORO (F88) 3 S UTC–6(–5DT) N32°12.12′ W92°43.98′ **MEMPHIS**
256 B NOTAM FILE DRI **L–17E**
RWY 18–36: H3204X75 (ASPH) S–28 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
SERVICE: **LGT** REIL Rwy 18 and 36 and MIRL Rwy 18–36, preset low intst; to incr intst ACTVT—CTAF. PAPI Rwy 36 OTS indefinitely. Lgtd windsock OTS midfield.
AIRPORT REMARKS: Unattended. Deer and wildlife on and invof arpt. South hold line nstd distance from rwy centerline. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 318-680-8070
COMMUNICATIONS: CTAF 122.9
Ⓡ **MONROE APP/DEP CON** 126.9 (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.325 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Monroe Apch at 318-327-5641, if unavbl, ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.
MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 239° 40.1 NM to fld. 77/3E.
VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM
DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM



JONESVILLE (L32) 0 W UTC–6(–5DT) N31°37.22′ W91°50.06′ **HOUSTON**
56 B NOTAM FILE DRI **L–22E**
RWY 06–24: H2993X75 (ASPH) S–16 MIRL
RWY 06: REIL. PAPI(P2L)—GA 4.0° TCH 66′. Trees.
RWY 24: REIL. PAPI(P2L)—GA 4.0° TCH 68′. Trees.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 06–24, REIL Rwy 06 and Rwy 24 preset low ints dusk to dawn, to incr ints ACTIVATE—CTAF. Rwy 06–24 PAPI obstructed by trees OTS indef.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. For fuel after hrs call 318–339–4747. Rwy 06–24 trees both sides of rwy penetrate transition slopes. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 318-339-4747
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 054° 40.6 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′




KEITHVILLE

BLUEBIRD HILL (5F5) 2 NE UTC–6(–5DT) N32°20.68′ W93°47.99′ **MEMPHIS**
180 B NOTAM FILE DRI
RWY 18–36: H3000X40 (ASPH–TURF) LIRL
RWY 18: THld dsplcd 430′. Trees.
RWY 36: THld dsplcd 850′. Trees.
SERVICE: S2 **LGT** Aprt bcn OTS.
AIRPORT REMARKS: Attended continuously. Rwy 18–36 CLOSED SS–SR. Rwy 18–36 430 ft asph on Rwy 18 end, 2570 ft turf on Rwy 36 end. Rwy 18–36 dsplcd thrs mkd with one orange cone on each side. Rwy ends stop at 50 ft: trees.
AIRPORT MANAGER: 903-503-8505
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

KELLY–DUMAS (See OAK GROVE on page 129)

LAFAYETTE RGNL/PAUL FOURNET FLD (LFT)(KLFT) P (AR) 2 SE UTC–6(–5DT) **HOUSTON**
N30°12.30′ W91°59.27′ **H–7D, L–21B, 22E, GOAC**
41 B LRA Class I, ARFF Index B NOTAM FILE LFT **IAP, AD**

RWY 04R–22L: H8000X150 (ASPH–GRVD) S–140, D–170, 2S–175, 2D–290 PCR 670 F/B/X/T HIRL
RWY 04R: REIL. PAPI(P4L)—GA 3.0° TCH 50′. RVR–R Pole. Rgt tfc.
RWY 22L: MALSR. PAPI(P4L)—GA 3.0° TCH 50′. RVR–T Thld dsplcd 342′. Trees.
RWY 11–29: H5403X150 (ASPH–GRVD) S–85, D–110, 2S–140, 2D–175 PCR 720 F/D/X/T MIRL
RWY 11: REIL. PAPI(P4L)—GA 3.0° TCH 35′. Trees. Rgt tfc.
RWY 29: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Thld dsplcd 248′. Tree.
RWY 04L–22R: H4098X75 (ASPH) S–25, D–32 PCN 11 F/D/X/T MIRL No Part 121/Part 380 Ops
RWY 04L: REIL. PAPI(P2L)—GA 3.0° TCH 26′. Tree.
RWY 22R: REIL. PAPI(P2L)—GA 3.0° TCH 26′. Tree. Rgt tfc.



RUNWAY DECLARED DISTANCE INFORMATION

RWY 04L:	TORA–4098	TODA–4098	ASDA–4098	LDA–4098
RWY 04R:	TORA–8000	TODA–8000	ASDA–8000	LDA–8000
RWY 11:	TORA–5403	TODA–5403	ASDA–5403	LDA–5403
RWY 22L:	TORA–8000	TODA–8000	ASDA–8000	LDA–7659
RWY 22R:	TORA–4098	TODA–4098	ASDA–4098	LDA–4098
RWY 29:	TORA–5403	TODA–5403	ASDA–5403	LDA–5155

ARRESTING GEAR/SYSTEM
RWY 04R: EMAS
RWY 11: EMAS
RWY 22L: EMAS
RWY 29: EMAS

SERVICE: S4 **FUEL** 100LL, JET A, A+ **OX** 1, 4 **LGT** Dusk–Dawn. When ATCT clsd ACTVT MALSR Rwy 22L —CTAF; MIRL Rwy 04L–22R not avbl. Rwy 11–29; Rwy 04L/22R and Rwy 04R/22L lgtd distance remaining signs.
MILITARY— A–GEAR Rwy 22L EMAS 380.67′ x 170′. Rwy 04R EMAS 223′ x 170′. Rwy 29 EMAS 170′ x 448′. **FUEL** A+ (C337–288–3940.) (NC–100LL, A)

AIRPORT REMARKS: Attended continuously. Migratory birds on and invof arpt. For A+ call 337–703–4800. PPR for unscheduled ACR opns with more than 30 psgr seats call amgr 337–266–4400. Rwy 04L–22R CLOSED 0430–1130Z‡. Ctc ground control prior to push back from terminal. 155′ oil rig 1 NM southeast of arpt. Use caution: twr blind spots on Twy M east and west of Twy E. Taxilane A and all prkg ramps are non–movement areas. ATCT has ltd vis of north prkg ramp.
AIRPORT MANAGER: 337-703-4800
WEATHER DATA SOURCES: ASOS 134.05 (337) 262–2757.
COMMUNICATIONS: CTAF 118.5 **ATIS** 134.05 **UNICOM** 122.95
RCO 122.3 (DE RIDDER RADIO)
Ⓡ **APP/DEP CON** 121.1 (020°–210°) 128.7 (211°–019°) (1130–0430Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 126.35 (0430–1130Z‡)
TOWER 118.5 (1130–0430Z‡) **GND CON** 121.8 **CLNC DEL** 125.55
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS C svc ctc **APP CON** svc 1130–0430Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.
(L) (L) VORTACW 109.8 LFT Chan 35 N30°11.63′ W91°59.55′ at fld. 36/3E.
TACAN AZIMUTH unusable:
295°–320° blo 4,000′
LAFFS NDB (LOMW) 375 LF N30°17.36′ W91°54.47′ 216° 6.5 NM to fld. 21/3E.
ILS/DME 110.9 I–TYN Chan 46 Rwy 04R. Class IE.
ILS/DME 109.5 I–LFT Chan 32 Rwy 22L. Class IE. LOM LAFFS NDB. ILS and LOM unmonitored when ATCT clsd.

LAFFS N30°17.36′ W91°54.47′ NOTAM FILE LFT. **HOUSTON**
NDB (LOMW) 375 LF 216° 6.5 NM to Lafayette Rgnl/Paul Fournet Fld. 21/3E. **L–21B, 22E**

LAKE CHARLES


CHENNAULT INTL (CWF)(KCWF) 4 E UTC–6(–5DT) N30º12.64´ W93º08.59´ **HOUSTON**
17 B TPA—1500(1483) LRA ARFF Index—See Remarks NOTAM FILE CWF **H–7D, L–21B, 22E, GOAW**
IAP, AD

RWY 15–33: H10702X200 (CONC) S–120, D–250, 2S–175, 2D–542, 2D/2D2–750 PCR 1449 R/D/W/T HIRL
RWY 15: MALSR. PAPI(P4L)—GA 3.0º TCH 53´.
RWY 33: REIL. PAPI(P4L)—GA 3.0º TCH 53´. Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION
RWY 15: TORA–10702 TODA–10702 ASDA–10702 LDA–10702
RWY 33: TORA–10702 TODA–10702 ASDA–10702 LDA–10702

SERVICE: **FUEL** 100LL, JET A1+ **OX** 4 **LGT** When ATCT clsd ACTVT MALSR Rwy 15; REIL Rwy 33; PAPI Rwy 15 and 33; HIRL Rwy 15–33—CTAF.

AIRPORT REMARKS: Attended 1200–0400Z‡. After hrs call 337–433–7766. Birds on and invof arpt. For fuel call 337–436–4877. Self svc avbl 24 hrs with credit card. Class IV, ARFF Index A. 6 hrs PPR for ACR opns with more than 30 psgr seats amgr 337–491–9961. ARFF index E available 24/7. PPR reqd for/helo ops in the industrial area. For Port of Entry req, contact the Dir of Ops at least 3 bus days (M–F) prior to planned arr. Ctc aprt mgr for dsgnd ramp space for pub use. F/W and R/W refuel 1200–0400Z‡ call 337–279–4877. 24 hr PN and freq bfr lndg—124.2 ADZ ATC for rapid refuel ops and proc to S Ramp. Two (2) acft simul ops avbl. Compass Rose avbl on tenant ramp, 30º 13´ 15"N, 93º 09´ 12"W.



AIRPORT MANAGER: 337-491-9961

WEATHER DATA SOURCES: AWOS–3 120.0 (337) 214–2134. LAWRS.

COMMUNICATIONS: CTAF 124.2 **ATIS** 120.0 **UNICOM** 122.95
Ⓡ **LAKE CHARLES APP/DEP CON** 119.8 (1200–0400Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 124.7 (0400–1200Z‡)
TOWER 124.2 (1200–0400Z‡) **GND CON** 121.65

CLEARANCE DELIVERY PHONE: When ATCT clsd, for CD ctc Houston ARTCC at 281-230-5622.

AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.


LAKE CHARLES (VH) (H) VORTACW 113.4 LCH Chan 81 N30º08.49´ W93º06.33´ 328º 4.6 NM to fld. 20/7E. VOR unusable:
181º–359º byd 30 NM blo 1,500´
198º–203º byd 40 NM blo 11,000´
198º–203º byd 61 NM

MOSSY NDB (LOMW) 418 CW N30º18.40´ W93º11.77´ 154º 6.4 NM to fld. 23/0E. NOTAM FILE CWF.

ILS 110.7 I–CWF Rwy 15. Class IE. LOM MOSSY NDB. Unmonitored when ATCT clsd.

ASR (1200–0400Z‡)


LAKE CHARLES RGNL (LCH)(KLCH) 5 S UTC–6(–5DT) N30°07.57′ W93°13.40′ **HOUSTON**
15 B LRA Class I, ARFF Index B NOTAM FILE LCH MON Airport **H–7D, L–21B, 22E, GOAW**
RWY 15–33: H6500X150 (CONC–GRVD) S–100, D–145, 2S–175, 2D–260 PCR 287 R/D/X/T HIRL **IAP, AD**
RWY 15: MALSR. PAPI(P4L)—GA 3.0° TCH 70′. RVR–TM Pole. Rgt tfc.
RWY 33: MALSF. PAPI(P4R)—GA 3.0° TCH 50′. RVR–M
RWY 05–23: H5200X100 (ASPH) S–70, D–90, 2S–114, 2D–140 PCR 89 F/D/X/T MIRL
RWY 05: REIL. PAPI(P4L)—GA 3.0° TCH 51′. Tree.
RWY 23: REIL. VASI(V4L)—GA 3.0° TCH 47′. Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 05: TORA–5200 TODA–5200 ASDA–5200 LDA–5200
RWY 15: TORA–6500 TODA–6500 ASDA–6500 LDA–6500
RWY 23: TORA–5200 TODA–5200 ASDA–5200 LDA–5200
RWY 33: TORA–6500 TODA–6500 ASDA–6500 LDA–6500
SERVICE: S4 **FUEL** 100LL, JET A1+ **LGT** When twr clsd ACTIVATE MALSR Rwy 15, MALSF Rwy 33, HIRL Rwy 15–33, MIRL Rwy 05–23—CTAF. PAPI Rwy 33 opr consly.
AIRPORT REMARKS: Attended 1100–0430Z‡. Birds on and in vicinity of arpt. Svc available on request Mon–Fri 1400–2230Z‡ except holidays call arpt manager 337–477–6051 ext 0. Control twr blind spot on Taxiway J. Rwy 15–33 south 900′ grooved. Flight Notification Service (ADCUS) available.



AIRPORT MANAGER: 337-477-6051
WEATHER DATA SOURCES: ASOS (337) 240–9596 LAWRS.
COMMUNICATIONS: CTAF 120.7 **ATIS** 118.75 **UNICOM** 122.95
Ⓡ **APP/DEP CON** 119.35 (West) 119.8 (East) 119.75 (Offshore helicopter oprs) (1200–0400Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 124.7 (0400–1200Z‡)
TOWER 120.7 (1200–0400Z‡) **GND CON** 121.8 **CLNC DEL** 126.25
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS E.
TRSA ctc **APP CON** within 30 NM
RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.
(VH) (H) VORTACW 113.4 LCH Chan 81 N30°08.49′ W93°06.33′ 254° 6.2 NM to fld. 20/7E.
VOR unusable:
181°–359° byd 30 NM blo 1,500′
198°–203° byd 40 NM blo 11,000′
198°–203° byd 61 NM
ILS/DME 109.1 I–LCH Chan 28 Rwy 15. Class IB. Unmonitored when ATCT clsd.
ASR (1200-0400Z‡)

LAKE PROVIDENCE

BYERLEY (ØM8) 2 N UTC–6(–5DT) N32°49.55′ W91°11.26′ **MEMPHIS**
106 B NOTAM FILE DRI **L–18F**
RWY 17–35: H3196X75 (ASPH) S–4
RWY 17: Thld dsplcd 175′. Road.
RWY 35: Thld dsplcd 530′. Trees.
SERVICE: **LGT** Rwy 17–35 dsplcd thld not lighted. Rotating bcn OTS indef.
AIRPORT REMARKS: Unattended. Day VFR only. Ctc amgr for dsgnd ramp space for pub use. Rwy 17 dsplcd thld markings nstd, no arrows or chevrons. No hold short line east side of Rwy 35. West apron gravel and potholes.
AIRPORT MANAGER: (318) 282-9263
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GLH.
GREENVILLE (VL) (DH) VORW/DME 114.25 GLH Chan 89(Y)
N33°31.41′ W90°58.98′ 190° 43.0 NM to fld. 130/4E.
VOR unusable:
144°–157° byd 40 NM




LAKEFRONT (See NEW ORLEANS on page 126)

LE GROS MEML (See CROWLEY on page 103)

LE MAIRE MEML (See JEANERETTE on page 111)

LEESVILLE (L39) 4 W UTC–6(–5DT) N31°10.09′ W93°20.55′ HOUSTON
282 B NOTAM FILE DRI L–21B, 22E
RWY 18–36: H3807X75 (ASPH) S–31, D–47 PCN 11 F/C/X/T MIRL IAP
0.4% up N
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 48′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 54′. Trees.
SERVICE: FUEL 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 18–36, REIL Rwy 18 and 36 preset low intst dusk–dawn; to incr intst ACTVT—CTAF 122.8.
AIRPORT REMARKS: Attended continuously. Wildlife on and invof arpt. Fuel, restroom, and terminal lobby avbl 24/7, manager hrs part–time on call. Fuel avbl 24 hrs with credit card. Use rwy end turnabouts to avoid locked wheel and sharp turns on rwy sfc. Rwy 18–36 15 ft terrain drop east side of rwy. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 337-238-5968
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MAKS APP/DEP CON** 123.7
CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 260° 43.6 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′



LEEVILLE N29°10.51′ W90°06.24′ NOTAM FILE DRI. NEW ORLEANS
(VH) (H) VORTACW 113.5 LEV Chan 82 331° 17.9 NM to South Lafourche Leonard Miller Jr. 2/2E. H–7E, 8F, L–21B, 22E, GOAC

LITTLE PECAN 3L4 N29°47.71′ W92°48.01′/8 HOUSTON
AWOS–3 118.825 (337) 538–2321 3I4 AWOS–3 is associated with Little Pecan Island airport 3LA4. L–22E

LOUIS ARMSTRONG NEW ORLEANS INTL (See NEW ORLEANS on page 127)

LOUISIANA RGNL (See GONZALES on page 108)


LUCIUS 18H N26°07.80′ W92°02.40′/200
AWOS–3 118.075 (832) 636–9295 Wind unrel 110–160. L–21B, GOAC

MAIN PASS BLK 69P MZM N29°15.65′ W89°01.82′/130 NEW ORLEANS
AWOS–3P 118.825 GOAC

MAKS AAF (POE)(KPOE) A 7 SE UTC–6(–5DT) N31°02.69′ W93°11.50′ **HOUSTON**
330 B NOTAM FILE POE **L–21B, 22E**
RWY 16–34: H4107X100 (ASPH) PCN 52 F/A/W/T HIRL **DIAP, AD**
RWY 16: REIL. PAPI(P4R)—GA 3.0° TCH 44′. Thld dsplcd 194′. Trees.
RWY 34: ALSF1. REIL. PAPI(P4L)—GA 3.0° TCH 45′. Trees.
SERVICE: **MILITARY—** **FUEL** A++. **OIL** O–156 **TRAN ALERT** Ltd svc.
MILITARY REMARKS: Attended 1400–0600Z‡ Mon–Fri, clsd hol. Afld mgmt opr 1400–0600Z‡ Mon–Fri, clsd hol. Airfield Operations contact number is VOIP 7267–780–1301/0436. Units utilizing range facility/restricted areas or staging operations at MAKS AAF (KPOE) must contact AT&A officer via airfield operations for briefing. See FLIP AP/1 supplementary arpt info. C–130 parking ltd to 2 acft. C–130 may land only when parking is avbl. Airfield operations contact number VOIP—726–780–1301. **RSTD** Prior Permission Required (PPR)–Fixed wing acft, non–rotational acft, non–standard military acft, and non–tenant acft remaining overnight must obtain a PPR number at DSN 863–4831, C337–531–4831, VOIP 726–780–1301. Obtain a PPR number 24 hrs prior from airfield operations. **CAUTION** 3000′ runway distance remaining marker located 860′ from 2000′ runway distance remaining marker. Taxiway lighting absent at taxiway Delta and Echo intersections. **TFC PAT** All pat W of fld. F/W tfc 1800′ R/W tfc 1200′. Tfc pat rotary wing 1200′ MSL. **MISC** Special VFR dalgt 500–1, ngt unaided/Night Vision Devices 500–2. Surface visibility observation blocked NW–SE by hills, building and trees. Wx svc avbl 1400–0600Z‡ dly and 24/7 dly during JRTC rotations when sptd by 1–5 AVN, DSN 726–780–1210. Wx sensor automated 24/7. Hours will vary with lcl msn sked.
AIRPORT MANAGER: 337-531-6195
WEATHER DATA SOURCES: ASOS 134.85 (726) 780–1210. Wx opr full service 1400–0600Z‡; will vary with lcl msn sked. ASOS FMQ–23: Rwy 16.
COMMUNICATIONS: CTAF 119.0 **ATIS** 134.85 282.2
Ⓡ **MAKS APP/DEP CON** 123.7 261.3
TOWER 119.0 257.75 41.5 (1300–0500Z‡ daily.) **GND CON** 121.8 239.25
PMSV METRO 134.1 249.75 **MAKS OPS** 118.575 374.2 **RANGE CON** 143.2 373.3 40.95
MEDEVAC OPS 42.50 **FLT FOLLOWING** 123.7 254.8 (All flights ctc MAKS Apch 30 NM out)
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Maks Apch on 123.7 or 263.1, if una call 726-780-0456.
AIRSPACE: CLASS D svc 1300–0500Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.
POLK (T) VORW 108.4 FXU N31°06.69′ W93°13.15′ 158° 4.2 NM to fld. 312/2E.
VOR unusable:
185°–205° byd 6 NM blo 7,000′
ASR 24 hrs, PAR 1400–0600Z‡ exc hols
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. VOIP 726–780–1210.


MANSFIELD

C E 'RUSTY' WILLIAMS (3F3) 3 NW UTC–6(–5DT) N32°04.37′ W93°45.94′ **MEMPHIS**
324 B NOTAM FILE DRI **H–6I, L–17E**
RWY 18–36: H5005X100 (ASPH) S–12 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.5° TCH 58′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36, preset low ints; to incr ints and ACTVT REIL Rwy 18 and Rwy 36—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat–Sun irregularly. Fuel avbl 24 hrs with credit card. Jet–A currently inop. Parachute Jumping. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: (318) 871-7900
WEATHER DATA SOURCES: AWOS–3PT 119.125 (318) 872–3537.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **SHREVEPORT APP/DEP CON** 119.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.
BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28′ W93°48.60′ 170° 41.9 NM to fld. 190/7E.




MANY

HART (3R4) 2 SW UTC–6(–5DT) N31°32.65′ W93°29.03′ HOUSTON
319 B NOTAM FILE DRI L–22E
RWY 12–30: H4402X75 (ASPH) S–6 MIRL 0.3% up NW IAP
RWY 12: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 30: REIL. PAPI(P2L)—GA 3.5° TCH 56′. Trees.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 12–30, REIL Rwy 12 and Rwy 30 preset low ints dusk to dawn to incr ints ACTIVATE—CTAF.
AIRPORT REMARKS: Unattended. Self svc fuel avbl after hrs with credit card. Beacon lctd 0.44 mi from apch end Rwy 12. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 318-256-5857
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MAKS APP/DEP CON** 123.7
GCO 135.075 (MAKS APCH and DE RIDDER FSS)
CLEARANCE DELIVERY PHONE: For CD ctc if una via GCO ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 286° 53.3 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′




MARKSVILLE MUNI (MKV)(KMKV) 1 S UTC–6(–5DT) N31°05.68′ W92°04.14′ **HOUSTON**
78 B NOTAM FILE MKV **L–21B, 22E**
RWY 04–22: H3799X75 (ASPH) S–19 MIRL **IAP**
RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 50′.
RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Pole.
SERVICE: **FUEL** 100LL **LGT** ACTVTREIL Rwy 04 and 22; MIRL Rwy 04–22 preset low intst; to incr intst—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–2000Z‡. Aerial spraying invof arpt. Fuel avbl 24/7 with credit card. Northeast apron pavement failed. Northeast apron holding position nstd. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 318-240-3088
WEATHER DATA SOURCES: AWOS–3PT 124.175 (318) 409–4120.
COMMUNICATIONS: CTAF 122.9
Ⓡ **MAKS APP/DEP CON** 125.4
CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 110° 24.3 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′



MELVILLE

PETE ANTIE MUNI HELIPORT (7L9) 0 N UTC–6(–5DT) N30°41.66′ W91°44.78′ **HOUSTON**
30 B NOTAM FILE DRI **COPTER**
HELIPAD H1: H40X30 (CONC) PERIMETER LGTS
SERVICE: **LGT** Bcn OTS indefinitely.
AIRPORT REMARKS: Unattended.
HELIPORT REMARKS: Unattended. Oak trees 48 ft in height, 268 ft from the FATO penetrates the approach to H1. Current Slope 5:1. Windsock OTS.
AIRPORT MANAGER: 337-623-4226
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Baton Rouge Apch at 225-354-2142, when Apch clsd ctc Houston ARTCC at 281-230-5622.

MINDEN (MNE)(KMNE) 2 NW UTC–6(–5DT) N32°38.76′ W93°17.89′ **MEMPHIS**
278 B TPA—1300(1022) NOTAM FILE FTW **H–6I, L–17E**
RWY 01–19: H5004X75 (ASPH) S–30, D–45 MIRL 0.3% up S **IAP**
RWY 01: REIL. PAPI(P2L)—GA 3.15° TCH 53′. Trees.
RWY 19: REIL. PAPI(P2L)—GA 3.75° TCH 64′. Trees.
SERVICE: **FUEL** 100LL, JET A+ **LGT** ACTVT MIRL Rwy 01–19—CTAF.
AIRPORT REMARKS: Attended 1400–0000Z‡. For arpt attendant after hrs call 318–377–2144. Birds on and invof arpt. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 318-371-7862
WEATHER DATA SOURCES: AWOS–3PT 119.325 (318) 371–7874.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **SHREVEPORT APP/DEP CON** 123.75
GCO 135.075 (THRU BAD RAPON)
CLEARANCE DELIVERY PHONE: For CD if una via GCO ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.
BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28′ W93°48.60′ 099° 27.0 NM to fld. 190/7E.



MISSISSIPPI CANYON 650 DSF N28°20.56′ W88°15.89′/105 **NEW ORLEANS**
AWOS–3 119.925 (985) 773–7295 Winds unrel 290–010. **L–21C, GOAC**


MISSISSIPPI CANYON 724 GLX N28°13.80′ W88°59.40′/181 **NEW ORLEANS**
AWOS–3 118.225 (713) 357–3575 **L–21C, GOAC**

MISSISSIPPI CANYON BLK 807 CYD N28°10.20′ W89°13.20′/147 **NEW ORLEANS**
AWOS–3 119.025 (504) 425–1521 **L–21C, GOAC**

MISSISSIPPI CANYON BLK 939 SGQ N28°01.52′ W89°12.55′/183 **NEW ORLEANS**
AWOS–3PT 119.275 (504) 425–5965 **L–21C, GOAC**

MISSISSIPPI CANYON BLK 941 ETO N28°01.80′ W89°06.00′/140 **NEW ORLEANS**
AWOS–3 118.675 (713) 405–7529 Wind unrel 040–060. **L–21C, GOAC**

MONROE RGNL (MLU)(KMLU) 3 E UTC–6(–5DT) N32°30.63′ W92°02.17′ **MEMPHIS**
79 B Class I, ARFF Index B NOTAM FILE MLU **H–6J, L–18F**
RWY 04–22: H7504X150 (ASPH–GRVD) S–75, D–170, 2S–175, 2D–290 PCR 1120 F/D/X/T HIRL **IAP, AD**
RWY 04: MALSR. PAPI(P4L)—GA 3.0° TCH 50′. RVR–T
RWY 22: MALSR. PAPI(P4L)—GA 3.0° TCH 50′. RVR–R
RWY 14–32: H6301X150 (ASPH) S–75, D–170, 2S–175, 2D–290 PCR 330 R/D/X/T MIRL
RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 53′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 04: TORA–7504 TODA–7504 ASDA–7504 LDA–7504
RWY 14: TORA–6301 TODA–6301 ASDA–6301 LDA–6301
RWY 22: TORA–7504 TODA–7504 ASDA–7504 LDA–7504
RWY 32: TORA–6301 TODA–6301 ASDA–6301 LDA–6301




SERVICE: S4 **FUEL** 100LL, JET A **OX** 1 **LGT** When ATCT clsd ACTVT MALSR Rwys 04 and 22; HIRL Rwy 04–22; MIRL Rwy 14–32; Twy lgts—CTAF. PAPI Rwy 04, 22, 14 and 32 opr consly.
AIRPORT REMARKS: Attended continuously. Bird activity on and invof arpt. Twys J and E east of Rwy 04–22 not avbl for air carrier ops with over 9 passenger seats. SW 6000′ grvd asph. Taxiway E east of Rwy 04–22 restricted to acft with wingspan under 90 ft. Twy C turnaround btn apch end Rwy 22 and Twy C1 clsd to acft wingspan more than 49 ft. Twy C2 clsd.
AIRPORT MANAGER: 318-329-2460
WEATHER DATA SOURCES: ASOS (318) 327–5675 LLWAS.
COMMUNICATIONS: CTAF 118.9 **ATIS** 125.05 **UNICOM** 122.95
Ⓡ **APP/DEP CON** 118.15 (Within 20 NM blw 4000′) 126.9 (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.325 (0400–1200Z‡)
TOWER 118.9 (1200–0400Z‡) **GND CON** 121.9 **CLNC DEL** 121.65
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc Fort Worth ARTCC at 817-858-7584
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS E.
TRSA svc ctc **APP CON** within 25 NM below 7000
RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.
(VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ at fld. 77/3E.
VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM
DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
SABAR NDB (LOMW) 392 ML N32°27.24′ W92°06.26′ 043° 4.8 NM to fld. 75/3E.
ILS 109.5 I–MLU Rwy 04. Class IB. LOM SABAR NDB. ILS and LOM unmonitored when ATCT clsd.
ILS 109.5 I–MZR Rwy 22. Class IT. Unmonitored when ATCT clsd. LOC unusable byd 20° right of course.
ASR (1200–0400Z‡)

MOREHOUSE MEML (See BASTROP on page 98)

MOSSY N30°18.40′ W93°11.77′ NOTAM FILE CWF. **HOUSTON**
NDB (LOMW) 418 CW 154° 6.4 NM to Chennault Intl. 23/0E.

NATCHITOCHES RGNL (IER)(KIER) 2 S UTC–6(–5DT) N31°44.14′ W93°05.95′ **HOUSTON**
121 B NOTAM FILE IER **H–6I, L–22E**
RWY 17–35: H5003X150 (ASPH) S–30 MIRL **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Tree.
RWY 35: ODALS. PAPI(P4L)—GA 3.0° TCH 43′. Trees.
RWY 07–25: H4000X60 (ASPH) S–21 MIRL
RWY 07: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 25: PAPI(P2L)—GA 3.0° TCH 50′. Tree.
SERVICE: S4 **FUEL** 100LL, JET A1+ **LGT** ODALS Rwy 35, REIL Rwy 07 and Rwy 17 preset low ints continuously, to increase ints ACTVT—CTAF. MIRL Rwy 17–35 and Rwy 07–25 preset low ints dusk to dawn, to increase ints ACTVT —CTAF.
AIRPORT REMARKS: Attended dawn–dusk. For arpt attendant after hrs call 318–471–2106. Fuel avbl 24/7 with credit card. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 318-352-0994
WEATHER DATA SOURCES: AWOS–3 119.025 (318) 352–1575.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **POLK APP/DEP CON** 125.4
GCO Avbl on freq 135.075 (Thru MAKS APCH–4 clicks; and FSS—6 clicks)
CLEARANCE DELIVERY PHONE: For CD if una via GCO ctc Maks Apch at 726-780-0456.




RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 310° 42.0 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′
NDB (MHW) 407 OOC N31°39.45′ W93°04.66′ 343° 4.8 NM to fld. 115/4E. NOTAM FILE IER.
LOC 110.5 I–IER Rwy 35. LOC unmonitored when FBO is clsd.

NEW IBERIA

ACADIANA RGNL (ARA)(KARA) 4 NW UTC–6(–5DT) N30º02.27´ W91º53.03´ **HOUSTON**
24 B LRA ARFF Index—See Remarks NOTAM FILE ARA **H–7D, L–21B, 22E, GOAC**
IAP, AD

RWY 17–35: H8002X200 (CONC–GRVD) D–105, 2S–133, 2D–163, 2D/2D2–400 PCR 500 R/B/W/T HIRL
RWY 17: ODALS. PAPI(P4L)—GA 3.0º TCH 51´.
RWY 35: MALSR. PAPI(P4L)—GA 3.0º TCH 52´. Rgt tfc.



RUNWAY DECLARED DISTANCE INFORMATION
RWY 17: TORA–8002 TODA–8002 ASDA–8002 LDA–8002
RWY 35: TORA–8002 TODA–8002 ASDA–8002 LDA–8002

SERVICE: S2 **FUEL** 100LL, JET A **OX** 4 **LGT** Dusk–dawn. When ATCT clsd HIRL Rwy 17–35 preset low intst; to incr intst and ACTVT MALSR Rwy 35—CTAF.

AIRPORT REMARKS: Attended 1300–0300Z‡. For fuel after hrs call 337–367–1401, Fax 337–367–1404. Bird activity on and invof arpt. Class IV, ARFF Index A. ARFF Index B btn 1200Z‡ and 2030Z‡ Mon thru Fri. Any additional requires 24 hr PPR. PPR for more than 30 psgr seats call amgr 337–365–7202 (M–F 1430–2230Z‡). Rotor wing movement and landing area between the rwy and seaway. Intensive helicopter training. Ctc aprt mgr for dsgnd ramp space for pub use. Compass rose not avbl. No overnight camping.

AIRPORT MANAGER: (337) 365-7202

WEATHER DATA SOURCES: ASOS 133.325 (337) 492–4830.

COMMUNICATIONS: CTAF 125.0 **UNICOM** 122.95
Ⓡ **LAFAYETTE APP/DEP CON** 121.1 (1130–0430Z‡)
HOUSTON CENTER APP/DEP CON 126.35 (0430–1130Z‡)
TOWER 125.0 (1200–0300Z‡) **GND CON** 121.7 **CLNC DEL** 121.7
LAFAYETTE CLNC DEL 118.05 (When twr clsd)

CLEARANCE DELIVERY PHONE: For CD when Apch clsd ctc Houston ARTCC at 281-230-5622.

AIRSPACE: CLASS D svc 1200–0300Z‡; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.
LAFAYETTE (L) (L) VORTACW 109.8 LFT Chan 35 N30º11.63´ W91º59.55´ 146º 10.9 NM to fld. 36/3E.
TACAN AZIMUTH unusable:
295º–320º blo 4,000´
ILS/DME 108.9 I–ARA Chan 26 Rwy 35. Class IE.

• • • • • • • • • • • • • • • • • • •

WATERWAY 17W–35W: 5000X150 (WATER) MIRL
WATERWAY 17W: Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION
RWY 17W: TORA–5000 TODA–5000 ASDA–5000 LDA–5000
RWY 35W: TORA–5000 TODA–5000 ASDA–5000 LDA–5000


SEAPLANE REMARKS: Seaplane landing area (water channel) not avbl/permanently CLOSED.

• • • • • • • • • • • • • • • • • • •

HELIPAD H1: 23X23 (DECK)

NEW ORLEANS

LAKEFRONT (NEW)(KNEW) P (ARNG) 4 NE UTC–6(–5DT) N30°02.55′ W90°01.70′ **NEW ORLEANS**
7 B LRA NOTAM FILE NEW **H–7E, 8F, L–21B, 22F, GOAC**
RWY 18R–36L: H6879X150 (ASPH–GRVD) S–60, D–175, 2S–175, 2D–200, 2D/2D2–350 MIRL **IAP, AD**
RWY 18R: MALSR. PAPI(P4L)—GA 3.0° TCH 51′. Thld dsplcd 239′. Rgt tfc.
RWY 36L: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Thld dsplcd 820′. Berm.
RWY 18L–36R: H3697X75 (ASPH) S–35, D–55, 2D–80 MIRL
RWY 18L: REIL.
RWY 36R: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Bldg. Rgt tfc.
RWY 09–27: H3114X75 (ASPH) S–50, D–80, 2S–102, 2D–100 MIRL
RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Berm.
RWY 27: PAPI(P4R)—GA 3.2° TCH 43′. Road. Rgt tfc.



RUNWAY DECLARED DISTANCE INFORMATION
RWY 09: TORA–3113 TODA–3113 ASDA–3113 LDA–3113
RWY 18L:TORA–3697 TODA–3697 ASDA–3697 LDA–3697
RWY 18R:TORA–6880 TODA–6880 ASDA–6035 LDA–5510
RWY 27: TORA–3113 TODA–3113 ASDA–3113 LDA–3113
RWY 36L:TORA–6880 TODA–6880 ASDA–5955 LDA–5135
RWY 36R:TORA–3697 TODA–3697 ASDA–3697 LDA–3697
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3 **LGT** When twr clsd, ACTVT MALSR Rwy 18R; MIRL Rwy 18R–36L; Twy B, C, D, E, F, H, East Hngrln—preset low intst. ACTVT 5 clicks for med and 7 clicks for high—CTAF. Rwy 36R PAPI unusbl btn 0300–1300Z‡ (2100–0700 local). For arpt bcn ctc ATCT.
AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. For assistance after 0300Z‡ contact arpt mgmt 504–874–0459. For field conditions after hrs contact ARFF 504–606–9264. New AD fuel not avbl within 100′ of terminal bldg. Boats as high as 80′ pass within 400′ of Rwy 09 thld. Boat masts up to 80′ within 0.5 NM of AER Rwy 27. Rwy 18R–36L few low spots near intersection of Rwy 09–27 holding water. Twy A uneven pavement. Caution Twy F btn terminal ramp and flight line, first ramp irregular surface. Arpt windcone for ball park ramp lgts OTS perm. ARFF capability equivalent to Index B. PPR required for acft trnspg any items listed in Part 175 Title 49, contact 504–606–9264. Ctc arpt mgr for dsngd ramp space for pub use at arpt. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. Overnight parking on terminal ramp must be coordinated with FBO.
AIRPORT MANAGER: 504-243-4010
WEATHER DATA SOURCES: ASOS (504) 245–4366 LAWRS.
COMMUNICATIONS: CTAF 118.95 **ATIS** 124.9
NEW ORLEANS RCO 122.6 (DE RIDDER RADIO)
Ⓡ **NEW ORLEANS APP/DEP CON** 133.15 (North) 123.85 (South)
TOWER 118.95 (1300–0300Z‡) **GND CON** 121.7 **CLNC DEL** 127.4
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc MSY Apch at 504-471-4350 or 127.4
AIRSPACE: CLASS D svc 1300–0300Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE NEW.
HARVEY (VH) (H) VORTACW 114.1 HRV Chan 88 N29°51.01′ W90°00.18′ 351° 11.6 NM to fld. 2/2E.
VOR unusable:
000°–014° byd 40 NM
015°–025° byd 40 NM blo 18,000′
026°–050° byd 40 NM
040°–060° byd 34 NM blo 2,500′
051°–068° byd 40 NM blo 3,500′
051°–068° byd 66 NM
069°–252° byd 40 NM
253°–263° byd 40 NM blo 17,000′
264°–296° byd 40 NM
270°–280° byd 28 NM blo 4,000′
270°–280° byd 35 NM blo 5,000′
297°–307° byd 40 NM blo 18,000′
308°–359° byd 40 NM
325°–330° byd 28 NM blo 3,000′
TACAN AZIMUTH unusable:
040°–060° byd 24 NM blo 2,500′
DME unusable:
040°–060° byd 34 NM blo 2,500′
070°–090° blo 2,400′
070°–090° byd 26 NM blo 3,400′
ILS/DME 111.3 I–NEW Chan 50 Rwy 18R. Class IE.

LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)(KMSY) 10 W UTC–6(–5DT) N29°59.60´ W90°15.54´ **NEW ORLEANS H–7E, L–21B, 22F, GOAC IAP, AD**

3 B LRA Class I, ARFF Index D NOTAM FILE MSY MON Airport

RWY 11–29: H10104X150 (CONC–GRVD) S–120, D–250, 2S–175, 2D–550, 2D/2D2–1120 PCR 1190 R/B/W/T HIRL CL

RWY 11: ALSF2. TDZL. PAPI(P4R)—GA 2.8° TCH 73´. RVR–TMR

RWY 29: MALSR. PAPI(P4R)—GA 3.0° TCH 68´. RVR–TMR Thld dsplcd 304´. Tree.

RWY 02–20: H7002X150 (CONC–GRVD) S–75, D–180, 2D–380 PCR 600 R/D/W/T HIRL CL

RWY 02: RLLS. PAPI(P4L)—GA 3.0° TCH 52´. RVR–TR Road.

RWY 20: MALS. PAPI(P4L)—GA 3.0° TCH 52´. RVR–TR Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 02: TORA–7002 TODA–7002 ASDA–7002 LDA–7002

RWY 11: TORA–10104 TODA–10104 ASDA–9800 LDA–9800

RWY 20: TORA–7002 TODA–7002 ASDA–6948 LDA–6948

RWY 29: TORA–10104 TODA–10104 ASDA–10104 LDA–9800

SERVICE: **FUEL** 100LL, JET A

NOISE: Rwy 11 noise sensitive for dep; avbl for opr necessity. All rwys noise sensitive for arr. Arriving turbojets must make 5 mile final apch to minimize noise.

AIRPORT REMARKS: Attended continuously. Flocks of birds on and invof arpt. ASSC in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. 180° and locked wheel turns prohibited on asph sfc acft 12,500 lbs and over. Twy E TSA is reduced to 171 ft, btw Twy A and apch end Rwy 11 due to obstn. Twy G btn Rwy 11–29 and Twy S sfc mov guidance and ctl system U/S perm. Ldg fee. Flight Notification Service (ADCUS) available.

AIRPORT MANAGER: (504) 303-7652

WEATHER DATA SOURCES: ASOS (504) 471–4486 TDWR.

COMMUNICATIONS: D–ATIS 127.55 (504) 471–4417 **UNICOM** 122.95

Ⓡ **NEW ORLEANS APP/DEP CON** 133.15 (East) 125.5 (West)

TOWER 119.5 **GND CON** 121.9 **CLNC DEL** 120.925 **PRE TAXI CLNC** 120.925

CPDLC (LOGON KUSA)

PDC

AIRSPACE: CLASS B See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE MSY.

RESERVE (L) (L) VORW/DME 110.8 RQR Chan 45 N30°05.25´ W90°35.32´ 106° 18.1 NM to fld. 5/2E.

ILS/DME 111.7 I–JFI Chan 54 Rwy 02. Class IE. DME also serves Rwy 20. Autopilot cpd approaches NA blw 880´ MSL.

ILS/DME 109.9 I–MSY Chan 36 Rwy 11. Class IIIE. Lczr Rwy 11/29 interlocked. I–MSY front course, I–HOX back course. DME also serves Rwy 29.

LOC/DME 111.7 I–ONW Chan 54 Rwy 20. DME also serves Rwy 02. DME unusable byd 25° right of course. LOC unusable byd 24° right of course.

ILS/DME 109.9 I–HOX Chan 36 Rwy 29. Class IE. DME also serves Rwy 11.

HELIPAD H1: H50X50 (ASPH)

HELIPAD H2: H50X50 (CONC)

NEW ORLEANS NAS JRB (ALVIN CALLENDER FLD) (NBG)(KNBG) NAS (ANG CG) 3 S **NEW ORLEANS**
UTC–6(–5DT) N29°49.63′ W90°01.60′ **H–7E, 8F, L–21B, 22F, GOAC**
2 B TPA—See Remarks AOE NOTAM FILE NBG Not insp. **DIAP, AD**

RWY 04–22: H10000X200 (PEM) PCN 41 R/D/W/T HIRL(NSTD)
RWY 04: ALSF1. OLS. WAVE-OFF. REIL. PAPI(P4L)—GA 3.0° TCH 49′.
RWY 22: ALSF1. OLS. WAVE-OFF. REIL. PAPI(P4L)—GA 3.0° TCH 44′. Rgt tfc.
RWY 14–32: H6000X200 (PEM) PCN 54 R/D/W/T HIRL
RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 54′. Rgt tfc.
RWY 32: SALS. OLS. REIL. PAPI(P4L)—GA 3.0° TCH 50′.

ARRESTING GEAR/SYSTEM
RWY 04 HOOK E28 (B) (1500') HOOK E28(B) (1501') **RWY 22**
RWY 14 HOOK E28(B) (1025') HOOK E28(B) (1025') **RWY 32**

SERVICE: **MILITARY— LGT** Carrier deck lgt on Rwy 04 for FCLP′s avbl upon req one hr prior. Carrier deck Rwy 32 unlit VFR/Day use only. Double yellow twy end lgt at end of Twy K/O, L and P not instld. PCL are nstd. 3 clicks Rwy 04 med ints. 5 clicks Rwy 22 med ints. 7 clicks Rwy 04 hi ints. Rwy 14–32 med ints all settings. Only PCL Rwy 04–22 HIRL and Rwy 32 SALS, response time for PCL is nstd with approx 10 sec delay from pilot input to light intens change. PCL freq 123.8 or 340.2. **A–GEAR** Maint in raised posn and in battery at all times, do not land drct on A–GEAR cable. **JASU** 4(NC–10C) 4(A/M47A–4) Ltd DC pwr. **FUEL** J8. Opr 1330–0430Z‡. Fuel delays Fri–Sun. Tran acft exp some delay for svc outside nml working hr. Local nozzle operators for refueling unavailable transient aircraft shall provide their own nozzle operator. **FLUID** PRESAIR LHOX LOX **OIL** O–128–156

MILITARY REMARKS: Attended 1300–0500Z‡ Mon–Fri, 1500–2300Z‡ Sat–Sun, clsd hol exc by NOTAM. Base OPS opr 1300–2100Z‡ Mon–Fri, clsd Sat–Sun. Wx svc avbl 1100–0500Z‡ Mon–Fri, 1400–2300Z‡ Sat–Sun. See FLIP AP/1 Supplementary Arpt info. Carrier deck lighting on Rwy 04 for field carrier landing practice is avbl upon req. Req a hr prior. For civ acft ldg pmt (CALP) info ctc afld mgr C504–678–4592. All transient aircraft must be at or below 475,000 lbs. **RSTD** PPR all acft 72 hr PN, short ntc PPR apv on a case–by–case basis DSN 678–3602/3, C504–678–3602/3. **CAUTION** Numerous civilian acft opr to/from canals vicinity afld. Bird hazard. 180° turns and pivots on asph unauthorized. **TFC PAT** TPA—Overhead break alt 1500′. Pat alt 1000′. Rwy–22 rgt tfc. Rwy–14 rgt tfc. **CSTMS/AG/IMG** Avbl to mil acft/personnel only, coordinate with afld svcs DSN 678–3602, C504–678–3602. Other CSTMS requirements ctc C504–623–6600 for appointment. **MISC** Ctc Base Ops DSN 678–3101, C504–678–3101 or fax DSN 678–9575, C504–678–9575. OT civ acft trns Class D, ctc ATC on 123.8 for clnc. No lavatory svc avbl. Fire department status Cat II. **ANG** LA ANG AM OPS opr 1330–2130Z‡ Tues–Fri and unit trng act weekend. LA ANG AM OPS, DSN 457–8637, C504–391–8637, fax DSN 457–8671, C504–391–8671. **CG** Opr rstd 0500–1300Z‡ to CG. C504–393–6032.

COMMUNICATIONS: ATIS 279.55
Ⓡ **APP/DEP CON** 123.85 256.9
NAVY NEW ORLEANS TOWER 123.8 340.2 (1300–0500Z‡ Mon–Fri, 1500–2300Z‡ Sat–Sun, clsd hol exc by NOTAM).
NAVY NEW ORLEANS GND CON 121.6 270.35 **CLNC DEL** 128.35 263.0
PMSV METRO 265.8 (Opr 1100–0500Z‡ Mon–Sat, 1400–2300Z‡ Sat, Sun) **BASE OPS** 289.6 (Opr 1300–2100Z‡ Mon–Fri, clsd Sat–Sun) **CG** 345.0X 5696X 8984 (ctc New Orleans air)


AIRSPACE: CLASS D svc 1300–0500Z‡ Mon–Fri, 1500–2300Z‡ Sat–Sun, clsd hol exc by NOTAM; other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE NEW.
HARVEY (VH) (H) VORTACW 114.1 HRV Chan 88 N29°51.01′ W90°00.18′ 220° 1.8 NM to fld. 2/2E.
VOR unusable:
000°–014° byd 40 NM
015°–025° byd 40 NM blo 18,000′
026°–050° byd 40 NM
040°–060° byd 34 NM blo 2,500′
051°–068° byd 40 NM blo 3,500′
051°–068° byd 66 NM
069°–252° byd 40 NM
253°–263° byd 40 NM blo 17,000′
264°–296° byd 40 NM
270°–280° byd 28 NM blo 4,000′
270°–280° byd 35 NM blo 5,000′
297°–307° byd 40 NM blo 18,000′
308°–359° byd 40 NM
325°–330° byd 28 NM blo 3,000′
TACAN AZIMUTH unusable:
040°–060° byd 24 NM blo 2,500′
DME unusable:
040°–060° byd 34 NM blo 2,500′
070°–090° blo 2,400′
070°–090° byd 26 NM blo 3,400′
ILS 109.5 I–NBG Rwy 04. Unmonitored during unmanned tower operations.
ASR (Mon–Fri 1300–0500Z‡, Sat–Sun 1500–2300Z‡) / PAR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.


NEW ROADS

FALSE RIVER RGNL (HZR)(KHZR) 2 NW UTC–6(–5DT) N30°43.10′ W91°28.72′ **HOUSTON**
39 B TPA—See Remarks NOTAM FILE DRI **H–7D, L–21B, 22F**
RWY 18–36: H5003X75 (ASPH) S–30 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 36: ODALS. PAPI(P2L)—GA 3.0° TCH 50′.
SERVICE: **FUEL** 100LL **LGT** ACTVT REIL Rwy 18—122.8. MIRL Rwy 18–36; ODALS Rwy 36 preset low ints, to incr ints —122.8 Dual lighting system ops in effect due to testing of LED MIRL and twy lgts indef.
AIRPORT REMARKS: Attended Mon–Fri 1400–2200Z‡. For attendant aft hrs call 504–273–9018. Fuel avbl 24 hrs self svc with credit card. TPA—299 (260) ultralight, 499 (460) helicopter, 999 (960) fixed wing within 3 NM of arpt. Rwy 18–36 surface condition not reported 0300–1900Z‡ Mon–Fri and 1100–1059Z‡ on weekends and holidays. Pub prkg pls ctc amgr at 504–273–9018.
AIRPORT MANAGER: 504-273-9018
WEATHER DATA SOURCES: AWOS–3PT 121.250 (225) 638–3107.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **BATON ROUGE APP/DEP CON** 120.3 (1100–0600Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 126.35 (0600–1100Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE BTR.
FIGHTING TIGER (VL) (L) VORTACW 116.5 LSU Chan 112 N30°29.11′ W91°17.64′ 320° 16.9 NM to fld. 20/6E.
LOC/DME 111.9 I–HZR Chan 56 Rwy 36.




OAK GROVE

KELLY–DUMAS (9M6) 1 SW UTC–6(–5DT) N32°50.86′ W91°24.24′ **MEMPHIS**
112 B NOTAM FILE DRI **L–18F**
RWY 18–36: H3799X75 (ASPH) S–10 MIRL
RWY 18: REIL. PAPI(P2R)—GA 3.5° TCH 52′. Thld dsplcd 250′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 53′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36, REIL Rwy 18 and Rwy 36 preset low intst dusk–dawn; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1330–2300Z‡. Fuel avbl 24 hrs with credit card. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 318-428-3129
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.
MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 055° 37.6 NM to fld. 77/3E.
VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM
DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM




OAKDALE

ALLEN PARISH (ACP)(KACP) 4 S UTC–6(–5DT) N30°45.03´ W92°41.31´ **HOUSTON**
107 B NOTAM FILE DRI **H–7D, L–21B, 22E**
RWY 18–36: H5000X75 (ASPH) S–11 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50´. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 51´. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36; REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to incr ints ACTVT—CTAF.
AIRPORT REMARKS: Attended continuously. Fuel avbl self service with credit card. Standing water on rwy at midfield after rain. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 318-215-0090
WEATHER DATA SOURCES: AWOS–3PT 118.275 (318) 215–9728.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MAKS APP/DEP CON** 123.7
GCO 135.075 (MAKS APCH CTL and Flight Services)
CLEARANCE DELIVERY PHONE: For CD if una via GCO, ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40´ W92°30.06´ 195° 31.8 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000´
066°–094° byd 35 NM blo 3,000´
115°–120° byd 40 NM blo 18,000´
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000´
201°–214° byd 35 NM blo 2,000´
215°–260° blo 2,000´
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000´
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000´
261°–285° byd 35 NM blo 2,000´
265°–270° byd 49 NM blo 18,000´
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000´
300°–304° byd 40 NM blo 5,000´
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000´



OPELOUSAS

ST LANDRY PARISH (OPL)(KOPL) 2 NW UTC–6(–5DT) N30°33.50′ W92°05.96′ **HOUSTON**
74 B NOTAM FILE OPL **H–7D, L–21B, 22E**
RWY 18–36: H5999X100 (CONC) S–30 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.5° TCH 58′. Thld dsplcd 150′. Tree. Rgt tfc.
RWY 36: REIL. PAPI(P2L)—GA 3.5° TCH 59′. Thld dsplcd 789′. Road.
RWY 06–24: H4051X100 (CONC) S–30
RWY 06: Thld dsplcd 165′. Trees.
RWY 24: Thld dsplcd 169′. Trees. Rgt tfc.
SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** REIL Rwy 18 & 36; MIRL Rwy 18–36, preset low intst dusk–dawn; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2230Z‡, Sat 1400–1800Z‡. Parachute Jumping. Ctc aprt mgr for acceptable forms of payment for fuel. Rwy 06–24 markings are faded. Rwy 06–24 has some cracks with grass growing thru cracks. Ctc aprt mgr for dsgnd ramp space for pub use. Rwy end 06: Rwy markings are faded. Rwy end 24: Rwy markings are faded.
AIRPORT MANAGER: 337-407-1551
WEATHER DATA SOURCES: AWOS–3PT 118.775 (337) 948–8560.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **LAFAYETTE APP/DEP CON** 128.7 (1130–0430Z‡)
HOUSTON CENTER APP/DEP CON 126.35 (0430–1130Z‡)




CLEARANCE DELIVERY PHONE: For CD ctc Lafayette Apch at 337-262-2729, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.
LAFAYETTE (L) (L) VORTACW 109.8 LFT Chan 35 N30°11.63′ W91°59.55′ 343° 22.5 NM to fld. 36/3E.
TACAN AZIMUTH unusable:
295°–320° blo 4,000′

OSCAR

ZACH POURCIAU HELIPORT (2LA) 1 E UTC–6(–5DT) N30°36.64′ W91°26.50′ **HOUSTON**
36 NOTAM FILE DRI Not insp.
HELIPAD H1: H50X50 (CONC)
AIRPORT MANAGER: 225-240-0490

PATTERSON

HARRY P WILLIAMS MEML (PTN)(KPTN) 2 NW UTC–6(–5DT) N29°42.57′ W91°20.34′ **HOUSTON**
9 B LRA NOTAM FILE PTN **H–7D, L–21B, 22F, GOAC**
RWY 06–24: H5399X150 (ASPH) S–32 MIRL **IAP**
RWY 06: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Thld dsplcd 394′. Trees.
RWY 24: MALSR. PAPI(P2L)—GA 3.0° TCH 50′. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MALSR Rwy 24; MIRL Rwy 06–24 preset med intst, to incr intst—CTAF.
AIRPORT REMARKS: Attended continuously. Pilots conducting EFVS ops; be aware LED ALS in use Rwy 24. 4500 ft by 100 ft waterwy hdg 04–22 lctd 1100 ft south of conc rwy. Dual land/sea operation. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 337-828-4100
WEATHER DATA SOURCES: AWOS–3PT 134.575 (985) 395–6735.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **NEW ORLEANS APP/DEP CON** 124.3
CLNC DEL 124.3



CLEARANCE DELIVERY PHONE: For CD ctc New Orleans Apch at 504-471-4350 or 124.3.
RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.
TIBBY (VL) (DH) VORW/DME 117.15 TBD Chan 118(Y)
N29°39.86′ W90°49.75′ 274° 26.8 NM to fld. 10/2E.
VOR unusable:
244°–255° byd 40 NM
ILS/DME 108.3 I–PTN Chan 20 Rwy 24. Class IA. ILS mnt by FBO durg NMI oprg hrs.


• • • • • • • • • • • • • • • • • • • •

WATERWAY 04W–22W: 4500X100 (WATER)
WATERWAY 04W: Road. Rgt tfc.

PETE ANTIE MUNI HELIPORT (See MELVILLE on page 121)

PINEVILLE MUNI (2LØ) 2 N UTC–6(–5DT) N31°20.53′ W92°26.61′ **HOUSTON**
100 B TPA—See Remarks NOTAM FILE DRI **L–21B, 22E**

RWY 18–36: H3000X75 (ASPH) S–15.5 MIRL 0.5% up N
RWY 18: REIL. PAPI(P2L)—GA 4.0° TCH 68′. Trees.
RWY 36: REIL. PAPI(P2R)—GA 3.0° TCH 49′. Trees.



SERVICE: S4 **FUEL** 100LL, MOGAS **OX** 1, 2 **LGT** MIRL Rwy 18–36, REIL Rwy 18 and Rwy 36 preset low ints dusk–dawn. To increase ints ACTIVATE—CTAF. REILS OTS approach end Rwy 18. REILS OTS approach end Rwy 36.

AIRPORT REMARKS: Attended Mon–Fri 1400–0000Z‡, Sat 1500–2000Z‡. Fuel avbl 24/7 with credit card. Rwy 18 drop off 95′ from end of rwy. Rwy 36 lake 96′ from end of rwy. TPA—780 (700) acft for water Rwy 05W–23W, 1100 (1000) fixed wing for Rwy 18–36. All Rwy 18–36 safety areas nstd. Rwy 18 and Rwy 36, rwy markings faded. Ctc aprt mgr for dsgnd ramp space for pub use.

AIRPORT MANAGER: 318-449-5679

COMMUNICATIONS: CTAF/UNICOM 122.8

CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.

ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 027° 5.9 NM to fld. 76/3E.

VOR unusable:
035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′

WATERWAY 05W–23W: 3000X100 (WATER)
WATERWAY 23W: Rgt tfc.


SEAPLANE REMARKS: Waterway elevation 80′.

POLLOCK MUNI (L66) 4 SW UTC–6(–5DT) N31°28.65′ W92°27.67′ **HOUSTON**
203 B NOTAM FILE DRI **L–21B, 22E**
RWY 18–36: H4499X75 (ASPH) S–49 MIRL
RWY 18: Trees.
RWY 36: Trees.
SERVICE: **LGT** Rotating bcn OTS indef. MIRL Rwy 18–36 preset low ints, to incr ints ACTIVATE–122.7.
AIRPORT REMARKS: Unattended. Rwy 18–36 north 1000′ of rwy CLOSED indef. Rwy 18–36 cracking and grass growing through cracks. Cracks in rwy > 1/4 inch. Surface rough. Ponding/standing water on Rwy near Rwys 18 and 36 apch end. Extensive military operations. Rotating bcn located 1/2 mile southeast of arpt. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 318-623-2436
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 006° 13.4 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′

PORT OF SOUTH LOUISIANA EXEC RGNL (See RESERVE on page 134)

RAYVILLE

JOHN H HOOKS JR MEML (M79) 1 NW UTC–6(–5DT) N32°29.13′ W91°46.26′ **MEMPHIS**
83 B NOTAM FILE DRI **L–18F**
RWY 18–36: H3998X75 (ASPH) S–12 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Thld dsplcd 291′. Trees.
SERVICE: S4 **LGT** MIRL Rwy 18–36, REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to increase ints ACTIVATE—CTAF.
AIRPORT REMARKS: Unattended. For svcs after hrs call 318–235–3177. Rwy 18–36 40–80′ trees west side of rwy penetrate transition slope. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 318-235-0187
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MONROE APP/DEP CON** 126.9 (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.325 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Monroe Apch at 318-327-5641, if unavbl, ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.
MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 095° 13.6 NM to fld. 77/3E.
VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM
DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM




RESERVE

PORT OF SOUTH LOUISIANA EXEC RGNL (APS)(KAPS) 2 NW UTC–6(–5DT) N30°05.25′ W90°34.97′ **NEW ORLEANS**
7 B NOTAM FILE APS **L–21B, 22F, GOAC**
RWY 17–35: H5151X75 (ASPH) MIRL **IAP, AD**
RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Thld dsplcd 746′. Trees.
RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A, A+ **LGT** REIL Rwy 17 and 35; MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–2300Z‡, Sat–Sun 1300–1800Z‡. Self svc 24 hrs. Full svc weekend and after hrs by request. Birds on and invof arpt. Ultralight act. For tsnt GA customers not requiring FBO svc, please park N of the white line. Twy A unlit.
AIRPORT MANAGER: 985-536-1999
WEATHER DATA SOURCES: AWOS–3PT 125.45 (985) 536–1009.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **NEW ORLEANS APP/DEP CON** 125.5
CLEARANCE DELIVERY PHONE: For CD ctc New Orleans Apch at 504-471-4350.
RADIO AIDS TO NAVIGATION: NOTAM FILE MSY.
RESERVE (L) (L) VORW/DME 110.8 RQR Chan 45 N30°05.25′ W90°35.32′ at fld. 5/2E.

RUNDI N30°34.98′ W91°12.66′ NOTAM FILE BTR. **HOUSTON**
NDB (LOMW) 284 BT 133° 4.4 NM to Baton Rouge Metro, Ryan Fld. 69/0E. **L–21B, 22F**

RUSTON RGNL (RSN)(KRSN) 3 E UTC–6(–5DT) N32°30.79′ W92°35.31′ **MEMPHIS**
317 B TPA—1317(1000) NOTAM FILE RSN **H–6I, L–17E**
RWY 18–36: H6002X100 (ASPH) S–78, D–119 PCN 30/F/B/X/T **IAP**
MIRL 0.7% up S
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 55′.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** REIL Rwy 18 and 36; MIRL Rwy 18–36–preset low intst dusk–dawn; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1300–0100Z‡. Men and equipment operating near the rwy March–October. Numerous training acft in vicinity. For fuel after hrs call in advance during working hrs 318–251–9098. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 318-242-7703
WEATHER DATA SOURCES: AWOS–3PT 119.525 (318) 242–0062.
COMMUNICATIONS: CTAF/UNICOM 122.7
RCO 122.3 (DE RIDDER RADIO)
Ⓡ **MONROE APP/DEP CON** 126.9 (1200–0400Z‡) **CLNC DEL** 118.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.325 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Monroe Apch at 318-327-5641 or 118.8, if unavbl, ctc Fort Worth ARTCC at 817-858-7584
RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.
MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 267° 28.0 NM to fld. 77/3E.
VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM
DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM



SABAR N32°27.24′ W92°06.26′ NOTAM FILE MLU. **MEMPHIS**
NDB (LOMW) 392 ML 043° 4.8 NM to Monroe Rgnl. 75/3E. **L–18F**

ST JOSEPH

TENSAS PARISH (L33) 4 NE UTC–6(–5DT) N31°58.39′ W91°14.32′ **HOUSTON**
74 B NOTAM FILE DRI **L–18F**

RWY 16–34: H3509X75 (ASPH) S–12 MIRL
RWY 16: Road.
RWY 34: Trees.

SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 16–34 preset low ints, to increase ints ACTIVATE—CTAF. Windsock OTS tempoly.

AIRPORT REMARKS: Unattended. For arpt attendant call 318–282–0348 or 318–372–7277. Birds invof arpt. Ctc arpt mgr for dsgnd space for pub use.

AIRPORT MANAGER: (318) 537-1475

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.


RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.

MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 126° 52.0 NM to fld. 77/3E.

VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM

DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM

TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM



ST LANDRY PARISH (See OPELOUSAS on page 131)

ST TAMMANY RGNL (See COVINGTON on page 103)

SAWMILL N31°58.39′ W92°40.63′ NOTAM FILE DRI. **HOUSTON**
(DH) DME 113.75 SWB Chan 84(Y) 124° 1.0 NM to David G Joyce. 164. **H–6I, L–22E**

DME unusable:
211°–229° blo 13,000′
230°–239°
240°–210° blo 2,500′

SCOTT (See TALLULAH on page 140)


SHIP SHOAL 241 PZZ N28°25.80′ W91°01.80′/88 **HOUSTON**
AWOS–3 121.125 (985) 288–6254 **L–21B, GOAC**

SHIP SHOAL BLK 28 SPR N29°06.00′ W91°09.00′/150 **HOUSTON**
AWOS–3 119.175 (504) 434–6194 **L–21B, 22–F, GOAC**

SHREVEPORT


SHREVEPORT DOWNTOWN (DTN)(KDTN) 3 N UTC–6(–5DT) N32°32.45′ W93°44.63′ **MEMPHIS**
180 B NOTAM FILE DTN **H–6I, L–13D, 17E**
IAP, AD

RWY 14–32: H5017X100 (ASPH) S–35, D–55 MIRL
RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Trees.
RWY 32: REIL. PAPI(P4R)—GA 3.0° TCH 48′. Trees.
RWY 05–23: H4198X75 (ASPH) S–12.5 MIRL
RWY 05: REIL. PAPI(P2L)—GA 3.0° TCH 42′. Fence.
RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 39′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 2, 3 **LGT** Rwy 14 PAPI unusable byd 8° right of centerline.
AIRPORT REMARKS: Attended 1300–0400Z‡. 100LL avbl 24 hrs self svc with credit card. For Jet A after hrs call 318–510–4330. Avbl 24 hrs self svc with credit card. All VFR tfc remain within 1 1/2 miles northeast thru southwest from the center of the arpt due to Shreveport/Barksdale AFB CLASS C airspace. Wildlife–deer & birds on & invof arpt. Ctc arpt mgr for dsngd ramp space for pub use at arpt. Rwy 14 designated calm wind rwy.
AIRPORT MANAGER: 318-673-5370
WEATHER DATA SOURCES: ASOS 118.525 (318) 425–7967.
COMMUNICATIONS: CTAF 120.225 **UNICOM** 122.95
SHREVEPORT RCO 122.6 (DE RIDDER RADIO)
Ⓡ **SHREVEPORT APP/DEP CON** 119.9 (153°–319°) 123.75 (320°–152°)
CLNC DEL 121.65 (When ATCT clsd clnc del provided by SHV DEP CON on 119.9)
TOWER 120.225 (1300–0400Z‡) **GND CON** 121.65
AIRSPACE: CLASS D svc 1300–0400Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.
BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28′ W93°48.60′ 159° 14.2 NM to fld. 190/7E.
LOC/DME 111.7 I–DTN Chan 54 Rwy 14.




SHREVEPORT RGNL (SHV)(KSHV) 4 SW UTC–6(–5DT) N32°26.79′ W93°49.56′ **MEMPHIS**
258 B LRA Class I, ARFF Index B NOTAM FILE SHV MON Airport **H–6I, L–17E**
IAP, AD

RWY 14–32: H8348X200 (ASPH–GRVD) S–120, D–218, 2S–175, 2D–370 PCR 542 F/B/X/T HIRL CL
RWY 14: ALSF2. TDZL. PAPI(P4R)—GA 3.0° TCH 50′. RVR–TMR 0.7% down.
RWY 32: MALSR. RVR–TMR Thld dsplcd 373′. Railroad.
RWY 06–24: H7003X150 (ASPH–GRVD) S–120, D–218, 2D–370 PCR 542 F/B/X/T MIRL
RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 06: TORA–7003 TODA–7003 ASDA–7003 LDA–7003
RWY 14: TORA–8348 TODA–8348 ASDA–8118 LDA–8118
RWY 24: TORA–7003 TODA–7003 ASDA–7003 LDA–7003
RWY 32: TORA–8348 TODA–8348 ASDA–8348 LDA–7975
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3
AIRPORT REMARKS: Attended continuously. Bird activity invof arpt. Sfc cond not mnt dly 1300–1700Z‡. Landing fee for all commercial aircraft. Flight Notification Service (ADCUS) available Mon–Fri 1400–2300Z‡, other times by appointment call 318–635–7873 or 800–973–2867.
AIRPORT MANAGER: 318-673-5370
WEATHER DATA SOURCES: ASOS 128.45 (318) 216–0546. LLWAS.
COMMUNICATIONS: UNICOM 122.95 **ATIS** 128.45
Ⓡ **APP/DEP CON** 119.9
TOWER 121.4 **GND CON** 121.175 **CLNC DEL** 124.65
AIRSPACE: CLASS C svc ctc **APP CON**.
VOR TEST FACILITY (VOT) 108.2
RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.
BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28′ W93°48.60′ 175° 19.5 NM to fld. 190/7E.
LOC/DME 109.1 I–MWP Chan 28 Rwy 06.
ILS/DME 110.7 I–SHV Chan 44 Rwy 14. Class IIE. LOM CRAKK NDB.
ILS 110.3 I–FOG Rwy 32. Class IA.
ASR



SLIDELL (ASD)(KASD) 4 NW UTC–6(–5DT) N30°20.78′ W89°49.25′ **NEW ORLEANS**
28 B NOTAM FILE ASD **H–7E, 8F, L–21B, 22F, GOAC**
RWY 18–36: H5002X100 (ASPH) S–48 MIRL **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Thld dsplcd 944′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18: TORA–5001 TODA–5001 ASDA–5001 LDA–4057
RWY 36: TORA–5001 TODA–5001 ASDA–5001 LDA–5001
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 3 **LGT** MIRL Rwy 18–36, REIL Rwy 18 and Rwy 36 preset low ints dusk–dawn, to increase ints ACTIVATE—CTAF.
AIRPORT REMARKS: Attended 1300–2200Z‡. Arpt unatndd Thanksgiving, Christmas, New Years Day. Parachute Jumping. Wildlife on and invof rwy. 100LL avbl 24 hrs with credit card. For JET fuel after hrs call 985–259–2460. Parachute jumping area on weekends. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 985-641-7590
WEATHER DATA SOURCES: ASOS 132.475 (985) 259–6242.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **NEW ORLEANS APP/DEP CON** 133.15
GCO 135.075 (NEW ORLEANS APCH and DE RIDDER FSS)
CLEARANCE DELIVERY PHONE: For CD ctc New Orleans Apch at 504-471-4350.



RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
PICAYUNE (VL) (DH) VORW/DME 113.95 PCU Chan 86(Y) N30°33.67′ W89°43.83′ 195° 13.7 NM to fld. 70/5E.
VOR unusable:
011°–055° byd 40 NM blo 8,000′
056°–078° byd 40 NM
079°–102° byd 40 blo 8,000′
103°–140° byd 40 NM
220°–010° byd 40 NM
285°–305° byd 6 NM blo 4,000′
325°–076° byd 26 NM blo 2,500′
DME unusable:
078°–180° byd 32 NM blo 3,000′
331°–064° byd 27 NM blo 4,000′

SOUTH LAFOURCHE LEONARD MILLER JR (See GALLIANO on page 107)


SOUTH PASS 89E–B MTK N28°42.00′ W89°23.40′/128 **NEW ORLEANS**
AWOS–3 124.175 (337) 761–8234 **L–21C, GOAC**

SOUTH TIMBALIER BLK 232 PBM N28°23.04′ W90°12.06′/113 **NEW ORLEANS**
AWOS–3 118.85 (281) 846–7123 **L–21B, GOAC**

SOUTH TIMBALIER BLK 52 OYE N28°52.20′ W90°29.40′/98 **NEW ORLEANS**
AWOS–3 118.35 (281) 560–2390 **L–21B, 22–F, GOAC**


SOUTHLAND FLD (See SULPHUR on page 139)

SPRINGHILL (SPH)(KSPH) 3 E UTC–6(–5DT) N32°59.02′ W93°24.55′ **MEMPHIS**
218 B NOTAM FILE DRI **L–17E**
RWY 18–36: H4202X75 (ASPH) MIRL 0.3% up S **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 49′. Trees.
RWY 36: PAPI(P2L)—GA 3.0° TCH 54′. Trees.
SERVICE: **LGT** MIRL Rwy 18–36 preset low intst dusk–dawn; to incr intst ACTVT—CTAF. Rwy 18 PAPI unusbl byd 9° right of cntrln.
AIRPORT REMARKS: Unattended. Airport beacon located .52 miles from the approach end of Rwy 18 right of centerline. Ultralight activity on and in vicinity of airport. Ctc aprt mgr for dsgnd ramp space for pub use. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 318-453-5637
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **SHREVEPORT APP/DEP CON** 123.75
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.
BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28′ W93°48.60′ 051° 23.9 NM to fld. 190/7E.



SULPHUR

SOUTHLAND FLD (UXL)(KUXL) 5 S UTC–6(–5DT) N30°07.89′ W93°22.57′ **HOUSTON**
10 B NOTAM FILE UXL **H–7D, L–21B, 22E, GOAW**
RWY 15–33: H5001X75 (ASPH) S–30, D–50 MIRL **IAP**
RWY 15: ODALS. PAPI(P4L)—GA 3.0° TCH 50′. Tree.
RWY 33: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Tree.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ODALS Rwy 15; REIL Rwy 33; MIRL Rwy 15–33 preset low intst dusk–dawn. To incr intst—CTAF. PAPI Rwy 15 and 33 opr consly.
AIRPORT REMARKS: Attended 1200–0200Z‡. For fuel after hrs call 337–302–4280, fee charged. Ctc arpt mgr for dsngd ramp space for pub use at arpt. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 337-607-4550
WEATHER DATA SOURCES: AWOS–3PT 118.175 (337) 558–5321.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LAKE CHARLES APP/DEP CON** 119.35 (1200–0400Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 124.7 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Lake Charles Apch at 337-480-3103, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.
LAKE CHARLES (VH) (H) VORTACW 113.4 LCH Chan 81
N30°08.49′ W93°06.33′ 261° 14.1 NM to fld. 20/7E.
VOR unusable:
181°–359° byd 30 NM blo 1,500′
198°–203° byd 40 NM blo 11,000′
198°–203° byd 61 NM
SULPHUR NDB (MHW) 278 AUR N30°11.91′ W93°25.24′ 146° 4.6 NM to fld. 10/4E. NOTAM FILE DRI.
LOC 109.3 I–UXL Rwy 15.




SULPHUR N30°11.91′ W93°25.24′ NOTAM FILE DRI. **HOUSTON**
NDB (MHW) 278 AUR 146° 4.6 NM to Southland Fld. 10/4E. **L–21B, 22E, GOAC**

TALLULAH

SCOTT (M8Ø) 2 E UTC–6(–5DT) N32°24.98′ W91°08.94′ **MEMPHIS**
86 B NOTAM FILE DRI **L–18F**
RWY 18–36: H3003X75 (ASPH) S–12 MIRL
RWY 36: Thld dsplcd 250′.
RWY 17–35: 2642X140 (TURF)
RWY 35: Thld dsplcd 572′. Acft.
SERVICE: **LGT** Wind indicator light OTS indefly. Arpt bcn OTS. ACTVT MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended on call. For attendant call 318–282–7462. Aerobatic box on fld–check NOTAMS. Numerous agricultural and ultralight opns at arpt. Rwy 36 thld dsplcd daylight opns only. Ctc aprt mgr for dsgnd ramp space for pub use. Acft parking apron 200 feet south of Rwy 35 thld.
AIRPORT MANAGER: 318-282-7462
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.
MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 094° 45.4 NM to fld. 77/3E.
VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM
DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM
TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM

VICKSBURG TALLULAH RGNL (TVR)(KTVR) 9 E UTC–6(–5DT) N32°21.10′ W91°01.66′ **MEMPHIS**
86 B TPA—1086(1000) NOTAM FILE TVR **H–6J, L–18F**
RWY 18–36: H5002X100 (ASPH) S–60, D–75 MIRL **IAP**
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RWY 36: SSALR. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18: TORA–5002 TODA–5002 ASDA–5002 LDA–5002
RWY 36: TORA–5002 TODA–5002 ASDA–5002 LDA–5002
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36, REIL Rwy 18, SSALR Rwy 36 preset low ints dusk–dawn, to increase ints ACTVT—CTAF.
AIRPORT REMARKS: Attended 1300–2330Z‡. Holidays 1600–2200Z‡. For arpt mgr aft hrs call 318–366–1615. PAEW on arpt. Migratory birds invof arpt. Crop dusting activity 2 NM radius of arpt. Ctc aprt mgr for dsgnd ramp space for pub use. Pilots in tfc pattern are requested to avoid over flight of Mound, LA 1/2 mile south and east of Rwy 36.
AIRPORT MANAGER: 318-574-5841
WEATHER DATA SOURCES: ASOS 118.525 (318) 574–4866.
COMMUNICATIONS: CTAF/UNICOM 123.0
MEMPHIS CENTER APP/DEP CON 132.5
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.




RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
MAGNOLIA (VH) (H) VORTACW 113.2 MHZ Chan 79 N32°26.04′ W90°05.99′ 265° 47.4 NM to fld. 407/1W.
TACAN AZIMUTH unusable:
240°–275° byd 30 NM blo 2,000′
DME unsbl 240–275 byd 30 NM blo 2000
TALLULAH NDB (MHW/LOM) 344 TKH N32°14.72′ W91°01.55′ 357° 6.4 NM to fld. 79/2E. NOTAM FILE DRI.
ILS 109.7 I–TVR Rwy 36. Class ID.

TENSAS PARISH (See ST JOSEPH on page 136)

THE RED RIVER (See COUSHATTA on page 102)

THIBODAUX MUNI (L83) 3 S UTC–6(–5DT) N29°44.87′ W90°49.97′ **NEW ORLEANS**
9 B NOTAM FILE DRI **L–21B, 22F, GOAC**
RWY 08–26: H2999X75 (ASPH) S–6 MIRL **IAP**
RWY 08: REIL. Trees.
RWY 26: REIL. Thld dsplcd 90′. Trees.
SERVICE: S2 **FUEL** 100LL **LGT** REIL Rwy 08–26, MIRL Rwy 08 and Rwy 26 preset low ints, to increase ints ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. For arpt attendant after hrs call 985–209–4697. Wildlife on or near the rwy safety area. 100LL fuel avbl by appt call 985–209–4697. Rwy 08–26 agriculture washdown pad 500′ north of rwy at midfield. Trees 60 ft tall; 160 ft north and south of cntrln pent the 7:1 trsnl slp Rwy 08. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 985-446-7208
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **NEW ORLEANS APP/DEP CON** 118.9
CLEARANCE DELIVERY PHONE: For CD ctc New Orleans Apch at 504-471-4350.
RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.
TIBBY (VL) (DH) VORW/DME 117.15 TBD Chan 118(Y) N29°39.86′ W90°49.75′ 356° 5.0 NM to fld. 10/2E.
VOR unusable:
244°–255° byd 40 NM




TIBBY N29°39.86′ W90°49.75′ NOTAM FILE DRI. **NEW ORLEANS**
(VL) (DH) VORW/DME 117.15 TBD Chan 118(Y) 356° 5.0 NM to Thibodaux Muni. 10/2E. **H–7D, L–21B, 22F, GOMC**
VOR unusable:
244°–255° byd 40 NM

UNION PARISH (See FARMERVILLE on page 106)

VICKSBURG TALLULAH RGNL (See TALLULAH on page 140)


VIDALIA

CONCORDIA PARISH (ØR4) 4 W UTC–6(–5DT) N31°33.72´ W91°30.39´ **HOUSTON**
55 B NOTAM FILE DRI **L–22F**
RWY 14–32: H3701X75 (ASPH) S–12 MIRL **IAP**
RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 50´. Trees.
RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 50´.
SERVICE: **FUEL** 100LL **LGT** REIL Rwys 14 and 32; MIRL Rwy 14–32 preset low intst; to incr intst ACTVT—CTAF. PAPI Rwy 14 and Rwy 32 opr consly. PAPI unusbl byd 8 deg right of cntrln.
AIRPORT REMARKS: Unattended. 100LL avbl 24 hrs self svc with credit card. 400´ twr 2 miles north of approach end Rwy 14. Rwy 32 75´ trees east of rwy penetrate transition slope. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: 318-336-8537
WEATHER DATA SOURCES: AWOS–3 118.2 (318) 336–8028.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 120.975
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40´ W92°30.06´ 067° 54.2 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000´
066°–094° byd 35 NM blo 3,000´
115°–120° byd 40 NM blo 18,000´
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000´
201°–214° byd 35 NM blo 2,000´
215°–260° blo 2,000´
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000´
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000´
261°–285° byd 35 NM blo 2,000´
265°–270° byd 49 NM blo 18,000´
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000´
300°–304° byd 40 NM blo 5,000´
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000´



VIOSCAL KNOLL 786A VOA N29°13.80´ W87°46.80´/131 **NEW ORLEANS**
AWOS–3 118.925 (985) 773–7883 Wind unrel 335–005. **L–21C, 22H, GOAC**

VIVIAN (3F4) 2 SW UTC–6(–5DT) N32°51.68´ W94°00.61´ **MEMPHIS**
260 B NOTAM FILE DRI **L–13D, 17E**
RWY 09–27: H2998X75 (ASPH) S–12 MIRL 0.4% up E **IAP**
RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 53´. Trees.
RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 54´. Trees.
SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 09–27 and REIL Rwy 09 preset low intst dusk–dawn; to incr intst ACTVT—CTAF. Rwy 09–27 PAPI OTS.
AIRPORT REMARKS: Attended Mon–Sat dawn–dusk. Fuel avbl 24 hrs self svc with credit card. Ctc arpt mgr for dsngd ramp space for pub use at arpt.
AIRPORT MANAGER: (318) 455-5499
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **SHREVEPORT APP/DEP CON** 119.9
GCO 135.075 (BARKSDALE APCH CTL and FLIGHT SERVICES)
CLEARANCE DELIVERY PHONE: For CD if una via GCO ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.
BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28´ W93°48.60´ 291° 11.5 NM to fld. 190/7E.




WALKER RIDGE BLK 551 TRR N27°04.76′ W92°13.83′/183
AWOS–3PT 118.0 (504) 425–3492
L–21B, GOAC

WELSH (6R1) 0 NW UTC–6(–5DT) N30°14.51′ W92°49.84′
HOUSTON
18 B NOTAM FILE DRI
L–21B, 22E, GOAW
IAP
RWY 07–25: H2700X50 (ASPH) S–6 MIRL
RWY 07: Trees.
RWY 25: Trees.
RWY 09–27: 2200X150 (TURF)
RWY 09: Trees.
RWY 27: Trees.
AIRPORT REMARKS: Attended irregularly. Rwy 07–25 has some small longitudinal cracks with grass growth. Block cracks with grass growth Rwy 07 turnaround. Gravel FOD present in places. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 337-570-4590
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LAKE CHARLES APP/DEP CON** 119.8 (1200–0400Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 124.7 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Lake Charles Apch at 337-480-3103, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.
LAKE CHARLES (VH) (H) VORTACW 113.4 LCH Chan 81 N30°08.49′ W93°06.33′ 060° 15.5 NM to fld. 20/7E.
VOR unusable:
181°–359° byd 30 NM blo 1,500′
198°–203° byd 40 NM blo 11,000′
198°–203° byd 61 NM

WHITE LAKE N29°39.79′ W92°22.42′ NOTAM FILE DRI.
HOUSTON
(L) (DH) VORW/DME 114.95 LLA Chan 96(Y) 5/4E.
H–7D, L–21B, 22E, GOAC, GOAW

WINNFIELD

DAVID G JOYCE (ØR5) 3 NW UTC–6(–5DT) N31°57.82′ W92°39.62′
HOUSTON
146 B NOTAM FILE DRI
L–22E
IAP
RWY 09–27: H3002X100 (ASPH) S–4 MIRL 0.9% up W
RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 45′. Trees.
RWY 27: REIL. PAPI(P2L)—GA 3.45° TCH 62′. Trees.
SERVICE: **LGT** MIRL 09–27 opr SS–SR and preset low intst; to incr intst and ACTVT REIL Rwy 09 and 27—CTAF.
AIRPORT REMARKS: Unattended. Rotating bcn obscured by trees south, west and east. Ctc aprt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: (318) 628-3939
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **MAKS APP/DEP CON** 125.4
CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.
SAWMILL (DH) DME 113.75 SWB Chan 84(Y) N31°58.39′ W92°40.63′ 124° 1.0 NM to fld. 164.
DME unusable:
211°–229° blo 13,000′
230°–239°
240°–210° blo 2,500′



WINNSBORO MUNI (F89) 1 E UTC–6(–5DT) N32°09.18′ W91°41.92′ **MEMPHIS**
78 B NOTAM FILE DRI **L–18F**

RWY 18–36: H3001X75 (ASPH) S–11 MIRL
RWY 18: PAPI(P2L)—GA 3.75° TCH 63′. Tree.
RWY 36: REIL. PAPI(P2L)—GA 3.1° TCH 52′. Trees.

SERVICE: S2 **FUEL** 100LL **LGT** MIRL Rwy 18–36 preset on low ints dusk to dawn, to incr ints ACTVT—CTAF.

AIRPORT REMARKS: Attended continuously. Arpt attended on call 318–282–4524. 100LL avbl 24 hrs self serve with credit card. Heavy agricultural aircraft opr June–Oct. Rwy 18–36 trees west of rwy obstruct view of operating acft. Ctc arpt mgr for dsgnd space for pub use.

AIRPORT MANAGER: (318) 439-3676

COMMUNICATIONS: CTAF/UNICOM 122.8

CLEARANCE DELIVERY PHONE: For CD ctc Monroe Apch at 318-327-5641, if unavbl, ctc Fort Worth ARTCC at 817-858-7584.


RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.

MONROE (VL) (L) VORTACW 117.2 MLU Chan 119 N32°31.01′ W92°02.16′ 139° 27.7 NM to fld. 77/3E.

VOR unusable:
010°–040° byd 40 NM
125°–135° byd 40 NM
215°–231° byd 40 NM
232°–242° byd 40 NM blo 8,000′
232°–242° byd 83 NM
243°–255° byd 40 NM blo 7,000′
243°–255° byd 56 NM
256°–267° byd 40 NM blo 18,000′
256°–267° byd 45 NM
268°–271° byd 40 NM
272°–282° byd 40 NM blo 2,000′
272°–282° byd 51 NM
283°–315° byd 40 NM
345°–355° byd 40 NM

DME unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM

TACAN AZIMUTH unusable:
097°–131° blo 3,000′
097°–131° byd 20 NM




WOODWORTH (1R4) 2 S UTC–6(–5DT) N31°07.58′ W92°30.08′ **HOUSTON**
140 B NOTAM FILE DRI **L–21B, 22E**
RWY 01–19: H3100X75 (ASPH) S–12 MIRL
RWY 01: Trees.
RWY 19: Trees.
SERVICE: **LGT** Windsock lghts OTS indef. ACTIVATE MIRL Rwy 01–19—122.8.
AIRPORT REMARKS: Unattended. Helicopter tfc on fld. Numerous 2 inch cracks on rwy. Night ops not recommended due to phys obstn (high tree line on both ends of rwy) and lightings issues. Ctc arpt mgr for dsgnd ramp space for pub use.
AIRPORT MANAGER: 225-952-8074
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (VH) (H) VORTACW 116.1 AEX Chan 108 N31°15.40′ W92°30.06′ 177° 7.8 NM to fld. 76/3E.
VOR unusable:
035°–065° blo 2,000′
066°–094° byd 35 NM blo 3,000′
115°–120° byd 40 NM blo 18,000′
130°–215° byd 40 NM
185°–200° byd 35 NM blo 3,000′
201°–214° byd 35 NM blo 2,000′
215°–260° blo 2,000′
220°–229° byd 40 NM
230°–240° byd 40 NM blo 8,000′
241°–245° byd 40 NM
246°–255° byd 40 NM blo 8,000′
261°–285° byd 35 NM blo 2,000′
265°–270° byd 49 NM blo 18,000′
271°–285° byd 40 NM
286°–290° byd 40 NM blo 18,000′
300°–304° byd 40 NM blo 5,000′
300°–304° byd 68 NM
305°–325° byd 40 NM
340°–080° byd 40 NM
357°–034° byd 35 NM blo 3,000′


ZACH POURCIAU HELIPORT (See OSCAR on page 131)

ABERDEEN/AMORY

MONROE CO (M4Ø) 4 NE UTC–6(–5DT) N33°52.43′ W88°29.38′ **MEMPHIS**
226 B NOTAM FILE GWO **L–18H**
RWY 18–36: H4999X75 (ASPH) S–21 MIRL **IAP**
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Trees.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 18 and 36; MIRL Rwy 18–36; twy lgts—CTAF. PAPI Rwy 18 and 36 opr consly. Rwy 36 unusbl byd 9° R of cntrln.
AIRPORT REMARKS: Attended 1400–2300Z‡. 110LL 24 hr with credit card. After hrs Jet A fuel call 662–436–6122. Pilots must provide their own tiedown ropes. Courtesy car avbl.
AIRPORT MANAGER: 662-369-4800
WEATHER DATA SOURCES: AWOS–3P 118.475 (662) 369–3498.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **COLUMBUS APP/DEP CON** 126.075 (1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat and hols.)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 127.1 (0100–1300Z‡ Mon–Fri, 2300Z–1800Z‡ Sun, Sat and hols.)
CLEARANCE DELIVERY PHONE: For CD ctc Columbus Apch at 662-434-3044.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 359° 23.3 NM to fld. 245/4E.
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM



ACKERMAN CHOCTAW CO (9M4) 3 W UTC–6(–5DT) N33°18.21′ W89°13.70′ **MEMPHIS**
552 B NOTAM FILE GWO **L–18G**
RWY 01–19: H3000X75 (ASPH) S–19.5 MIRL
RWY 01: PAPI(P2L)—GA 3.0° TCH 42′.
RWY 19: PAPI(P2L)—GA 3.0° TCH 34′. Tree.
AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Rwy 01 and 19 markings faded.
AIRPORT MANAGER: 662-285-7633
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 249° 37.5 NM to fld. 245/4E.
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM



BATESVILLE


PANOLA CO (PMU)(KPMU) 4 NE UTC–6(–5DT) N34°21.81′ W89°53.57′ **MEMPHIS**
221 B NOTAM FILE GWO **H–6J, L–18G**
IAP
RWY 01–19: H5001X75 (ASPH) S–30 MIRL
RWY 01: PAPI(P2L)—GA 4.0° TCH 42′. Thld dsplcd 589′. Trees.
RWY 19: PAPI(P2L)—GA 4.0° TCH 45′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 01–19 opr dusk to 0400Z‡, aft 0400Z‡—CTAF. PAPI Rwy 01 and 19 opr consly.
AIRPORT REMARKS: Attended 1300–2300Z‡ Mon–Fri, 1400–2300Z‡ Sat–Sun. Ultralight act on and invof arpt. 100LL self svc with credit card 24 hrs; full svc avbl. Airframe and pwr plant repairs 662–501–5559. Pilots must provide their own tiedown ropes. Crew car avbl; coml car rental nearby.
AIRPORT MANAGER: 662-563-4100
WEATHER DATA SOURCES: AWOS–3PT 118.225 (662) 563–6267.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.5
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
HOLLY SPRINGS (L) (L) VORTACW 112.4 HLI Chan 71 N34°46.21′ W89°29.79′ 216° 31.3 NM to fld. 624/3E.
VOR UNUSABL:
172°–192° byd 25 NM blo 2,400′

BAY SPRINGS

THIGPEN FLD (ØØM) 3 SE UTC–6(–5DT) N31°57.23′ W89°14.12′ **NEW ORLEANS**
351 B NOTAM FILE GWO **L–18G**
RWY 16–34: H3000X50 (ASPH) S–8 MIRL
RWY 16: Tree.
RWY 34: Trees.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 601-670-1523
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
EATON (L) (L) VORTACW 110.6 LBY Chan 43 N31°25.12′ W89°20.26′ 004° 32.5 NM to fld. 290/5E.
VOR unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
111°–164° byd 10 NM blo 2,000′
241°–251°
300°–000° byd 30 NM
TACAN AZIMUTH unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
300°–000° byd 30 NM
DME unusable:
268°–274° byd 30 NM blo 5,000′
300°–000° byd 30 NM

BAY ST LOUIS


STENNIS INTL (HSA)(KHSA) 8 NW UTC–6(–5DT) N30°22.07′ W89°27.28′ **NEW ORLEANS**
23 B LRA ARFF Index—See Remarks NOTAM FILE HSA **H–7E, 8F, L–21B, 22G, GOAC**
RWY 18–36: H8498X150 (ASPH–GRVD) 2S–175, 2D–472, **IAP, AD**
2D/2D2–955 PCR 411 F/B/X/T HIRL
RWY 18: MALSR. PAPI(P4L)—GA 3.0° TCH 56′. Tree.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 55′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18: TORA–8498 TODA–8498 ASDA–8498 LDA–8498
RWY 36: TORA–8498 TODA–8498 ASDA–8498 LDA–8498
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT MALSR Rwy 18; REIL Rwy 36; PAPI Rwy 18 and 36; HIRL Rwy 18–36—CTAF.
NOISE: Avoid flying ovr schools .4 NM E of Rwy 18–36 when poss.
AIRPORT REMARKS: Attended Mon–Fri 1300–0100Z‡, Sat–Sun 1400–0200Z‡. Aft hrs callout—228–463–2389. Birds on and invof arpt. Nmrs low flying fish spotter acft ops near shoreline btn Gulfport and Bay St. Louis. FBO atndd Mon–Fri 1300–0200Z‡, Sat–Sun 1400–0000Z‡. Class IV, ARFF Index A. ARFF Index: ACR acft of at least 31 pax seats or more or cargo ops rqrg incrd ARFF Index, 48 hrs PPR 228–342–5415. CLOSED to acft ops with more than 09 psgr seat except 48 hr PPR call amgr.
AIRPORT MANAGER: 228-467-7070
WEATHER DATA SOURCES: AWOS–3PT 118.375 (228) 466–9320.
COMMUNICATIONS: CTAF 127.15 **UNICOM** 122.95
Ⓡ **GULFPORT APP/DEP CON** 124.6 (130°–309°) 127.5 (310°–129°) (1200–0500Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 127.65 (0500–1200Z‡)
TOWER 127.15 (1300–0300Z‡) **GND CON** 121.725 229.4
CLEARANCE DELIVERY PHONE: When ATCT clsd, for CD ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS D svc 1300–0300Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE GPT.
GULFPORT (L) (L) VORTACW 109.0 GPT Chan 27 N30°24.41′ W89°04.61′ 261° 19.7 NM to fld. 25/2E.
TACAN AZIMUTH unusable:
195°–217°
266°–275° byd 12 NM
VOR unusable:
293°–303°
HANCO NDB (MHW) 221 HS N30°27.08′ W89°27.33′ 181° 5.0 NM to fld. 94/2W. NOTAM FILE HSA.
ILS 110.35 I–HSA Rwy 18. Class IE. LOM HANCO NDB.
COMM/NAV/WEATHER REMARKS: For fuel and FBO svcs aft hrs call 228–463–2389. For all airframe rprs call 228–463–2389.




BAYOU N30°29.14′ W89°09.74′ NOTAM FILE GPT. **NEW ORLEANS**
NDB (LOMW) 360 GP 136° 6.7 NM to Gulfport–Biloxi Intl. 83/2W. **L–21C, 22G**
NDB unusable:
085°–270° byd 10 NM

BELMONT

TISHOMINGO CO (Ø1M) 2 S UTC–6(–5DT) N34°29.51′ W88°12.07′ **MEMPHIS**
584 B NOTAM FILE GWO **L–18H**
RWY 17–35: H4007X60 (ASPH) S–20 MIRL
RWY 17: Thld dsplcd 495′. Trees.
RWY 35: Tree.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. 110LL fuel svc 24 hrs with credit card. For fuel and svc aft hrs call 662–279–0310.
AIRPORT MANAGER: 662-279-0310
WEATHER DATA SOURCES: AWOS–3PT 119.3 (575) 530–9788.
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.




BELZONI MUNI (1M2) 3 SW UTC–6(–5DT) N33°08.71′ W90°30.92′ **MEMPHIS**
110 B NOTAM FILE GWO **L–18G**
RWY 03–21: H3000X50 (ASPH) S–24 MIRL
RWY 03: PAPI(P2L)—GA 3.0° TCH 40′. P–line.
RWY 21: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 03–21—CTAF.
AIRPORT REMARKS: Unattended. 100LL self svc avbl 24 hrs via credit card.
AIRPORT MANAGER: 662-962-4840
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 209° 22.5 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM




BIGBEE N33°29.13′ W88°30.82′ NOTAM FILE GWO. **MEMPHIS**
(VL) (L) VORTACW 116.2 IGB Chan 109 236° 4.5 NM to Golden Triangle Rgnl. 245/4E. **H–6J, L–18H**
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM

BOONEVILLE/BALDWYN (8M1) 6 SW UTC–6(–5DT) N34°35.51′ W88°38.91′ **MEMPHIS**
392 B NOTAM FILE GWO **H–6J, L–18G**
RWY 15–33: H5003X75 (ASPH–GRVD) S–20 MIRL 0.3% up NW **IAP**
RWY 15: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 33: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 15–33—CTAF.
AIRPORT REMARKS: Attended 1400–2000Z‡. 100LL avbl 24 hrs with credit card.
AIRPORT MANAGER: 662-210-1773
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUP.
TUPELO (L) (L) VORW/DME 109.8 OTB Chan 35 N34°13.43′ W88°47.84′ 014° 23.2 NM to fld. 364/4E.
VOR portion unusable:
190°–220°



BRENZ N32°24.78′ W90°15.68′ NOTAM FILE HKS. **MEMPHIS**
NDB (MHW/LOM) 260 JH 157° 5.1 NM to Hawkins Fld. 314/0W. NDB unmonitored when ATCT clsd. **L–18G**

BROOKHAVEN–LINCOLN CO (1R7) 3 NE UTC–6(–5DT) N31°36.35′ W90°24.56′ **NEW ORLEANS**
492 B NOTAM FILE GWO **H–6J, L–22F**
RWY 05–23: H5000X75 (ASPH) S–27 MIRL **IAP**
RWY 05: PAPI(P2L)—GA 3.0° TCH 40′. Thld dsplcd 635′. Trees.
RWY 23: PAPI(P2L)—GA 3.0° TCH 40′. Thld dsplcd 994′. Trees.
SERVICE: **FUEL** 100LL, JET A+ **LGT** ACTVT MIRL Rwy 05–23—CTAF. PAPI Rwy 05 opr dusk–dawn. PAPI Rwy 23 opr consly. Wind indicator lgt opr dusk–dawn.
AIRPORT REMARKS: Attended Mon–Friday 1500–2300Z‡. 100LL, fuel svc avbl 24 hrs with credit card. Tall trees on AER 23.
AIRPORT MANAGER: 601-833-0999
WEATHER DATA SOURCES: AWOS–3T 118.125 (601) 833–3209.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 126.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE MCB.
MC COMB (VH) (H) VORTACW 116.7 MCB Chan 114 N31°18.27′ W90°15.49′ 334° 19.6 NM to fld. 440/3E.
VOR unusable:
001°–009° byd 40 NM blo 3,000′
001°–009° byd 53 NM
010°–016° byd 71 NM blo 5,000′
025°–046° byd 40 NM
064°–169° byd 40 NM
174°–230° byd 40 NM
248°–262° byd 40 NM
263°–272° byd 40 NM blo 3,000′
263°–272° byd 51 NM blo 4,000′
263°–272° byd 63 NM
273°–360° byd 40 NM



BRUCE CAMPBELL FLD (See MADISON on page 173)

C A MOORE (See LEXINGTON on page 171)

CALEDONIA N33°38.49′ W88°26.31′ NOTAM FILE CBM. MEMPHIS L–18H
(L) (L) VORTACW 115.2 CBM Chan 99 at Columbus AFB. 250/0E.
military use: mnt 1300–0100Z‡ Mon–Fri; 1800–2300Z‡ Sun. No NOTAM MP: 0200–0400Z‡ Sun
VOR unusable:
317°–223°
TACAN AZIMUTH unusable:
015°–030° byd 20 NM blo 4,000′
DME unusable:
015°–030° byd 20 NM blo 4,000′
080°–100° byd 35 NM blo 3,500′

CALHOUN CO (See PITTSBORO on page 184)


CARTHAGE–LEAKE CO (Ø8M) 2 N UTC–6(–5DT) N32°45.70′ W89°31.82′ MEMPHIS L–18G
457 B NOTAM FILE GWO
RWY 17–35: H3000X75 (ASPH) S–20 MIRL
RWY 17: Trees.
RWY 35: Tree.
SERVICE: S2 **FUEL** 100LL **LGT** Dusk–0400Z‡. Aft 0400Z‡ ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. 100LL fuel avbl 24 hrs with credit card. Pilots must prvd their own tiedown ropes.
AIRPORT MANAGER: 601-267-9327
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
MAGNOLIA (VH) (H) VORTACW 113.2 MHZ Chan 79 N32°26.04′ W90°05.99′ 057° 34.9 NM to fld. 407/1W.
TACAN AZIMUTH unusable:
240°–275° byd 30 NM blo 2,000′
DME unsbl 240–275 byd 30 NM blo 2000

CHARLESTON MUNI (Ø9M) 2 S UTC–6(–5DT) N33°59.48′ W90°04.71′ MEMPHIS L–18G
175 B NOTAM FILE GWO
RWY 18–36: H3000X50 (ASPH) S–18 MIRL
RWY 18: Tree.
RWY 36: Pole.
AIRPORT REMARKS: Unattended. Public phone avbl 662–647–9484.
AIRPORT MANAGER: 662-515-8391
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 014° 33.1 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM


CLARKE CO (See QUITMAN on page 185)

CLARKSDALE

FLETCHER FLD (CKM)(KCKM) 7 NE UTC–6(–5DT) N34°17.98′ W90°30.74′ **MEMPHIS**
173 B NOTAM FILE GWO **H–6J, L–18G**
RWY 18–36: H5404X100 (ASPH–GRVD) S–25, D–32 PCN 30 **IAP**
F/A/W/T MIRL
RWY 18: REIL. PAPI(P4R)—GA 3.0° TCH 40′.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Trees.
SERVICE: S8 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 18 and Rwy 36; MIRL Rwy 18–36—CTAF. PAPI Rwy 18 and Rwy 36 opr consly.
AIRPORT REMARKS: Attended dalgt hrs. Nmrs agricultural acft ops W of N/S twy. Acft dep N and land S. 100LL avbl 24 hrs with credit card. OTS indef. Twy lgts on S stub twy to apn. Rwy 18–36, 1 hr PPR for acft over 30,000 lbs, call 662–624–5554 or 662–902–1893. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 662-627-4126
WEATHER DATA SOURCES: AWOS–3 120.675 (662) 624–9777.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.3
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
MARVELL (VL) (L) VORW/DME 113.65 UJM Chan 83(Y)
N34°34.50′ W90°40.46′ 153° 18.3 NM to fld. 243/1E.
DME unusable:
030°–064°
065°–094° byd 27 NM blo 3,500′
095°–114° byd 29 NM blo 4,000′
115°–129° byd 29 NM blo 3,500′
130°–190° byd 34 NM blo 2,800′



CLEVELAND MUNI (RNV)(KRNV) 2 NW UTC–6(–5DT) N33°45.75′ W90°45.48′ **MEMPHIS**
140 B NOTAM FILE GWO **L–18F**
RWY 18–36: H5005X75 (ASPH) S–26 MIRL **IAP**
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 42′.
RWY 36: REIL. PAPI(P4R)—GA 3.25° TCH 46′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTIVATE REIL Rwy 18–36; MIRL Rwy 18–36—CTAF. PAPI Rwy 18 and Rwy 36 opr continuously.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat–Sun on call. 100LL fuel avbl with credit card 24 hrs. Student act on and invof arpt.
AIRPORT MANAGER: 662-719-1189
WEATHER DATA SOURCES: AWOS–3PT 124.175 (662) 843–3021.
COMMUNICATIONS: CTAF/UNICOM 122.725
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GLH.
GREENVILLE (VL) (DH) VORW/DME 114.25 GLH Chan 89(Y)
N33°31.41′ W90°58.98′ 034° 18.2 NM to fld. 130/4E.
VOR unusable:
144°–157° byd 40 NM



COLUMBIA/MARION CO (ØRØ) 3 N UTC–6(–5DT) N31°17.87′ W89°48.69′ **NEW ORLEANS**
270 B NOTAM FILE GWO **L–21B, 22F**
IAP

RWY 05–23: H5500X100 (ASPH–GRVD) S–63, D–90, 2D–174 PCN 23 F/B/X/T MIRL 0.5% up NE
RWY 05: REIL. PAPI(P4L)—GA 3.0° TCH 42′. Trees.
RWY 23: REIL. PAPI(P4L)—GA 3.0° TCH 43′. Tree.

SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 05 and 23; MIRL Rwy 05–23—CTAF. PAPI Rwy 05 and 23 opr consly.

AIRPORT REMARKS: Attended on call. For svc call 601–441–0299 or 601–441–1867. Fuel svc avbl 24 hrs with credit card. Pub fone avbl 601–736–9295.

AIRPORT MANAGER: 601-736-9295

WEATHER DATA SOURCES: AWOS–3PT 120.675 (601) 736–4983.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **HOUSTON CENTER APP/DEP CON** 126.8

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.


RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

EATON (L) (L) VORTACW 110.6 LBY Chan 43 N31°25.12′ W89°20.26′ 249° 25.4 NM to fld. 290/5E.

VOR unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
111°–164° byd 10 NM blo 2,000′
241°–251°
300°–000° byd 30 NM

TACAN AZIMUTH unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
300°–000° byd 30 NM

DME unusable:
268°–274° byd 30 NM blo 5,000′
300°–000° byd 30 NM



COLUMBUS AFB (CBM)(KCBM) AF 9 N UTC–6(–5DT) N33°38.71´ W88°26.76´ **MEMPHIS**
218 B TPA—See Remarks NOTAM FILE CBM Not insp. **H–6J, L–18H**
RWY 13C–31C: H12004X300 (ASPH–CONC) PCN 55 R/B/W/T HIRL **DIAP, AD**
RWY 13C: ALSF1. PAPI(P4L)—GA 3.0° TCH 47´.
RWY 31C: ALSF1. PAPI(P4L)—GA 3.0° TCH 47´.
RWY 13L–31R: H8001X150 (ASPH–CONC) PCN 28 R/B/W/T HIRL
RWY 13L: PAPI(P4L)—GA 3.0° TCH 40´.
RWY 31R: PAPI(P4L)—GA 3.0° TCH 36´.
RWY 13R–31L: H6320X175 (CONC) PCN 33 R/B/W/T MIRL
RWY 13R: PAPI(P4L)—GA 3.0° TCH 39´.
RWY 31L: PAPI(P4L)—GA 3.0° TCH 37´.
ARRESTING GEAR/SYSTEM
RWY 13C MA–1A CHAG (111 FT OVRN) MA–1A CHAG (111 FT OVRN) **RWY 31C**
RWY 13L BAK–15 CHAG (130 FT OVRN) BAK–15 CHAG (130 FT OVRN) **RWY 31R**
SERVICE: S4 **FUEL** JET A++ **OX** 2, 4 **MILITARY— A–GEAR** MA–1A cont raised posn on dep end of cntr rwy, down and disconnected on apch end. BAK–15 Rwy 13L–31R uncertified/unsvc. Sun only. **JASU** 1(MD–3) 2(A/M32A–86) 3(AM32–95) **FUEL** A++. **FLUID** LPOX LOX **OIL** O–148–156; SOAP–results avbl Mon–Fri.
TRAN ALERT Tran opr 1300–2300Z‡ wkd; no tran svc Sun wo prior cnd; clsd Sat and hol. OT by NOTAM.
NOISE: Noise abatement: Quiet hr daily 0400–1200Z‡.
MILITARY REMARKS: Opr 1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun. Clsd Sat and hols; adnl dates/times intmt by NOTAM.
RSTD: PPR; only 4 acft per hr dur stu trng. Overhead apch not auth dur stu trng opr. Rwy 13R–31L for lcl use only dur stu trng. All tsnt aircrews ck in with Base Ops. Exp radar vector for full stop ldg dur stu trng. Alt rstd for VMC dep acft. **CAUTION** Uncontrolled vehicle tfc on twy and ramps. Do not mistake parl twy to Rwy 13R–31L for rwy. Rwy 13R–31L addn mkgs for base asgn T–38 emerg ldng only. Rwy 13R overrun 1000 ft full strength pavement, Rwy 31L overrun 1635 ft full strength pavement. Exer caution when braking wet; ponding cond exists on asphalt portions of all rwys. Rwy 13R rwy hold sign at Twy A not collocated with pavement mrk. BA less than exp, reduced rwy skid resistance and hi potential for hydroplaning all rwy when wet. Rwy CC not rptd. Use caution at int Twy G and C, and J and C. Both apn edges inside require 25 ft from twy cntrln. T–1 ramp E of ctl twr is lctd in Rwy 31L clear zone. Numerous signs on airfield are outside dist and siting criteria. Acft within rwy supervisory unit (RSU) practice area are not Class C participants. Potential transit/divert UAS ops within trml area. BASH–Phase II bird act for migratory season Sep–Apr. Peak act occurs within 1 hr of SR and SS, see AP/1 Chap 3 for more info. Obtain current bird watch conditions on ATIS.
TFC PAT TPA—Overhead–1700 ft, Rectangular–1200 ft, Copter–700 ft. **MISC** Ltd hgr space avbl Apr–Dec. First 1000 ft Rwy 13L–31R is concrete, mid 6000 ft asphalt. Rwy 13R–31L is grooved concrete. Rwy 13C–31C cntr 200´ grooved concrete, 50´ outside portions asphalt. Rwy 13R–31L contr 75´ grooved conc outside portions asphalt. Augmented wx observation view limited, restricted from 140°–320° by flightline facilities and trees. Std USAF RSRS applied. ATC pers IAW the cooperative wx (CCW) watch will alert pers on any unreported wx cond that could afct flt safety. Auto AN/FMQ–19 ASOS in use H24 lctd near GS Rwy 13C–31C. Augmented/backed up AN/FMQ–19 ASOS in use when req dur opr hr and for resource protection. Opr hr may vary with lcl flying sched. Afld ops does not have ability to store COMSEC. Ctc Comd Post, DSN 742–7020, C–662–434–7020 for COMSEC storage. ASR apch svc avbl for emergency and other time contingent upon manpower and equipment availability. Secondary ASR is MSSR.
AIRPORT MANAGER: 662-434-2993
WEATHER DATA SOURCES: ASOS 354.6.
COMMUNICATIONS: ATIS 115.2 273.5 (Mon–Fri 1300–0100Z‡, Sun 1800–2300Z‡, clsd Sat and hols.) **PTD** 376.0
Ⓡ **COLUMBUS APP CON** 126.075 239.25 (310°–090°) 134.55 291.65 350.3 (090°–165°) 135.6 323.275 (165°–310°) 133.25 307.8(ARR) 121.075 134.55 263.15 317.15
MEMPHIS CENTER APP/DEP CON 127.1 (0100–1300Z‡ Mon–Fri, 2300Z–1800Z‡ Sun, Sat and hols.)
COLUMBUS TOWER 126.65 379.925 (1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat and hols.)
GND CON 121.9 275.8 **CLNC DEL** 269.55
Ⓡ **COLUMBUS DEP CON** 134.55 263.15 350.3 135.6 291.65 (090°–165°) 323.275 **COMD POST** 251.25 **PMSV METRO** 354.6
Wx opr H24 0600Z‡ Mon thru 0100Z‡ Sat, 1500–2300Z‡ Sun, clsd Sat and hols; opr hrs may vary by lcl flying sked. Ctc C662–434–2992/DSN 742–2992. Remote briefing svc avbl Barksdale AFB fr 26 OWS DSN 331–2651/2/3, C318–529–2651/2/3. **SOF** 252.1.
AIRSPACE: CLASS C svc ctc **APP CON** svc 1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat and hols, adnl dates/times intmt by NOTAM; other times CLASS G..

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE CBM.

CALEDONIA (L) (L) VORTACW 115.2 CBM Chan 99 N33°38.49′ W88°26.31′ at fld. 250/0E.
military use: mnt 1300–0100Z‡ Mon–Fri; 1800–2300Z‡ Sun. No NOTAM MP: 0200–0400Z‡ Sun
VOR unusable:
317°–223°
TACAN AZIMUTH unusable:
015°–030° byd 20 NM blo 4,000′
DME unusable:
015°–030° byd 20 NM blo 4,000′
080°–100° byd 35 NM blo 3,500′

BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 016° 10.1 NM to fld. 245/4E. NOTAM FILE GWO.
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM

ILS 109.3 I–CBM Rwy 13C. Class ID. ILS mnt 1300–0100Z‡ Mon–Fri; 1800–2300Z‡ Sun, clsd Sat and hol. No NOTAM MP: 0000Z‡ Sun. radar–see Terminal FLIP for Radar Minima.

ILS 108.7 I–TBB Rwy 31C. Class IE. ILS mnt 1300–0100Z‡ Mon–Fri; 1800–2300Z‡ Sun, clsd Sat and hol.

COLUMBUS–LOWNDES CO (UBS)(KUBS) 3 SE UTC–6(–5DT) N33°27.92′ W88°22.85′

188 B NOTAM FILE GWO

MEMPHIS
L–18H
IAP

RWY 18–36: H4503X100 (ASPH) S–40, D–70, 2S–89, 2D–120 MIRL
RWY 18: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 36: PAPI(P2L)—GA 3.0° TCH 40′. Trees.

SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 18–36 opr dusk–0400Z‡, aft 0400Z‡ ACTVT—CTAF. PAPI Rwy 18 and 36 opr consly. Rwy 36 VGSI OTS UFN.

AIRPORT REMARKS: Attended Mon–Fri 1300–0100Z‡, Sat–Sun on call. Fuel avbl 24 hrs with credit card. Call ahead for hangar space. Courtesy car avbl.


AIRPORT MANAGER: 662-251-4650

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **COLUMBUS APP/DEP CON** 135.6 (1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat and hols.)

Ⓡ **MEMPHIS CENTER APP/DEP CON** 127.1 (0100–1300Z‡ Mon–Fri, 2300Z–1800Z‡ Sun, Sat and hols.)

CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.




RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 096° 6.8 NM to fld. 245/4E.
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM

COLUMBUS/W POINT/STARKVILLE


GOLDEN TRIANGLE RGNL (GTR)(KGTR) 10 W UTC–6(–5DT) N33°26.90′ W88°35.48′ **MEMPHIS**
264 B ARFF Index—See Remarks NOTAM FILE GTR **H–6J, L–18H**
RWY 18–36: H8003X150 (ASPH–GRVD) S–82, D–104, 2D–161 **IAP, AD**
PCR 330 F/D/X/T HIRL
RWY 18: MALSR. PAPI(P4R)—GA 3.0° TCH 56′.
RWY 36: PAPI(P4L)—GA 3.0° TCH 55′.
SERVICE: S2 **FUEL** 100LL, JET A, A+ **LGT** ACTVT MALSR rwy 18; PAPI rwy 18 and rwy 36; HIRL rwy 18–36; twy lgts—CTAF.
AIRPORT REMARKS: Attended continuously. Birds and wildlife invof arpt. Arpt and rwy conds not mnt 0400–1100Z‡. Class I, ARFF Index A. Index B ARFF eqpt avbl ctc arpt manager 662–327–4422.
AIRPORT MANAGER: 662-327-4422
WEATHER DATA SOURCES: AWOS–3PT 126.375 (662) 328–7798.
COMMUNICATIONS: CTAF 118.2 **ATIS** 126.375 **UNICOM** 122.95
Ⓡ **COLUMBUS APP/DEP CON** 135.6 (1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat and hols.)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 127.1 (0100–1300Z‡ Mon–Fri, 2300Z–1800Z‡ Sun, Sat and hols.)
COLUMBUS CLNC DEL 126.25
TOWER 118.2 (1200–0200Z‡) **GND CON** 135.375 **CLNC DEL** 135.375
AIRSPACE: CLASS D svc 1200–0200Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 236° 4.5 NM to fld. 245/4E.
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM
ILS 110.7 I–GTR Rwy 18.
ILS/DME 111.15 I–RVT Chan 48(Y) Rwy 36. Class IA.



COPIAH CO (See CRYSTAL SPRINGS on page 157)

CORINTH


ROSCOE TURNER (CRX)(KCRX) 4 SW UTC–6(–5DT) N34°54.90′ W88°36.21′ **MEMPHIS**
425 B NOTAM FILE GWO **H–6J, L–18G**
RWY 18–36: H6500X100 (ASPH–GRVD) S–30 MIRL 0.3% up S **IAP**
RWY 18: MALSR. PAPI(P2L)—GA 3.0° TCH 50′.
RWY 36: PAPI(P2L)—GA 3.0° TCH 59′.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MALSR Rwy 18; MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended Mon–Sun 1300–2300Z‡. Clsd Christmas and Thanksgiving. Fuel avbl 24 hrs credit card svc.
AIRPORT MANAGER: 662-287-3223
WEATHER DATA SOURCES: AWOS–3PT 118.675 (662) 287–5103.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SEYER NDB (LOMW) 334 UU N35°00.94′ W88°36.94′ 176° 6.1 NM to fld. 510/2W.
ILS 111.1 I–UUR Rwy 18. Class IA. LOM SEYER NDB. Autopilot coupled approaches NA blo 1,040′ MSL



CROSBY MUNI (C71) 1 NE UTC–6(–5DT) N31°17.78′ W91°03.15′ **HOUSTON**
336 NOTAM FILE GWO **L–21B, 22F**
RWY 17–35: H3127X60 (ASPH) S–16
RWY 17: Trees.
RWY 35: Trees.
SERVICE: **LGT** Wind indicator lgts OTS.
AIRPORT REMARKS: Unattended. Deer on and invof arpt. Rwy markings are faded. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 601-639-4516
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE HEZ.
NATCHEZ (L) DME 110.0 HEZ Chan 37 N31°37.09′ W91°17.98′ 147° 23.1 NM to fld. 280.
DME unusable:
Byd 25 NM blo 4,000′
Byd 9 NM blo 1,800′

CRYSTAL SPRINGS

COPIAH CO (M11) 4 S UTC–6(–5DT) N31°54.15′ W90°22.01′ **NEW ORLEANS**
435 B NOTAM FILE GWO **L–22F**
RWY 18–36: H4007X75 (ASPH) S–10 MIRL **IAP**
RWY 18: REIL. PAPI(P2R)—GA 4.0° TCH 48′.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 44′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A1
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. Aft hr ctc AMGR. Fuel 24 hrs with credit card. Pilots must provide tiedown ropes. Courtesy car avbl.
AIRPORT MANAGER: 601-594-2204
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE MCB.
MC COMB (VH) (H) VORTACW 116.7 MCB Chan 114 N31°18.27′ W90°15.49′ 348° 36.2 NM to fld. 440/3E.
VOR unusable:
001°–009° byd 40 NM blo 3,000′
001°–009° byd 53 NM
010°–016° byd 71 NM blo 5,000′
025°–046° byd 40 NM
064°–169° byd 40 NM
174°–230° byd 40 NM
248°–262° byd 40 NM
263°–272° byd 40 NM blo 3,000′
263°–272° byd 51 NM blo 4,000′
263°–272° byd 63 NM
273°–360° byd 40 NM




DEAN GRIFFIN MEML (See WIGGINS on page 194)

DIAMONDHEAD (66Y) 0 SW UTC–6(–5DT) N30°21.78′ W89°23.26′ **NEW ORLEANS**
14 NOTAM FILE GWO **L–21C, 22G**
RWY 18–36: H3800X75 (ASPH) S–12 RWY LGTS(NSTD)
RWY 18: Thld dsplcd 613′. Trees.
SERVICE: **FUEL** 100LL **LGT** Rwy 18 LIRL dthr bar and lgts lctd 423′ S of pavement end.
AIRPORT REMARKS: Unatndd. Wildlife invof of rwy. 100LL Fuel avbl 24 hrs with credit card.
AIRPORT MANAGER: 601-550-3059
COMMUNICATIONS: CTAF/UNICOM 123.0
CLEARANCE DELIVERY PHONE: For CD ctc Gulfport Apch at 228-265-6151, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE GPT.
GULFPORT (L) (L) VORTACW 109.0 GPT Chan 27 N30°24.41′ W89°04.61′ 259° 16.3 NM to fld. 25/2E.
TACAN AZIMUTH unusable:
195°–217°
266°–275° byd 12 NM
VOR unusable:
293°–303°

DREW

RULEVILLE–DREW (M37) 2 S UTC–6(–5DT) N33°46.58′ W90°31.50′ **MEMPHIS**
137 B NOTAM FILE GWO **L–18G**
RWY 18–36: H3000X60 (ASPH) S–16 MIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 36: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: **LGT** MIRL Rwy 18–36 ops dusk–0400Z‡; aft 0400Z‡ ACTVT—CTAF. PAPI Rwy 18 and 36 opr consly. Bcn OTS indef.
AIRPORT REMARKS: Attended irregularly. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 662-745-2733
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 324° 22.5 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM



EAGLES RIDGE (See HERNANDO on page 164)

EATON N31°25.12′ W89°20.26′ NOTAM FILE GWO. **NEW ORLEANS**
(L) (L) VORTACW 110.6 LBY Chan 43 356° 2.9 NM to Hattiesburg/Laurel Rgnl. 290/5E. **H–6J, L–22G**
VOR unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
111°–164° byd 10 NM blo 2,000′
241°–251°
300°–000° byd 30 NM
TACAN AZIMUTH unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
300°–000° byd 30 NM
DME unusable:
268°–274° byd 30 NM blo 5,000′
300°–000° byd 30 NM

EUPORA (Ø6M) 2 W UTC–6(–5DT) N33°32.09′ W89°18.79′ **MEMPHIS**
450 B NOTAM FILE GWO **L–18G**
RWY 14–32: H3000X60 (ASPH) S–20 MIRL
RWY 14: PAPI(P2L)—GA 3.0° TCH 35′. Tree.
RWY 32: PAPI(P2L)—GA 3.0° TCH 42′.
SERVICE: **LGT** ACTVT PAPI Rwy 14 and 32; MIRL Rwy 14–32—CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 662-258-2291
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 270° 40.2 NM to fld. 245/4E.
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM

FERNI N31°15.27′ W90°30.62′ NOTAM FILE MCB. **NEW ORLEANS**
NDB (MHW/LOM) 413 MC 157° 5.0 NM to Mc Comb/Pike Co/John E Lewis Fld. 447/1W. **L–21B, 22F**

FLETCHER FLD (See CLARKSDALE on page 152)

FOREST

G V MONTGOMERY (2M4) 1 S UTC–6(–5DT) N32°21.30′ W89°29.29′ **MEMPHIS**
518 B NOTAM FILE GWO **L–18G**
RWY 17–35: H3602X75 (ASPH) S–25 MIRL
RWY 17: Trees.
RWY 35: Tree.
SERVICE: **LGT** MIRL Rwy 17–35 opr consly 2300–0400Z‡, aft 0400Z‡ ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 601-900-8255
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE MEI.
MERIDIAN (VH) (H) VORTACW 117.0 MEI Chan 117 N32°22.71′ W88°48.26′ 263° 34.8 NM to fld. 578/5E.
VOR unusable:
000°–042° byd 40 NM
054°–061° byd 40 NM blo 24,000′
062°–082° byd 40 NM blo 16,000′
083°–192° byd 40 NM
193°–203° byd 40 NM blo 18,000′
204°–209° byd 40 NM
210°–230° byd 40 NM blo 3,000′
210°–230° byd 49 NM blo 12,000′
210°–230° byd 60 NM blo 18,000′
231°–281° byd 40 NM
282°–292° byd 40 NM blo 6,000′
293°–359° byd 40 NM

G V MONTGOMERY (See FOREST on page 159)


GEORGE M BRYAN (See STARKVILLE on page 188)

GOLDEN TRIANGLE RGNL (See COLUMBUS/W POINT/STARKVILLE on page 156)

GREENE CO N31°05.88′ W88°29.17′ NOTAM FILE GWO. **NEW ORLEANS**
(H) TACAN 115.7 GCV Chan 104 030° 25.9 NM to Roy Wilcox. 300/5E. **H–6J, L–21C, 22G**


GREENVILLE MID–DELTA (GLH)(KGLH) 5 NE UTC–6(–5DT) N33°29.11′ W90°59.07′ **MEMPHIS**
131 B NOTAM FILE GLH **H–6J, L–18F**
IAP, AD

RWY 18L–36R: H8001X150 (ASPH–GRVD) S–75, D–112, 2S–142, 2D–182, 2D/2D2–540 PCN 61 F/D/X/T HIRL
RWY 18L: MALSR. RVR–T
RWY 36R: REIL. PAPI(P4L)—GA 3.0° TCH 60′. Tree. Rgt tfc.
RWY 18R–36L: H7019X150 (ASPH–CONC–GRVD) S–29, D–47, 2D–78 PCN 11 R/C/X/T MIRL
RWY 18R: PAPI(P4L)—GA 3.0° TCH 52′. Rgt tfc.
RWY 36L: PAPI(P4L)—GA 3.0° TCH 52′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18L: TORA–8001 TODA–8001 ASDA–7981 LDA–7981
RWY 36R: TORA–8001 TODA–8001 ASDA–8001 LDA–8001




SERVICE: **FUEL** 100LL, JET A **LGT** When ATCT clsd ACTVT or incr intst MALSR Rwy 18L; MIRL Rwy 18R–36L; HIRL Rwy 18L–36R—CTAF. PAPI Rwy 18R, 36L and 36R opr consly; HIRL Rwy 18L–36R preset med intst.
AIRPORT REMARKS: Attended 1300–2300Z‡. Sgfnt bird act invof rwys. Fuel avbl 1300–2300Z‡ dly, aft hrs call 662–822–5269. Rwy 18R–36L no tkof or lndg auth for ACR acft. Twy C, D are clsd, and Twy F not avbl for ACR use. Rwy 18R–36L uneven pavement. Rwy 18R and Rwy 36L markings faded. Clsd to sked ACR ops with more than 9 pax seats and unsked ACR ops with more than 30 pax seats.
AIRPORT MANAGER: 662-334-3121
WEATHER DATA SOURCES: ASOS 125.525 (662) 332–0863. LAWRS.
COMMUNICATIONS: CTAF 119.0 **UNICOM** 122.95
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.875
TOWER 119.0 (1300–0100Z‡) **GND CON** 121.8
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd, ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS D svc 1300–0100Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE GLH.
(VL) (DH) VORW/DME 114.25 GLH Chan 89(Y) N33°31.41′ W90°58.98′ 178° 2.3 NM to fld. 130/4E.
VOR unusable:
144°–157° byd 40 NM
METCALF NDB (MHW) 359 MTQ N33°25.52′ W90°58.93′ 359° 3.6 NM to fld. 120/1W.
ILS 109.1 I–GLH Rwy 18L. Class IE. Unmonitored when ATCT closed. LOC unusable byd 25° left and right of course.

GREENWOOD–LEFLORE (GWO)(KGWO) 6 E UTC–6(–5DT) N33°29.60′ W90°05.20′ **MEMPHIS**
162 B NOTAM FILE GWO MON Airport **H–6J, L–18G**
RWY 18–36: H6501X150 (ASPH) S–100, D–176, 2S–175, 2D–300, 2D/2D2–560 HIRL **IAP, AD**
RWY 18: MALSR.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 05–23: H5011X150 (ASPH) S–30 MIRL 0.3% up NE
RWY 05: VASI(V4L)—GA 3.0° TCH 33′. Trees.
RWY 23: REIL. PVASI(PSIR). Trees.
SERVICE: S4 **FUEL** 100LL, JET A, A1+ **LGT** When twr clsd, ACTVT MALSR Rwy 18; PAPI Rwy 36; MIRL Rwy 05–23; HIRL Rwy 18–36—CTAF. VASI Rwy 05 opr consly.
AIRPORT REMARKS: Attended Mon–Thu 1400–0000Z‡. CLSD 2 days each at Thanksgiving and Christmas, 1 day for New Year′s. Fuel avbl Mon–Fri 1500–0000Z‡, Sat–Sun 1600–2200Z‡. Fee for fuel aft hrs call 662–392–3988, 662–392–8899 or 662–455–5530 for svc after hrs. Powerplant and airframe repairs in emerg or by appt. amgr limits GWT Rwy 05–23 to S–42, D–60 in unusual situations. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 662-453-1526
WEATHER DATA SOURCES: ASOS 119.975 (662) 451–0918.
COMMUNICATIONS: CTAF 118.35 **UNICOM** 122.95
RCO 122.2 (GREENWOOD RADIO)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5
TOWER 118.35 (1400–0000Z‡) **GND CON** 125.55 **CLNC DEL** 125.55
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS D svc 1400–0000Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 077° 9.7 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM
ILS 111.3 I–GWO Rwy 18. Class IT.



GRENADA MUNI (GNF)(KGNF) 3 N UTC–6(–5DT) N33°49.95′ W89°47.89′ **MEMPHIS**
208 B NOTAM FILE GWO **H–6J, L–18G**
RWY 13–31: H7000X150 (ASPH) S–60, D–200, 2S–175, 2D–300 MIRL **IAP**
RWY 13: MALSR. VASI(V4L)—GA 3.0° TCH 52′.
RWY 31: VASI(V4L)—GA 3.0° TCH 56′. Trees.
RWY 04–22: H4998X99 (ASPH) S–60, D–200, 2S–175, 2D–300
RWY 04: Trees.
RWY 22: Thld dsplcd 272′. Road.
SERVICE: **FUEL** 100LL, JET A
AIRPORT REMARKS: Attended Mon–Sat on call 662–230–3646, Sun 1900–2300Z‡. Birds and deer invof arpt. Aerobatic acft dalgt hrs; 7000 ft and blw within 3 NM of arpt. For fuel call 662–230–3646. Extsv agriculture ops invof arpt SR–SS Mar–Oct. Rwy 13 and Rwy 31 200 ft by 150 ft asph ovrn avbl. Rwy 04–22 asph cracked and has depressions. Rwy 04–22 markings faded. Pilots musts prvd their own tiedown ropes. ILS decommissioned.
AIRPORT MANAGER: 662-227-8402
WEATHER DATA SOURCES: AWOS–3PT 118.025 (662) 227–3407.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.5
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 044° 32.6 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM




GULFPORT–BILOXI INTL (GPT)(KGPT) P (ANG ARNG) 3 NE UTC–6(–5DT) N30°24.44′ W89°04.21′ **NEW ORLEANS**
H–7E, 8F, L–21C, 22G, GOAC
IAP, AD

28 B TPA—See Remarks AOE Class I, ARFF Index B NOTAM FILE GPT

RWY 14–32: H9002X150 (ASPH–CONC–GRVD) S–120, D–250, 2S–175, 2D–487, 2D/2D2–1010 PCR 960 R/C/W/T HIRL
RWY 14: MALSR. PAPI(P4R)—GA 3.0° TCH 73′. RVR–T
RWY 32: MALSR. PAPI(P4L)—GA 3.0° TCH 72′. RVR–T
RWY 18–36: H4935X150 (ASPH–GRVD) S–120, D–232, 2D–394, 2D/2D2–923 PCR 580 F/B/X/T MIRL No Part 121/Part 380 Ops
RWY 18: PAPI(P4R)—GA 3.0° TCH 50′.
RWY 36: PAPI(P4L)—GA 3.0° TCH 50′.

ARRESTING GEAR/SYSTEM
RWY 14 BAK–14 BAK–12B(B) (1800 FT).
BAK–14 BAK–12B(B) (1300 FT). **RWY 32**



SERVICE: S4 **FUEL** 100LL, JET A, A+ **OX** 3, 4 **LGT** When ATCT clsd ACTVT MALSR Rwy 14 and 32; HIRL Rwy 14–32; MIRL Rwy 18–36—CTAF. MIRL Rwy 18–36 not avbl when ATCT clsd and Rwy 14–32 actv. **MILITARY— A–GEAR** Avbl drg ANG OPS with 30 min PPR. **JASU** 6(A/M32A–86) 3(AM32A–60A) **FUEL** A+ (MIL) A (C228–701–0400). **OIL** O–128–133–148(Mil) **TRAN ALERT** Svc avbl prior coord.

AIRPORT REMARKS: Attended continuously. Rwy end 14 first 2000 ft conc; Rwy end 32 first 1500 ft conc. 150 ft AGL crane 4600 ft N of Rwy 18 thld. Numerous low flying fish spotter acft opr near shoreline between Pascagoula and Gulfport SR–SS. Maverick pad apn area on N end of Twy C rstd to mil acft use only. TPA—800 ft AGL lgt sngl–eng, 1200 ft AGL conventional, 1500 ft AGL jets. Acft over 115,000 lbs are rstrd fm 180 deg turns on Rwy 18–36. Acft with wingspan gtr than 223 ft are rstrd fm oprg on Twy C btn Twy A and AER 32. Civ acft with wingspan of 132 ft or gtr and all ACR acft must be escorted alg Twy A, N of Twy C by gnd handling agent. Acft operg as sked or chtr pax svc shall not tax on Twy A, N of Twy B int wo escort fm gnd handling agent or arpt auth. Acft over 155,000 lbs are rstrd fm using the N part of Twy A at Rwy 18–36. Acft over 316,000 lbs are rstrd fm using the S part of Twy A between Twy C and Rwy 14–32. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. Due to apn actvty acft with wingspan gtr than 170 ft should be alert on Twy A btn Twy C and Twy B. Txl F20 btn FBO and Txl G clsd to acft with wingspan gtr than 49 ft. Pole adj txl F20 not lgtd.

MILITARY REMARKS: RSTD Military acft or acft supporting a mil mission with wingspan of 132 ft or gtr must have escort or coord tax procs with gnd handling agent prior to tax on Twy A. Power check pad between Rwy 18–36 and Twy A rstd to military acft only. C–5 acft prkg rstd to 1 acft at a time due to twy wid unless coordd. Prkg rstd wi 100 ft LOX fac lctd NE corner apn 1. **CAUTION** BASH Phase I bird act May–Sep. BASH Phase II in effect Apr–May and Aug–Oct. Ctc Afld Mgmt, for current Bird Watch Cond. **CSTMS/AG/IMG** CUST and IMG 48 hr PPR. **ANG** No COMSEC stor. CRTC Afld Mgmt Ops opr 1300–2130Z‡ Mon; 1300–2230Z‡ Tues–Fri and Unit Trng Assembly (UTA) wknds, normally first wknd of month; clsd hol. 48 hr pn PPR rqr ctc CRTC AM ops. Ctc guard ops 15 min prior to arr 377.800. DSN 363–6027; C228–214–6027; fax DSN 363–6031; C228–214–6031. Ltd svc avbl, space A psnl, no pax trml. **ARNG** MSAVCRAD ops opr 1300–2130Z‡ Mon; 1300–2230Z‡ Tue–Fri and unit trng assembly (UTA) wknd. PPR rqr ctc ARNG Ops, C601–387–5244/5237. Acft inbd to ARNG Ramp ctc Blackjack Ops (241.0/41.6) 10 min prior to ldg for prk instr.


AIRPORT MANAGER: 228-863-5951
WEATHER DATA SOURCES: ASOS 119.45 (228) 687–0116. LAWRS.
COMMUNICATIONS: CTAF 123.7 **ATIS** 119.45 **UNICOM** 122.95
Ⓡ **GULFPORT APP/DEP CON** 124.6 (130°–309°) 127.5 (310°–129°) (1200–0500Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 127.65 (0500–1200Z‡)
TOWER 123.7 (1200–0500Z‡) **GND CON** 120.4
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS D svc 1200–0500Z‡; other times CLASS G.
TRSA svc ctc **APP CON**
RADIO AIDS TO NAVIGATION: NOTAM FILE GPT.
(L) (L) VORTACW 109.0 GPT Chan 27 N30°24.41′ W89°04.61′ at fld. 25/2E.
TACAN AZIMUTH unusable:
195°–217°
266°–275° byd 12 NM
VOR unusable:
293°–303°
BAYOU NDB (LOMW) 360 GP N30°29.14′ W89°09.74′ 136° 6.7 NM to fld. 83/2W.
NDB unusable:
085°–270° byd 10 NM
ILS 110.9 I–GPT Rwy 14. Class IIE. LOM BAYOU NDB. Unmonitored when ATCT clsd. Glideslope unusable byd 7° right of course.
ILS 108.3 I–UXI Rwy 32. Class IT. Unmonitored when ATCT clsd.
ASR (1200-0500Z‡)

HANCO N30°27.08′ W89°27.33′ NOTAM FILE HSA. NEW ORLEANS
NDB (MHW) 221 HS 181° 5.0 NM to Stennis Intl. 94/2W. L–21B, 22G, GOAC

HARDY–ANDERS FLD/NATCHEZ–ADAMS CO (See NATCHEZ on page 178)

HATTIESBURG BOBBY L CHAIN MUNI (HBG)(KHBG) 4 SE UTC–6(–5DT) N31°15.90′ NEW ORLEANS
W89°15.17′ H–6J, L–21C, 22G
151 B NOTAM FILE HBG IAP

RWY 13–31: H6094X150 (ASPH–GRVD) S–48, D–68, 2S–114, 2D–145 MIRL
RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 54′. Thld dsplcd 996′. Trees.
RWY 31: PAPI(P4L)—GA 3.0° TCH 42′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** ACTVT REIL Rwy 13; MIRL Rwy 13–31—CTAF. PAPI Rwy 13 and 31 opr consly.
AIRPORT REMARKS: Attended dalgt hours. Run–on landings by skid helicopters are not allowed.
AIRPORT MANAGER: (601) 544-8661
WEATHER DATA SOURCES: ASOS 135.425 (601) 544–2185.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 126.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
EATON (L) (L) VORTACW 110.6 LBY Chan 43 N31°25.12′ W89°20.26′ 150° 10.2 NM to fld. 290/5E.
VOR unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
111°–164° byd 10 NM blo 2,000′
241°–251°
300°–000° byd 30 NM
TACAN AZIMUTH unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
300°–000° byd 30 NM
DME unusable:
268°–274° byd 30 NM blo 5,000′
300°–000° byd 30 NM



HATTIESBURG–LAUREL

HATTIESBURG/LAUREL RGNL (PIB)(KPIB) 9 N UTC–6(–5DT) N31°28.03′ W89°20.22′ **NEW ORLEANS H–6J, L–22G IAP**

298 B ARFF Index—See Remarks NOTAM FILE PIB

RWY 18–36: H6503X150 (ASPH–GRVD) S–125, D–225, 2S–175, 2D–275 PCR 860 F/C/X/T HIRL

RWY 18: MALSR. REIL. PAPI(P4L)—GA 3.0° TCH 58′.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 44′.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 18: TORA–6503 TODA–6503 ASDA–6503 LDA–6503

RWY 36: TORA–6503 TODA–6503 ASDA–6503 LDA–6503

SERVICE: S2 **FUEL** 100, JET A **LGT** ACTVT MALSR Rwy 18; REILS Rwys 18 and 36; HIRL Rwy 18–36–CTAF. HIRL Rwy 18–36 preset to med intst, to incr intst—CTAF. PAPIs Rwys 18 and 36 opr consly.

AIRPORT REMARKS: Attended 1100–0500Z‡. ARFF Index clsd to ACR ops with more than 30 pax seats excp 24 hr PPR, call arpt mgr 601–545–3111.

AIRPORT MANAGER: 601-545-3111

WEATHER DATA SOURCES: AWOS–3PT 128.325 (601) 584–6701. LAWRS.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ **HOUSTON CENTER APP/DEP CON** 126.8

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

AIRSPACE: CLASS E svc 1200–0400Z‡; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.


EATON (L) (L) VORTACW 110.6 LBY Chan 43 N31°25.12′ W89°20.26′ 356° 2.9 NM to fld. 290/5E.

VOR unusable:
- 010°–036° byd 30 NM
- 010°–036° byd 6 NM blo 15,000′
- 111°–164° byd 10 NM blo 2,000′
- 241°–251°
- 300°–000° byd 30 NM

TACAN AZIMUTH unusable:
- 010°–036° byd 30 NM
- 010°–036° byd 6 NM blo 15,000′
- 300°–000° byd 30 NM

DME unusable:
- 268°–274° byd 30 NM blo 5,000′
- 300°–000° byd 30 NM

ILS 109.5 I–PIB Rwy 18. Class IB.



HATTIESBURG/LAUREL RGNL (See HATTIESBURG–LAUREL on page 164)

HAWKINS FLD (See JACKSON on page 167)

HERNANDO

EAGLES RIDGE (MS9) 5 SE UTC–6(–5DT) N34°47.79′ W89°54.79′ **MEMPHIS L–18G**

262 NOTAM FILE GWO

RWY 10–28: H3300X40 (CONC)

RWY 10: Thld dsplcd 922′. Trees. Rgt tfc.

RWY 28: Trees.

SERVICE: **FUEL** 100

AIRPORT REMARKS: Unattended. Migratory waterfowl area 0.2 NM SE of arpt. Fuel avail 24 hrs with credit card, for svc call 901–387–9890. Rcmd all acft land Rwy 28 tkof Rwy 10. Rwy 10 and Rwy 28 markings badly faded.

AIRPORT MANAGER: 901-438-5127

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

HERNANDO VILLAGE AIRPARK (H75) 2 SW UTC–6(–5DT) N34°47.89′ W90°02.22′ **MEMPHIS**

242 NOTAM FILE GWO

RWY 14–32: 3340X65 (TURF) S–12

RWY 14: Trees.

RWY 32: Tower.

AIRPORT REMARKS: Attended dalgt hrs.

AIRPORT MANAGER: 901-359-6912


COMMUNICATIONS: CTAF/UNICOM 122.8

CLEARANCE DELIVERY PHONE: For CD ctc mem Apch at 901-842-8457.

HESLER/NOBLE FLD (See LAUREL on page 171)

HOLLANDALE MUNI (14M) 2 NE UTC–6(–5DT) N33°10.95′ W90°49.83′ **MEMPHIS**
114 B NOTAM FILE GWO **L–18F**
RWY 08–26: H3000X60 (ASPH) S–21 MIRL
RWY 08: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 26: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: **LGT** Ops 2300–0400Z‡; aft 0400Z‡ ACTVT MIRL Rwy 08–26—CTAF. Rwy 08–26 PAPI OTS indefly. Bcn OTS indefly.
AIRPORT REMARKS: Unattended. Pilots must prvd their own tiedown ropes.
AIRPORT MANAGER: 662-827-2241
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GLH.
GREENVILLE (VL) (DH) VORW/DME 114.25 GLH Chan 89(Y) N33°31.41′ W90°58.98′ 155° 21.8 NM to fld. 130/4E.
VOR unusable:
144°–157° byd 40 NM


HOLLY SPRINGS–MARSHALL CO (M41) 4 W UTC–6(–5DT) N34°48.26′ W89°31.27′ **MEMPHIS**
551 B NOTAM FILE GWO **L–18G**
RWY 18–36: H3202X60 (ASPH) S–15 MIRL 1.1% up S **IAP**
RWY 18: PAPI(P2L)—GA 2.75° TCH 86′.
RWY 36: PAPI(P2L)—GA 3.25° TCH 65′.
SERVICE: S4 **FUEL** 100LL, JET A
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. 100LL svc avbl 24 hrs with credit card. Pilots must supply their own tiedown ropes.
AIRPORT MANAGER: 901-230-3421
COMMUNICATIONS: CTAF/UNICOM 122.8
RCO 122.3 (GREENWOOD RADIO)
Ⓡ **MEMPHIS APP CON** 125.8 120.075
Ⓡ **MEMPHIS DEP CON** 124.15
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
(L) (L) VORTACW 112.4 HLI Chan 71 N34°46.21′ W89°29.79′ 326° 2.4 NM to fld. 624/3E.
VOR UNUSABL:
172°–192° byd 25 NM blo 2,400′



HOUSTON MUNI (M44) 2 SW UTC–6(–5DT) N33°53.19′ W89°01.38′ **MEMPHIS**
337 B NOTAM FILE GWO **L–18G**
RWY 03–21: H4400X75 (ASPH) S–26 MIRL
RWY 03: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 21: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Trees.
SERVICE: S2 **FUEL** 100LL **LGT** ACTVT REIL Rwy 03 and 21; PAPI Rwy 03 and 21; MIRL 03–21—CTAF.
AIRPORT REMARKS: Attended continuously. Fuel 100LL avbl 24 hrs with credit card. Pilots must prvd tiedown ropes.
AIRPORT MANAGER: 662-456-2328
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE CBM.
CALEDONIA (L) (L) VORTACW 115.2 CBM Chan 99 N33°38.49′ W88°26.31′ 297° 32.7 NM to fld. 250/0E.
military use: mnt 1300–0100Z‡ Mon–Fri; 1800–2300Z‡ Sun. No NOTAM MP: 0200–0400Z‡ Sun
VOR unusable:
317°–223°
TACAN AZIMUTH unusable:
015°–030° byd 20 NM blo 4,000′
DME unusable:
015°–030° byd 20 NM blo 4,000′
080°–100° byd 35 NM blo 3,500′

I H BASS JR MEML (See LUMBERTON on page 172)

INDIANOLA MUNI (IDL)(KIDL) 2 NW UTC–6(–5DT) N33°29.14′ W90°40.73′ **MEMPHIS**
126 B NOTAM FILE GWO **H–6J, L–18F**
RWY 18–36: H7004X150 (CONC) S–20 MIRL **IAP**
RWY 18: Trees.
SERVICE: S4 **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Twy lgts on E–W twy to apn only. Power plant repairs and airframe repairs avbl on req: 662–719–2682. Pilots must prvd their own tiedown ropes.
AIRPORT MANAGER: 662-588-0580
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 271° 20.2 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM




IUKA

SEGARS FLD (15M) 3 SE UTC–6(–5DT) N34°46.40′ W88°09.97′ **MEMPHIS**
626 B NOTAM FILE GWO **L–18H**
RWY 01–19: H4001X75 (ASPH–GRVD) S–30 MIRL **IAP**
RWY 01: PAPI(P4L)—GA 3.0° TCH 42′. Trees.
RWY 19: PAPI(P4L)—GA 4.0° TCH 52′. Trees.
SERVICE: **FUEL** 100LL **LGT** ACTVT REIL Rwy 01 and 19; PAPI Rwy 01–19; MIRL Rwy 01–19—CTAF. Rwy lgt intst can be chgd M–H.
AIRPORT REMARKS: Attended dalgt hours. For aft hr svc ctc AMGR. 100LL avbl 24 hrs with credit card. Rwy 01 +8′ fence 200′ fm thr 100′ L. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 662-424-2356
WEATHER DATA SOURCES: AWOS–3PT 119.250 (662) 424–8004.
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 124.35
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

JACKSON

HAWKINS FLD (HKS)(KHKS) P (ARNG) 3 NW UTC–6(–5DT) N32°20.09′ W90°13.35′ **MEMPHIS**
341 B NOTAM FILE HKS **H–6J, L–18G**
IAP, AD

RWY 16–34: H5387X150 (ASPH–GRVD) S–30, D–40, 2D–80 HIRL
0.7% up NW
RWY 16: MALS. PAPI(P4L)—GA 3.0° TCH 57′.
RWY 34: REIL. Trees.
RWY 11–29: H3431X150 (CONC) S–30, D–40, 2D–80 MIRL
0.3% up SE
RWY 11: P–line.
RWY 29: Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 11: TORA–4021 TODA–4400 ASDA–4250 LDA–3431
RWY 29: TORA–3810 TODA–4400 ASDA–3810 LDA–3431
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT MALS Rwy 16; REIL Rwy 34; HIRL Rwy 16–34—CTAF. MIRL Rwy 11–29 ATCT–Ctl. When ATCT clsd MIRL Rwy 11–29 unavbl. S Apn not lgtd.
MILITARY— FUEL A+ (avbl 1200–0200Z‡, Mon–Fri, 1300–0100Z‡, Sat–Sun, C800–521–4106, OT 30 min PN rqr, C601–948–8778. $60 svc fee.) (NC–100LL)
AIRPORT REMARKS: Attended 1300–0300Z‡. Twys F and G clsd indef. PAEW rwys nightly by NOTAM. Pilots must provide their own tiedown ropes.



MILITARY REMARKS: ARNG OPS 1300–2230Z‡. **ARNG** DSN 293–2117, C601–313–2117.
AIRPORT MANAGER: 601-939-5631
WEATHER DATA SOURCES: ASOS 120.625 (601) 354–4037.
COMMUNICATIONS: CTAF 119.65 **UNICOM** 122.95
Ⓡ **JACKSON APP/DEP CON** 123.9 (333°–152°) 125.25 (153°–332°)(1200–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5 (0500–1200Z‡)
TOWER 119.65 (1300–0300Z‡) **GND CON** 121.9
JACKSON CLNC DEL 121.9
CLEARANCE DELIVERY PHONE: When Apch clsd, for CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS D svc 1300–0300Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
MAGNOLIA (VH) (H) VORTACW 113.2 MHZ Chan 79 N32°26.04′ W90°05.99′ 227° 8.6 NM to fld. 407/1W. TACAN AZIMUTH unusable:
240°–275° byd 30 NM blo 2,000′
DME unsbl 240–275 byd 30 NM blo 2000
BRENZ NDB (MHW/LOM) 260 JH N32°24.78′ W90°15.68′ 157° 5.1 NM to fld. 314/0W. NOTAM FILE HKS. NDB unmonitored when ATCT clsd.
ILS 111.7 I–JHF Rwy 16. Class IT. LOM BRENZ NDB. Unmonitored when ATCT clsd. Marker/NDB JB unmonitored when ATCT clsd.

JACKSON–MEDGAR WILEY EVERS INTL (JAN)(KJAN) P (ANG) 5 E UTC–6(–5DT) N32°18.67´ W90°04.55´ **MEMPHIS H–6J, L–18G IAP, DIAP, AD**

346 B LRA Class I, ARFF Index C NOTAM FILE JAN MON Airport

RWY 16L–34R: H8500X150 (ASPH–GRVD) S–120, D–221, 2S–175, 2T–585, 2D–326 PCR 605 F/C/X/T HIRL CL


RWY 16L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 71´. RVR–TMR Trees. 0.3% up.

RWY 34R: REIL. PAPI(P4R)—GA 3.0° TCH 66´. RVR–TMR Trees. 0.7% down.

RWY 16R–34L: H8500X150 (ASPH–GRVD) S–120, D–250, 2S–175, 2T–585, 2D–340 PCR 816 F/D/X/T HIRL CL

RWY 16R: REIL. PAPI(P4L)—GA 3.0° TCH 80´. RVR–R 0.4% up.

RWY 34L: MALSR. TDZL. RVR–T Trees.



SERVICE: S4 **FUEL** 100LL, JET A, A+ **OX** 1, 2, 3, 4 **LGT** When twr clsd ACTVT MALSR Rwy 34L; REIL Rwy 16R and 34R; HIRL Rwy 16L–34R and 16R–34L—CTAF. Rwy 16L ALSF–2 preset on med intst exc SFL not avbl. **MILITARY— JASU** 8(A/M32A–86D) 3(MC–1A) **FUEL** A+, A (C601–939–9366) (NC–100LL)

AIRPORT REMARKS: Attended continuously. Wt brg cpty for Rwys 16L–34R and Rwy 16R–34L are TRT–585 to accommodate C–17 acft. Be alert when xng AER 16R. Hold area 1 and 2 cmsnd on term apron btn Twy B3 and Twy B5. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. Ldg fee for non–comml acft over 25,500 lbs; fee waived for lrgr non–sked acft with suf fuel purchase.

MILITARY REMARKS: See FLIP AP/1 supplementary arpt remark. Mil acft use Twy C7 to aces the FBO apron unless otrw drctd by ATC. **CAUTION** Bash Phase II period Jul–Oct. Ctc afld mgmt or Comd Post for current bird watch cond. **ANG** Offl bus. All tran acft 48 hr PPR. Ltd prk use. Ctc afld mgmt. Tran acft use FBO for svc. Afld mgmt opr 1300–0230Z‡ wkd, DSN 828–8372, C601–405–8372. Comd Post opr 1200–0630Z‡ wkd, DSN 828–8350, C601–405–8350. Afld mgmt and comd post have ltd comsec stor. Top secret stor unavbl. BASH Phase II in efct 1 Jul–31 Oct. Ctc twr, command post or AFM for bird haz. Wildlife most actvt +/– 1 hr of SS and SR. ARFF sts critical level of svc (CLS) for mil acft CAT 8.

AIRPORT MANAGER: 601-939-5631

WEATHER DATA SOURCES: ASOS 121.05 (601) 769–1216. LLWAS.

COMMUNICATIONS: CTAF 120.9 **ATIS** 121.05 **UNICOM** 122.95

RCO 122.2 (GREENWOOD RADIO)

Ⓡ **APP/DEP CON** 123.9 317.7 (333°–152°) 125.25 319.2 (153°–332°)(1200–0500Z‡)

Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5 259.1 (0500–1200Z‡)

TOWER 120.9 352.0 (1200–0500Z‡) **GND CON** 121.7 348.6

ANG COMD POST 264.6 (172nd AW CP)

CLEARANCE DELIVERY PHONE: For CD when Jackson ATCT clsd, ctc Memphis ARTCC at 901-368-8453/8449.

AIRSPACE: CLASS C svc ctc **APP CON** svc 1200–0500Z‡; other times CLASS E.

VOR TEST FACILITY (VOT) 111.0

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

MAGNOLIA (VH) (H) VORTACW 113.2 MHZ Chan 79 N32°26.04´ W90°05.99´ 172° 7.5 NM to fld. 407/1W.

TACAN AZIMUTH unusable:

240°–275° byd 30 NM blo 2,000´

DME unsbl 240–275 byd 30 NM blo 2000

ILS 110.5 I–JAN Rwy 16L. Class IIIE. Unmonitored 0500–1200Z‡ Radar – See Terminal FLIP for Radar Minima.

ILS 109.3 I–FRL Rwy 34L. Class IB. Unmonitored. Localizer restricted byd 25° left and right of course.

ASR (1200–0500Z‡)

JAMES H EASOM FLD (See NEWTON on page 179)

JOE WILLIAMS NOLF (NJW)(KNJW) N UTC–6(–5DT) N32°47.94´ W88°50.07´ **MEMPHIS H–6J, L–18G**

AIRSPACE: CLASS D svc 1400Z‡–2200Z‡ Mon–Fri; other times CLASS G..

JOHN BELL WILLIAMS (See RAYMOND on page 186)

KEESLER AFB (BIX)(KBIX) AF (AFRC) 0 W UTC–6(–5DT) N30°24.63′ W88°55.47′ **NEW ORLEANS**
33 B TPA—See Remarks NOTAM FILE BIX Not insp. **H–7E, 8F, L–21C, 22G, GOAC**
RWY 04–22: H7630X150 (PEM) PCN 32 F/B/W/T HIRL **DIAP, AD**
RWY 04: REIL. PAPI(P4L)—GA 3.0° TCH 48′. Thld dsplcd 1600′. Trees-l.
RWY 22: ALSF1. PAPI(P4L)—GA 3.0° TCH 55′. Thld dsplcd 1000′. Trees-l. Rgt tfc.
SERVICE: S4 **FUEL** JET A++ **OX** 2 **LGT** NSTD rwy edge and twy lgts; svrl lgts gtr than 200′ dist apart on rwy, svrl missing twy exit lgts. SFL OTS UFN. Rwy 22 lgts: ALSF–1 nstd len 2000′. **MILITARY—** **JASU** 1(MA–1A) 3(A/M32A–86A) **FUEL** A++ **FLUID** Sp PRESAIR LPOX LOX **OIL** O–148–156 **TRAN ALERT** Tran maint opr 1400–2300Z‡ Mon–Fri, OT with prior coord; ctc AMOPS DSN 597–2120. No lav or potable water svc avbl.
MILITARY REMARKS: Opr 1400–0500Z‡ Mon–Fri, irregular Sat–Sun, clsd hols; weekend hrs: Unit Trng Assembly (UTA) normally first weekend of month, 1700–2300Z‡ Sat, 1630–0500Z‡ Sun. All non–UTA weekends afld will be clsd but avbl to open with prior coord; ctc AMOPS DSN 597–2120. PPR All acft, PPR all acft after tran maint opr ctc Afld mgmt OPS at DSN 597–2120. See FLIP AP/1 Supplementary Arpt Remark. **RSTD** PPR all tran acft; ctc afld mgmt DSN 597–2120. Twy E 50 ft wide. Acft rinse fac (bird bath) Twy C avbl to C–130 and lrgr. Air crews ctc gnd prior to acft eng start. All C–130 or lrgr must face N on Twy B for maint runs or eng run–ups. Pilots will avoid flying ovr USAF Medical Cntr lctd on Back Bay 1 NM E of rwy & VA Hospital on Back Bay 1 NM W of rwy. Tran acft ron must arr by 2100Z‡ Mon–Fri by 2200Z‡ Sun. **CAUTION** GS ant 250′ W of cntrln and 1050′ from AER 22. BASH Phase II in eff 1 Jun–30 Sep; exp heavier bird act SR–SS. Marina trees hinder wind, low wind speed on Rwy 22 when wind dir from 280°–340°. Dur augmentation/backup; ltd wx obsn to E and vis mkr byd 1 sm avbl in the W to N sector, night flood lgt hinder cloud and vis obsn, and ceil fre 100′–200′ lower than obsn on Rwy 22 apch from Nov–Mar. Ctc twr with req to back taxi. Rwy edge lgts past thresholds greater than 10′ from full strength pavement. Rwy 04–22, Twy A, Twy D & Twy E lack 25′ paved shoulders. Twy B & Twy F have 25′ paved shoulders only on one side. Spot 24/25 (Twy B and Twy F) light–alls used when C–17 park during hrs of darkness and inclement wx. First 100 ft conc spherical bollards lctd 440 ft sw of cntln. Rwy hazard men or equipment opr randomly to include within 100′ of rwy daily. Large frame and heavy acft will make 180° turns on concrete portion of rwy. Night vision devices training Tue and Thu 0200–0500Z‡. Backline Apn: Two switches, green boxes 5 ft square ea, lctd wi 125 ft of backline apn. Two IR lgts OTS lctd SW side, 950 ft N of Rwy 04 thr and NE side 991 ft S of Rwy 22 thr. **TFC PAT** TPA—Overhead 1500(1467), Conventional 1000(967), Helicopter 500(467). Rwy 04–22 eff len 5030′ for tgl ops. **MISC** Rwy 04 displ thld dimensions and sfc—1st 200′ is concrete, next 800′ mid 75′ is concrete outer with 37.5′ non–wt brg asphalt edge ea side, and remaining 598′ X 150′ is concrete. Rwy 22 displ thld dimensions and sfc—1st 200 X 150 is concrete, next 800 X 75 is concrete with 37.5′ non–wt brg asphalt edge ea side. VIP acft ctc PTD 372.2 15 minutes prior to ldg with firm chock time. During opr hours, LIFEGUARD/MEDEVAC/SAR/MSN essential acft ctc Afld Management Ops DSN 597–2120, C228–377–2120 1 hour prior to arr for proper coordination, during non–opr hours, ctc Command Post DSN 597–4330, C228–377–4330 1 hour prior to req airfield be opened. Hangar space not avbl for severe weather. Rwy 04 avbl tkf 6632′ from key–hole. Rwy 22 avbl tkf 6034′ from key–hole. See US Terminal Low Arpt Sketch for nstd Rwy 04–22 configuration. COMSEC materials are not avbl. Assault Zone marker on rwy. Rwy Surface Condition/Rwy Condition Reading not reported during published afld clsd times. **403 WG AFRC** C130/WC130 acft opr weekdays.
AIRPORT MANAGER: 228-377-2123
COMMUNICATIONS: ATIS 281.55 (Same as twr hrs) **PTD** 372.2
Ⓡ **GULFPORT APP/DEP CON** 124.6 354.1 (130°–309°) 127.5 254.25 (310°–129°) (1200–0500Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 127.65 285.475 (0500–1200Z‡)
TOWER 120.75 269.075 (Opr 1400–0500Z‡ Mon–Fri, clsd hol; Wkend hr, Unit Training Assembly (UTA) normally first wkend of month 1700–2300Z‡ Sat, 1630–0500Z‡ Sun. All non–UTA wkend alfd will be clsd but avbl to open with prior coord, ctc afld mgmt ops DSN 597–2120)
GND CON 121.8 275.8 Opr 1400–0500Z‡ Mon–Fri, clsd hol, UTA 1700–2300Z‡ Sat, 1630–0500Z‡ Sun)
CLNC DEL 121.8 275.8
403 WG AFRC COMD 252.8 (Call ACCOUNTANT) **PMSV METRO** 267.4 Full svc avbl H24 Mon 0600Z‡ thru Sat 0500Z‡, clsd wkends and hols exc for Unit Trng Assembly wkends Sat 1600–2300Z‡, Sun 1300–0500Z‡. Remote briefing svc avbl from 26th OWS Barksdale AFB, LA, DSN 331–2651, C318–529–2651. Auto FMQ–19 in use H24. Augmented/backed up FMQ–19 in use when required during opr hrs and for resource protection.
AIRSPACE: CLASS D svc Mon–Fri 1400–0500Z‡ & wkends when ATCT open; clsd hols; other times CLASS E.

CONTINUED ON NEXT PAGE


CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE BIX.
(T) TACAN Chan 55 BIX (111.8) N30°24.43′ W88°55.78′ at fld. 20/2W.
mntd dur publ opr hr only
No NOTAM MP: 1100–1400Z‡ Fri (1000/2+1)
TACAN AZIMUTH unusable:
110°–120° byd 15 NM
148°–158° byd 15 NM
DME unusable:
110°–120° byd 15 NM
148°–158° byd 15 NM
GULFPORT (L) (L) VORTACW 109.0 GPT Chan 27 N30°24.41′ W89°04.61′ 086° 7.9 NM to fld. 25/2E. NOTAM FILE GPT.
TACAN AZIMUTH unusable:
195°–217°
266°–275° byd 12 NM
VOR unusable:
293°–303°
ILS 109.7 I–BIX Rwy 22. Class IB. Mnt 1400–0500Z‡. No NOTAM MP: 1100–1400Z‡ Mon (1,000/2+1). ILS critical area not protected. Radar: see Terminal FLIP for Radar Minima.

KEWANEE N32°22.06′ W88°27.43′ NOTAM FILE GWO. **MEMPHIS L–18H**
(L) DME 113.8 EWA Chan 85 131° 22.4 NM to Butler/Choctaw Co. 342.
DME unusable:
135°–335° byd 30 NM blo 4,000′


KEY FLD (See MERIDIAN on page 176)

KOSCIUSKO–ATTALA CO (OSX)(KOSX) 3 NE UTC–6(–5DT) N33°05.42′ W89°32.52′ **MEMPHIS H–6J, L–18G IAP**
494 B NOTAM FILE GWO
RWY 14–32: H5009X75 (ASPH) S–18 MIRL 0.5% up NW
RWY 14: PAPI(P2L)—GA 3.5° TCH 38′. Trees.
RWY 32: PAPI(P2L)—GA 3.5° TCH 49′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 14–32—CTAF.
PAPI Rwy 14 and Rwy 32 opr consly.
AIRPORT REMARKS: Unattended. RC model airplane flying off rwy end.
Courtesy car avbl. 100LL self svc avbl 24 hrs via credit card.
AIRPORT MANAGER: 662-289-1226
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.75
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 118° 43.2 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM



LAUREL


HESLER/NOBLE FLD (LUL)(KLUL) 3 SW UTC–6(–5DT) N31°40.38′ W89°10.37′ **NEW ORLEANS**
238 B NOTAM FILE GWO **H–6J, L–22G**
RWY 13–31: H5513X150 (ASPH) S–41, D–65, 2S–83, 2D–110 HIRL **IAP**
RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 31: PAPI(P4L)—GA 3.0° TCH 40′. Trees.
SERVICE: S2 **FUEL** 100LL, JET A1+ **LGT** ACTVT REIL Rwy 13; HIRL Rwy 13–31—CTAF. PAPI Rwy 13 and 31 opr consly. Rwy 31 PAPI unusbl byd 9 degs right of cntrln.
AIRPORT REMARKS: Attended Mon–Fri 1330–0000Z‡, Sat 1500–0000Z‡, Sun 1900–0000Z‡. After hrs svc call 601–426–2626. After hrs self svc avbl with credit card. Ultralight and crop dust activity invof arpt.
AIRPORT MANAGER: 601-425-5121
WEATHER DATA SOURCES: AWOS–3PT 119.275 (601) 425–9792.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ**HOUSTON CENTER APP/DEP CON** 126.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
EATON (L) (L) VORTACW 110.6 LBY Chan 43 N31°25.12′ W89°20.26′ 024° 17.4 NM to fld. 290/5E.
VOR unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
111°–164° byd 10 NM blo 2,000′
241°–251°
300°–000° byd 30 NM
TACAN AZIMUTH unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
300°–000° byd 30 NM
DME unusable:
268°–274° byd 30 NM blo 5,000′
300°–000° byd 30 NM



LEXINGTON

C A MOORE (19M) 2 NE UTC–6(–5DT) N33°07.53′ W90°01.53′ **MEMPHIS**
340 B NOTAM FILE GWO **L–18G**
RWY 01–19: H3199X60 (ASPH) S–20 MIRL 0.5% up N **IAP**
RWY 01: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 19: PAPI(P2L)—GA 4.0° TCH 40′. Tree.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 662-834-1261
COMMUNICATIONS: CTAF 122.9
Ⓡ**MEMPHIS CENTER APP/DEP CON** 132.5
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 145° 23.9 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM

LOUISVILLE/WINSTON CO (LMS)(KLMS) 1 N UTC–6(–5DT) N33°08.76′ W89°03.75′ **MEMPHIS**
575 B NOTAM FILE GWO **L–18G**
RWY 17–35: H4669X75 (ASPH–GRVD) S–50 MIRL 0.5% up S **IAP**
RWY 17: PAPI(P2L)—GA 3.25° TCH 48′. Trees.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 opr consly.
AIRPORT REMARKS: Unattended. For svc ctc AMGR. Fuel avbl 24 hrs with credit card. Assisted svc avbl. Pilots must provide their own tiedown ropes. Courtesy car avbl.
AIRPORT MANAGER: 662-705-4212
WEATHER DATA SOURCES: AWOS–3PT 118.325.
COMMUNICATIONS: CTAF/AUNICOM 122.7
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.75
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 230° 34.3 NM to fld. 245/4E.
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM
COMM/NAV/WEATHER REMARKS: Automated UNICOM; 4 clicks WX ADZY.




LUMBERTON

I H BASS JR MEML (4R1) 2 NW UTC–6(–5DT) N31°00.92′ W89°28.95′ **NEW ORLEANS**
310 B NOTAM FILE GWO **L–21B, 22G**
RWY 14–32: H3000X75 (ASPH) S–22 MIRL
RWY 14: PAPI(P2L). Trees.
RWY 32: PAPI(P2L). Trees.
SERVICE: **LGT** ACTIVATE PAPI Rwy 14 and Rwy 32, MIRL Rwy 14–32—CTAF.
AIRPORT REMARKS: Unattended. Pilots must prvd their own tiedown ropes.
AIRPORT MANAGER: 601-569-1007
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
EATON (L) (L) VORTACW 110.6 LBY Chan 43 N31°25.12′ W89°20.26′ 192° 25.3 NM to fld. 290/5E.
VOR unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
111°–164° byd 10 NM blo 2,000′
241°–251°
300°–000° byd 30 NM
TACAN AZIMUTH unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
300°–000° byd 30 NM
DME unusable:
268°–274° byd 30 NM blo 5,000′
300°–000° byd 30 NM

MACON MUNI (2ØM) 2 E UTC–6(–5DT) N33º08.02´ W88º32.16´ **MEMPHIS**
238 B NOTAM FILE GWO **L–18H**
RWY 18–36: H3000X50 (ASPH) S–28 MIRL
RWY 18: PAPI(P2L)—GA 3.0º TCH 20´.
RWY 36: PAPI(P2L)—GA 3.0º TCH 20´. Trees.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Unattended. 100LL avbl 24 hrs with credit card. Due to lmtd ln of sight all acft are rqrd to annc tkof and lndg on CTAF. Rwy 18–36 marking faded. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 662-726-5847
COMMUNICATIONS: CTAF/UNICOM 122.7
CLEARANCE DELIVERY PHONE: For CD ctc Meridian Apch 601-679-3691, when Meridian Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33º29.13´ W88º30.82´ 179º 21.1 NM to fld. 245/4E.
VOR unusable:
010º–020º
021º–045º byd 40 NM
070º–077º byd 41 NM blo 22,000´
078º–083º byd 41 NM
084º–100º byd 40 NM
101º–118º byd 56 NM
119º–130º byd 40 NM
157º–206º byd 40 NM
200º–260º blo 5,000´
230º–233º byd 51 NM
234º–260º byd 40 NM
261º–270º byd 45 NM
280º–295º byd 40 NM
310º–325º byd 40 NM

MADISON

BRUCE CAMPBELL FLD (MBO)(KMBO) 2 SE UTC–6(–5DT) N32º26.32´ W90º06.19´ **MEMPHIS**
325 B NOTAM FILE GWO **L–18G**
RWY 17–35: H4444X75 (ASPH) S–25 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0º TCH 38´. Trees.
RWY 35: PAPI(P2L)—GA 4.0º TCH 54´. Trees.
SERVICE: S2 **FUEL** 100LL, JET A1+ **LGT** ACTVT PAPI Rwy 17 and 35; MIRL Rwy 17–35—CTAF. Rwy 35 PAPI OTS indef.
AIRPORT REMARKS: Attended Mon–Fri 1200–0100Z‡, Sat–Sun 1300–2300Z‡.
AIRPORT MANAGER: 601-853-1960
WEATHER DATA SOURCES: AWOS–3PT 119.125 (601) 605–8137.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **JACKSON APP/DEP CON** 123.9 (333º–152º) 125.25 (153º–332º)(1200–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5 (0500–1200Z‡)
CLNC DEL 125.9
CLEARANCE DELIVERY PHONE: When Apch clsd, for CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
MAGNOLIA (VH) (H) VORTACW 113.2 MHZ Chan 79 N32º26.04´ W90º05.99´ at fld. 407/1W.
TACAN AZIMUTH unusable:
240º–275º byd 30 NM blo 2,000´
DME unsbl 240–275 byd 30 NM blo 2000




MAGEE MUNI (17M) 3 W UTC–6(–5DT) N31°51.77′ W89°48.04′ NEW ORLEANS
556 B NOTAM FILE GWO L–22F
RWY 18–36: H3103X60 (ASPH) S–19 PCN 15 F/C/Y/T MIRL IAP
RWY 18: PAPI(P2L)—GA 3.0° TCH 43′. Trees.
RWY 36: Trees.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–1800Z‡. 100LL fuel avbl 24 hrs with credit card. Rwy 36 4 ft deep ditch 250 ft fm thr.
AIRPORT MANAGER: 601-382-3191
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 125.975
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
EATON (L) (L) VORTACW 110.6 LBY Chan 43 N31°25.12′ W89°20.26′ 313° 35.6 NM to fld. 290/5E.
VOR unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
111°–164° byd 10 NM blo 2,000′
241°–251°
300°–000° byd 30 NM
TACAN AZIMUTH unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
300°–000° byd 30 NM
DME unusable:
268°–274° byd 30 NM blo 5,000′
300°–000° byd 30 NM

MAGNOLIA N32°26.04′ W90°05.99′ NOTAM FILE GWO. MEMPHIS
(VH) (H) VORTACW 113.2 MHZ Chan 79 at Bruce Campbell Fld. 407/1W. L–18G
TACAN AZIMUTH unusable:
240°–275° byd 30 NM blo 2,000′
DME unsbl 240–275 byd 30 NM blo 2000

MARKS

SELFS (MMS)(KMMS) 2 SW UTC–6(–5DT) N34°13.89′ W90°17.37′ MEMPHIS
162 NOTAM FILE GWO L–18G
RWY 02–20: H3346X70 (ASPH) S–10 MIRL IAP
RWY 20: Trees.
SERVICE: S4
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat and Sun irregularly. For atndnc hrs Sat and Sun call 662–444–4736. Public phone avbl 662–326–9404. Rwy 02 markings badly faded.
AIRPORT MANAGER: 662-444-4736
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.3
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 356° 46.0 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM



MC CAIN FLD (See MERIDIAN NAS (MC CAIN FLD) on page 177)


MC COMB/PIKE CO/JOHN E LEWIS FLD (MCB)(KMCB) 4 S UTC–6(–5DT) N31°10.71´ W90°28.31´ **NEW ORLEANS H–6J, L–21B, 22F IAP**

413 B NOTAM FILE MCB MON Airport

RWY 16–34: H5000X100 (ASPH–GRVD) S–25, D–172, 2D–308 PCN 40/F/A/Y/T MIRL 0.5% up NW

RWY 16: MALSF. PAPI(P4L)—GA 3.0° TCH 43´.

RWY 34: PAPI(P2L)—GA 3.0° TCH 40´.



SERVICE: S2 **FUEL** 100LL, JET A1+ **LGT** ACTVT MALSF Rwy 16—CTAF. MIRL Rwy 16–34 preset low intst dusk–0600Z‡, aft 0600Z‡ incr intst—CTAF.

AIRPORT REMARKS: Attended 1330–2330Z‡. For attendant and fuel after hrs call 601–684–8950. Courtesy car avbl. Pilots must provide their own tiedown ropes. Rwy 16 and Rwy 34 markings faded.

AIRPORT MANAGER: 601-684-8950

WEATHER DATA SOURCES: ASOS 119.025 (601) 249–3223.

COMMUNICATIONS: CTAF/UNICOM 123.05

Ⓡ **HOUSTON CENTER APP/DEP CON** 126.8

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

AIRSPACE: CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE MCB.

(VH) (H) VORTACW 116.7 MCB Chan 114 N31°18.27´ W90°15.49´ 233° 13.3 NM to fld. 440/3E.

VOR unusable:
001°–009° byd 40 NM blo 3,000´
001°–009° byd 53 NM
010°–016° byd 71 NM blo 5,000´
025°–046° byd 40 NM
064°–169° byd 40 NM
174°–230° byd 40 NM
248°–262° byd 40 NM
263°–272° byd 40 NM blo 3,000´
263°–272° byd 51 NM blo 4,000´
263°–272° byd 63 NM
273°–360° byd 40 NM


FERNI NDB (MHW/LOM) 413 MC N31°15.27´ W90°30.62´ 157° 5.0 NM to fld. 447/1W.

ILS 109.1 I–MCB Rwy 16. Class IA. LOM FERNI NDB. Glideslope unusable byd 5° left of course. LOC unusable 0.5 NM inbound.

MCCHAREN FLD (See WEST POINT on page 193)

MERIDIAN

KEY FLD (MEI)(KMEI) P (ANG ARNG) 3 SW UTC–6(–5DT) N32°19.97′ W88°45.09′ **MEMPHIS**
298 B Class I, ARFF Index A NOTAM FILE MEI **H–6J, L–18G**
RWY 01–19: H10003X150 (ASPH–CONC) S–120, D–250, 2D–550 **IAP, AD**
PCR 730 F/C/W/U HIRL
RWY 01: MALSR. PAPI(P4L)—GA 3.0° TCH 54′. RVR–T Thld dsplcd 990′.
RWY 19: MALSR. PAPI(P4L)—GA 3.0° TCH 69′. RVR–T Thld dsplcd 990′.
RWY 04–22: H5052X150 (ASPH) S–120, D–213, 2D–345
PCR 120 F/C/W/U MIRL
RWY 04: PAPI(P2L)—GA 3.13° TCH 45′. Trees.
RWY 22: PAPI(P2L)—GA 3.0° TCH 40′. Pole.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 01: TORA–10003 TODA–10003 ASDA–10003 LDA–9013
RWY 04: TORA–5052 TODA–5052 ASDA–5052 LDA–5052
RWY 19: TORA–10003 TODA–10003 ASDA–10003 LDA–9013
RWY 22: TORA–5052 TODA–5052 ASDA–5052 LDA–5052



SERVICE: S4 **FUEL** 100LL, JET A, A++ **OX** 1, 2 **LGT** ACTIVATE MALSR Rwy 01 and Rwy 19, MIRL Rwy 04–22, HIRL Rwy 01–19, twy lgts—CTAF. **MILITARY— JASU** 10(M32A–60) (MD–3A) (MA–1A) (MC–1) (MC–2A) **FUEL** A++(Mil) A+(avbl 1100–0400Z‡, C601–693–7282, OT 2 hr PN rqr.) (NC–100LL, A) **FLUID** SP PRESAIR **OIL** O–132–133–148(Mil)
AIRPORT REMARKS: Attended 1200–0400Z‡. For attendant after hrs call 601–693–7282. ANG provides ATC services at KMEI. Rwy 01–19 dthr conc. ANG ltd prkg use; rsc info avbl for ANG Ops durg nml duty hrs. All tran acft 48 hr PPR. OBO. Rwy 01–19 non–std RESA due to sfc varns.
MILITARY REMARKS: Opr 1200–0400Z‡, OT fone C601–693–7282. **CAUTION** BASH Phase II period Mar–May, Sep–Nov. Ctc Afld Mgmt or Comd Post for current bird watch Cond. **ANG** Attended 1300–2230Z‡ Mon–Fri exc hol. ANG ramp clsd exc PPR, 601–484–9734/9714. ANG DSN 293–2829 C601–696–8829. RCR info avbl fr ANG OPS dur nml duty hr.
AIRPORT MANAGER: 601-482-0364
WEATHER DATA SOURCES: ASOS (601) 207–0082
COMMUNICATIONS: CTAF 133.975 **ATIS** 126.475 **UNICOM** 122.95
Ⓡ **MERIDIAN APP/DEP CON** 120.5 Opr 1200–0400Z‡ other times by NOTAM. Other times ctc
Ⓡ **MEMPHIS CENTER APP/DEP CON** 125.975
TOWER 133.975 (1200–0400Z‡), other times by NOTAM.
GND CON 121.9 **CLNC DEL** 121.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS D svc 1200–0400Z‡; other times by NOTAM; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE MEI.
MERIDIAN (VH) (H) VORTACW 117.0 MEI Chan 117 N32°22.71′ W88°48.26′ 131° 3.8 NM to fld. 578/5E.
VOR unusable:
000°–042° byd 40 NM
054°–061° byd 40 NM blo 24,000′
062°–082° byd 40 NM blo 16,000′
083°–192° byd 40 NM
193°–203° byd 40 NM blo 18,000′
204°–209° byd 40 NM
210°–230° byd 40 NM blo 3,000′
210°–230° byd 49 NM blo 12,000′
210°–230° byd 60 NM blo 18,000′
231°–281° byd 40 NM
282°–292° byd 40 NM blo 6,000′
293°–359° byd 40 NM
ILS 110.1 I–MEI Rwy 01. Class IA. Unmonitored when ATCT closed.
ILS/DME 111.35 I–IKQ Chan 50(Y) Rwy 19.

MERIDIAN NAS (MC CAIN FLD) (NMM)(KNMM) N 11 NE UTC–6(–5DT) N32°33.21′ W88°33.32′ **MEMPHIS**
316 B TPA—1216(900) NOTAM FILE NMM Not insp. **H–6J, L–18H**
RWY 01L–19R: H8003X200 (CONC) PCN 65 R/C/W/T HIRL CL **DIAP, AD**
RWY 01L: ALSF1. OLS. WAVE-OFF. NSTD. 0.5% up.
RWY 19R: PAPI(P4R)—GA 3.0° TCH 40′.
RWY 01R–19L: H8000X200 (CONC) PCN 71 R/C/W/T HIRL CL
RWY 01R: OLS. RVR–R
RWY 19L: MALSR. OLS. WAVE-OFF. NSTD. RVR–T 0.6% down.
RWY 10–28: H6402X200 (CONC) PCN 29 R/C/W/T HIRL
ARRESTING GEAR/SYSTEM
RWY 01L HOOK E28(B) (1750') HOOK E28(B) (1251') **RWY 19R**
RWY 01R HOOK E28(B) (1250') HOOK E28(B) (1748') **RWY 19L**
RWY 10 HOOK E28(B) (1250') HOOK E28(B) (1250') **RWY 28**
SERVICE: **FUEL** 100LL, JET A++, J8 **LGT** Portable OLS avbl Rwy 01L, 01R, 19L, 19R and 28. **MILITARY— A–GEAR** normally rigged on all rwys. **JASU** 2(NC–8A) (GTC–85) 1(NCPP–105) **FUEL** A++. Svc avbl during airfield hrs of ops. Expect 1 hr refuel delays. **TRAN ALERT** Svc avbl 1300–0500Z‡ Mon–Thu, 1300–2300Z‡ Fri. Drag chute repack unavbl. Ltd airstart capabilities for tran acft. CTC 601–679–2342 to verify status prior to req PPR.
MILITARY REMARKS: Opr Mon–Thur 1300–0400Z‡, Fri 1200–2200Z‡, clsd Sat, Sun and hol exc by NOTAM; hr subject to chg in support CTW–1 flt OPS. Base OPS 1300–0500Z‡ Mon–Thur, 1300–2300Z‡ Fri, clsd Sat, Sun and hol exc by NOTAM. **RSTD** All acft rqr PPR, ctc Base OPS DSN 637–2470/2505, C601–679–2470/2505. PPR good for +/– 1 hr PPR time. For CALP processing ctc AFM via base ops. Arpt subj to short notice closure. Coord of PPR outside of block time by telephone is rqr or PPR Nr will be cancelled. Arpt subject to no notice closure. PPR civilian acft Official Business. **CAUTION** Rwy 19L and 19R have 1 percent down gradient first 6000′. Wildlife in vicinity all rwy. Mat and twy south of hangar not visible from twr. Ints student jet training during fld opr hr. **TFC PAT** Break 1400′, Tran acft expect visual apch. VFR acft ctc Meridian APP within 25 NM. **MISC** Ramp elev 283′. Expect arr/dep delay during extensive student training. No classified materials storage avbl. Scheduling point: 187 FW, AL ANG. Location: Montgomery, AL DSN: 358–9255 C334–394–7255.
AIRPORT MANAGER: 601 6792470/2505
COMMUNICATIONS: ATIS 290.525, (Mon–Thu 1300–0500Z‡, Fri 1300–2300Z‡, clsd Sat, Sun and holidays exc by NOTAM) ATIS hrs subject to change is support CTW–1 flt opr.
Ⓡ **APP CON** 276.4 121.275 348.7(E) 120.5 269.325(S) 120.95 276.4(W) 379.275(N) (Mon–Thu 1300–0500Z‡, Fri 1300–2300Z‡, clsd Sat, Sun and holidays exc by NOTAM), other times ctc
Ⓡ **MEMPHIS CENTER APP CON** 125.975 351.7
MC CAIN TOWER 126.2 340.2 (Rwy 01L, Rwy 19L, Rwy 28) 126.2 360.2 (Rwy 01R, Rwy 19R, Rwy 10)
MC CAIN GND CON 336.4 **CLNC DEL** 301.0
Ⓡ **DEP CON** 276.4 124.8(S) 343.7(E) (Mon–Thu 1300–0500Z‡, Fri 1300–2300Z‡, clsd Sat, Sun and holidays exc by NOTAM), other times ctc
Ⓡ **MEMPHIS CENTER DEP CON** 125.975 351.7
PMSV METRO 282.525 (Avbl Mon–Thu 1100–0500Z‡, Fri 1100–2300Z‡.) **BASE OPS** 352.2
CLEARANCE DELIVERY PHONE: For CD when una via freq ctc Meridian Apch 601-679-3691, when Meridian Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS D svc 1300–0500Z‡ Mon–Thu, 1300–2300Z‡ Fri, clsd Sat–Sun, hol exc by NOTAM; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
(L) TACAN Chan 56 NMM (111.9) N32°34.70′ W88°32.71′ 201° 1.6 NM to fld. 309/2W.
TACAN AZIMUTH unusable:
013°–088° byd 21 NM blo 3,000′
108°–113°
opr dur flt opr hr only
TACAN DME unusable:
013°–088° byd 21 NM blo 3,000′
108°–113°
ILS/DME 109.7 I–NMM Chan 34 Rwy 19L. Class IE. Glideslope unusable byd 6° left of course.
ASR/PAR 1300–0500Z‡
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

METCALF N33°25.52′ W90°58.93′ NOTAM FILE GLH. **MEMPHIS**
NDB (MHW) 359 MTQ 359° 3.6 NM to Greenville Mid–Delta. 120/1W. **L–18F**

MISSISSIPPI CANYON 474 IKT N28°31.25′ W88°17.33′/229 **NEW ORLEANS**
AWOS–3 118.025 (979) 230–4223 **L–21C, GOAC**

MONROE CO (See ABERDEEN/AMORY on page 146)

NATCHEZ

HARDY–ANDERS FLD/NATCHEZ–ADAMS CO (HEZ)(KHEZ) 6 NE UTC–6(–5DT) N31°36.82´ W91°17.84´ **HOUSTON H–6J, L–22F IAP**

272 B Class I, ARFF Index A NOTAM FILE HEZ

RWY 14–32: H6500X150 (ASPH–GRVD) S–50, D–78, 2D–172 PCR 45 F/B/X/T HIRL

RWY 14: MALSR. PAPI(P4R)—GA 3.0° TCH 55´.

RWY 32: PAPI(P4L)—GA 3.0° TCH 43´. Trees.

RWY 18–36: H5000X150 (ASPH) S–83, D–113, 2S–143, 2D–65 PCN 35 F/B/Y/T MIRL No Part 121/Part 380 Ops

RWY 18: VASI(V4L)—GA 3.0° TCH 30´.

RWY 36: Trees.

SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTVT MALSR Rwy 14; PAPI Rwy 14 and Rwy 32; VASI Rwy 18; MIRL Rwy 18–36—CTAF.

AIRPORT REMARKS: Attended 1200–0200Z‡. Deer on and invof rwys. Twy A & C1 not avbl for ACR use. Clsd to unsked ACR ops with more than 30 pax seats excp 48 hrs PPR call amgr. Gnd pwr unit avbl on field. Rwy 18–36 widespread cracking and uneven pavement.


AIRPORT MANAGER: 601-597-3033

WEATHER DATA SOURCES: AWOS–3PT 124.675 (601) 446–8022. LAWRS.

COMMUNICATIONS: CTAF/UNICOM 122.8

NATCHEZ RCO 122.6 (GREENWOOD RADIO)

Ⓡ **HOUSTON CENTER APP/DEP CON** 120.975



RADIO AIDS TO NAVIGATION: NOTAM FILE HEZ.

NATCHEZ (L) DME 110.0 HEZ Chan 37 N31°37.09´ W91°17.98´ at fld. 280.

DME unusable:

Byd 25 NM blo 4,000´

Byd 9 NM blo 1,800´

NATCHEZ–ADAMS COUNTY NDB (MHW) 388 HAH N31°41.42´ W91°17.59´ 183° 4.6 NM to fld. 114/0E.

ILS 111.35 I–HEZ Rwy 14. Class IA. Glideslope unmonitored.

NATCHEZ N31°37.09´ W91°17.98´ NOTAM FILE HEZ. **HOUSTON L–22F**

(L) DME 110.0 HEZ Chan 37 at Hardy–Anders Fld/Natchez–Adams Co. 280.

DME unusable:

Byd 25 NM blo 4,000´

Byd 9 NM blo 1,800´

RCO 122.6 (GREENWOOD RADIO)

NEW ALBANY/UNION CO (M72) 3 N UTC–6(–5DT) N34°32.94´ W89°01.47´ **MEMPHIS L–18G IAP**

413 B NOTAM FILE GWO

RWY 18–36: H3903X75 (ASPH) S–20 MIRL 0.4% up NW

RWY 18: PAPI(P2L)—GA 3.0° TCH 40´. Trees.

RWY 36: PAPI(P2L)—GA 3.0° TCH 40´. Trees.

SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 18–36 opr dusk–0400Z‡.

AIRPORT REMARKS: Attended Mon–Fri dalgt hrs. 100LL fuel 24 hrs with credit card. Airframe and power plant rprs on req.

AIRPORT MANAGER: 662-534-1050

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.9

CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

HOLLY SPRINGS (L) (L) VORTACW 112.4 HLI Chan 71 N34°46.21´ W89°29.79´ 116° 26.9 NM to fld. 624/3E.

VOR UNUSABL:

172°–192° byd 25 NM blo 2,400´

NEWTON

JAMES H EASOM FLD (M23) 1 SE UTC–6(–5DT) N32°18.72′ W89°08.14′ **MEMPHIS**
370 B NOTAM FILE GWO **L–18G**

RWY 14–32: H3000X75 (ASPH) S–21 MIRL
RWY 14: PVASI(PSIL). Trees.
RWY 32: PVASI(PSIL)—GA 7.0° TCH 26′. Trees.

SERVICE: S4 **FUEL** 100LL **LGT** ACTVT MIRL Rwy 14–32—CTAF. PAPI Rwy 32 opr consly.

AIRPORT REMARKS: Attended on call—601–357–0213. For attendant aft hrs and emerg only call 601–527–6249. 24 hr fuel avbl with credit card. Airframe repairs: to schedule, call 601–357–0115, also for power plant repairs. Pilots must provide their own tiedown ropes. Rwy 14–32 mkgs faded.

AIRPORT MANAGER: 601-357-0213

COMMUNICATIONS: CTAF/UNICOM 122.8

CLEARANCE DELIVERY PHONE: For CD ctc Meridian Apch 601-679-3691, when Meridian Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.

RADIO AIDS TO NAVIGATION: NOTAM FILE MEI.

MERIDIAN (VH) (H) VORTACW 117.0 MEI Chan 117 N32°22.71′ W88°48.26′ 252° 17.3 NM to fld. 578/5E.
VOR unusable:
000°–042° byd 40 NM
054°–061° byd 40 NM blo 24,000′
062°–082° byd 40 NM blo 16,000′
083°–192° byd 40 NM
193°–203° byd 40 NM blo 18,000′
204°–209° byd 40 NM
210°–230° byd 40 NM blo 3,000′
210°–230° byd 49 NM blo 12,000′
210°–230° byd 60 NM blo 18,000′
231°–281° byd 40 NM
282°–292° byd 40 NM blo 6,000′
293°–359° byd 40 NM

OCEAN SPRINGS (5R2) 3 E UTC–6(–5DT) N30°23.37′ W88°45.21′ **NEW ORLEANS**
20 B NOTAM FILE GWO **L–21C, 22G**

RWY 18–36: H3500X50 (ASPH) S–10 MIRL
RWY 18: REIL. Trees.
RWY 36: REIL. Trees.

SERVICE: **FUEL** 100LL **LGT** ACTVT non std REIL Rwy 18 and 36; MIRL Rwy 18–36—CTAF. ACTVT lgtd windsock—CTAF. Bcn OTS.

AIRPORT REMARKS: Unattended. Pilot must prvd their own tiedown ropes.

AIRPORT MANAGER: 228-617-4274

COMMUNICATIONS: CTAF/UNICOM 122.7
APP/DEP CON 124.6130–309

CLEARANCE DELIVERY PHONE: For CD ctc Gulfport Apch at 228-265-6151, when Apch clsd ctc Houston ARTCC at 281-230-5622.

RADIO AIDS TO NAVIGATION: NOTAM FILE ANB.

SEMMES (VH) (H) VORTACW 115.3 SJI Chan 100 N30°43.56′ W88°21.56′ 220° 28.7 NM to fld. 190/5E.
VOR unusable:
010°–022° byd 40 NM
023°–033°
045°–075° byd 40 NM
076°–088° byd 40 NM blo 3,100′
076°–088° byd 49 NM
097°–198° byd 40 NM
199°–209°
210°–228° byd 40 NM
211°–221° byd 30 NM blo 6,000′
229°–249° byd 40 NM blo 18,000′
233°–243° byd 22 NM blo 5,000′
250°–254° byd 40 NM
255°–270° byd 40 NM blo 18,000′
303°–329° byd 40 NM
310°–320° byd 22 NM blo 8,000′
330°–340°
355°–015° byd 20 blo 4,000′
358°–004° byd 40 NM
TACAN AZIMUTH unusable:
120°–130°
268°–274° byd 30 NM blo 5,000′
DME unusable:
268°–274° byd 30 NM blo 5,000′

OKOLONA MUNI/RICHARD STOVALL FLD (5A4) 2 NE UTC–6(–5DT) N34°00.95′ W88°43.57′ **MEMPHIS L–18G IAP**

337 B NOTAM FILE GWO

RWY 18–36: H3197X60 (ASPH) S–12.5 MIRL

RWY 36: Trees.

SERVICE: S2 **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—CTAF.

AIRPORT REMARKS: Unattended. 100LL avbl 24 hr with credit card. Rwy 18–36 terrain drops off abruptly 200′ fm both ends.

AIRPORT MANAGER: 662-447-5461

COMMUNICATIONS: CTAF 122.9

Ⓡ **COLUMBUS APP/DEP CON** 126.075 (1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat and hols.)


Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.5 (0100–1300Z‡ Mon–Fri, 2300Z–1800Z‡ Sun, Sat and hols.)

CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

RADIO AIDS TO NAVIGATION: NOTAM FILE TUP.

TUPELO (L) (L) VORW/DME 109.8 OTB Chan 35 N34°13.43′ W88°47.84′ 160° 13.0 NM to fld. 364/4E.

VOR portion unusable:
190°–220°



OKTIBBEHA (See STARKVILLE on page 189)

OLIVE BRANCH/TAYLOR FLD (OLV)(KOLV) 3 NE UTC–6(–5DT) N34°58.73′ W89°47.21′ **MEMPHIS H–6J, L–18G IAP, AD**

402 B TPA—1202(800) NOTAM FILE OLV

RWY 18–36: H6000X100 (ASPH–GRVD) S–110, D–151, 2D–205, 2D/2D2–599 PCR 459 F/D/X/T HIRL

RWY 18: MALSR. VASI(V4L)—GA 3.0° TCH 51′.

RWY 36: REIL. VASI(V4L)—GA 3.0° TCH 31′. Trees.

SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** ACTVT MALSR Rwy 18—CTAF.

AIRPORT REMARKS: Attended 1200–0300Z‡ Mon–Fri, 1400–2300Z‡ Sat–Sun. Clsd Thanksgiving, Christmas and Easter. 100LL: self–svc fuel avbl 24 hrs with credit card. Bottle oxy avbl on req call 662–895–2978. Read back rqrd of all hold back instructions. Twy H clsd exc to sngl and lgt twin acft only. Fixed dist mkrs.

AIRPORT MANAGER: 662-895-2978

WEATHER DATA SOURCES: AWOS–3 119.925 (662) 893–5906. LAWRS.

COMMUNICATIONS: CTAF 125.275 **ATIS** 119.925 **UNICOM** 122.95

Ⓡ **MEMPHIS APP CON** 125.8 120.075

Ⓡ **MEMPHIS DEP CON** 124.15

TOWER 125.275 (1300–0300Z‡) **GND CON** 121.2 **CLNC DEL** 121.2

CLNC DEL 121.3 (When twr clsd)


AIRSPACE: CLASS D svc 1300–0300Z‡; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE MEM.

MEMPHIS (H) (H) VORTACW 117.5 MEM Chan 122 N35°00.91′ W89°58.99′ 102° 9.9 NM to fld. 363/1E.

ILS/DME 109.3 I–OLV Chan 30 Rwy 18. Class IA. Unmonitored when ATCT is clsd.

LOC/DME 111.55 I–EVO Chan 52(Y) Rwy 36.



OXFORD

UNIVERSITY–OXFORD (UOX)(KUOX) 2 NW UTC–6(–5DT) N34°23.06′ W89°32.21′ **MEMPHIS**
452 B TPA—See Remarks ARFF Index—See Remarks NOTAM FILE GWO **H–6J, L–18G**
RWY 09–27: H5600X100 (ASPH–GRVD) S–38, D–55, 2D–90 **IAP**
PCR 390 F/C/X/T MIRL 0.7% up E
RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 27: REIL. PAPI(P4L)—GA 3.6° TCH 56′. Tree.




SERVICE: **FUEL** 100LL, JET A, A+ **LGT** MIRL Rwy 09–27 oprs dusk–0400Z‡. Aft 0400Z‡, ACTVT REIL Rwy 09 & 27; PAPI Rwy 09; MIRL Rwy 09–27—CTAF. PAPI Rwy 27 opr consly. PAPI Rwy 27 unusbl byd 6 deg L of cntrln.
AIRPORT REMARKS: Attended 1300–0100Z‡. For arpt attendant nights call 662–832–5689 or 662–202–4905. Aprt sfc conds not mntd. Class IV ARFF Index A. Clsd to ACR ops with more than 30 pax seats excp PPR call amgr 662–234–2036. TPA—1252 (800) light acft, 1652 (1200) high speed acft.
AIRPORT MANAGER: 662-234-2036
WEATHER DATA SOURCES: AWOS–3PT 132.725 (662) 234–9751.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.5
GCO 135.075 FOR MEMPHIS ARTCC (ZME))
CLEARANCE DELIVERY PHONE: For CD if una via GCO ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
HOLLY SPRINGS (L) (L) VORTACW 112.4 HLI Chan 71 N34°46.21′ W89°29.79′ 182° 23.2 NM to fld. 624/3E. VOR UNUSABL:
172°–192° byd 25 NM blo 2,400′
TUNNG NDB (LOMW) 426 UV N34°23.11′ W89°37.56′ 092° 4.4 NM to fld. 410/1W. LOC & NDB unmonitored 2300–1400Z‡.
LOC 111.7 I–UVD Rwy 09. LOM TUNNG NDB. LOC and OM unmonitored 2300–1400Z‡.

PANOLA CO (See BATESVILLE on page 147)

PASCAGOULA


TRENT LOTT INTL (PQL)(KPQL) 6 N UTC–6(–5DT) N30°27.77′ W88°31.75′ **NEW ORLEANS**
17 B LRA NOTAM FILE PQL **H–7E, 8F, L–21C, 22G, GOAC**
RWY 17–35: H6501X150 (ASPH–GRVD) D–196, 2D–315, 2D/2D2–753 PCN 57 F/C/X/T MIRL **IAP, AD**
RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 35: PAPI(P4L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MALSR Rwy 17; PAPI Rwy 35; MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended continuously. Nmrs low flying fish spotter acft oprg near shoreline btn Bay St Louis and Pascagoula SR–SS. Mil contr 100LL fuel avbl. ARFF 24hrs.
AIRPORT MANAGER: 228-475-1371
WEATHER DATA SOURCES: ASOS 135.175 (228) 666–7450.
COMMUNICATIONS: CTAF 118.575 **ATIS** 135.175 **UNICOM** 122.8
Ⓡ **MOBILE APP/DEP CON** 121.0 (1200–0500Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 127.65 (0500–1200Z‡)
TOWER 118.575 (Mon–Fri 1200–0200Z‡; Sat–Sun 1400–0000Z‡.) **GND CON** 121.725 **CLNC DEL** 121.725
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Mobile Apch at 251-662-6236, when Apch clsd ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS D svc 1200–0200Z‡ Mon–Fri, 1400–0000Z‡ Sat–Sun; other times CLASS G.



RADIO AIDS TO NAVIGATION: NOTAM FILE ANB.
SEMMES (VH) (H) VORTACW 115.3 SJI Chan 100 N30°43.56′ W88°21.56′ 204° 18.0 NM to fld. 190/5E.
VOR unusable:
010°–022° byd 40 NM
023°–033°
045°–075° byd 40 NM
076°–088° byd 40 NM blo 3,100′
076°–088° byd 49 NM
097°–198° byd 40 NM
199°–209°
210°–228° byd 40 NM
211°–221° byd 30 NM blo 6,000′
229°–249° byd 40 NM blo 18,000′
233°–243° byd 22 NM blo 5,000′
250°–254° byd 40 NM
255°–270° byd 40 NM blo 18,000′
303°–329° byd 40 NM
310°–320° byd 22 NM blo 8,000′
330°–340°
355°–015° byd 20 blo 4,000′
358°–004° byd 40 NM
TACAN AZIMUTH unusable:
120°–130°
268°–274° byd 30 NM blo 5,000′
DME unusable:
268°–274° byd 30 NM blo 5,000′
ILS/DME 110.1 I–PQL Chan 38 Rwy 17. Class IA.

PAUL PITTMAN MEML (See TYLERTOWN on page 192)

PHILADELPHIA MUNI (MPE)(KMPE) 2 NW UTC–6(–5DT) N32°47.95′ W89°07.56′ **MEMPHIS**
458 B NOTAM FILE GWO **H–6J, L–18G**
RWY 18–36: H5001X75 (ASPH) S–30 MIRL 0.4% up S **IAP**
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 44′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 18 and 36; PAPI Rwy 18 and 36; MIRL Rwy 18–36—CTAF. PAPI Rwy 36 unusbl byd 7 degs left of cntrln.
AIRPORT REMARKS: Attended Mon–Sun 1300–2300Z‡. Aft hrs svc Mon–Wed call 769–236–8154, Thu–Sun call 818–916–4845. Fuel, no credit card self svc avbl.
AIRPORT MANAGER: 601-656-0203
WEATHER DATA SOURCES: AWOS–3P 118.725 (601) 663–0040.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.75
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE MEI.
MERIDIAN (VH) (H) VORTACW 117.0 MEI Chan 117 N32°22.71′ W88°48.26′ 322° 30.0 NM to fld. 578/5E.
VOR unusable:
000°–042° byd 40 NM
054°–061° byd 40 NM blo 24,000′
062°–082° byd 40 NM blo 16,000′
083°–192° byd 40 NM
193°–203° byd 40 NM blo 18,000′
204°–209° byd 40 NM
210°–230° byd 40 NM blo 3,000′
210°–230° byd 49 NM blo 12,000′
210°–230° byd 60 NM blo 18,000′
231°–281° byd 40 NM
282°–292° byd 40 NM blo 6,000′
293°–359° byd 40 NM



PICAYUNE MUNI (MJD)(KMJD) 2 SE UTC–6(–5DT) N30°29.25′ W89°39.07′ **NEW ORLEANS**
55 B NOTAM FILE GWO **H–7E, 8F, L–21B, 22G**
RWY 18–36: H5000X75 (ASPH) S–30 MIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 36′. Trees.
RWY 36: PAPI(P2L)—GA 3.0° TCH 43′. Tree.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTIVATE PAPI Rwy 18 and Rwy 36; MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. Birds and geese invof arpt. Fuel avbl 24 hrs with credit card. Closed circuit television at terminal and fuel pumps.
AIRPORT MANAGER: 601-590-0260
WEATHER DATA SOURCES: AWOS–3PT 119.075 (601) 798–4136.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **GULFPORT APP/DEP CON** 124.6 (1200–0500Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 127.65 (0500–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Gulfport Apch at 228-265-6151, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
(VL) (DH) VORW/DME 113.95 PCU Chan 86(Y) N30°33.67′ W89°43.83′ 132° 6.0 NM to fld. 70/5E.
VOR unusable:
011°–055° byd 40 NM blo 8,000′
056°–078° byd 40 NM
079°–102° byd 40 blo 8,000′
103°–140° byd 40 NM
220°–010° byd 40 NM
285°–305° byd 6 NM blo 4,000′
325°–076° byd 26 NM blo 2,500′
DME unusable:
078°–180° byd 32 NM blo 3,000′
331°–064° byd 27 NM blo 4,000′

PITTSBORO

CALHOUN CO (Ø4M) 1 SW UTC–6(–5DT) N33°55.81′ W89°20.60′ **MEMPHIS L–18G**

387 B NOTAM FILE GWO

RWY 15–33: H3200X60 (ASPH) S–15 MIRL

RWY 15: PAPI(P4L)—GA 3.0° TCH 40′. Trees.

RWY 33: PAPI(P4L)—GA 3.0° TCH 40′. Trees.

SERVICE: **FUEL** 100LL **LGT** ACTVT PAPI Rwy 15–33—CTAF; MIRL Rwy 15–33 on SS–SR.

AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Fuel 24 hr credit card svc avbl.

AIRPORT MANAGER: 662-544-3114

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

RADIO AIDS TO NAVIGATION: NOTAM FILE CBM.

CALEDONIA (L) (L) VORTACW 115.2 CBM Chan 99 N33°38.49′ W88°26.31′ 291° 48.4 NM to fld. 250/0E.

military use: mnt 1300–0100Z‡ Mon–Fri; 1800–2300Z‡ Sun. No NOTAM MP: 0200–0400Z‡ Sun

VOR unusable:

317°–223°

TACAN AZIMUTH unusable:

015°–030° byd 20 NM blo 4,000′

DME unusable:

015°–030° byd 20 NM blo 4,000′

080°–100° byd 35 NM blo 3,500′

PONTOTOC CO (22M) 2 NW UTC–6(–5DT) N34°16.53′ W89°02.28′ **MEMPHIS L–18G**

440 B NOTAM FILE GWO

RWY 11–29: H3000X50 (ASPH) S–16 MIRL 0.9% up SE

RWY 11: Tree.

RWY 29: Trees.

SERVICE: S4 **FUEL** 100LL

AIRPORT REMARKS: Unattended. For attendant and emerg svc call 662–489–3111. 110LL avbl 24 hrs with credit card. Pilots must provide their own tiedown ropes.

AIRPORT MANAGER: (662) 891-5593

COMMUNICATIONS: CTAF/UNICOM 122.8

CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

HOLLY SPRINGS (L) (L) VORTACW 112.4 HLI Chan 71 N34°46.21′ W89°29.79′ 139° 37.3 NM to fld. 624/3E.

VOR UNUSABL:

172°–192° byd 25 NM blo 2,400′

POPLARVILLE/PEARL RIVER CO (M13) 3 SE UTC–6(–5DT) N30°47.19′ W89°30.27′ **NEW ORLEANS L–21B, 22G IAP**

319 B NOTAM FILE GWO

RWY 16–34: H4000X100 (ASPH) S–25.2 MIRL 0.4% up S

RWY 16: PAPI(P2L)—GA 3.0° TCH 45′. Trees.

RWY 34: PAPI(P2L)—GA 3.0° TCH 41′. Trees.

SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 16–34 oper dusk–0300Z‡. Aft 0300Z‡ ACTVT—CTAF. PAPI Rwy 16 and Rwy 34 opr consly.

AIRPORT REMARKS: Unattended. Fuel 24 hr self svc with credit card. Ultralight act on and invof arpt. Rwy 16, 335′ AGL ant twr on L downwind pat.

AIRPORT MANAGER: 601-550-3059

COMMUNICATIONS: CTAF 122.9

Ⓡ **GULFPORT APP/DEP CON** 124.6 354.1 (1200–0500Z‡)

Ⓡ **HOUSTON CENTER APP/DEP CON** 126.8 327.8 (0500–1200Z‡)

CLEARANCE DELIVERY PHONE: For CD ctc Gulfport Apch at 228-265-6151, when Apch clsd ctc Houston ARTCC at 281-230-5622.

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

PICAYUNE (VL) (DH) VORW/DME 113.95 PCU Chan 86(Y)

N30°33.67′ W89°43.83′ 036° 17.9 NM to fld. 70/5E.

VOR unusable:

011°–055° byd 40 NM blo 8,000′

056°–078° byd 40 NM

079°–102° byd 40 blo 8,000′

103°–140° byd 40 NM

220°–010° byd 40 NM


285°–305° byd 6 NM blo 4,000′

325°–076° byd 26 NM blo 2,500′


DME unusable:

078°–180° byd 32 NM blo 3,000′

331°–064° byd 27 NM blo 4,000′



PRENTISS–JEFFERSON DAVIS CO (M43) 2 W UTC–6(–5DT) N31°35.72′ W89°54.39′ **NEW ORLEANS**
455 B NOTAM FILE GWO **L–22F**
RWY 12–30: H3197X60 (ASPH) S–20 MIRL **IAP**
RWY 12: PAPI(P2L)—GA 2.75° TCH 45′.
RWY 30: PAPI(P2L)—GA 2.75° TCH 45′. Trees.
SERVICE: **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 12–30—CTAF.
AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with credit card. For emergency call police department 601–792–5198.
AIRPORT MANAGER: 601-466-4959
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 126.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE MCB.
MC COMB (VH) (H) VORTACW 116.7 MCB Chan 114 N31°18.27′ W90°15.49′ 043° 25.1 NM to fld. 440/3E.
VOR unusable:
001°–009° byd 40 NM blo 3,000′
001°–009° byd 53 NM
010°–016° byd 71 NM blo 5,000′
025°–046° byd 40 NM
064°–169° byd 40 NM
174°–230° byd 40 NM
248°–262° byd 40 NM
263°–272° byd 40 NM blo 3,000′
263°–272° byd 51 NM blo 4,000′
263°–272° byd 63 NM
273°–360° byd 40 NM




QUITMAN

CLARKE CO (23M) 3 N UTC–6(–5DT) N32°05.16′ W88°44.34′ **MEMPHIS**
321 B NOTAM FILE GWO **L–17D, 18G**
RWY 16–34: H3295X59 (ASPH) S–12.5 MIRL
RWY 16: PAPI(P2L)—GA 4.0° TCH 56′. Trees.
RWY 34: Trees.
SERVICE: **FUEL** 100LL **LGT** Lgts opr dusk–0400Z‡. Aft 0400Z‡ ACTVT MIRL Rwy 16–34—CTAF.
AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. 24 hr self svc fuel avbl with credit card. Gnd drops abruptly 250 ft fm Rwy 16 thld. Gnd drops abruptly 240 ft fm Rwy 34 thr. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 601-776-3728
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Meridian Apch 601-679-3691, when Meridian Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE MEI.
MERIDIAN (VH) (H) VORTACW 117.0 MEI Chan 117 N32°22.71′ W88°48.26′ 164° 17.8 NM to fld. 578/5E.
VOR unusable:
000°–042° byd 40 NM
054°–061° byd 40 NM blo 24,000′
062°–082° byd 40 NM blo 16,000′
083°–192° byd 40 NM
193°–203° byd 40 NM blo 18,000′
204°–209° byd 40 NM
210°–230° byd 40 NM blo 3,000′
210°–230° byd 49 NM blo 12,000′
210°–230° byd 60 NM blo 18,000′
231°–281° byd 40 NM
282°–292° byd 40 NM blo 6,000′
293°–359° byd 40 NM

RALPH M SHARPE (See TUNICA on page 190)


RAYMOND

JOHN BELL WILLIAMS (JVW)(KJVW) 3 NE UTC–6(–5DT) N32°18.27′ W90°24.63′ **MEMPHIS**
247 B NOTAM FILE GWO **H–6J, L–18G**
RWY 12–30: H5499X100 (ASPH–RFSC) S–60, D–75 MIRL **IAP**
RWY 12: REIL. PAPI(P4L)—GA 3.0° TCH 38′.
RWY 30: REIL. PAPI(P2L)—GA 4.0° TCH 50′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 12 and 30; MIRL Rwy 12–30—CTAF. PAPI Rwy 12 and 30 opr consly.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat 1400–1800Z‡. Fuel avbl 24 hrs with card. Pilots must provide their own tiedown ropes. Paint fac.
AIRPORT MANAGER: 601-857-3884
WEATHER DATA SOURCES: AWOS–3PT 118.675 (601) 857–3887.
COMMUNICATIONS: CTAF/UNICOM 123.0
JACKSON APP/DEP CON 125.25 (153°–332°) (1200–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5 (0500–1200Z‡)
CLEARANCE DELIVERY PHONE: When Apch clsd, for CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
MAGNOLIA (VH) (H) VORTACW 113.2 MHZ Chan 79 N32°26.04′ W90°05.99′ 245° 17.6 NM to fld. 407/1W.
TACAN AZIMUTH unusable:
240°–275° byd 30 NM blo 2,000′
DME unsbl 240–275 byd 30 NM blo 2000
ILS/DME 108.55 I–JVW Chan 22(Y) Rwy 12.
COMM/NAV/WEATHER REMARKS: IFR clearances issued by Jackson App via recorded phone line call 601–965–4625.



RICHTON–PERRY CO (M59) 2 S UTC–6(–5DT) N31°19.02′ W88°56.09′ **NEW ORLEANS**
167 B NOTAM FILE GWO **L–21C, 22G**
RWY 18–36: H3000X60 (ASPH) S–20 MIRL
RWY 18: PAPI(P2L). Trees.
RWY 36: PAPI(P2L). Trees.
SERVICE: **LGT** ACTVT PAPI Rwy 18 and 36; MIRL Rwy 18–36—CTAF. Arpt bcn OTS indefly.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 601-788-7770
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
EATON (L) (L) VORTACW 110.6 LBY Chan 43 N31°25.12′ W89°20.26′ 101° 21.6 NM to fld. 290/5E.
VOR unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
111°–164° byd 10 NM blo 2,000′
241°–251°
300°–000° byd 30 NM
TACAN AZIMUTH unusable:
010°–036° byd 30 NM
010°–036° byd 6 NM blo 15,000′
300°–000° byd 30 NM
DME unusable:
268°–274° byd 30 NM blo 5,000′
300°–000° byd 30 NM

RIPLEY (25M) 3 W UTC–6(–5DT) N34°43.36′ W89°00.88′ **MEMPHIS**
467 B NOTAM FILE GWO **L–18G**
RWY 03–21: H4400X75 (ASPH) S–20 MIRL 0.8% up NE **IAP**
RWY 03: PAPI(P2L)—GA 3.25° TCH 15′. Tree.
RWY 21: PAPI(P2L)—GA 3.5° TCH 16′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–0400Z‡. After 0400Z‡ ACTVT PAPI Rwy 03 and 21; MIRL Rwy 03–21—CTAF.
AIRPORT REMARKS: Unattended. 100LL fuel avbl 24 hrs with credit card. Courtesy van avbl.
AIRPORT MANAGER: 662-587-9500
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**MEMPHIS CENTER APP/DEP CON** 135.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
HOLLY SPRINGS (L) (L) VORTACW 112.4 HLI Chan 71 N34°46.21′ W89°29.79′ 094° 24.0 NM to fld. 624/3E.
VOR UNUSABL:
172°–192° byd 25 NM blo 2,400′



ROSCOE TURNER (See CORINTH on page 156)

RULEVILLE–DREW (See DREW on page 158)

SEGARS FLD (See IUKA on page 166)


SELFS (See MARKS on page 174)

SEYER N35°00.94′ W88°36.94′ NOTAM FILE GWO. **MEMPHIS**
NDB (LOMW) 334 UU 176° 6.1 NM to Roscoe Turner. 510/2W.


SIDON N33°27.83′ W90°16.64′ NOTAM FILE GWO. **MEMPHIS**
(VH) (H) VORTACW 114.7 SQS Chan 94 077° 9.7 NM to Greenwood–Leflore. 127/3E. **H–6J, 5C, L–18G**
VOR unusable:
059°–069° byd 40 NM

STARKVILLE

GEORGE M BRYAN (STF)(KSTF) 3 SW UTC–6(–5DT) N33°25.99′ W88°50.92′ **MEMPHIS**
333 B NOTAM FILE GWO **H–6J, L–18G**
RWY 18–36: H5550X150 (ASPH–CONC) S–25, D–30 HIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 36′. Thld dsplcd 1379′. Sign.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** 1400–2230Z‡; aft hr ACTVT REIL Rwy 36; HIRL Rwy 18–36—CTAF. PAPI Rwy 18 and 36 oprconsly.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡, Sun 1900–2300Z‡. Jet A full svc aft hrs–ctc AMGR. Fuel avbl 24 hrs with credit card. Experimental acft on and invof of arpt. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 662-418-5900
WEATHER DATA SOURCES: AWOS–3PT 118.975 (662) 323–4966.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **COLUMBUS APP/DEP CON** 135.6 (1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat and hols.)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 127.1 (0100–1300Z‡ Mon–Fri, 2300Z–1800Z‡ Sun, Sat and hols.)
COLUMBUS CLNC DEL 126.25
CLEARANCE DELIVERY PHONE: For CD ctc Columbus Apch at 662-434-3044.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 256° 17.1 NM to fld. 245/4E.
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM
LOC/DME 109.9 I–STF Chan 36 Rwy 36.




OKTIBBEHA (M51) 7 NE UTC–6(–5DT) N33°29.86′ W88°40.89′ **MEMPHIS**
250 NOTAM FILE GWO **L–18G**
RWY 14–32: 2600X150 (TURF) **IAP**
RWY 14: Trees.
RWY 32: Trees.
RWY 01–19: 2237X150 (TURF)
RWY 01: Trees.
RWY 19: Trees.
AIRPORT REMARKS: Attended Sat–Sun. Rwy 14–32 marked by mowing and white jugs 75′ apart. Rwy 01–19 marked by mowing and white jugs 75′ apart.
AIRPORT MANAGER: 662-341-2345
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **COLUMBUS APP/DEP CON** 135.6 (1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat and hols.)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 127.1 (0100–1300Z‡ Mon–Fri, 2300Z–1800Z‡ Sun, Sat and hols.)
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 271° 8.5 NM to fld. 245/4E.
VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM
COMM/NAV/WEATHER REMARKS: UNICOM OTS indef.



STENNIS INTL (See BAY ST LOUIS on page 148)

TALLULAH

VICKSBURG TALLULAH RGNL (TVR)(KTVR) 9 E UTC–6(–5DT) N32°21.10′ W91°01.66′ **MEMPHIS**
86 B TPA—1086(1000) NOTAM FILE TVR **H–6J, L–18F**
RWY 18–36: H5002X100 (ASPH) S–60, D–75 MIRL **IAP**
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RWY 36: SSALR. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18: TORA–5002 TODA–5002 ASDA–5002 LDA–5002
RWY 36: TORA–5002 TODA–5002 ASDA–5002 LDA–5002
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36, REIL Rwy 18, SSALR Rwy 36 preset low ints dusk–dawn, to increase ints ACTVT—CTAF.
AIRPORT REMARKS: Attended 1300–2330Z‡. Holidays 1600–2200Z‡. For arpt mgr aft hrs call 318–366–1615. PAEW on arpt. Migratory birds invof arpt. Crop dusting activity 2 NM radius of arpt. Ctc aprt mgr for dsgnd ramp space for pub use. Pilots in tfc pattern are requested to avoid over flight of Mound, LA 1/2 mile south and east of Rwy 36.
AIRPORT MANAGER: 318-574-5841
WEATHER DATA SOURCES: ASOS 118.525 (318) 574–4866.
COMMUNICATIONS: CTAF/UNICOM 123.0
MEMPHIS CENTER APP/DEP CON 132.5
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.



RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
MAGNOLIA (VH) (H) VORTACW 113.2 MHZ Chan 79 N32°26.04′ W90°05.99′ 265° 47.4 NM to fld. 407/1W.
TACAN AZIMUTH unusable:
240°–275° byd 30 NM blo 2,000′
DME unsbl 240–275 byd 30 NM blo 2000
TALLULAH NDB (MHW/LOM) 344 TKH N32°14.72′ W91°01.55′ 357° 6.4 NM to fld. 79/2E. NOTAM FILE DRI.
ILS 109.7 I–TVR Rwy 36. Class ID.

THIGPEN FLD (See BAY SPRINGS on page 147)


TISHOMINGO CO (See BELMONT on page 149)

TRENT LOTT INTL (See PASCAGOULA on page 182)

TUNICA

RALPH M SHARPE (3ØM) 2 S UTC–6(–5DT) N34°39.55′ W90°22.57′ **MEMPHIS**
195 NOTAM FILE GWO
RWY 01–19: H2508X14 (ASPH)
RWY 01: THld dsplcd 108′.
AIRPORT REMARKS: Attended Mar–Oct dalgt hrs, Nov–Feb Mon–Fri irregularly, call manager. Rwy 01–19 80′ trees E side S of rwy violate 7:1 trsn slp. Call ahead to reserve hangar transient storage. Rwy 01 is 14 ft wid by 1800 ft long; Rwy 19 is 18 ft wid by 708 ft long.
AIRPORT MANAGER: 662-363-1461
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Memphis Apch at 901-842-8457.


TUNICA MUNI (UTA)(KUTA) 1 E UTC–6(–5DT) N34°41.10′ W90°20.87′ **MEMPHIS**
194 B NOTAM FILE UTA MON Airport **H–6J, L–18G**
RWY 17–35: H8500X150 (ASPH–GRVD) S–94, D–215, 2T–510, 2D–460, 2D/2D2–720 PCN 45 F/B/X/U HIRL **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 35: MALSR. PAPI(P4L)—GA 3.0° TCH 47′. Rgt tfc.



SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3 **LGT** ACTVT MALSR Rwy 35; REL Rwy 17; HIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended 1200–0300Z‡. Geese invof arpt Nov–Feb. Agricultural act invof arpt dalgt. Aft hr fuel–AMGR. 24 hr PPR coml flgts over 30 pax–AMGR. Clsd to sked ACR ops with more than 9 pax seats and unsked ACR ops with more than 30 pax seats. Rwy 35 calm wind rwy.
AIRPORT MANAGER: 662-357-7320
WEATHER DATA SOURCES: AWOS–3 118.075 (662) 363–1652.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **MEMPHIS APP/DEP CON** 119.1
CLNC DEL 118.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis Apch at 901-842-8457.
RADIO AIDS TO NAVIGATION: NOTAM FILE MEM.
MEMPHIS (H) (H) VORTACW 117.5 MEM Chan 122 N35°00.91′ W89°58.99′ 221° 26.7 NM to fld. 363/1E.
ILS/DME 110.95 I–UTA Chan 46(Y) Rwy 35. Class 1E.

TUNNG N34°23.11′ W89°37.56′ NOTAM FILE GWO. **MEMPHIS**
NDB (LOMW) 426 UV 092° 4.4 NM to University–Oxford. 410/1W. LOC & NDB unmonitored 2300–1400Z‡. **L–18G**

TUPELO RGNL (TUP)(KTUP) P (ARNG) 3 W UTC–6(–5DT) N34°16.14′ W88°46.19′ **MEMPHIS**
347 B Class I, ARFF Index A NOTAM FILE TUP **H–6J, L–18G**
RWY 18–36: H7150X150 (ASPH–GRVD) S–69, D–91, 2D–168 PCR 72 F/C/W/T HIRL **IAP, DIAP, AD**
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 45′.
RWY 36: MALSR. PAPI(P4L)—GA 3.0° TCH 55′.



SERVICE: S4 **FUEL** 100LL, JET A, A+, A1+ **OX** 3, 4 **LGT** ACTVT MALSR Rwy 36; REIL Rwy 18; HIRL Rwy 18–36—CTAF. PAPI Rwy 18 and 36 opr consly.
MILITARY— FUEL A+ (avbl 1200–0400Z‡, C931–492–2160. OT C931–492–2160, $50 fee, 30 min PN.) (NC–100LL, A1+)
AIRPORT REMARKS: Attended 1200–0400Z‡. A+ fuel svc avbl 24 hrs with credit card. Hel ops all hrs 700 ft AGL E of rwy 18/36–ctc CTAF for adzy. ACR ramp rstrd to ACR ops excp with PPR. Call amgr Mon–Fri 1400–2300Z‡; 662–841–6570. PPR for unsked ACR ops with more than 30 pax seats call amgr 662–841–6570. Index B ARFF eqpt avbl only during sked ACR ops.
MILITARY REMARKS: CAUTION Hel ops all hrs 700 ft AGL E of Rwy 18–36–ctc CTAF for adzy. **ARNG** Support fac opr Mon–Fri 1300–2200Z‡ exc hol. Ltd prk avbl. No tsnt fuel avbl. DSN 293–3438, C662–891–4438.
AIRPORT MANAGER: 662-841-6570
WEATHER DATA SOURCES: ASOS 133.525 (662) 200–1505.
COMMUNICATIONS: CTAF 118.775
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.5
TOWER 118.775 (1200–0400Z‡) **GND CON** 121.825
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Memphis ARTCC at 901-368-8453/8449.
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUP.
(L) (L) VORW/DME 109.8 OTB Chan 35 N34°13.43′ W88°47.84′ 023° 3.0 NM to fld. 364/4E.
VOR portion unusable:
190°–220°
VERON NDB (LOMW) 420 TU N34°10.82′ W88°46.12′ 001° 5.3 NM to fld. 325/2W.
ILS/DME 108.5 I–TUP Chan 22 Rwy 36. Class IA. LOM VERON NDB. Unmonitored 0500–1100Z‡. LOC unusable byd 025° right of course. Autopilot cpd apchs NA blw 1,160′ MSL.

TYLERTOWN

PAUL PITTMAN MEML (T36) 3 NW UTC–6(–5DT) N31°08.74′ W90°10.07′ **NEW ORLEANS**
384 B NOTAM FILE GWO **L–21B, 22F**
RWY 18–36: H3023X60 (ASPH) S–20 MIRL 0.9% up N
RWY 18: PAPI(P2L)—GA 3.5° TCH 44′. Trees.
RWY 36: PAPI(P2L)—GA 3.0° TCH 41′.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—CTAF. PAPI Rwy 18 and Rwy 36 opr consly. Rwy 18–36 PAPI unusbl byd 7° left and 9° right of cntrln.
AIRPORT REMARKS: Unattended. Wildlife on & invof arpt. Fuel avbl 24 hrs with credit card. Pilots must prvd their own tiedown ropes.
AIRPORT MANAGER: 601-814-9021
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE MCB.
MC COMB (VH) (H) VORTACW 116.7 MCB Chan 114 N31°18.27′ W90°15.49′ 151° 10.6 NM to fld. 440/3E.
VOR unusable:
001°–009° byd 40 NM blo 3,000′
001°–009° byd 53 NM
010°–016° byd 71 NM blo 5,000′
025°–046° byd 40 NM
064°–169° byd 40 NM
174°–230° byd 40 NM
248°–262° byd 40 NM
263°–272° byd 40 NM blo 3,000′
263°–272° byd 51 NM blo 4,000′
263°–272° byd 63 NM
273°–360° byd 40 NM

UNIVERSITY–OXFORD (See OXFORD on page 181)

VERON N34°10.82′ W88°46.12′ NOTAM FILE TUP. **MEMPHIS**
NDB (LOMW) 420 TU 001° 5.3 NM to Tupelo Rgnl. 325/2W. **L–18G**

VICKSBURG MUNI (VKS)(KVKS) 7 SW UTC–6(–5DT) N32°14.35′ W90°55.69′ **MEMPHIS**
107 B NOTAM FILE GWO **H–6J, L–18F**
RWY 01–19: H5000X100 (ASPH) S–30, D–50, 2D–90 MIRL **IAP**
RWY 01: PAPI(P2R)—GA 3.0° TCH 39′. Thld dsplcd 299′. Trees.
RWY 19: PAPI(P2L)—GA 3.0° TCH 44′. Thld dsplcd 471′. Tree.
SERVICE: **FUEL** 100LL, JET A+, A1+, J **LGT** ACTVT PAPI Rwy 19; MIRL Rwy 01–19—CTAF. PAPI Rwy 01 opr consly.
AIRPORT REMARKS: Attended Mon–Fri 1200–2300Z‡. Aft hrs call 601–218–5428. Call out fee rqrd. 100LL 24 hrs with credit card. N parl twy clsd. Term stub twy only. Airframe rprs: avbl 601–529–2909. Pwr plant rprs: avbl 601–529–2909.
AIRPORT MANAGER: 601-218-5789
WEATHER DATA SOURCES: AWOS–3 118.85 (601) 801–5376.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
MAGNOLIA (VH) (H) VORTACW 113.2 MHZ Chan 79 N32°26.04′ W90°05.99′ 256° 43.7 NM to fld. 407/1W.
TACAN AZIMUTH unusable:
240°–275° byd 30 NM blo 2,000′
DME unsbl 240–275 byd 30 NM blo 2000

VICKSBURG TALLULAH RGNL (See TALLULAH on page 190)


WATER VALLEY MUNI (33M) 3 NW UTC–6(–5DT) N34°10.07′ W89°41.09′ **MEMPHIS**
270 B NOTAM FILE GWO **L–18G**
RWY 15–33: H3000X50 (ASPH) S–20 LIRL
RWY 15: PAPI(P2L)—GA 3.0° TCH 47′.
RWY 33: PAPI(P2L)—GA 3.0° TCH 40′. Tree.
SERVICE: **FUEL** 100LL **LGT** LIRL Rwy 15–33 preset low intst; to incr—CTAF. PAPIs oper continuously.
AIRPORT REMARKS: Attended on call. Lrg flocks of ducks ovr lake. For part–time attendant call 662–473–7676. 100LL avbl 24 hrs with credit card. Pilots must provide their own tie ropes.
AIRPORT MANAGER: 662-473-7676
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
HOLLY SPRINGS (L) (L) VORTACW 112.4 HLI Chan 71 N34°46.21′ W89°29.79′ 192° 37.3 NM to fld. 624/3E.
VOR UNUSABL:
172°–192° byd 25 NM blo 2,400′

WAYNESBORO MUNI (2RØ) 2 S UTC–6(–5DT) N31°38.61′ W88°38.11′ **NEW ORLEANS**
169 B NOTAM FILE GWO **H–6J, L–22G**
RWY 02–20: H5000X75 (ASPH) S–15 MIRL
RWY 02: PAPI(P2L). Trees.
RWY 20: PAPI(P2L). Thld dsplcd 665′. Railroad.
SERVICE: **FUEL** 100LL, JET A1+ **LGT** ACTVT PAPI Rwy 02 and 20; MIRL Rwy 02–20—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1200–1800Z‡. Wildlife nr Rwy 20. Aft hrs svc ctc amgr, 410–404–8959. 100LL Fuel 24 hr credit card svc avbl. Airframe and pwr plant rprs avbl upon req: 410–404–8959.
AIRPORT MANAGER: 410-404-8959
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
GREENE COUNTY (H) TACAN Chan 104 GCV (115.7) N31°05.88′ W88°29.17′ 342° 33.5 NM to fld. 300/5E.

WEST DELTA DLP N29°07.28′ W89°32.83′ **NEW ORLEANS**
AWOS–3 120.425 **L–21B, 22G, GOAC**

WEST POINT

MCCHAREN FLD (M83) 2 S UTC–6(–5DT) N33°35.04′ W88°40.00′ **MEMPHIS**
205 B NOTAM FILE GWO **L–18G**
RWY 18–36: H3850X75 (ASPH) S–30, D–36 MIRL **IAP**
RWY 18: Thld dsplcd 390′. Tree.
RWY 36: Road.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–0400Z‡. Aft 0400Z‡, ACTVT MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Unattended. 100LL svc avbl 24 hr with credit card.
AIRPORT MANAGER: 662-524-0039
COMMUNICATIONS: CTAF 122.9
Ⓡ **COLUMBUS APP/DEP CON** 135.6 (1300–0100Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat and hols.)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 127.1 (0100–1300Z‡ Mon–Fri, 2300Z–1800Z‡ Sun, Sat and hols.)
CLEARANCE DELIVERY PHONE: For CD ctc Columbus Apch at 662-434-3044, when clsd ctc Memphis ARTCC at 901-368-8453/8449.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

BIGBEE (VL) (L) VORTACW 116.2 IGB Chan 109 N33°29.13′ W88°30.82′ 304° 9.7 NM to fld. 245/4E.

VOR unusable:
010°–020°
021°–045° byd 40 NM
070°–077° byd 41 NM blo 22,000′
078°–083° byd 41 NM
084°–100° byd 40 NM
101°–118° byd 56 NM
119°–130° byd 40 NM
157°–206° byd 40 NM
200°–260° blo 5,000′
230°–233° byd 51 NM
234°–260° byd 40 NM
261°–270° byd 45 NM
280°–295° byd 40 NM
310°–325° byd 40 NM

WIGGINS


DEAN GRIFFIN MEML (M24) 1 W UTC–6(–5DT) N30°50.58′ W89°09.69′ **NEW ORLEANS**
273 B NOTAM FILE GWO **L–21C, 22G**
RWY 17–35: H3500X75 (ASPH) S–20 PCN 10 F/A/Y/T MIRL 0.8% up N **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 35′. Thld dsplcd 500′. Tree.
RWY 35: PAPI(P2L)—GA 3.0° TCH 50′. Trees.
SERVICE: **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.
AIRPORT REMARKS: Attended 1400–2300Z‡. 100LL avbl 24 hrs with credit card. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 601-928-7221
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **GULFPORT APP/DEP CON** 127.5 (1200–0500Z‡)
Ⓡ **HOUSTON CENTER APP/DEP CON** 126.8 (0500–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Gulfport Apch at 228-265-6151, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
PICAYUNE (VL) (DH) VORW/DME 113.95 PCU Chan 86(Y) N30°33.67′ W89°43.83′ 055° 33.9 NM to fld. 70/5E.
VOR unusable:
011°–055° byd 40 NM blo 8,000′
056°–078° byd 40 NM
079°–102° byd 40 blo 8,000′
103°–140° byd 40 NM
220°–010° byd 40 NM
285°–305° byd 6 NM blo 4,000′
325°–076° byd 26 NM blo 2,500′
DME unusable:
078°–180° byd 32 NM blo 3,000′
331°–064° byd 27 NM blo 4,000′

WINONA–MONTGOMERY CO (5A6) 1 S UTC–6(–5DT) N33°27.90′ W89°43.81′ **MEMPHIS**
364 B NOTAM FILE GWO **L–18G**
RWY 03–21: H4000X60 (ASPH) S–18 MIRL 0.4% up NE **IAP**
RWY 03: PAPI(P2L)—GA 4.0° TCH 30′. Trees.
RWY 21: PAPI(P2L)—GA 4.0° TCH 30′. Trees.
SERVICE: S2 **FUEL** 100LL **LGT** ACTVT PAPI Rwy 03 and 21; MIRL Rwy 03–21—CTAF. MIRL opr dusk–0400Z‡.
AIRPORT REMARKS: Attended continuously. Fuel 24 hr credit card svc avbl. Powerplant and airframe repairs avbl in emerg or with pn 662–283–9833. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 662-417-4417
WEATHER DATA SOURCES: AWOS–3PT 120.175 (662) 283–2172.
COMMUNICATIONS: CTAF 122.9
Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.5
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
SIDON (VH) (H) VORTACW 114.7 SQS Chan 94 N33°27.83′ W90°16.64′ 087° 27.5 NM to fld. 127/3E.
VOR unusable:
059°–069° byd 40 NM

YAZOO CITY


YAZOO CO (87I) 4 NW UTC–6(–5DT) N32°53.01′ W90°27.84′
105 B NOTAM FILE GWO
RWY 17–35: H5000X100 (ASPH) S–30, 2D–64 MIRL
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
SERVICE: **FUEL** 100LL, JET A1+ **LGT** MIRL Rwy 17–35 preset low intst dusk–0400Z‡, aft 0400Z‡ ACTVT or incr intst—CTAF.
AIRPORT REMARKS: Unattended. Parachute Jumping. Fuel avbl 24 hrs with credit card. Pilots must provide their own tiedown ropes.
AIRPORT MANAGER: 662-571-1392
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
MAGNOLIA (VH) (H) VORTACW 113.2 MHZ Chan 79 N32°26.04′ W90°05.99′ 327° 32.6 NM to fld. 407/1W.
TACAN AZIMUTH unusable:
240°–275° byd 30 NM blo 2,000′
DME unsbl 240–275 byd 30 NM blo 2000

MEMPHIS
H–6J, L–18G
IAP



YAZOO CO (See YAZOO CITY on page 195)


ADA RGNL (ADH)(KADH) 2 N UTC–6(–5DT) N34°48.26′ W96°40.27′ **DALLAS–FT WORTH**
1016 B NOTAM FILE ADH **H–6H, L–17C**
RWY 18–36: H6203X100 (ASPH) S–50, D–140, 2S–175, 2D–224 **IAP**
MIRL 0.6% up N
RWY 18: ODALS. PAPI(P4L)—GA 3.0° TCH 31′.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 43′. Thld dsplcd 100′. Trees.
RWY 13–31: H2717X50 (ASPH–CONC) S–50, D–171, 2S–175, 2D–280 0.9% up NW
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 2 **LGT** ACTVT ODALS Rwy 18; REILs Rwy 36; MIRL Rwy 18–36—CTAF. PAPI Rwy 18 and 36 on consly. VGSI unusbl byd 7 degs right of cntrln.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡, Sun 1800–2300Z‡. For 100LL fuel aft hr call 580–235–5279. Rwy 13–31 and Helipad H1 CLOSED perm.
AIRPORT MANAGER: 580-436-8190
WEATHER DATA SOURCES: AWOS–3PT 118.725 (580) 332–6222.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.
ARDMORE (VH) (H) VORTACW 116.7 ADM Chan 114 N34°12.70′ W97°10.09′ 029° 43.2 NM to fld. 937/6E.
VOR unusable:
150°–160°
302°–346°



HELIPAD H1: H40X40 (CONC) PERIMETER LGTS

AFTON

GRAND LAKE RGNL (3O9) 10 SE UTC–6(–5DT) N36°34.65′ W94°51.71′ **KANSAS CITY**
792 NOTAM FILE MLC **L–16F**
RWY 17–35: H3925X60 (CONC) S–30, D–60, 2D–80
RWY 17: Thld dsplcd 230′. Trees.
RWY 35: Thld dsplcd 230′.
AIRPORT REMARKS: Unatndd. Birds on and invof arpt. 130′ tower 1200′ east of Rwy 17. Rwy 17 end is 30 ft higher than Rwy 35 end. Rwy 17–35 230 ft safety zone on either end of rwy marked as dsplcd thld. Rwy 17 and Rwy 35 mrkgs svrly faded. Ldg fee.
AIRPORT MANAGER: 573-569-4448
COMMUNICATIONS: CTAF/UNICOM 122.7
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.



ALTUS AFB (LTS)(KLTS) AF 3 E UTC–6(–5DT) N34°40.08′ W99°16.07′ **DALLAS–FT WORTH**
1382 B TPA—See Remarks NOTAM FILE LTS Not insp. **H–6H, L–17B**
RWY 18R–36L: H13440X150 (CONC) PCN 61 R/B/W/T HIRL **DIAP, AD**
RWY 18R: SALSF. PAPI(P4L)—GA 3.0° TCH 53′. RVR–T
RWY 36L: ALSF1. PAPI(P4L)—GA 3.0° TCH 54′. RVR–T Rgt tfc.
RWY 18L–36R: H9001X150 (CONC–GRVD) PCN 32 R/B/W/T HIRL
RWY 18L: SALSF. PAPI(P4L)—GA 3.0° TCH 46′. RVR–T
RWY 36R: ALSF1. PAPI(P4L)—GA 3.0° TCH 52′. RVR–T
RWY 17G–35G: H3500X90 (CONC) PCN PCN/121/R/B/W/T HIRL
SERVICE: S4 **OX** 2, 4 **LGT** Reduced pri sfc obstn lgts for Rwy 18L–36R durg nvd ops. Rwy 18R, 18L, 36R and 36L SFL O/S UFN. **MILITARY— JASU** (A/M32A–86) (AM32A–95) (MXU–4A–A) **FUEL** A++ **FLUID** W SP PRESAIR LHOX LOX **OIL** O–133–148–156 SOAP (24 hr PN) **TRAN ALERT** Svc avbl 1500–0001Z‡ Mon–Fri; clsd Sat, Sun and hol. Tran maint and parts support extremely ltd. Transient maint unable to perform a magnetic chip indicator inspection on F16 acft with GE F110 engines.
MILITARY REMARKS: Opr 1500–0830Z‡ Mon–Fri, clsd weekends and holidays. Tran acft: 1530–0830Z‡, clsd weekends and holidays. See FLIP AP/1 Supplementary Arpt Info. **RSTD** PPR rqr 48 hr prior notice rqr. (training or operational) Ctc Afld Management Ops DSN 866–6200/6415, C580–481–6200/6415. PPR valid +/– 30 min prior/after ETA. Early/late arrival/ departure must re–coordinate with afld management ops. Transient aircrews must contact afld management ops for pattern work request. Limited to one apch Mon–Fri. Altus acft take priority over tran acft. Rwy 176–356 for assault strip trng only. Trans acft req assault strip use ctc Current Ops for sched/apvl DSN 866 6544. Due to unscheduled afld closings, aircrews utilizing Altus AFB as an alternate must advise their dep Afld Management Ops or local FSS to include KLTSYXYX as an addressee on the orig DD 1801 Flight Plan and on any change, delay, dep and cancel message. All inbound passenger/cargo acft ctc command post (Geronimo 349.4) no later than 30 min prior to ldg. All acft with haz cargo (including MJU7 and MJU10 flares) notify Afld Management Ops (PTD 372.2) and Command Post no later than 30 min prior to ldg. Minimum Communications Security aids and overnight storage avbl for transient aircrews only. **CAUTION** Hvy/jumbo jet trng sfc to 9000′ within 25 NMR. Exer extreme caution for acft (1425′) taxiing 350′ east of dep end assault Rwy 176. Rwy 18R–36L mrkd with white non–reflective 90′ X 3500′ assault LZ mrk. Nstd Wing tip clnc trng line mrkgs lctd at Twy B & B2 intxn, Twy B & D intxn, and Twy A & C intxn. Ngt Vision Devices trng aprx 1 hr after SS til afld closure. IAW 97 OG NVD/white–light ops mou all tran acft req pattern trng between 1 hr after SS until afld closure must be opr under letter of agreement that includes NVD ops. To obtain Letter of Agreement, ctc current ops DSN 866–6544. All tran acft will ctc Afld Management Ops (327.2) or Comd Post (Geronimo 349.4) 30 min prior to arrival. No twy edge lgt Twy D south side to Twy B to Rwy 36L; retro reflective mkrs in place. Nstd mark: C17 star turn markings lctd on the North Ramp, Twy J, and Twy L/M ground ops area. BASH phase II in eff 15 Nov thru 28–29 Feb for migratory birds. No tkof or ldg wi 1 hr of SR–SS, 97 OG/CC waiver auth. Ctc twr for current bird watch cond. **TFC PAT** TPA East, ovhd Rwy 18L–36R and 176–356 3400′ west, ovhd Rwy 18R–36L 3400′, east rectangular 2900′, West, (97 AMW acft only) retangular 2900′, copter 1900′. **MISC** Twr vis obst of Rwy 36L apch end and Twy C, south of Twy E1 intxn. Rwy 18L–36R first 1000′ is conc. Middle 7001′ of Rwy 18L–36R is porous friction sfc.
AIRPORT MANAGER: 580-481-5739
COMMUNICATIONS: ATIS 109.8 273.5 **PTD** 372.2
Ⓡ **APP CON** 125.1 353.7 (1500–0830Z‡ Mon–Fri, clsd weekends and holidays.)
Ⓡ **FORT WORTH CENTER APP CON** 128.4 269.375 133.5 350.35 (0830–1500Z‡ Mon–Fri, 24 hrs weekends and holidays.)
TOWER 119.65 254.4 (1500–0830Z‡ Mon–Fri, clsd weekends and holidays.) **GND CON** 121.85 275.8 **CLNC DEL** 120.65 284.7
Ⓡ **DEP CON** 125.1 290.9, (1500–0830Z‡ Mon–Fri, clsd weekends and holidays.)
Ⓡ **FORT WORTH CENTER DEP CON** 128.4 269.375 133.5 350.35 (0830–1500Z‡ Mon–Fri, 24 hrs weekends and holidays.)
COMD POST (Call GERONIMO) 321.0 349.4 6761 **SOF** 349.4
PMSV METRO 239.8 (Opr H24 fm 0600Z‡ Mon thru 0800Z‡ Sat or end of flying Fri. Wx fcst svc avbl H24 fm 0600Z‡ Mon thru 0800Z‡ Sat or end of flying day Fri. Clsd wkend and hol. Remote briefing svc avbl 26 OWS, Barksdale AFB, DSN 331–2619, C318–529–2619. Afld WX is mnt by AN/FMQ–19, augmented as required dur afld opr hr. Auto obsn when afld clsd)

CONTINUED ON NEXT PAGE


CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS D svc 1500–0830Z‡ Mon–Fri, clsd Sat–Sun and hol; other times CLASS G.
TRSA svc ctc **APP CON**
RADIO AIDS TO NAVIGATION: NOTAM FILE LTS.
(L) (L) VORTACW 109.8 LTS Chan 35 N34°39.78′ W99°16.27′ at fld. 1361/5E.
No NOTAM MP: 1100–1400Z‡ Mon, Wed
VOR unusable:
033°–093° byd 35 NM blo 4,000′
093°–118° byd 35 NM blo 5,000′
149°–159° byd 10 NM
213°–278° byd 35 NM blo 3,500′
278°–303° byd 35 NM blo 4,000′
303°–353° byd 30 NM blo 2,500′
303°–353° byd 35 NM blo 4,000′
353°–033° byd 30 NM blo 4,000′
353°–033° byd 35 NM blo 5,000′
TACAN AZIMUTH unusable:
065°–080° byd 17 NM
358°–008° byd 25 NM blo 6,000′
DME unusable:
065°–080° byd 17 NM
358°–008° byd 25 NM blo 6,000′
ILS 110.55 I–RUK Rwy 18L. No NOTAM MP: Rwy 18R–36L and 18L–36R 1100–1400Z‡ Tue, Thu.
ILS 111.3 I–ALT Rwy 18R. No NOTAM MP: Rwy 18R–36L and 18L–36R 1100–1400Z‡ Tue, Thu. Ap coupled apch NA blw 1,740′ MSL.
ILS 110.3 I–LTS Rwy 36L. No NOTAM MP: Rwy 18R–36L and 18L–36R 1100–1400Z‡ Tue, Thu.
ILS 110.55 I–FNM Rwy 36R. Class IE. No NOTAM MP: Rwy 18R–36L and 18L–36R 1100–1400Z‡ Tue, Thu.
ASR No NOTAM MP: 1100–1400Z‡ Mon-Fri.

ALTUS/QUARTZ MOUNTAIN RGNL (AXS)(KAXS) 3 N UTC–6(–5DT) N34°41.93′ W99°20.31′


DALLAS–FT WORTH H–6H, L–17B IAP

1433 B NOTAM FILE AXS
RWY 17–35: H5501X75 (CONC) S–30, D–48, 2D–90 MIRL 0.3% up N
RWY 17: ODALS. PAPI(P4L)—GA 3.0° TCH 40′. Rgt tfc.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT ODALS Rwy 17; REIL Rwy 35; MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 on consly.
AIRPORT REMARKS: Attended 1400–0000Z‡. Svc aft hr–580–471–0992. Do not mistake arpt for Altus AFB 4 miles SE. 320′ twr 2.6 mi S. Mil jet, agricultural and ultralight act on and invof arpt.
AIRPORT MANAGER: 580-482-8833
WEATHER DATA SOURCES: AWOS–3PT 118.825 (580) 477–1745.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **APP/DEP CON** 125.1 (1500–0830Z‡, clsd weekends and holidays. Other times ctc)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4 133.5
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LTS.
(L) (L) VORTACW 109.8 LTS Chan 35 N34°39.78′ W99°16.27′ 298° 4.0 NM to fld. 1361/5E.
No NOTAM MP: 1100–1400Z‡ Mon, Wed
VOR unusable:
033°–093° byd 35 NM blo 4,000′
093°–118° byd 35 NM blo 5,000′
149°–159° byd 10 NM
213°–278° byd 35 NM blo 3,500′
278°–303° byd 35 NM blo 4,000′
303°–353° byd 30 NM blo 2,500′
303°–353° byd 35 NM blo 4,000′
353°–033° byd 30 NM blo 4,000′
353°–033° byd 35 NM blo 5,000′
TACAN AZIMUTH unusable:
065°–080° byd 17 NM
358°–008° byd 25 NM blo 6,000′
DME unusable:
065°–080° byd 17 NM
358°–008° byd 25 NM blo 6,000′




ALVA RGNL (AVK)(KAVK) 2 S UTC–6(–5DT) N36°46.41′ W98°40.27′
1477 B NOTAM FILE AVK
RWY 18–36: H5001X75 (CONC) MIRL
RWY 18: ODALS. PAPI(P4L)—GA 3.0° TCH 47′.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 09–27: 1390X170 (TURF) 0.3% up W
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT ODALS Rwy 18; REIL Rwy 36; MIRL Rwy 18–36—CTAF. PAPI Rwy 18 and 36 on consly.
AIRPORT REMARKS: Attended 1400–2300Z‡. 100LL fuel avbl H24 with 24 hr credit card.
AIRPORT MANAGER: 580-327-2898
WEATHER DATA SOURCES: AWOS–3PT 121.125 (580) 327–6778.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **VANCE APP/DEP CON** 126.75 (1300–0200Z‡ wkd, 1900–2300Z‡ Sun; clsd Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening. Other times by NOTAM)
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8 (0200–1300Z‡ wkd, 2300–1900Z‡ Sun; 24 Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening)
CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch at 580-213-6765. When Vance Apch is clsd, ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE WDG.
WOODRING (T) (T) VORW/DME 109.0 ODG Chan 27 N36°22.43′ W97°47.29′ 292° 48.9 NM to fld. 1150/8E.

WICHITA
H–6H, L–15D
IAP




ANADARKO MUNI (F68) 2 SW UTC–6(–5DT) N35°03.13′ W98°15.84′
1291 B NOTAM FILE MLC
RWY 17–35: H3100X50 (ASPH) S–12.5 MIRL 1.1% up S
RWY 17: Road.
RWY 35: Trees.
SERVICE: **LGT** MIRL Rwy 17–35 preset to low intensity; to increase—CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 405-247-2483
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 234° 37.1 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°

DALLAS–FT WORTH
L–17C



ANTLERS MUNI (8ØF) 3 SW UTC–6(–5DT) N34°11.61′ W95°38.99′
577 B NOTAM FILE MLC
RWY 18–36: H4001X60 (ASPH) S–12 MIRL
RWY 18: PAPI(P2L)—GA 3.0° TCH 40′. Tree.
RWY 36: PAPI(P2L)—GA 3.0° TCH 43′.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—CTAF. PAPI Rwy 18 and 36 on consly. Rwy 18 PAPI unusbl.
AIRPORT REMARKS: Unattended. 100LL avbl 24 hr with credit card.
AIRPORT MANAGER: 580-298-5635
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.875
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
MC ALESTER (L) TACAN Chan 57 MLC (112.0) N34°50.97′ W95°46.94′ 162° 39.8 NM to fld. 782/8E.


DALLAS–FT WORTH
L–17D
IAP




ARDMORE

ARDMORE DOWNTOWN EXEC (1FØ) 1 SE UTC–6(–5DT) N34°08.82′ W97°07.36′
845 B NOTAM FILE 1F0
RWY 17–35: H5014X75 (ASPH) S–20 MIRL
RWY 17: REIL. PAPI(P4L)—GA 4.0° TCH 41′. Trees.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Road. Rgt tfc.
SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** ACTIVATE REIL Rwy 17 and Rwy 35, MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2200Z‡, Sat 1400–1800Z‡, Sun on call (on call number: 580–223–5500). Fuel avbl 24 hrs with credit card.
AIRPORT MANAGER: (580) 389-5238
WEATHER DATA SOURCES: AWOS–3 118.15 (580) 226–1536.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.75
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.
(VH) (H) VORTACW 116.7 ADM Chan 114 N34°12.70′ W97°10.09′ 144° 4.5 NM to fld. 937/6E.
VOR unusable:
150°–160°
302°–346°

DALLAS–FT WORTH
H–6H, L–17C
IAP




ARDMORE MUNI (ADM)(KADM) 10 NE UTC–6(–5DT) N34°18.23′ W97°01.24′ **DALLAS–FT WORTH**
777 B NOTAM FILE ADM MON Airport **H–6H, L–17C**
RWY 13–31: H9002X150 (CONC) HIRL **IAP, AD**
RWY 13: PAPI(P4L)—GA 3.0° TCH 57′. Trees. 0.7% down..
RWY 31: MALSR. VASI(V4L)—GA 3.0° TCH 49′. Trees. 0.3% up.
RWY 17–35: H5404X100 (ASPH) S–36 MIRL 0.5% up N
RWY 35: Thld dsplcd 397′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 17: TORA–5007 TODA–5007 ASDA–5007 LDA–5007
RWY 35: TORA–5404 TODA–5404 ASDA–5404 LDA–5007
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** When ATCT clsd ACTVT MALSR Rwy 31; HIRL Rwy 13–31—CTAF; MIRL Rwy 17–35 on dusk–dawn.
AIRPORT REMARKS: Attended Mon–Fri 1300–0500Z‡, Sat–Sun 1300–2300Z‡.
AIRPORT MANAGER: 580-389-5238
WEATHER DATA SOURCES: AWOS–3 125.6 (580) 389–5078. LAWRS.
COMMUNICATIONS: CTAF 118.5 **ATIS** 125.6 **UNICOM** 122.95
Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.75
TOWER 118.5 (1300–0500Z‡ Mon–Fri; 1300–2300Z‡ Sat–Sun)
GND CON 121.8
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Fort Worth ARTCC at 817-858-7584.



AIRSPACE: CLASS D svc 1300–0500Z‡ Mon–Fri, 1300–2300Z‡ Sat–Sun; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.
(VH) (H) VORTACW 116.7 ADM Chan 114 N34°12.70′ W97°10.09′ 047° 9.2 NM to fld. 937/6E.
VOR unusable:
150°–160°
302°–346°
ILS 108.9 I–AIW Rwy 31. Class IT. Unmonitored when ATCT clsd.

ATOKA MUNI (AQR)(KAQR) 1 NW UTC–6(–5DT) N34°23.90′ W96°08.88′ **DALLAS–FT WORTH**
590 B NOTAM FILE AQR **L–17D**
RWY 18–36: H3015X60 (ASPH) S–4 MIRL 0.3% up N
RWY 18: PAPI(P2L)—GA 3.0° TCH 44′. Thld dsplcd 197′. Trees.
RWY 36: PAPI(P2L)—GA 3.0° TCH 43′. Thld dsplcd 233′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18: TORA–3015 TODA–3015 ASDA–3015 LDA–2818
RWY 36: TORA–3015 TODA–3015 ASDA–3015 LDA–2782
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 18–36 ops SS–SR. ACTVT PAPI Rwy 18—CTAF. Rwy 36 PAPI: unusbl byd 6 degs left and 9 degs right of cntrln.
AIRPORT REMARKS: Unattended. 100LL avbl H24 hr with credit card.
AIRPORT MANAGER: 580-889-3341
WEATHER DATA SOURCES: AWOS–3 121.125 (580) 889–6924.
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
MC ALESTER (L) TACAN Chan 57 MLC (112.0) N34°50.97′ W95°46.94′ 206° 32.5 NM to fld. 782/8E.

BARTLESVILLE MUNI (BVO)(KBVO) 2 NW UTC–6(–5DT) N36°45.80′ W96°00.67′ **KANSAS CITY**
717 B NOTAM FILE BVO **H–6I, L–15E**
RWY 17–35: H6850X100 (CONC–GRVD) S–50, D–100, 2S–127, 2D–170 MIRL 0.4% up S **IAP**
RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 53′. Trees. Rgt tfc.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Thld dsplcd 649′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 17: TORA–6201 TODA–6201 ASDA–6201 LDA–6201
RWY 35: TORA–6850 TODA–6850 ASDA–6850 LDA–6201
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 4 **LGT** ACTVT MALSR Rwy 17; REIL Rwy 35; PAPI Rwy 17 and Rwy 35—CTAF. MIRL Rwy 17–35 oper SS to SR and preset low intst, incr intst—CTAF.
AIRPORT REMARKS: Attended Mon–Thu 1300–0100Z‡, Fri–Sun 1300–0000Z‡.
AIRPORT MANAGER: (918) 661-3500
WEATHER DATA SOURCES: ASOS 132.675 (918) 336–2070.
COMMUNICATIONS: CTAF 122.825
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 128.6
BARTLESVILLE ADVISORY 122.825 (Monitored Mon–Fri during business hrs)
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.




AIRSPACE: CLASS E svc Mon–Thu 1300–0100Z‡, Fri 1300–2300Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE BVO.
(VL) (L) VORW/DME 117.9 BVO Chan 126 N36°50.06′ W96°01.11′ 167° 4.3 NM to fld. 930/8E.
LOC 111.3 I–BVO Rwy 17. LOC unusable byd 20° right of course. LOC unmonitored.

BEAVER MUNI (K44) 1 SW UTC–6(–5DT) N36°47.88′ W100°31.61′ **WICHITA**
2491 B NOTAM FILE MLC **L–15C**
RWY 17–35: H4050X60 (ASPH) S–4 MIRL
RWY 17: REIL. P–line.
RWY 35: REIL. Trees.
RWY 04–22: 2000X130 (TURF) 1.5% up SW
RWY 04: Road.
SERVICE: **LGT** ACTIVATE MIRL Rwy 17–35, REIL Rwy 17 and Rwy 35—CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 580-625-3331
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.


BIGGS AIRPORT (See WELLSTON on page 255)

BLACKWELL–TONKAWA MUNI (BKN)(KBKN) 5 SW UTC–6(–5DT) N36°44.71′ W97°20.98′ **WICHITA**
1030 B NOTAM FILE MLC **L–15D**
RWY 17–35: H3501X60 (ASPH) S–30, D–48, 2D–98 MIRL 0.6% up N **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: **FUEL** 100LL **LGT** ACTVT and incr MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 opr consly.
AIRPORT REMARKS: Attended irregularly. Fuel avbl 24 hrs thru automated credit card system.
AIRPORT MANAGER: 580-363-4242
WEATHER DATA SOURCES: AWOS–3PT 120.575 (580) 363–0688.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.
PIONEER (VH) (H) VORTACW 113.2 PER Chan 79 N36°44.79′ W97°09.61′ 264° 9.1 NM to fld. 1054/6E.
TACAN AZIMUTH unusable:
184°–194° byd 15 NM blo 3,000′
VOR unusable:
216°–226° blo 5,000′



BOISE CITY (17K) 3 N UTC–6(–5DT) N36°46.46′ W102°30.63′
4174 B NOTAM FILE MLC
RWY 04–22: H4211X60 (ASPH) S–4 MIRL
RWY 04: PAPI(P4L)—GA 3.0° TCH 42′. Trees.
RWY 22: PAPI(P4L)—GA 3.0° TCH 42′. Road.
SERVICE: **FUEL** 100LL, JET A, A+ **LGT** ACTVT PAPI Rwy 04 and 22—CTAF. MIRL Rwy 04–22 SS–SR; preset low intst; incr intst —CTAF. Rwy 04 PAPI unusbl byd 5 degs left of cntrln.
AIRPORT REMARKS: Unattended. 100LL fuel avbl 24hrs w/CC.
AIRPORT MANAGER: 580-544-2271
COMMUNICATIONS: CTAF 122.9
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.
DALHART (L) (L) VORTACW 112.0 DHT Chan 57 N36°05.49′ W102°32.68′ 350° 40.9 NM to fld. 4020/12E.
TAC AZM unusable:
240°–255° byd 15 NM
320°–350° byd 15 NM


WICHITA
L–15B
IAP




BRISTOW

JONES MEML (3F7) 3 SW UTC–6(–5DT) N35°48.42′ W96°25.27′
870 B NOTAM FILE MLC
RWY 18–36: H4001X75 (ASPH) S–4 MIRL 1.4% up S
RWY 36: Tree.
SERVICE: **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 18–36 on dusk–dawn. Incr intst—CTAF.
AIRPORT REMARKS: Unattended. 24 hr automated fuel service system. NOTE: See Special Notices— Aerobatic Practice Area.
AIRPORT MANAGER: 832-392-9040
COMMUNICATIONS: CTAF 122.9
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 225° 38.6 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′


DALLAS–FT WORTH
L–15E
IAP



BROKEN BOW MUNI (9ØF) 2 SW UTC–6(–5DT) N34°00.79′ W94°45.50′ **MEMPHIS**
404 B NOTAM FILE MLC **L–17D**
RWY 17–35: H3200X50 (ASPH) S–17 MIRL
RWY 17: PAPI(P2L)—GA 2.0° TCH 26′. Trees.
RWY 35: PAPI(P2L)—GA 2.0° TCH 26′. Trees.
SERVICE: **FUEL** 100LL
AIRPORT REMARKS: Unattended. High speed, low altitude military activity in vicinity of Broken Bow Lake.
AIRPORT MANAGER: 580-306-2568
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
RICH MOUNTAIN (VL) (L) VORTACW 113.5 PGO Chan 82
N34°40.83′ W94°36.54′ 187° 40.7 NM to fld. 2700/4E.
VOR unusable:
016°–021° byd 40 NM
028°–029° byd 40 NM
030°–040°
050°–075° blo 4,000′
090°–145°
167°–169° byd 40 NM
170°–200°
235°–245° byd 30 NM blo 5,000′
250°–271°
260°–280° byd 35 NM blo 5,000′
329°–335° byd 40 NM
340°–345° blo 5,000′
358°–002° byd 40 NM



BUFFALO MUNI (BFK)(KBFK) 2 N UTC–6(–5DT) N36°51.80′ W99°37.12′ **WICHITA**
1822 B NOTAM FILE MLC **L–15C**
RWY 17–35: H4000X60 (ASPH) S–4 MIRL 0.7% up N **IAP**
RWY 17: Pole.
RWY 35: Tree.
SERVICE: **LGT** ACTIVATE MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 580-735-2521
COMMUNICATIONS: CTAF 122.9
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.
MITBEE (VH) (H) VORTACW 115.6 MMB Chan 103 N36°20.62′ W99°52.81′ 012° 33.6 NM to fld. 2426/10E.



BURNS FLAT

INFINITY ONE OKLAHOMA SPACEPORT (CSM)(KCSM) 2 SW UTC–6(–5DT) N35°20.39′ W99°12.03′ **DALLAS–FT WORTH H–6H, L–15C**
1922 B NOTAM FILE CSM **IAP, AD**

RWY 17R–35L: H13503X200 (CONC) S–50, D–200, 2S–175, 2D–390 HIRL(NSTD)
RWY 17R: REIL. PAPI(P4L)—GA 3.0° TCH 54′. Rgt tfc.
RWY 35L: REIL. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 17L–35R: H5193X75 (CONC) S–50, D–200, 2S–175, 2D–390
RWY 35R: Rgt tfc.

SERVICE: **FUEL** JET A1+ **OX** 3 **LGT** ACTVT REIL 17R and 35L; HIRL Rwy 17R–35L; twy lgt; wdi lgt—CTAF. PAPI Rwy 17R and 35L on consly. Rwy 17R–35L intens rwy lgts: nstd; 75 ft fm rwy edge.

AIRPORT REMARKS: Attended Mon–Fri 1400–0000Z‡. Mil ARFF avbl excp wknds and fed hol. 24 hr Jet-A1+ fuel and otr svc avbl–ctc 405–267–4010. Rwy 17L–35R laid out and mrkd on Rwy 17L–35R parl twy. Rwy 17L–35R dalgt VFR only. Mil jet trng: hvy jets sfc to 5000 ft wi 25 NMR. Extsv student pilot trng fm sfc to 5000 ft wi 10 NMR btn 1500–1800Z‡. Mil jet ngt vision trng: ctc twr 10 mins prior to ldg aft SS to adjust arpt lgts. VFR acft adzd to ctc ATC 15 NM out for seqg. Ldg fee for acft gtr than 50,000 lbs.

AIRPORT MANAGER: 580-562-3500


WEATHER DATA SOURCES: ASOS 118.450 (580) 562–4811. LAWRS.

COMMUNICATIONS: CTAF 119.6 **UNICOM** 122.95
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4
TOWER 119.6 (1500–0700Z‡ Mon–Fri; except federal holidays) **GND CON** 121.7

CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Fort Worth ARTCC at 817-858-7584.

AIRSPACE: CLASS D svc 1500–0700Z‡ Mon–Fri, exc fed hol; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE CSM.
BURNS FLAT (L) (L) VORTACW 110.0 BFV Chan 37 N35°14.22′ W99°12.37′ 358° 6.2 NM to fld. 1780/5E.
ILS 109.5 I–BZF Rwy 17R. ILS and NDB/LOM unmonitored when ATCT closed.



BURNS FLAT N35°14.22′ W99°12.37′ NOTAM FILE CSM. **DALLAS–FT. WORTH L–15C**
(L) (L) VORTACW 110.0 BFV Chan 37 358° 6.2 NM to Infinity One Oklahoma Spaceport. 1780/5E.

BUZZARDS ROOST (See INOLA on page 226)

CANADIAN

CARLTON LANDING FLD (91F) 3 E UTC–6(–5DT) N35°09.38′ W95°37.29′ **DALLAS–FT WORTH L–17D**
851 B NOTAM FILE MLC

RWY 15–33: H3500X60 (ASPH) S–19 MIRL 0.6% up SE
RWY 15: REIL. PAPI(P2L)—GA 3.0° TCH 43′.
RWY 33: REIL. PAPI(P2L)—GA 3.0° TCH 43′. Trees.

SERVICE: **FUEL** 100LL **LGT** REIL Rwy 15 and 33; MIRL Rwy 15–33—SS–SR. PAPI Rwy 15 and 33 on consly.


AIRPORT REMARKS: Unattended. Deer on and invof rwy. 24 hr self svc fuel avbl with credit card. Golfers and golf balls on and invof rwy.

AIRPORT MANAGER: 918-203-8096

COMMUNICATIONS: CTAF 122.9


CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
MC ALESTER (L) TACAN Chan 57 MLC (112.0) N34°50.97′ W95°46.94′ 015° 20.0 NM to fld. 782/8E.




CARLTON LANDING FLD (See CANADIAN on page 205)


CARNEGIE MUNI (86F) 2 NE UTC–6(–5DT) N35°07.42′ W98°34.51′ **DALLAS–FT WORTH**
1354 B NOTAM FILE MLC **L–15D**
RWY 17–35: H3000X60 (ASPH–CONC) S–11 MIRL 0.3% up S
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 35: PAPI(P2R)—GA 3.0° TCH 40′.
SERVICE: **LGT** ACTVT MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 on consly.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: (580) 574-3140
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.
HOBART (VL) (L) VORTACW 115.85 HBR Chan 105(Y)
N34°51.99′ W99°03.80′ 047° 28.6 NM to fld. 1472/10E.
VOR unusable:
045°–070° byd 40 NM
071°–079° byd 54 NM blo 7,000′
071°–079° byd 66 NM
080°–120° byd 10 NM
355°–360° byd 15 NM blo 4,500′
TACAN AZIMUTH unusable:
050°–055° byd 21 NM blo 4,500′
050°–055° byd 26 NM blo 5,500′
050°–055° byd 33 NM blo 7,500 . 080–120 byd 10 NM′
245°–270° byd 33 NM blo 3,500′
DME unusable:
080°–120° byd 10 NM
355°–360° byd 15 NM blo 4,500′




CHANDLER RGNL (CQB)(KCQB) 3 NE UTC–6(–5DT) N35°43.45′ W96°49.22′ **DALLAS–FT WORTH**
985 B NOTAM FILE CQB **L–15E**
RWY 17–35: H4000X60 (ASPH) S–12.5 MIRL 0.6% up S **IAP**
RWY 17: PAPI(P4L)—GA 3.0° TCH 42′.
RWY 35: PAPI(P4L)—GA 3.0° TCH 42′. Tree.
SERVICE: **FUEL** 100LL, JET A1+ **LGT** ACTVT PAPI Rwy 17 and Rwy 35; MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with credit card adps.
AIRPORT MANAGER: 405-258-3200
WEATHER DATA SOURCES: AWOS–3PT 119.275 (405) 258–6724.
COMMUNICATIONS: CTAF 122.9
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 053° 44.4 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°



CHATTANOOGA SKY HARBOR (92F) 3 SW UTC–6(–5DT) N34°22.13′ W98°40.93′ **DALLAS–FT WORTH L–17B**
1135 B NOTAM FILE MLC
RWY 17–35: H3400X60 (ASPH) S–7 MIRL
AIRPORT REMARKS: Attended irregularly. Ultralights on and invof arpt.
AIRPORT MANAGER: 580-597-3390
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33°59.24′ W98°35.61′ 339° 23.3 NM to fld. 1133/10E.



CHEROKEE MUNI (4O5) 2 N UTC–6(–5DT) N36°47.30′ W98°21.51′ **WICHITA L–15D**
1179 B NOTAM FILE MLC
RWY 17–35: H3770X60 (ASPH) S–4 MIRL
RWY 17: Thld dsplcd 200′.
RWY 35: Thld dsplcd 200′.
SERVICE: FUEL 100LL **LGT** SS–SR ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 580-596-3052
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch at 580-213-6765. When Vance Apch is clsd, ctc Kansas City ARTCC at 913-254-8508.



CHEYENNE

MIGNON LAIRD MUNI (93F) 2 W UTC–6(–5DT) N35°36.19´ W99°42.18´ **DALLAS–FT WORTH L–15C**

2093 B NOTAM FILE MLC

RWY 18–36: H4022X60 (ASPH) S–4 MIRL 1.2% up S

RWY 18: PAPI(P2L)—GA 3.0° TCH 40´.

RWY 36: PAPI(P2L)—GA 3.0° TCH 40´.


SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 18–36 preset low intst SS–SR. ACTVT and incr intst—CTAF.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs.

AIRPORT MANAGER: 580-878-1122

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.



CHICKASHA MUNI (CHK)(KCHK) 3 NW UTC–6(–5DT) N35°05.83´ W97°58.06´ **DALLAS–FT WORTH H–6H, L–17C IAP**

1152 B NOTAM FILE CHK

RWY 18–36: H5101X100 (CONC) S–40, D–52 MIRL 0.4% up N

RWY 18: PAPI(P4L)—GA 3.0° TCH 40´. Rgt tfc.

RWY 36: PAPI(P4L)—GA 3.0° TCH 40´. Trees.

RWY 03–21: 2404X100 (TURF) 0.3% up N

RWY 03: Rgt tfc.

RWY 21: Tree.

RWY 01–19: 2232X100 (TURF) 0.3% up N

RWY 01: Rgt tfc.

SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** ACTVT MIRL Rwy 18–36 —CTAF. MIRL Rwy 18–36 preset low intst; to incr intst—CTAF.

AIRPORT REMARKS: Attended 1400–2300Z‡; excp hols. 110LL Fuel avbl H24 with credit card.

AIRPORT MANAGER: 405-222-6010

WEATHER DATA SOURCES: AWOS–3 118.175 (405) 574–1016.

COMMUNICATIONS: CTAF/UNICOM 123.0


Ⓡ **OKE CITY APP/DEP CON** 124.6

CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683.

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52´ W97°36.55´ 221° 23.6 NM to fld. 1240/7E.

TACAN AZIMUTH unusable: 297°–315°




CHRISTMAN AIRFIELD (See OKEENE on page 233)

CITY OF COALGATE (See COALGATE on page 210)

CLAREMORE RGNL (GCM)(KGCM) 7 E UTC–6(–5DT) N36°17.56′ W95°28.78′
733 B NOTAM FILE GCM
RWY 18–36: H5200X75 (ASPH) S–30, D–58.5, 2D–119.5 MIRL
0.7% up S
RWY 18: ODALS. PAPI(P4L)—GA 3.0° TCH 43′. Trees.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 28′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT ODALS Rwy 18; REIL Rwy 36—CTAF. MIRL Rwy 18–36 SS–SR. PAPI Rwy 18 and 36 on consly.
AIRPORT REMARKS: Attended 1400–2300Z‡, unatndd Christmas, Thanksgiving. 100LL and Jet A avbl H24 with CC.
AIRPORT MANAGER: 918-343-0931
WEATHER DATA SOURCES: AWOS–3PT 119.925 (918) 343–0184.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ**TULSA APP/DEP CON** 119.1
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa Apch at 918-831-6714/6720.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 061° 16.0 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′


KANSAS CITY
H–6I, L–15E
IAP




CLARENCE E PAGE MUNI (See OKLAHOMA CITY on page 234)

CLEVELAND MUNI (95F) 2 S UTC–6(–5DT) N36°17.05′ W96°27.80′
976 B NOTAM FILE MLC
RWY 18–36: H4000X60 (ASPH) S–4 MIRL
RWY 18: PAPI(P2L)—GA 2.75°. P–line.
RWY 36: PAPI(P2L)—GA 2.75°. Tree.
SERVICE: **LGT** ACTIVATE MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Unatndd. Golfers on and invof arpt.
AIRPORT MANAGER: 918-358-3506
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa Apch at 918-831-6714/6720.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 271° 33.2 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′

KANSAS CITY
L–15E



CLINTON RGNL (CLK)(KCLK) 3 NE UTC–6(–5DT) N35°32.30′ W98°55.97′ **DALLAS–FT WORTH**
1616 B NOTAM FILE CLK **L–15C**
RWY 17–35: H4305X72 (ASPH) S–7 MIRL 0.3% up N **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 35: REIL. PAPI(P4R)—GA 3.0° TCH 40′.
RWY 13–31: 1348X245 (TURF) 1.0% up SE
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT and incr intst REIL Rwy 17 and Rwy 35—CTAF. PAPI Rwy 17 and Rwy 35 on consly. MIRL Rwy 17–35; twy lgts on low intst dusk–dawn; incr intst—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. 100LL fuel avbl 24 hrs–self svc. Rwy 13–31 orange barrels mkd boundaries.
AIRPORT MANAGER: 580-323-5782
WEATHER DATA SOURCES: AWOS–3 119.225 (580) 323–8477.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE CSM.
BURNS FLAT (L) (L) VORTACW 110.0 BFV Chan 37 N35°14.22′ W99°12.37′ 032° 22.5 NM to fld. 1780/5E.




COALGATE

CITY OF COALGATE (Ø8F) 1 W UTC–6(–5DT) N34°31.77′ W96°13.99′ **DALLAS–FT WORTH**
617 NOTAM FILE MLC
RWY 18–36: H3862X40 (CONC) RWY LGTS(NSTD)
RWY 18: Thld dsplcd 200′. Tree.
RWY 36: Thld dsplcd 200′.
SERVICE: **LGT** SS–SR. Rwy 18–36 lgts nstd—solar 2′ fm rwy edge.
AIRPORT REMARKS: Unattended. Rwy 18 185′ water twrs 1320′ fm thr, 350′ left. Rwy 18 and 36 marking nstd size. Rwy 18–36 sfc conc overlay. Rwy 18–36 marking svrly faded.
AIRPORT MANAGER: 580-927-3914
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


COOKSON

TENKILLER LAKE AIRPARK (44M) 1 SW UTC–6(–5DT) N35°42.30′ W94°56.17′ **MEMPHIS**
877 NOTAM FILE MLC
RWY 05–23: 2600X75 (TURF) LIRL 1.3% up NE
RWY 05: VASI(V2L)—GA 3.0° TCH 31′. Trees.
RWY 23: VASI(V2L)—GA 3.5° TCH 33′. Trees.
SERVICE: **FUEL** 100LL **LGT** ACTVT VASI Rwy 05 and Rwy 23—CTAF. LIRL Rwy 05–23 dusk–dawn.
AIRPORT REMARKS: Unattended. Airpark is residential. For fuel or after hrs assistance call 918–457–4095 or 918–931–0601. Ctn: Deer on and invof rwy. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 918-456-4121
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.

CORDELL MUNI (F36) 1 E UTC–6(–5DT) N35°17.78′ W98°58.06′ **DALLAS–FT WORTH L–15C**
1589 B NOTAM FILE MLC
RWY 17–35: H3430X60 (ASPH) S–12.6 MIRL
RWY 17: PAPI(P2L)—GA 3.0° TCH 44′. Tree.
RWY 35: PAPI(P2L)—GA 3.0° TCH 43′.
RWY 04–22: 1886X100 (TURF)
RWY 04: Tree.
SERVICE: **LGT** ACTVT MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 on consly.
AIRPORT REMARKS: Attended intmt.
AIRPORT MANAGER: 580-660-0417
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE CSM.
BURNS FLAT (L) (L) VORTACW 110.0 BFV Chan 37 N35°14.22′ W99°12.37′ 068° 12.2 NM to fld. 1780/5E.



CUSHING MUNI (CUH)(KCUH) 2 S UTC–6(–5DT) N35°57.00′ W96°46.41′ **DALLAS–FT WORTH H–6H, L–15E IAP**
925 B NOTAM FILE CUH
RWY 18–36: H5201X100 (CONC–GRVD) S–30 PCN 4 R/B/X/T MIRL 0.7% up N
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 26′. Tree.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 33′. Trees.
RWY 08–26: 2700X40 (TURF) 0.9% up W
RWY 08: Trees.
RWY 02–20: 2650X60 (TURF) 0.5% up N
RWY 02: Trees.
RWY 11–29: 2500X50 (TURF) 1.4% up W
RWY 11: Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18: TORA–5201 TODA–5201 ASDA–4986 LDA–4986
RWY 36: TORA–5201 TODA–5201 ASDA–5201 LDA–4986
SERVICE: S4 **FUEL** 100LL, JET A **OX** 2, 4 **LGT** ACTVT REIL Rwy 18 and 36—CTAF. PAPI Rwy 18 and 36 on consly; MIRL Rwy 18–36 SS–SR preset med intst; incr intst—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Unatndd on fed hol. Parachute Jumping. Fuel avbl H24 with credit card. Turf Rwys 02–20 soft when wet.
AIRPORT MANAGER: 918-225-0881
WEATHER DATA SOURCES: AWOS–3PT 118.25 (918) 225–6072.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 245° 50.1 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′




DAVID JAY PERRY (See GOLDSBY on page 218)

DECKER FLD (See MENO on page 230)


DOBIE'S (See INOLA on page 226)

DUNCAN

HALLIBURTON FLD (DUC)(KDUC) 2 S UTC–6(–5DT) N34°28.25′ W97°57.59′ **DALLAS–FT WORTH**
1114 B NOTAM FILE DUC **H–6H, L–17C**
RWY 17–35: H6650X100 (CONC) S–44, D–56, 2D/2D2–101 MIRL **IAP**
0.4% up N
RWY 17: ODALS. PAPI(P4R)—GA 3.0° TCH 53′.
RWY 35: REIL. VASI(V4L)—GA 3.0° TCH 42′. Thld dsplcd 325′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 17: TORA–6325 TODA–6325 ASDA–6325 LDA–6325
RWY 35: TORA–6650 TODA–6650 ASDA–6650 LDA–6325
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 2 **LGT** ACTVT ODALS Rwy 17 med and high intst only; REIL Rwy 35; PAPI Rwy 17; VASI Rwy 35; MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. For 100LL fuel aft hrs call 580–656–2020.
AIRPORT MANAGER: 580-470-2095
WEATHER DATA SOURCES: AWOS–3 119.075 (580) 252–4547.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT SILL APP/DEP CON** 118.6
CLNC DEL 118.4
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LAW.
LAWTON (VL) (L) VORW/DME 116.85 LAW Chan 115(Y) N34°29.77′ W98°24.79′ 085° 22.5 NM to fld. 1105/9E.
VOR unusable:
015°–024° byd 40 NM
025°–090° byd 61 NM
140°–145° byd 40 NM
190°–195° byd 40 NM
210°–235° byd 40 NM
260°–269° byd 40 NM
270°–305° blo 3,900′
270°–305° byd 10 NM
306°–325° byd 40 NM




DURANT RGNL/EAKER FLD (DUA)(KDUA) 3 SW UTC–6(–5DT) N33°56.38′ W96°23.70′ **DALLAS–FT WORTH**
699 B NOTAM FILE DUA **H–6H, L–17C**
RWY 17–35: H6800X100 (ASPH) S–66, D–82, 2D–157 **IAP**
PCR 226 R/B/X/T MIRL
RWY 17: ODALS. PAPI(P4L)—GA 3.0° TCH 43′. Trees.
RWY 35: PAPI(P4L)—GA 3.0° TCH 42′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 3 **LGT** ACTVT ODALS Rwy 17; MIRL Rwy 17–35; twy lgts—CTAF. PAPI Rwy 17 and 35 opr consly.
AIRPORT REMARKS: Attended 1300–0000Z‡. Aft hr on req. Student trng invof arpt and over Lake Texoma. Ultralight act invof arpt. For 100LL aft hrs call 580–579–5024. 372 ft twr 2.5 mi N.
AIRPORT MANAGER: 580-920-0574
WEATHER DATA SOURCES: AWOS–3PT 124.175 (580) 931–3790.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.75
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE DUA.
TEXOMA (L) DME 114.3 URH Chan 90 N33°56.65′ W96°23.51′ at fld. 682.
DME unusable:
207°–240° byd 35 NM blo 2,500′
335°–350° byd 35 NM blo 2,500′




EL RENO RGNL (RQO)(KRQO) 4 SW UTC–6(–5DT) N35°28.36′ W98°00.35′ **DALLAS–FT WORTH**
1420 B NOTAM FILE RQO **H–6H, L–15D**
RWY 17–35: H5600X75 (CONC–GRVD) S–30 MIRL **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 40′. P–line.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Road. Rgt tfc.
RWY 18–36: 4017X190 (TURF)
RWY 18: Road. Rgt tfc.
RWY 36: P–line.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT REIL Rwy 17 and 35; MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 opr consly.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat–Sun 1500–2200Z‡. 100LL fuel avbl H24 with credit card. A+ fuel full svc avbl.
AIRPORT MANAGER: 405-295-9343
WEATHER DATA SOURCES: AWOS–3 118.475 (405) 262–0087.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**OKE CITY APP/DEP CON** 124.6
CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 282° 20.6 NM to fld. 1240/7E. TACAN AZIMUTH unusable:
297°–315°
KINGFISHER (H) TACAN Chan 94 IFI (114.7) N35°48.32′ W98°00.23′ 171° 19.9 NM to fld. 1112/9E. NOTAM FILE MLC.

ELK CITY RGNL BUSINESS (ELK)(KELK) 1 NE UTC–6(–5DT) N35°25.85′ W99°23.66′ **DALLAS–FT WORTH**
2013 B NOTAM FILE MLC **H–6H, L–15C**
RWY 17–35: H5399X75 (CONC) S–30 MIRL 0.5% up N **IAP**
RWY 17: ODALS. PAPI(P2L)—GA 3.0° TCH 42′.
RWY 35: REIL. PAPI(P2L)—GA 3.5° TCH 39′. Pole.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT ODALS Rwy 17; REIL Rwy 35, MIRL Rwy 17–35—CTAF. PAPI Rwys 17 and 35 opr consly.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. Aft hr–580–225–7700. 100LL H24 with credit card. Ditch NW side of parl twy.
AIRPORT MANAGER: 580-225-7700
WEATHER DATA SOURCES: AWOS–3 118.225 (580) 303–9147.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 128.4
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE CSM.
BURNS FLAT (L) (L) VORTACW 110.0 BFV Chan 37 N35°14.22′ W99°12.37′ 317° 14.8 NM to fld. 1780/5E.



ENID WOODRING RGNL (WDG)(KWDG) 4 SE UTC–6(–5DT) N36°22.56′ W97°47.37′ **WICHITA**
1167 B NOTAM FILE WDG **H–6H, L–15D**
RWY 17–35: H8613X100 (CONC–GRVD) S–60, D–73, 2S–111, 2D–131 PCN 21 R/C/W/T MIRL **IAP, AD**
RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 52′. Thld dsplcd 611′. Road. 0.4% down.
RWY 35: MALSR. PAPI(P4L)—GA 3.0° TCH 49′. Rgt tfc. 0.3% up.
RWY 13–31: H3150X75 (CONC) S–16 MIRL
RWY 13: PAPI(P2L)—GA 3.0° TCH 40′. Thld dsplcd 112′.
RWY 31: PAPI(P2L)—GA 3.0° TCH 40′. Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 13: TORA–3150 TODA–3150 ASDA–3150 LDA–3038
RWY 17: TORA–8613 TODA–8613 ASDA–8613 LDA–8002
RWY 31: TORA–3150 TODA–3150 ASDA–3038 LDA–3038
RWY 35: TORA–8002 TODA–8002 ASDA–8002 LDA–8002
SERVICE: S2 **FUEL** 100LL, JET A+ **OX** 1, 2 **LGT** When ATCT clsd
ACTVT MALSR Rwy 35; REIL Rwy 17; MIRL Rwy 17–35 and 13–31—CTAF. PAPI Rwy 17 and 35, 13 and 31 oper consly.
NOISE: Noise sensitive area 3/4 NM NW. All acft dep rwy 35 climb 500 ft AGL prior to turning crosswind to west.
AIRPORT REMARKS: Attended 1200–0330Z‡. Fuel avbl 24 hrs. Self svc AvGas avbl. For Jet A fuel aft hrs call 580–231–0189. Mil jet trng dalgt hrs invof arpt.
AIRPORT MANAGER: 580-616-7386
WEATHER DATA SOURCES: AWOS–3PT 123.725 (580) 237–1475. LAWRS.
COMMUNICATIONS: CTAF 118.9
Ⓡ **VANCE APP/DEP CON** 121.3 (1300–0200Z‡ wkd, 1900–2300Z‡ Sun; clsd Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening. Other times by NOTAM)
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8 (0200–1300Z‡ wkd, 2300–1900Z‡ Sun; 24 Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening)
WOODRING TOWER 118.9 (1230–0300Z‡). **GND CON** 121.925
CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch c580-213-6765. When Vance Apch clsd, ctc Kansas City ARTCC 913-254-8508.
AIRSPACE: CLASS D svc 1230–0300Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE WDG.
WOODRING (T) (T) VORW/DME 109.0 ODG Chan 27 N36°22.43′ W97°47.29′ at fld. 1150/8E.
ILS 108.3 I–EIU Rwy 35. Class IE. Unmonitored when ATCT clsd.



ERICK

HADDOCK FLD (O13) 1 SW UTC–6(–5DT) N35°12.05′ W99°52.86′ **DALLAS–FT WORTH**
2097 NOTAM FILE MLC
RWY 17–35: H2650X35 (ASPH) S–4
SERVICE:
AIRPORT REMARKS: Unattended. Military helicopter traffic on and invof arpt. Svr cracking and grass encroachment.
AIRPORT MANAGER: (580) 243-9190
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

EUFAULA

EUFAULA MUNI (FØ8) 2 W UTC–6(–5DT) N35º17.90´ W95º37.64´ **DALLAS–FT WORTH L–15E**

635 B NOTAM FILE MLC

RWY 17–35: H3000X60 (ASPH) S–4 MIRL 0.4% up N

RWY 17: PAPI(P2L)—GA 3.5º TCH 46´. Trees.

RWY 35: PAPI(P2L)—GA 3.5º TCH 45´. Tree.

SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 17–35 preset low ints, to incr ints, ACTIVATE—CTAF.

AIRPORT REMARKS: Unattended. Ultralgts on and invof arpt. 100LL 24 hr self–service.


AIRPORT MANAGER: 918-689-2534

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) TACAN Chan 57 MLC (112.0) N34º50.97´ W95º46.94´ 008º 28.0 NM to fld. 782/8E.



FOUNTAINHEAD LODGE AIRPARK (ØF7) 6 N UTC–6(–5DT) N35º23.32´ W95º36.02´ **DALLAS–FT WORTH L–15E**

670 B NOTAM FILE MLC

RWY 18–36: H3000X50 (ASPH) S–8

RWY 18: Trees.

RWY 36: Trees.


SERVICE: **LGT** MIRL OTS indef.

AIRPORT REMARKS: Unattended. Deer on and invof rwy.

AIRPORT MANAGER: 918-689-5311

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.



FAIRMONT FLD (1OK) 2 NE UTC–6(–5DT) N36º21.91´ W97º40.07´ **WICHITA**

1170 NOTAM FILE MLC

RWY 17–35: 2540X65 (TURF) 0.3% up S

RWY 35: Road.


AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. 4 ft seasonal crops both apch ends Rwy 17–35. Rwy 17 end and midpt mkrs. Rwy 35 end and midpt mkrs. Ldg fee.

AIRPORT MANAGER: 580-242-6627

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch at580-213-6765. When Vance Apch is clsd, ctc Kansas City ARTCC at 913-254-8508.

FAIRVIEW MUNI (6K4) 1 N UTC–6(–5DT) N36°17.47′ W98°28.55′ **WICHITA**
1274 B NOTAM FILE MLC **L–15D**
RWY 17–35: H4400X75 (ASPH–CONC) S–30 MIRL **IAP**
RWY 35: Trees.
SERVICE: **FUEL** 100LL
AIRPORT REMARKS: Attended Mon–Sat dalgt hours. 100LL avbl durg wint months.
AIRPORT MANAGER: 580-227-3788
WEATHER DATA SOURCES: AWOS–3PT 120.00.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **VANCE APP/DEP CON** 126.75 (1300–0200Z‡ wkd, 1900–2300Z‡ Sun; clsd Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening. Other times by NOTAM)
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8 (0200–1300Z‡ wkd, 2300–1900Z‡ Sun; 24 Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening)
CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch at 580-213-6765. When Vance Apch is clsd, ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
KINGFISHER (H) TACAN Chan 94 IFI (114.7) N35°48.32′ W98°00.23′ 313° 37.1 NM to fld. 1112/9E.



FORT SILL (See HENRY POST AAF (FORT SILL) on page 221)

FOUNTAINHEAD LODGE AIRPARK (See EUFAULA on page 215)

FREDERICK RGNL (FDR)(KFDR) 3 SE UTC–6(–5DT) N34°21.13′ W98°59.03′ **DALLAS–FT WORTH**
1258 B NOTAM FILE FDR **H–6H, L–17B**
RWY 17–35: H6099X150 (ASPH) S–35, D–50, 2D–100 MIRL 0.3% up N **IAP**
RWY 17: PAPI(P4L)—GA 3.0° TCH 40′.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 03–21: H4812X60 (CONC) S–30 0.4% up NE
RWY 21: Road.
RWY 12–30: H4578X75 (CONC) S–30
RWY 30: Road.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 on consly.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡, Sun 1900–2300Z‡. Self svc fuel avbl 24 hrs, for assistance call 580–335–1948. Rwy 12–30 marked to 75′ wide, pavement 150′ wide. Rwy 12–30 moderate cracking and deterioration. Rwy 03–21 marked to 60′ wide, pavement 150′ wide. Rwy 03–21 moderate cracking and deterioration. Arpt used as Sheppard AFB auxiliary: military tfc dalgt Mon–Fri. Ctc UNICOM for advisory. Military tfc will use rgt 360° overhead apchs to Rwy 17.
AIRPORT MANAGER: 580-335-2421
WEATHER DATA SOURCES: ASOS 132.675 (580) 530–3512.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **ALTUS APP/DEP CON** 125.1 (1500–0830Z‡, clsd weekends and holidays. Other times ctc)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4 133.5
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33°59.24′ W98°35.61′ 308° 29.2 NM to fld. 1133/10E.

FREEDOM MUNI (K77) 1 SE UTC–6(–5DT) N36°45.51′ W99°06.12′ **WICHITA**
1517 NOTAM FILE MLC **L–15C**

RWY 12–30: H3000X35 (ASPH)
RWY 12: Trees.

AIRPORT REMARKS: Unattended. Rwy 12–30 edges & thlds unidbl. First 150 ft of Rwy 12 & first 400 ft of Rwy 30 cvrd in grass. Rwy sfc rough & uneven. Broken asph, rocks, & tall grass entr sfc. Ocnl equip on rwy sfc.


AIRPORT MANAGER: (580) 621-3302

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

MITBEE (VH) (H) VORTACW 115.6 MMB Chan 103 N36°20.62′ W99°52.81′ 046° 45.1 NM to fld. 2426/10E.



GAGE (GAG)(KGAG) 2 SW UTC–6(–5DT) N36°17.75′ W99°46.59′ **WICHITA**
2223 B NOTAM FILE GAG **H–6H, L–15C**

RWY 17–35: H5033X75 (ASPH) S–4 LIRL(NSTD) 0.8% up S

SERVICE: **LGT** ACTVT LIRL Rwy 17–35—123.0. Rwy 17–35 Intens rwy lgts nstd; Rwy 17 has no thr lgts; Rwy 35 has four thr lgts.

AIRPORT REMARKS: Unattended. Ultralight act on and invof arpt. Twys clsd; use midway stub and back taxi. Jet acft over 15,000 lbs NA.

AIRPORT MANAGER: (580) 923-7727


WEATHER DATA SOURCES: ASOS 128.625 (580) 300–0735.

COMMUNICATIONS: CTAF 122.9
RCO 122.3 (MC ALESTER RADIO)

CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Kansas City ARTCC at 913-254-8508.

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.


MITBEE (VH) (H) VORTACW 115.6 MMB Chan 103 N36°20.62′ W99°52.81′ 110° 5.8 NM to fld. 2426/10E.



GLENPOOL N35°55.25′ W95°58.12′ NOTAM FILE MLC. **DALLAS–FT WORTH**
(T) DME 110.6 GNP Chan 43 354° 7.2 NM to Tulsa Riverside. 810. **L–15E**


GOLDSBY

DAVID JAY PERRY (1K4) 1 NE UTC–6(–5DT) N35°09.30′ W97°28.22′ **DALLAS–FT WORTH**
1169 B NOTAM FILE MLC **L–15D**
RWY 13–31: H3004X60 (CONC–GRVD) S–30 MIRL 0.3% up NW **IAP**
RWY 13: Trees.
RWY 31: Trees.
RWY 18–36: H1801X60 (ASPH) S–4 0.4% up N
RWY 18: Trees.
SERVICE: **FUEL** 100LL, MOGAS **LGT** ACTVT MIRL Rwy 13–31 dusk–dawn—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Fuel svc avbl H24 with CC. Coyotes on and invof rwy. Ultralight act on and invof arpt. Intensive student training dalgt hrs.
AIRPORT MANAGER: 405-288-6675
COMMUNICATIONS: **CTAF/UNICOM** 122.7
Ⓡ **OKE CITY APP/DEP CON** 120.45
CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 144° 14.0 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°




GRAND LAKE RGNL (See AFTON on page 196)

GRANDFIELD MUNI (1O1) 3 W UTC–6(–5DT) N34°14.26′ W98°44.52′ **DALLAS–FT WORTH**
1128 B NOTAM FILE MLC **L–17B**
RWY 17–35: H3100X75 (ASPH) S–11 MIRL
RWY 08–26: H1540X75 (ASPH)
SERVICE: **LGT** ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Parachute Jumping. Rwy 08–26 pavement exhibiting svr cracking, mod vegetation encroachment, and gen deterioration. Tower 1073 ft AGL 12,000 ft SSE of arpt. Tower 1059 ft AGL 8,500 ft SE of arpt. Rwy 08 and Rwy 26 markings unreadable.
AIRPORT MANAGER: 580-704-0016
COMMUNICATIONS: **CTAF** 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33°59.24′ W98°35.61′ 324° 16.7 NM to fld. 1133/10E.




GROVE RGNL (GMJ)(KGMJ) 2 NE UTC–6(–5DT) N36°36.40′ W94°44.31′ **KANSAS CITY**
831 B NOTAM FILE GMJ **H–6I, L–16F**
RWY 18–36: H5250X75 (ASPH) S–30 MIRL **IAP**
RWY 18: PAPI(P4L)—GA 2.75° TCH 32′. Trees.
RWY 36: PAPI(P4L)—GA 2.75° TCH 28′. Thld dsplcd 50′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 4 **LGT** MIRL Rwy 18–36 preset med intst dusk–dawn, to incr intst and ACTVT twy lgts—CTAF. PAPI Rwy 18 and 36 on consly.
AIRPORT REMARKS: Attended 1400–2300Z‡. Arpt unattended Thanksgiving and Christmas. Terminal building/FBO lctd on W side of runway.
AIRPORT MANAGER: 918-786-6150
WEATHER DATA SOURCES: AWOS–3PT 119.025 (918) 786–8350. Dewpoint unreliable.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**KANSAS CITY CENTER APP/DEP CON** 128.6
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.
RAZORBACK (VH) (H) VORTACW 116.4 RZC Chan 111 N36°14.79′ W94°07.28′ 302° 36.9 NM to fld. 1332/4E.
VOR unusable:
025°–035° byd 40 NM
025°–150° byd 22 NM blo 4,000′
070°–080° byd 40 NM
093°–103° byd 40 NM blo 17,000′
104°–144° byd 40 NM
145°–155° byd 40 NM blo 6,500′
145°–155° byd 67 NM blo 9,500′
150°–210° byd 22 NM blo 3,500′
156°–170° byd 40 NM
195°–215° byd 40 NM
210°–220° byd 22 NM blo 3,000′
234°–245° byd 40 NM
310°–025° byd 22 NM blo 3,000′
TACAN AZIMUTH unusable:
148°–160°
225°–240°



GUNDYS (See OWASSO on page 237)

GUTHRIE/EDMOND RGNL (GOK)(KGOK) 2 S UTC–6(–5DT) N35°51.08′ W97°24.97′ **DALLAS–FT WORTH**
1069 B NOTAM FILE GOK **H–6H, L–15D**
RWY 16–34: H5201X75 (CONC) S–30, D–48, 2D–78 MIRL 0.3% up S **IAP, AD**
RWY 16: ODALS. REIL. PAPI(P4L)—GA 3.0° TCH 45′.
RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Thld dsplcd 200′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT ODALS Rwy 16; REIL Rwy 34—CTAF. MIRL Rwy 16–34 SS–SR preset med intst; incr intst—CTAF. PAPI Rwy 16 and 34 on consly.
AIRPORT REMARKS: Attended 1200–0000Z‡. Bird and otr wildlife act on and invof arpt. Rwy 16 calm wind rwy.
AIRPORT MANAGER: 405-282-2312
WEATHER DATA SOURCES: ASOS 133.975 (405) 282–0478.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**OKE CITY APP/DEP CON** 124.2
CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
KINGFISHER (H) TACAN Chan 94 IFI (114.7) N35°48.32′ W98°00.23′ 075° 28.8 NM to fld. 1112/9E.


GUYMON MUNI (GUY)(KGUY) 1 W UTC–6(–5DT) N36°41.05′ W101°30.42′ **WICHITA**
3125 B NOTAM FILE GUY **H–6G, L–15B**
RWY 18–36: H5904X100 (ASPH) S–10 PCR 130 F/D/X/T MIRL **IAP**
RWY 18: ODALS. VASI(V4L)—GA 3.0° TCH 25′. Rgt tfc.
RWY 36: PAPI(P4L)—GA 3.0° TCH 35′. Tree.
RWY 06–24: 1795X200 (TURF) 1.3% up SW
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 2 **LGT** ACTVT ODALS Rwy 18; VASI Rwy 18; PAPI Rwy 36; MIRL Rwy 18–36—CTAF. MIRL Rwy 18–36 preset low intst, incr intst—CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1300–0000Z‡, Sun 1400–2300Z‡. For attendant after hours call 580–338–0481/7700. Ocnl deer on and in vicinity of rwy. Numerous waterfowl invof arpt SR and SS. Rwy 06 dep NA. Rwy 06 edges marked with raised wooden mrkrs.
AIRPORT MANAGER: 580-338-7700
WEATHER DATA SOURCES: ASOS 119.925 (580) 754–2113.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 134.0
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.
DALHART (L) (L) VORTACW 112.0 DHT Chan 57 N36°05.49′ W102°32.68′ 042° 61.5 NM to fld. 4020/12E.
TAC AZM unusable:
240°–255° byd 15 NM
320°–350° byd 15 NM




HADDOCK FLD (See ERICK on page 214)

HALLIBURTON FLD (See DUNCAN on page 212)

HASKELL (2K9) 1 NE UTC–6(–5DT) N35°49.97′ W95°40.05′ **DALLAS–FT WORTH**
587 NOTAM FILE MLC **L–15E**
RWY 17–35: H3710X30 (ASPH) RWY LGTS(NSTD)
RWY 17: Trees.
RWY 35: Rgt tfc.
SERVICE: **FUEL** 100LL **LGT** Nstd solar on photocell SS–SR. Solar rwy edge lgts nstd insty and config.
AIRPORT REMARKS: Attended irregularly. Dalgt ops only. Ultralight act on and invof arpt. Rwy 17 ultralight use right tfc. Rwy 17 and Rwy 35 sml nrs and nstd cntrln. NOTE: See Special Notices—Model Aircraft Activity.
AIRPORT MANAGER: 918-231-3232
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa approach at 918-831-6714.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 157° 22.6 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′




HEALDTON MUNI (F32) 2 NE UTC–6(–5DT) N34°15.29′ W97°28.38′ **DALLAS–FT WORTH L–17C**
956 NOTAM FILE MLC
RWY 17–35: H3020X60 (ASPH) S–12.5
AIRPORT REMARKS: Unattended. Daylight ops only.
AIRPORT MANAGER: 580-229-1283
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.
ARDMORE (VH) (H) VORTACW 116.7 ADM Chan 114 N34°12.70′ W97°10.09′ 274° 15.4 NM to fld. 937/6E.
VOR unusable:
150°–160°
302°–346°



HEFNER–EASLEY (See WAGONER on page 254)

HENRY POST AAF (FORT SILL) (FSI)(KFSI) A 1 SE UTC–6(–5DT) N34°38.99′ W98°24.13′ **DALLAS–FT WORTH H–6H, L–17C DIAP**
1188 B NOTAM FILE FSI Not insp.
RWY 18–36: H5002X150 (CONC) PCN 54 R/C/W/T HIRL 0.4% up N
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 44′.
RWY 36: SALS. PAPI(P4L)—GA 3.0° TCH 61′.
SERVICE: **LGT** ACTVT PAPI Rwy 18 on 125.95. Apch, PAPI and Rwy 36 lgt opr O/R to APP. Rwy 18 REIL: unsvcbl.
TRAN ALERT No tran maintenance, limited svc. Tran aircrew must remain with acft to provide technical drct/assist in servicing.
MILITARY REMARKS: RSTD Afld cond unmto when Afld Mgmt Clsd. 24 hr PPR all trans acft. Rwy 18–36 nstd safety are byd each end due to terrain grade, no paved overruns. Twy A and Twy C PCN GWT rstd, C–130 and LRGR must use Twy B for rwy entry and exit. **MISC** Afld Mgmt opr 1230–2100Z‡ Mon–Fri exc hol, other svcs avbl as published/NOTAM. DSN 639–4643/2023, C580–442–4643/2023, wx DSN 639–4000/4887, C580–442–4000/4887. Weather forecast avbl Mon–Fri 1200–0400Z‡ except holidays. Potential for bird activity near pond NW of AER Rwy 18. Remote briefing svc avbl 26 OWS Barksdale AFB DSN 331–2651, C318–529–2651, https://26ows.us.af.mil/. Wx obsn automated 24/7. Wx obsn augmented (as required) during hrs wx forecast avbl. wx obsn visibility ltd to 0.25 SM north and northeast when sfc wx obsn visibility sensor augmented. Wind cones located 353 feet from runway edge. Rwy edge lighting located 26 feet from runway edge line.
AIRPORT MANAGER: 580-442-4643
COMMUNICATIONS: CTAF 124.95 **ATIS** 135.425 354.025
Ⓡ **FORT SILL APP/DEP CON** 118.6 290.375 (VFR), 120.55 322.4 (IFR)
POST TOWER 124.95 229.4 (Opr by NOTAM)
POST GND CON/CLNC DEL 121.7 279.575
PMSV METRO 306.5 (Svc avbl Mon–Fri 1200–0600Z‡, except holidays)
RADIO AIDS TO NAVIGATION: NOTAM FILE LAW.
LAWTON (VL) (L) VORW/DME 116.85 LAW Chan 115(Y) N34°29.77′ W98°24.79′ 354° 9.2 NM to fld. 1105/9E.
VOR unusable:
015°–024° byd 40 NM
025°–090° byd 61 NM
140°–145° byd 40 NM
190°–195° byd 40 NM
210°–235° byd 40 NM
260°–269° byd 40 NM
270°–305° blo 3,900′
270°–305° byd 10 NM
306°–325° byd 40 NM
ASR
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.


HENRYETTA MUNI (F1Ø) 3 SW UTC–6(–5DT) N35°24.41′ W96°00.95′ **DALLAS–FT WORTH**
849 B NOTAM FILE MLC **L–6H, 15E**
RWY 18–36: H3501X50 (ASPH) S–12 MIRL 0.5% up S **IAP**
RWY 18: PVASI(PSIL)—GA 3.5° TCH 45′. Trees.
RWY 36: Trees.
SERVICE: **LGT** Dusk–Dawn. ACTVT MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Unatndd. Rwy 18–36 markings severely faded.
AIRPORT MANAGER: 918-652-3348
COMMUNICATIONS: **CTAF/UNICOM** 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 132.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
MC ALESTER (L) TACAN Chan 57 MLC (112.0) N34°50.97′ W95°46.94′ 333° 35.3 NM to fld. 782/8E.
NDB (MHW) 267 HET N35°24.27′ W96°00.83′ at fld. 849/4E.
Unmonitored



HINTON MUNI (2Ø8) 2 NE UTC–6(–5DT) N35°30.43′ W98°20.55′ **DALLAS–FT WORTH**
1587 B NOTAM FILE MLC **L–15D**
RWY 18–36: H4001X60 (ASPH) MIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 42′.
RWY 36: PAPI(P2L)—GA 3.0° TCH 43′.
SERVICE: **FUEL** 100LL **LGT** PAPI Rwy 18 and 36 on consly, preset low intst at ngt. Incr intst 5 or 7 mic clicks—CTAF; MIRL Rwy 18–36 SS–SR preset low intst, incr intst 5 or 7 mic clicks—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1600–2200Z‡. Glider act on and invof arpt. 100LL avbl 24 hr with adp sys.
AIRPORT MANAGER: 405-542-3993
COMMUNICATIONS: **CTAF/UNICOM** 123.05
Ⓡ**FORT WORTH CENTER APP/DEP CON** 128.4
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 277° 37.0 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°


HOBART RGNL (HBR)(KHBR) 3 SE UTC–6(–5DT) N34°59.40´ W99°03.18´
1563 B NOTAM FILE HBR MON Airport
DALLAS–FT WORTH
H–6H, L–17B
IAP

RWY 17–35: H5507X100 (ASPH) S–20 MIRL 0.4% up S
RWY 17: PAPI(P4L)—GA 3.0° TCH 35´.
RWY 35: PAPI(P4L)—GA 3.0° TCH 42´.
RWY 03–21: H2975X60 (ASPH) S–9.4 0.5% up SW
SERVICE: **FUEL** 100LL, JET A+
AIRPORT REMARKS: Attended Mon–Fri 1400–2200Z‡. Fuel avbl 24 hr self svc with major credit card. Rwy 03 markings svrly faded. Rwy 21 markings svrly faded.
AIRPORT MANAGER: 580-726-2719
WEATHER DATA SOURCES: ASOS 133.325 (580) 726–6651.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **ALTUS APP/DEP CON** 125.1 (Mon–Fri 1500–0830Z‡, clsd weekends and holidays. Other times ctc)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.
(VL) (L) VORTACW 115.85 HBR Chan 105(Y) N34°51.99´ W99°03.80´ 354° 7.4 NM to fld. 1472/10E.
VOR unusable:
045°–070° byd 40 NM
071°–079° byd 54 NM blo 7,000´
071°–079° byd 66 NM
080°–120° byd 10 NM
355°–360° byd 15 NM blo 4,500´
TACAN AZIMUTH unusable:
050°–055° byd 21 NM blo 4,500´
050°–055° byd 26 NM blo 5,500´
050°–055° byd 33 NM blo 7,500 . 080–120 byd 10 NM´
245°–270° byd 33 NM blo 3,500´
DME unusable:
080°–120° byd 10 NM
355°–360° byd 15 NM blo 4,500´




HOLDENVILLE MUNI (F99) 1 NW UTC–6(–5DT) N35°05.15´ W96°25.00´
861 B NOTAM FILE MLC
DALLAS–FT WORTH
L–17D
IAP

RWY 17–35: H3251X100 (CONC) S–30, D–42 MIRL(NSTD)
SERVICE: **LGT** Rwy 17–35 intens rwy lgts nstd dist fm rwy edge.
AIRPORT REMARKS: Unattended. 125´ AGL silo, .3 nm W Rwy 35 thld.
AIRPORT MANAGER: 254-368-4635
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKM.
OKMULGEE (VH) (DH) VORW/DME 114.9 OKM Chan 96 N35°41.58´ W95°51.96´ 209° 45.3 NM to fld. 774/8E.




HOLLIS MUNI (O35) 2 N UTC–6(–5DT) N34°42.32′ W99°54.51′
1659 B NOTAM FILE MLC
RWY 18–36: H3000X60 (ASPH) S–4 MIRL
RWY 18: Road.
SERVICE: **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended irregularly. For fuel call Police 580–688–9216.
AIRPORT MANAGER: 580-688-9245
COMMUNICATIONS: CTAF 122.9
Ⓡ **ALTUS APP/DEP CON** 125.1 (Mon–Fri 1500–0830Z‡, clsd weekends and holidays. Other times ctc)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4 133.5
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.
CHILDRESS (VL) (H) VORTACW 117.0 CDS Chan 117 N34°22.14′ W100°17.34′ 033° 27.6 NM to fld. 1920/10E.
VOR unusable:
215°–225°

DALLAS–FT WORTH
L–17B
IAP




HOMINY MUNI (H92) 2 N UTC–6(–5DT) N36°26.57′ W96°23.23′
825 B NOTAM FILE MLC
RWY 17–35: H3210X60 (ASPH) S–8 MIRL
RWY 17: PAPI(P4L). Thld dsplcd 180′.
RWY 35: PAPI(P4L). Thld dsplcd 180′.
SERVICE: **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs self svc with credit card. Ultralight activity on and invof arpt.
AIRPORT MANAGER: 918-232-3347
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE BVO.
BARTLESVILLE (VL) (L) VORW/DME 117.9 BVO Chan 126 N36°50.06′ W96°01.11′ 209° 29.5 NM to fld. 930/8E.

KANSAS CITY
L–15E




HOOKER MUNI (O45) 1 W UTC–6(–5DT) N36°51.42′ W101°13.63′ **WICHITA**
3000 B NOTAM FILE MLC **L–15B**
RWY 17–35: H3312X60 (ASPH) MIRL
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Rgt tfc.
RWY 35: PAPI(P2L)—GA 3.5° TCH 51′. P–line.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Self serve fuel avbl H24.
AIRPORT MANAGER: 580-652-2885
COMMUNICATIONS: **CTAF** 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.



HUGO

STAN STAMPER MUNI (HHW)(KHHW) 2 NW UTC–6(–5DT) N34°02.02′ W95°32.52′ **DALLAS–FT WORTH**
572 B NOTAM FILE MLC **L–17D**
RWY 17–35: H4007X75 (ASPH) S–12.5 MIRL **IAP**
RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 44′. Trees.
RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 43′.
SERVICE: **FUEL** 100LL, JET A+ **LGT** ACTIVATE MIRL Rwy 17–35, REIL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–2200Z‡. For arpt attendant after hrs call 580–326–2302. Fuel avbl 24 hr self svc with major credit card.
AIRPORT MANAGER: 580-317-3513
WEATHER DATA SOURCES: **AWOS–3** 119.025 (580) 326–2134.
COMMUNICATIONS: **CTAF/UNICOM** 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.875
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
MC ALESTER (L) TACAN Chan 57 MLC (112.0) N34°50.97′ W95°46.94′ 158° 50.3 NM to fld. 782/8E.



IDABEL

MC CURTAIN CO RGNL (4O4) 2 NW UTC–6(–5DT) N33°54.56′ W94°51.56′ **MEMPHIS**
472 B NOTAM FILE 4O4 **H–6I, L–17D**
RWY 02–20: H5002X75 (ASPH) S–30 MIRL **IAP**
RWY 02: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 20: ODALS. PAPI(P4L)—GA 3.0° TCH 41′. Trees. Rgt tfc.
SERVICE: S7 **FUEL** 100LL, JET A+ **LGT** ACTVT ODALS Rwy 20; REIL Rwy 02; PAPI Rwy 02 and 20; MIRL Rwy 02–20—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–2200Z‡.
AIRPORT MANAGER: 580-286-3558
WEATHER DATA SOURCES: **AWOS–3** 120.0 (580) 286–2217.
COMMUNICATIONS: **CTAF/UNICOM** 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 123.925
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.
TEXARKANA (VH) (H) VORTACW 116.3 TXK Chan 110 N33°30.83′ W94°04.39′ 294° 45.9 NM to fld. 273/7E.

INFINITY ONE OKLAHOMA SPACEPORT (See BURNS FLAT on page 205)

INOLA


BUZZARDS ROOST (O18) 4 E UTC–6(–5DT) N36°08.64′ W95°25.06′ **KANSAS CITY**
661 NOTAM FILE MLC
RWY 17–35: 2555X80 (TURF)
RWY 17: Road. Rgt tfc.
RWY 35: Fence. Rgt tfc.
AIRPORT REMARKS: Unattended. Rwy 17–35 weeds 3 ft high on entire rwy sfc.
AIRPORT MANAGER: 918-805-3284
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa Apch at 918-831-6714/6720.

DOBIE'S (ØK6) 4 NW UTC–6(–5DT) N36°10.76′ W95°34.82′ **KANSAS CITY**
610 NOTAM FILE MLC
RWY 17–35: 1575X150 (TURF)
RWY 17: Trees.
RWY 35: Fence. Rgt tfc.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: (918) 697-3263
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa Apch at 918-831-6714/6720.

JONES MEML (See BRISTOW on page 203)

KETCHUM

SOUTH GRAND LAKE RGNL (1K8) 1 NE UTC–6(–5DT) N36°32.78′ W95°00.81′ **KANSAS CITY**
783 NOTAM FILE MLC **L–15E**
RWY 18–36: H4730X75 (ASPH) S–30, D–60 MIRL **IAP**
RWY 18: PAPI(P4L)—GA 4.0° TCH 42′. Thld dsplcd 442′. Road.
RWY 36: PAPI(P4L)—GA 3.0° TCH 36′. Thld dsplcd 432′. Road.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18: TORA–4299 TODA–4299 ASDA–4670 LDA–4228
RWY 36: TORA–4287 TODA–4287 ASDA–4670 LDA–4238
SERVICE: **FUEL** 100LL, JET A+ **LGT** ACTVT MIRL Rwy 18–36—CTAF. PAPI Rwy 18 and 36 on consly.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 918-782-9178
WEATHER DATA SOURCES: AWOS–3PT 118.150 (918) 782–2047.
COMMUNICATIONS: CTAF 122.9
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 128.6
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 053° 43.0 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′




KINGFISHER (F92) 1 NW UTC–6(–5DT) N35°52.60′ W97°57.18′ **DALLAS–FT WORTH**
1072 NOTAM FILE MLC
RWY 18–36: H2800X60 (CONC) PCN 4 R/D/Z/U MIRL 0.7% up N
RWY 18: Trees.
SERVICE: **FUEL** 100LL **LGT** Dusk–dawn; MIRL Rwy 18–36 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Unattended. 100LL avbl with credit card. Heli auto rot practice on pavement NA.
AIRPORT MANAGER: 405-368-7069
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683.

KINGFISHER N35°48.32′ W98°00.23′ NOTAM FILE MLC. **H–6H, L–15D**
(H) TACAN 114.7 IFI Chan 94 271° 20.6 NM to Watonga Rgnl. 1112/9E.

KINGSTON

RED RIVER (OK2) 8 SW UTC–6(–5DT) N33°54.84′ W96°50.68′
792 NOTAM FILE Not insp.
RWY 18–36: 1883X100 (TURF)
AIRPORT REMARKS: Public airport, VFR only. Rwy 18–36 VFR only.
AIRPORT MANAGER: 940-368-2938
COMMUNICATIONS: CTAF 122.9

LAWTON–FORT SILL RGNL (LAW)(KLAW) 2 S UTC–6(–5DT) N34°34.06′ W98°25.00′ **DALLAS–FT WORTH**
1110 B ARFF Index—See Remarks NOTAM FILE LAW MON Airport **H–6H, L–17C**
RWY 17–35: H8599X150 (CONC–WC) S–45, D–179, 2S–175, 2D–344 **IAP, AD**
PCR 610 R/B/W/T HIRL
RWY 17: REIL. PAPI(P4R)—GA 3.0° TCH 47′. Pole. 0.3% down.
RWY 35: MALSR. 0.6% up.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 17: TORA–8599 TODA–8599 ASDA–8599 LDA–8599
RWY 35: TORA–8599 TODA–8599 ASDA–8599 LDA–8599
SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 1, 2 **LGT** ATCT ctls all rwy and twy lgtg when open; when ATCT clsd, MALSR Rwy 35; REIL Rwy 17; HIRL Rwy 17–35; twy lgtg on med intst. Incr/dcr intst—CTAF. PAPI Rwy 17 on consly, vrbl intst—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1130–0200Z‡ Sat–Sun 1130–0100Z‡. Birds on and invof arpt. When ATCT clsd ARFF avbl through Fort Sill apch control. ARFF Index PPR for unsked Part 121 ACR ops with more than 30 pax seats—Amgr.
AIRPORT MANAGER: 580-353-4869
WEATHER DATA SOURCES: ASOS 120.75 (580) 581–1351.
COMMUNICATIONS: CTAF 119.9 **ATIS** 120.75 **UNICOM** 122.95
Ⓡ **FORT SILL APP/DEP CON** 120.55
TOWER 127.05 (1400–0100Z‡) **GND CON** 121.9




CLEARANCE DELIVERY PHONE: When ATCT clsd, for CD ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS D svc 1400–0100Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE LAW.
(VL) (L) VORW/DME 116.85 LAW Chan 115(Y) N34°29.77′ W98°24.79′ 349° 4.3 NM to fld. 1105/9E.
VOR unusable:
015°–024° byd 40 NM
025°–090° byd 61 NM
140°–145° byd 40 NM
190°–195° byd 40 NM
210°–235° byd 40 NM
260°–269° byd 40 NM
270°–305° blo 3,900′
270°–305° byd 10 NM
306°–325° byd 40 NM
ILS 109.1 I–LAW Rwy 35. Class IB. Unmonitored when ATCT clsd. Ap coupled apch NA blw 2,000′ MSL.
ASR
COMM/NAV/WEATHER REMARKS: When twr clsd weather avbl through Fort Sill apch control.


LEXINGTON

MC CASLIN (O44) 4 N UTC–6(–5DT) N35°05.54′ W97°20.19′ **DALLAS–FT WORTH**
1135 NOTAM FILE MLC
RWY 17–35: 2135X80 (TURF)
RWY 17: Fence.
RWY 35: Bldg.
AIRPORT REMARKS: Unattended. Rwy 35—ditch at rwy end. Caution: 35′ p–line 125′ east of rwy, full length. Rwy 35 Caution: 42′ trr 346′ fm rwy end 64′ right of extdd cntrln.
AIRPORT MANAGER: 405-317-7250
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683.

LINDSAY MUNI (1K2) 2 NE UTC–6(–5DT) N34°50.97′ W97°35.12′ **DALLAS–FT WORTH**
968 B NOTAM FILE MLC **L–17C**
RWY 01–19: H3010X60 (ASPH) S–4 MIRL
SERVICE: **LGT** ACTIVATE MIRL Rwy 01–19—CTAF.
AIRPORT REMARKS: Unattended. 660′ AGL antenna 3.2 miles north.
AIRPORT MANAGER: 405-756-2019
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 171° 30.5 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°




MADILL MUNI (1F4) 3 NW UTC–6(–5DT) N34°08.42′ W96°48.72′ **DALLAS–FT WORTH**
890 B NOTAM FILE MLC **L–17C**
RWY 18–36: H3005X60 (ASPH) S–8 MIRL 0.6% up S **IAP**
RWY 18: REIL.
RWY 36: REIL.
SERVICE: S4 **LGT** MIRL Rwy 18–36 preset med intensity dusk–0600Z‡, after 0600Z‡ ACTVT—CTAF.
AIRPORT REMARKS: Unattended. +1694′ twr 6.2 miles south of Rwy 36 end.
AIRPORT MANAGER: 580-795-4017
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.75
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.
ARDMORE (VH) (H) VORTACW 116.7 ADM Chan 114 N34°12.70′ W97°10.09′ 097° 18.2 NM to fld. 937/6E.
VOR unusable:
150°–160°
302°–346°




MANGUM

SCOTT FLD (2K4) 2 NW UTC–6(–5DT) N34°53.56′ W99°31.69′ DALLAS–FT WORTH
1644 B NOTAM FILE MLC L–17B
RWY 17–35: H4199X75 (ASPH) S–12.5 MIRL 0.5% up S IAP
RWY 35: Trees.
SERVICE: S4 **FUEL** 100LL
AIRPORT REMARKS: Unattended. Fuel 100LL: 24 hr automated credit card sys. Ultralights on and invof arpt. Drainage ditch adj Rwy 17 75 ft west. 30 ft pwr line 500 ft east end Rwy 35.
AIRPORT MANAGER: 580-782-2250
COMMUNICATIONS: CTAF 122.9
Ⓡ **ALTUS APP/DEP CON** 125.1 (Mon–Fri 1500–0830Z‡, clsd weekends and holidays. Other times ctc)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.
HOBART (VL) (L) VORTACW 115.85 HBR Chan 105(Y) N34°51.99′ W99°03.80′ 264° 23.0 NM to fld. 1472/10E.
VOR unusable:
045°–070° byd 40 NM
071°–079° byd 54 NM blo 7,000′
071°–079° byd 66 NM
080°–120° byd 10 NM
355°–360° byd 15 NM blo 4,500′
TACAN AZIMUTH unusable:
050°–055° byd 21 NM blo 4,500′
050°–055° byd 26 NM blo 5,500′
050°–055° byd 33 NM blo 7,500 . 080–120 byd 10 NM′
245°–270° byd 33 NM blo 3,500′
DME unusable:
080°–120° byd 10 NM
355°–360° byd 15 NM blo 4,500′




MC ALESTER RGNL (MLC)(KMLC) 3 SW UTC–6(–5DT) N34°52.94′ W95°47.01′ DALLAS–FT WORTH
771 B NOTAM FILE MLC H–6I, L–17D
RWY 02–20: H5602X100 (CONC) S–52, D–70, 2S–89, 2D–120 IAP
MIRL 0.5% up NE
RWY 02: MALS. PAPI(P4L)—GA 3.0° TCH 42′. Tree.
RWY 20: REIL. PAPI(P4L)—GA 3.0° TCH 43′.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT MALS Rwy 02; REIL Rwy 20; PAPI Rwy 02 and 20; MIRL Rwy 02–20—CTAF. MIRL Rwy 02–20 set low intst; incr intst—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. Aft hr 918–329–8330. Wildlife on and invof arpt. Pilots conducting EFVS ops; be aware LED ALS in use Rwy 02.
AIRPORT MANAGER: 918-470-4996
WEATHER DATA SOURCES: ASOS 120.425 (918) 426–7674.
COMMUNICATIONS: CTAF/UNICOM 122.95
RCO 122.3 (MC ALESTER RADIO)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.2
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
(L) TACAN Chan 57 MLC (112.0) N34°50.97′ W95°46.94′ 350° 2.0 NM to fld. 782/8E.



MC CASLIN (See LEXINGTON on page 227)

MC CURTAIN CO RGNL (See IDABEL on page 225)


MEDFORD MUNI (O53) 1 SW UTC–6(–5DT) N36°47.44′ W97°44.94′ **WICHITA**
1092 B NOTAM FILE MLC **L–15D**
RWY 17–35: H3007X60 (ASPH) S–13 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.51° TCH 31′.
RWY 35: PAPI(P2L)—GA 3.51° TCH 33′.
SERVICE: **LGT** Dusk–dawn ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended irregularly. 100′ refinery 1 NM southwest of arpt.
AIRPORT MANAGER: 580-395-2875
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **VANCE APP/DEP CON** 118.075 (1300–0200Z‡ wkd, 1900–2300Z‡ Sun; clsd Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening. Other times by NOTAM.)
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8 (0200–1300Z‡ wkd, 2300–1900Z‡ Sun; 24 Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening)
CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch at 580-213-6765. When Vance Apch is clsd, ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.
PIONEER (VH) (H) VORTACW 113.2 PER Chan 79 N36°44.79′ W97°09.61′ 269° 28.5 NM to fld. 1054/6E.
TACAN AZIMUTH unusable:
184°–194° byd 15 NM blo 3,000′
VOR unusable:
216°–226° blo 5,000′



MENO

DECKER FLD (4O7) 1 S UTC–6(–5DT) N36°22.33′ W98°10.71′ **WICHITA**
1330 NOTAM FILE MLC
RWY 03–21: 2215X75 (TURF) 0.3% up NE
RWY 21: Road.
SERVICE: S4
AIRPORT REMARKS: Attended 1300–0100Z‡. 35 rwy marked power line 480′ from Rwy 21 end.
AIRPORT MANAGER: 580-554-2814
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch at 580-213-6765. When Vance Apch is clsd, ctc Kansas City ARTCC at 913-254-8508.

MIAMI RGNL (MIO)(KMIO) 2 NW UTC–6(–5DT) N36°54.55′ W94°53.25′ **KANSAS CITY**
806 B NOTAM FILE MLC **H–6I, L–16F**
RWY 17–35: H5020X100 (ASPH) S–23 MIRL **IAP**
RWY 17: ODALS. PAPI(P4L)—GA 3.0° TCH 42′. Trees. Rgt tfc.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 42′.
SERVICE: **FUEL** 100LL, JET A+ **LGT** Dusk–Dawn. ACTVT ODALS Rwy 17; REIL Rwy 35; MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2230Z‡. Excld city holidays. Fuel avbl 24 hrs with credit card. Parachute Jumping.
AIRPORT MANAGER: 918-541-2349
WEATHER DATA SOURCES: AWOS–3T 119.675 (918) 544–6164.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 128.6
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE ICT.
OSWEGO (L) DME 117.6 OSW Chan 123 N37°09.45′ W95°12.22′ 134° 21.3 NM to fld. 928.




MID–AMERICA INDUSTRIAL (See PRYOR on page 241)

MIGNON LAIRD MUNI (See CHEYENNE on page 208)

MITBEE N36°20.62′ W99°52.81′ NOTAM FILE GAG. WICHITA
(VH) (H) VORTACW 115.6 MMB Chan 103 110° 5.8 NM to Gage. 2426/10E.


MOORELAND MUNI (MDF)(KMDF) 3 N UTC–6(–5DT) N36°29.09′ W99°11.65′ WICHITA
1970 B NOTAM FILE MLC L–15C
RWY 17–35: H3500X60 (ASPH) S–4 MIRL IAP
RWY 35: Trees.
SERVICE: **LGT** Dusk–dawn ACTIVATE MIRL Rwy 17–35—CTAF. Rotating bcn OTS indef.
AIRPORT REMARKS: Unattended. For arpt attendant call 580–334–5842. Twy A clsd indef, back taxi required for Rwy 17–35. Rwy 17–35 sfc svr depression southeast of Rwy 35 500 ft fm apch end.
AIRPORT MANAGER: 580-994-5924
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.
MITBEE (VH) (H) VORTACW 115.6 MMB Chan 103 N36°20.62′ W99°52.81′ 066° 34.3 NM to fld. 2426/10E.



MULDROW AHP HELIPORT (HMY)(KHMY) A (ARNG) 4 E UTC–6(–5DT) N35°01.58′ DALLAS–FT WORTH
W97°13.90′ L–17C
1091 B NOTAM FILE MLC Not insp. DIAP
HELIPAD H1: H75X75 (CONC) PERIMETER LGTS
HELIPAD H2: H75X75 (CONC) PERIMETER LGTS
HELIPAD 18–36: H2005X75 (CONC) LIRL
HELIPAD 18: Road.
HELIPAD 36: Road.
SERVICE: **FUEL** JET A++ **LGT** ACTVT LIRL Rwy 18–36; perimeter lgts; H1 and H2; twy lgts—C572–247–7303. Rotg bcn 572–247–7303. **MILITARY— JASU** 1 AGPU F. **FUEL** J8 **FLUID** SP OIL.
MILITARY REMARKS: Opr Tue–Thurs 1130–0500Z‡; Mon and Fri. 1130–2230Z‡, slct wkends 1300–2200Z‡; Otr times–C405–595–8844. Tsnt fuel, prkg, and ngt ops fone 572–247–7303. H1 dsgnd northpad. H2 dsgnd southpad. Rwy 18 overrun (formerly Rwy 17) measures 73′ east to west and 75′ north to south. Rwy 36 overrun (formerly Rwy 35) measures 73′ east to west and 75′ north to south. **RSTD** PPR for tsnt fuel, prk and night ops–D628–8101/C572–247–7303. **CAUTION** Hel prkg ramp has perimeter fence.
AIRPORT MANAGER: 572-247-7378
COMMUNICATIONS: OKLAHOMA CITY APP/DEP CON 124.2 336.4 **MULDROW OPS** (Advisory svc only)–139.425 227.2 46.9 (CTAF).
CLEARANCE DELIVERY PHONE: For CD ctc okc city Apch at 405-681-5683.

MUSKOGEE–DAVIS RGNL (MKO)(KMKO) 6 S UTC–6(–5DT) N35°39.47′ W95°21.70′ **DALLAS–FT WORTH**
612 B NOTAM FILE MKO **H–6I, L–15E**
IAP

RWY13–31: H7202X150 (ASPH) S–59, D–78, 2S–99, 2D–131 MIRL 0.4% up NW
RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 31: MALS. PAPI(P4L)—GA 3.0° TCH 53′.
RWY 04–22: H4498X75 (ASPH) 0.3% up SW
RWY 04: Trees.
RWY 18–36: H1904X60 (ASPH)




SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** ACTVT MALS Rwy 31; REIL Rwy 13; MIRL Rwy 13–31—CTAF. PAPI Rwy 13 and 31 on consly.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. 100LL avbl 24 hrs self svc. After hrs fuel call 918–869–8410. Arpt used for Oklahoma National Guard ATC training events– irregular schedule, contact twr on 118.95 when operational. Occasional coyotes on & invof rwy. Twy B clsd to acft over 25,000 lbs.
AIRPORT MANAGER: 918-684-6234
WEATHER DATA SOURCES: ASOS 135.025 (918) 683–6987.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 139° 38.4 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′

NORMAN

UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)(KOUN) P (ARNG) 3 NW UTC–6(–5DT) **DALLAS–FT WORTH**
N35°14.73′ W97°28.33′ **H–6H, L–15D**
1182 B TPA—See Remarks NOTAM FILE OUN **IAP, AD**

RWY 18–36: H5199X100 (ASPH–GRVD) S–30, D–50, 2D–100 MIRL
RWY 18: MALSR. PAPI(P4L)—GA 3.0° TCH 55′. Rgt tfc.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 03–21: H4748X100 (ASPH) S–30, D–50, 2D–100 MIRL
RWY 03: MALS. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 21: PAPI(P4L)—GA 3.0° TCH 40′. Rgt tfc.



SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** When twr clsd, ACTVT MIRL Rwy 03–21 and Rwy 18–36; REIL Rwy 36; MALSR Rwy 18; MALS Rwy 03—CTAF. **MILITARY— FUEL** A+ (avbl 1300–0400Z‡, C405–329–8062, OT 2 hr PN C405–623–2099, $60 fee.) (NC–100LL, A)
AIRPORT REMARKS: Attended 1200–0400Z‡. Ctn: Coyotes and birds on and invof rwys. Pilots conducting EFVS ops; be aware LED ALS in use Rwy 03. High density student ops invof arpt and 5 miles south. 180° turns prohibited on runways for all other than single engine light aircraft. PPR rqrd all tsnt acft day bfr and day of university home football game 405–360–3900. TPA for hels 1682(500), Single engine 2182(1000); Multi–engine and jets 2682(1500). Lndg fee: Spl event fee for all acft the day before and day of a university home football game.
AIRPORT MANAGER: 405-325-7233
WEATHER DATA SOURCES: AWOS–3PT 119.55 (405) 325–7302.
COMMUNICATIONS: CTAF 118.0 **UNICOM** 122.95
Ⓡ **OKE CITY APP/DEP CON** 120.45
TOWER 118.0 (1300–0400Z‡) **GND CON** 121.6
CLEARANCE DELIVERY PHONE: For CD ifun to ctc twr, ctc Oke City Apch at 405-681-5683.
AIRSPACE: CLASS D svc 1300–0400Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 128° 9.5 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°
LOC/DME 111.1 I–PHY Chan 48 Rwy 03. LOC/DME unmonitored when ATCT clsd.
ILS/DME 111.95 I–BWM Chan 56(Y) Rwy 18. Class IE. DME unusable byd 30° left of course.

NOWATA MUNI (H66) 2 NE UTC–6(–5DT) N36°43.26′ W95°37.52′ **KANSAS CITY**
679 NOTAM FILE MLC
RWY 17–35: H2500X45 (ASPH) S–4
RWY 17: Trees.
RWY 35: Trees.
RWY 05–23: 2440X45 (TURF)
RWY 05: P–line.
RWY 23: Trees.
AIRPORT REMARKS: Unattended. Rwy 05–23 clsd indefly, unusbl. Rwy unusbl. Rwy 05–23 unidentifiable; pline and road cross rwy. Rwy extremely rough & covered with tall grass & hay bales. Connector twy and apron pvmt failed. –2 ft ditch at Rwy 23 thld; –12 ft ditch 220 ft fm Rwy 35 thld. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: (918) 273-3538
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.

OILLR N36°05.85′ W95°53.33′ NOTAM FILE TUL. **KANSAS CITY**
NDB (LOMW) 338 TU 357° 6.0 NM to Tulsa Intl. 710/3E.

OKC WILL ROGERS INTL (See OKLAHOMA CITY on page 234)

OKEENE

CHRISTMAN AIRFIELD (O65) 1 SE UTC–6(–5DT) N36°06.75′ W98°18.52′ **WICHITA**
1208 B NOTAM FILE MLC **L–15D**
RWY 17–35: H3000X60 (ASPH) S–12 MIRL
RWY 17: Tree.
SERVICE: **LGT** MIRL Rwy 17–35 preset low ints, to incr ints—CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 580-822-3035
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch at 580-213-6765. When Vance Apch is clsd, ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
KINGFISHER (H) TACAN Chan 94 IFI (114.7) N35°48.32′ W98°00.23′ 312° 23.6 NM to fld. 1112/9E.

OKEMAH MUNI (F81) 2 S UTC–6(–5DT) N35°24.32′ W96°18.33′ **DALLAS–FT WORTH**
876 B NOTAM FILE MLC **L–15E**
RWY 18–36: H3400X60 (ASPH) MIRL
RWY 18: Trees.
RWY 36: Tree.
SERVICE: **LGT** ACTIVATE MIRL Rwy 18–36—122.9.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 918-623-1050
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

OKLAHOMA CITY

CLARENCE E PAGE MUNI (RCE)(KRCE) 15 W UTC–6(–5DT) N35°29.29′ W97°49.41′ **DALLAS–FT WORTH H–6H, L–15D IAP, AD**

1354 B NOTAM FILE MLC

RWY 17R–35L: H6014X100 (CONC) S–40, D–60 HIRL

RWY 17R: PAPI(P4L)—GA 3.0° TCH 52′. Rgt tfc.

RWY 35L: PAPI(P4L)—GA 3.0° TCH 41′. Trees.

RWY 17L–35R: H3502X75 (CONC) S–17 MIRL

RWY 35R: Rgt tfc.

SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 3 **LGT** Dusk–Dawn. ACTIVATE HIRL Rwy 17R–35L; MIRL Rwy 17L–35R—CTAF.

AIRPORT REMARKS: Attended Mon–Sat 1330–2330Z‡. Deer on and invof rwy. Aerobatic acft blo 6400′ 1NM radius of arpt. Surface conditions reported Mon–Fri 1400–2300Z‡.

AIRPORT MANAGER: 405-316-4061

WEATHER DATA SOURCES: AWOS–3 125.05 (405) 354–2617.

COMMUNICATIONS: CTAF/UNICOM 123.0


Ⓡ **OKE CITY APP/DEP CON** 124.6

CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683.

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 299° 13.1 NM to fld. 1240/7E.

TACAN AZIMUTH unusable:
297°–315°



OKC WILL ROGERS INTL (OKC)(KOKC) P (ANG) 6 SW UTC–6(–5DT) N35°23.58′ W97°36.05′ **DALLAS–FT WORTH H–6H, L–15D IAP, AD**

1296 B LRA Class I, ARFF Index C NOTAM FILE OKC

RWY 17L–35R: H9802X150 (CONC–GRVD) S–120, D–250, 2S–175, 2D–550, 2D/2D2–1120 PCR 1210 R/B/W/T HIRL CL

RWY 17L: MALSR. PAPI(P4L)—GA 3.0° TCH 56′. RVR–TMR

RWY 35R: ALSF2. TDZL. PAPI(P4L)—GA 2.9° TCH 54′. RVR–TMR Rgt tfc.

RWY 17R–35L: H9801X150 (CONC–GRVD) S–120, D–250, 2S–175, 2D–550, 2D/2D2–1120 PCR 1210 R/B/W/T HIRL CL

RWY 17R: MALSR. PAPI(P4L)—GA 3.0° TCH 60′. RVR–TR Rgt tfc.

RWY 35L: MALSR. RVR–TR 0.3% up.

RWY 13–31: H7800X150 (CONC–GRVD) S–120, D–250, 2S–175, 2D–550, 2D/2D2–1120 PCR 1220 R/C/W/T MIRL

RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 52′. Rgt tfc.

RWY 31: REIL. PAPI(P4L)—GA 3.0° TCH 52′.

RWY 18–36: H3079X75 (ASPH) S–120, D–205, 2S–175, 2D–304, 2D/2D2–808 PCR 560 F/C/W/T No Part 121/Part 380 Ops

RWY 18: Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA–7800 TODA–7800 ASDA–7800 LDA–7800
RWY 17L: TORA–9802 TODA–9802 ASDA–9802 LDA–9802
RWY 17R: TORA–9800 TODA–9800 ASDA–9800 LDA–9800
RWY 18: TORA–3079 TODA–3079 ASDA–3079 LDA–3079
RWY 31: TORA–7800 TODA–7800 ASDA–7800 LDA–7800
RWY 35L: TORA–9800 TODA–9800 ASDA–9800 LDA–9800
RWY 35R: TORA–9802 TODA–9802 ASDA–9802 LDA–9802
RWY 36: TORA–3079 TODA–3079 ASDA–3079 LDA–3079

SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2, 3, 4 **LGT** Rwy 17R PAPI unusbl 4 degs right of rwy cntrln. **MILITARY— JASU** 2(MA–1A) (CE12) (CE13) 4(CE16) **FUEL** A, A+ (405–218–3000 ext 1.) (NC–100LL) **FLUID** LPOX **OIL** O–128–156(Mil)

AIRPORT REMARKS: Attended continuously. Numerous birds on and invof arpt. Pilots conducting EFVS ops; be aware LED ALS in use Rwy 17L & Rwy 35L. PPR for parking on FAA Aeronautical Center ramp phone 405–954–9783 and email MXC@FAA.gov. Pilots of acft with wing spans greater than 118′ must use judgement over steering at all twy intersections. Rwy 18–36 600′ west of Rwy 17R–35L on existing twy. Rwy 18–36 VFR dalgt operations only except for Air National Guard. Rwy 18–36 used as taxiway when not used as rwy. Twy G west of Rwy 17R–35L, Twy A2 east of Twy A, Twy D southwest of Rwy 13–31, Twys: A1, B, and C2, not avbl for Part 121/Part 380 Ops with sked pax carrying ops more than 9 pax seats and non–sked pax carrying ops more than 30 pax seats. Twy G west of Twy B clsd to all except U.S. Marshals Service acft. Twy C2 clsd to all ops except Metro Tech tfc. Twys H2 and G east of Twy H clsd indef. Compass rose rstrd to acft under 95,000 lbs except PPR, phone 405–623–3007. Twy B north of compass rose rstrd to acft under 120,000 lbs except PPR, phone 405–623–3007. All ramps are uncontrolled. Flight Notification Service (ADCUS) available.


AIRPORT MANAGER: 405-623-3007

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE


WEATHER DATA SOURCES: ASOS (405) 674–4013 TDWR.
COMMUNICATIONS: D–ATIS 125.85 (405) 686–4707
Ⓡ **OKE CITY APP/DEP CON** 124.6 (171°–360°) 120.45 (081°–170°) 124.2 (001°–080°)
ROGERS TOWER 119.35 120.25 **GND CON** 121.9 **CLNC DEL** 124.35 **PRE–TAXI CLNC** 124.35
PDC
AIRSPACE: CLASS C svc ctc **APP CON**.
VOR TEST FACILITY (VOT) 112.15
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 004° 2.1 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°
ILS/DME 110.9 I–EXR Chan 46 Rwy 17L. Class IA. Autopilot cpd apch NA blw 1,480′ MSL.
ILS/DME 110.7 I–OKC Chan 44 Rwy 17R. Class IIE. DME also SERVE Rwy 35L. LOC unusable 33° left and right of rcl.
ILS/DME 110.7 I–LIK Chan 44 Rwy 35L. Class IE. LOC unusable byd 30° right of course.
ILS/DME 110.9 I–RGR Chan 46 Rwy 35R. Class IIE.
ASR

SUNDANCE (HSD)(KHSD) 12 NW UTC–6(–5DT) N35°36.11′ W97°42.37′ **DALLAS–FT WORTH**
1193 B NOTAM FILE HSD **H–6H, L–15D**
RWY 18–36: H5001X100 (CONC) MIRL 0.8% up S **IAP**
RWY 18: VASI(V2L)—GA 3.0° TCH 30′. Rgt tfc.
RWY 36: VASI(V2L)—GA 3.0° TCH 21′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 2 **LGT** ACTVT VASI Rwy 18 and 36; MIRL Rwy 18–36—CTAF. Rwy 18 VASI unusbl byd 7° right and left of cntrln. Rwy 36 VASI unusbl byd 7° left of cntrln.
AIRPORT REMARKS: Attended 1400–0000Z‡. 100LL self svc avbl 24 hr with credit card. Bulk oxygen avbl durg ops hr Mon–Sat.
AIRPORT MANAGER: 405-568-1663
WEATHER DATA SOURCES: AWOS–3 120.975 (405) 283–9848.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **OKE CITY APP/DEP CON** 124.6
CLNC DEL 123.7
CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 335° 15.3 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°



WILEY POST (PWA)(KPWA) 7 NW UTC–6(–5DT) N35°32.04′ W97°38.82′ **DALLAS–FT WORTH**
1300 B TPA—See Remarks NOTAM FILE PWA **H–6H, L–15D**
RWY 17L–35R: H7199X150 (CONC–GRVD) S–35, D–50, 2D–90 HIRL **IAP, AD**
RWY 17L: MALSR. PAPI(P4L)—GA 3.0° TCH 54′. Rgt tfc.
RWY 35R: MALSR. PAPI(P4L)—GA 3.0° TCH 54′. Thld dsplcd 355′.
RWY 17R–35L: H5002X75 (ASPH–CONC) S–26, D–45 MIRL
RWY 17R: REIL. PAPI(P4L)—GA 3.0° TCH 43′. Rgt tfc.
RWY 35L: REIL. PAPI(P4L)—GA 3.0° TCH 42′.
RWY 13–31: H4562X100 (CONC) S–35, D–50, 2D–90 MIRL 0.6% up SE
RWY 13: Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 13: TORA–4562 TODA–4562 ASDA–4562 LDA–4562
RWY 17L:TORA–7199 TODA–7199 ASDA–6844 LDA–6844
RWY 17R:TORA–5002 TODA–5002 ASDA–5002 LDA–5002
RWY 31: TORA–4562 TODA–4562 ASDA–4562 LDA–4562
RWY 35L:TORA–5001 TODA–5001 ASDA–5001 LDA–5001
RWY 35R:TORA–7198 TODA–7198 ASDA–7198 LDA–6844
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 2, 3, 4 **LGT** When ATCT clsd ACTVT MALSR Rwy 17L and 35R; REIL Rwy 17R and 35L; HIRL Rwy 17L–35R; MIRL Rwy 17R–35L, 13–31—CTAF. PAPI Rwy 17L and 35R, 17R and 35L on consly. Rwy 17L–35R unlgtd 0400–1300Z‡.
NOISE: Rwy 17L–35R noise abatement proc in efct: Dep acft 12,500 lbs or gtr climb at a max rate consistent with safety to 1500′ AGL then reduce pwr and climb rate to 3000′ AGL or 2 NM fm arpt depending on ATC and safety conds.
AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. 100LL avbl H24 self svc with credit card. Sfc cond rprtd Mon–Fri 1300–0400Z‡. Rwy 13–31 clsd 0400–1300Z‡; acft over 12,500 lbs GWT NA. Exp ponding durg wet cond on Rwy 17L–35R at int of Rwy 13–31. TPA—Rwy 17R/35L 1900 (600), 2300 (1000) all other rwys.
AIRPORT MANAGER: 405-316-4061
WEATHER DATA SOURCES: ASOS (405) 798–2013
COMMUNICATIONS: CTAF 126.9 (0400–1300Z‡) **ATIS** 128.725 (405)–798–2059 **UNICOM** 122.95
RCO 122.4 (MC ALESTER RADIO)
Ⓡ **OKE CITY APP/DEP CON** 124.6 (171°–360°) 120.45 (081°–170°) 124.2 (001°–080°)
TOWER 126.9 (1300–0400Z‡) **GND CON** 121.7
CLEARANCE DELIVERY PHONE: For CD ifun to ctc gnd con, ctc Oke City Apch at 405-681-5683.
AIRSPACE: CLASS D svc 1300–0400Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE PWA.
(T) (T) VORW/DME 113.4 PWA Chan 81 N35°31.98′ W97°38.83′ at fld. 1271/8E.
ILS 110.15 I–PWA Rwy 17L. Class I/B. Unmonitored when ATCT clsd. DME also serves Rwy 35R.
ILS/DME 110.15 I–TFM Chan 38(Y) Rwy 35R. Class IT. DME also serves Rwy 17L.
ASR

OKMULGEE RGNL/PAUL AND BETTY ABBOTT FLD (OKM)(KOKM) 3 N UTC–6(–5DT) **DALLAS–FT WORTH**
N35°40.09′ W95°56.91′ **H–6I, L–15E**
720 B NOTAM FILE OKM **IAP**
RWY 18–36: H5150X101 (CONC) S–30, D–48, 2D–78 MIRL 0.7% up N
RWY 18: MALSR. PAPI(P4L)—GA 3.0° TCH 51′.
RWY 36: PAPI(P4L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT MALSR Rwy 18 and incr intst—CTAF; PAPI Rwy 18 and Rwy 36 on consly; MIRL Rwy 18–36 on low SS–SR, incr intst–CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. Parachute Jumping. Flocks of migratory birds and deer on and invof arpt. 100LL 24 hr fuel automated credit card system.
AIRPORT MANAGER: 918-756-0412
WEATHER DATA SOURCES: AWOS–3PT 118.225 (918) 756–9502.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **TULSA APP/DEP CON** 119.85
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa app/dep ctl at 918-831-6714



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE.


RADIO AIDS TO NAVIGATION: NOTAM FILE OKM.
(VH) (DH) VORW/DME 114.9 OKM Chan 96 N35°41.58′ W95°51.96′ 242° 4.3 NM to fld. 774/8E.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 186° 32.6 NM to fld. 788/8E. NOTAM FILE TUL.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′
ILS 109.1 I–OKM Rwy 18. ILS monitored at mocc.

OLUSTEE MUNI (FØ9) 3 S UTC–6(–5DT) N34°30.75′ W99°25.77′ **DALLAS–FT WORTH**
1346 NOTAM FILE MLC
RWY 17–35: H2000X50 (ASPH) S–12
AIRPORT REMARKS: Unattended. Rwy 17–35 has sev cracking and tall grass growing thru cracks.
AIRPORT MANAGER: 580-450-2288
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


OWASSO

GUNDYS (O38) 3 E UTC–6(–5DT) N36°16.01′ W95°47.02′ **KANSAS CITY**
720 B NOTAM FILE MLC
RWY 17L–35R: H2600X40 (ASPH) MIRL(NSTD)
RWY 17L: Tree.
RWY 35R: Tree.
RWY 17R–35L: 1760X100 (TURF)
RWY 17R: Tree.
RWY 35L: Trees.
SERVICE: **FUEL** 100LL **LGT** Rwy 17L–35R NSTD MIRL, lgts located 35′ from rwy edge, thld lights missing.
AIRPORT REMARKS: Unattended. Fuel: avbl H24—Auto sys. Rwy 17L–35R nrs and cntrln nstd. Hel flt trng NA. Intentional hel autorotation NA.
AIRPORT MANAGER: 918-272-1523
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa Apch at 918-831-6714/6720.

PAULS VALLEY MUNI (PVJ)(KPVJ) 2 S UTC–6(–5DT) N34°42.57′ W97°13.40′ **DALLAS–FT WORTH**
971 B NOTAM FILE PVJ **H–6H, L–17C**
RWY 17–35: H5001X100 (CONC) S–42, D–55, 2D–110 MIRL **IAP**
0.4% up N
RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Trees.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 45′.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1 **LGT** ACTVT REIL Rwy 17 and 35; PAPI Rwy 17 and 35; MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. 100LL avbl H24 with credit card. Fuel A: full svc jet on req, self svc fuel avbl 24 hrs with automated credit card sys. Ultralights on and invof arpt.
AIRPORT MANAGER: 405-238-7338
WEATHER DATA SOURCES: AWOS–3 118.675 (405) 238–4452.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 124.75
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.
ARDMORE (VH) (H) VORTACW 116.7 ADM Chan 114 N34°12.70′ W97°10.09′ 349° 30.0 NM to fld. 937/6E.
VOR unusable:
150°–160°
302°–346°




PAWHUSKA MUNI (H76) 4 W UTC–6(–5DT) N36°40.30′ W96°24.33′ **KANSAS CITY**
1000 B NOTAM FILE MLC **L–15E**
RWY 17–35: H3200X60 (ASPH) S–12.5 MIRL
SERVICE: **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 17–35 preset low ints SS–SR, to increase ints ACTIVATE—CTAF.
AIRPORT REMARKS: Unattended. For transportation call: 918–639–6115 or 918–287–2211.
AIRPORT MANAGER: 918-637-7678
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE BVO.
BARTLESVILLE (VL) (L) VORW/DME 117.9 BVO Chan 126
N36°50.06′ W96°01.11′ 235° 21.1 NM to fld. 930/8E.




PAWNEE MUNI (H97) 2 N UTC–6(–5DT) N36°22.64′ W96°48.31′ **KANSAS CITY**
875 NOTAM FILE MLC
RWY 18–36: 2133X100 (TURF) 0.4% up N
RWY 18: Trees.
RWY 36: Trees.
AIRPORT REMARKS: Unattended. For arpt attendant call police dept 918–762–3166. Rwy 18–36 south 300′ muddy and soft when wet.
AIRPORT MANAGER: 918-762-2658
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.

PERRY MUNI (F22) 5 N UTC–6(–5DT) N36°23.14′ W97°16.63′ **WICHITA**
1003 B NOTAM FILE MLC **H–6H, L–15D**
RWY 17–35: H5103X75 (ASPH) S–75, D–130 MIRL 0.5% up S **IAP**
RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 46′.
RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 46′. Road.
SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** ACTIVATE MIRL Rwy 17–35 and REIL Rwy 17 and Rwy 35—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. Unattended Christmas day. Ultralight activity on and invof arpt.
AIRPORT MANAGER: 580-336-4001
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.
PIONEER (VH) (H) VORTACW 113.2 PER Chan 79 N36°44.79′ W97°09.61′ 189° 22.4 NM to fld. 1054/6E.
TACAN AZIMUTH unusable:
184°–194° byd 15 NM blo 3,000′
VOR unusable:
216°–226° blo 5,000′



PIONEER N36°44.79′ W97°09.61′ NOTAM FILE PNC. **WICHITA**
(VH) (H) VORTACW 113.2 PER Chan 79 101° 3.0 NM to Ponca City Rgnl. 1054/6E. **H–6H, L–15D**
TACAN AZIMUTH unusable:
184°–194° byd 15 NM blo 3,000′
VOR unusable:
216°–226° blo 5,000′


PONCA CITY RGNL (PNC)(KPNC) 2 NW UTC–6(–5DT) N36°43.92′ W97°05.99′ **WICHITA**
1009 B NOTAM FILE PNC MON Airport **H–6H, L–15D**
RWY 17–35: H7201X100 (CONC–GRVD) S–51, D–65, 2S–83, 2D–122 HIRL **IAP**
RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 52′. Rgt tfc.
RWY 35: ODALS. PAPI(P4L)—GA 3.0° TCH 46′. Bldg.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT MALSR Rwy 17; ODALS Rwy 35; HIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 on consly. Rwy 35 PAPI unusbl byd 8 degs right of cntrln.
AIRPORT REMARKS: Attended 1300–0100Z‡. 100LL avbl 24 hrs; svc avbl 1300Z‡–dusk; otr times—580–767–0429. Ultralights on and invof arpt. Rwy 17–35 north 2400′ nstd plastic grooving entire width; 25′ each edge at remaining of 4801′.
AIRPORT MANAGER: 580-767-0470
WEATHER DATA SOURCES: ASOS 134.075 (580) 765–0049.
COMMUNICATIONS: CTAF/UNICOM 123.0
RCO 122.2 (MC ALESTER RADIO)
Ⓡ**KANSAS CITY CENTER APP/DEP CON** 127.8
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Kansas City ARTCC at 913-254-8508.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.
PIONEER (VH) (H) VORTACW 113.2 PER Chan 79 N36°44.79′ W97°09.61′ 101° 3.0 NM to fld. 1054/6E.
TACAN AZIMUTH unusable:
184°–194° byd 15 NM blo 3,000′
VOR unusable:
216°–226° blo 5,000′
NDB (MHW/LOM) 515 PN N36°49.50′ W97°06.03′ 175° 5.6 NM to fld. 1038/5E.
ILS/DME 111.9 I–PNC Chan 56 Rwy 17. LOM PONCA NDB. Unmonitored. Autopilot coupled apch not applicable blw 1,570′.




POND CREEK MUNI (2K1) 0 SW UTC–6(–5DT) N36°39.75′ W97°48.52′ **WICHITA**
1061 NOTAM FILE MLC
RWY 17–35: 2320X430 (TURF)
RWY 17: Pole.
RWY 15–33: H1220X30 (ASPH)
RWY 15: Trees.
AIRPORT REMARKS: Unattended. Rwy 17–35 full width of rwy not maintained, use middle of rwy surface. Rwy 15–33 pvt maintained. Thld lgts NSTD all green lenses.
AIRPORT MANAGER: 580-532-4915
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch at 580-213-6765. When Vance Apch is clsd, ctc Kansas City ARTCC at 913-254-8508.

POTEAU

ROBERT S KERR (RKR)(KRKR) 2 S UTC–6(–5DT) N35°01.30′ W94°37.28′ **MEMPHIS**
451 B NOTAM FILE RKR **L–17D**
RWY 18–36: H4007X75 (ASPH) S–27 MIRL **IAP**
RWY 18: ODALS. PAPI(P4L)—GA 3.0° TCH 42′. Trees.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 42′.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT ODALS Rwy 18; REIL Rwy 36—CTAF. MIRL Rwy 18–36–SS–SR, incr intst—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. Ultralight activity on and invof arpt. 100LL avbl H24 with credit card. Rwy 18 and 36 markings faded.
AIRPORT MANAGER: 918-647-4226
WEATHER DATA SOURCES: AWOS–3 120.625 (918) 647–4063.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **RAZORBACK APP/DEP CON** 120.9 (1130–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1 (0500–1130Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
RICH MOUNTAIN (VL) (L) VORTACW 113.5 PGO Chan 82
N34°40.83′ W94°36.54′ 354° 20.4 NM to fld. 2700/4E.
VOR unusable:
016°–021° byd 40 NM
028°–029° byd 40 NM
030°–040°
050°–075° blo 4,000′
090°–145°
167°–169° byd 40 NM
170°–200°
235°–245° byd 30 NM blo 5,000′
250°–271°
260°–280° byd 35 NM blo 5,000′
329°–335° byd 40 NM
340°–345° blo 5,000′
358°–002° byd 40 NM




PRAGUE MUNI (O47) 2 W UTC–6(–5DT) N35°28.85′ W96°43.13′ **DALLAS–FT WORTH**
1041 B NOTAM FILE MLC **L–15E**
RWY 17–35: H3600X60 (ASPH) S–4 MIRL 0.9% up N **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Thld dsplcd 110′. Tree.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 17–35 on SS–SR, preset low intst. Incr intst—CTAF.
AIRPORT REMARKS: Unatndd. Fuel avbl 24 hrs credit card adps. Rwy 17–35 large long and transverse cracks in rwy sfc.
AIRPORT MANAGER: 405-567-2270
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 073° 44.3 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°
COMM/NAV/WEATHER REMARKS: CTAF OTS indefly.




PRYOR

MID–AMERICA INDUSTRIAL (H71) 6 S UTC–6(–5DT) N36°13.52′ W95°19.80′ **KANSAS CITY**
622 B NOTAM FILE MLC **H–6I, L–15E**
RWY 18–36: H5001X72 (ASPH) S–30 MIRL 0.4% up N **IAP**
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Rgt tfc.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Trees.
SERVICE: **FUEL** 100LL, JET A+ **LGT** ACTVT REIL Rwy 18 and Rwy 36; MIRL Rwy 18–36—CTAF. Rwy 18 VGSI unusbl byd 9 deg right of cntrln.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Wkend gldr ops on and invof arpt. 100LL and A+ fuel avbl H24 with credit card.
AIRPORT MANAGER: 918-476-6096
WEATHER DATA SOURCES: AWOS–3PT 120.1 (918) 476–0517.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**TULSA APP/DEP CON** 119.1
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa Apch at 918-831-6714.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 077° 22.3 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′



PURCELL MUNI – STEVEN E SHEPHARD FLD (3O3) 2 SW UTC–6(–5DT) N34°59.00′ **DALLAS–FT WORTH**
W97°22.96′ **L–17C**
1143 B NOTAM FILE MLC
RWY 17–35: H3003X60 (ASPH) S–9.5 MIRL
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended intermittently. Fuel avbl 24 hrs with credit card.
AIRPORT MANAGER: 405-527-6563
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 147° 25.1 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°




RED RIVER (See KINGSTON on page 227)

RICH MOUNTAIN N34°40.83′ W94°36.54′ NOTAM FILE MLC. **MEMPHIS**
(VL) (L) VORTACW 113.5 PGO Chan 82 354° 20.4 NM to Robert S Kerr. 2700/4E. **H–6I, L–17D**
VOR unusable:
016°–021° byd 40 NM
028°–029° byd 40 NM
030°–040°
050°–075° blo 4,000′
090°–145°
167°–169° byd 40 NM
170°–200°
235°–245° byd 30 NM blo 5,000′
250°–271°
260°–280° byd 35 NM blo 5,000′
329°–335° byd 40 NM
340°–345° blo 5,000′
358°–002° byd 40 NM


ROBERT S KERR (See POTEAU on page 240)

SALLISAW MUNI (JSV)(KJSV) 1 SW UTC–6(–5DT) N35°26.30′ W94°48.18′ **MEMPHIS**
527 B NOTAM FILE JSV **L–16F**
RWY 18–36: H4006X75 (ASPH) MIRL 0.3% up N **IAP**
RWY 18: PAPI(P2R)—GA 3.0° TCH 40′.
RWY 36: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL, JET A
AIRPORT REMARKS: Attended 1400–2300Z‡. Arpt unattended federal holidays. 100LL fuel avbl 24 hrs with a major credit card. For Jet A or addnl svcs call 918–773–2076. +200′ tower/antenna 2.2 miles north on extended centerline.
AIRPORT MANAGER: 918-775-6241
WEATHER DATA SOURCES: AWOS–3 118.475 (918) 775–4136.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **RAZORBACK APP/DEP CON** 120.9 (1130–0500Z‡)
Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1 (0500–1130Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Razorback Apch 479-649-2416, when Apch clsd ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.
FORT SMITH (L) (L) VORTACW 110.4 FSM Chan 41 N35°23.30′ W94°16.29′ 270° 26.2 NM to fld. 432/7E.




SAND SPRINGS

WILLIAM R POGUE MUNI (OWP)(KOWP) 3 NW UTC–6(–5DT) N36°10.52′ W96°09.11′ **KANSAS CITY**
892 B NOTAM FILE MLC **H–6H, L–15E**
RWY 17–35: H5799X100 (ASPH) S–30, D–58 MIRL **IAP**
RWY 17: PAPI(P4L)—GA 3.0° TCH 31′. Trees.
RWY 35: ODALS. PAPI(P4L)—GA 3.0° TCH 33′.
SERVICE: S4 **FUEL** 100LL **LGT** ACTVT ODALS Rwy 35; MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 on consly. Rwy 35 PAPI unusbl byd 8 degs left, right of RCL.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡, Sun 1600–2300Z‡. Arpt unattended Thanksgiving, Christmas and New Year′s Day. For assistance and for arpt attendant after hrs or emer: 918–638–6895. Fuel avbl 24 hrs with major credit card. Deer invof arpt. Rwy 17 right tfc for helis.
AIRPORT MANAGER: 918-246-2605
WEATHER DATA SOURCES: AWOS–3PT 121.15 (918) 246–2635.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **TULSA APP/DEP CON** 124.0
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa Apch at 918-831-6714/6720.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
GLENPOOL (T) DME 110.6 GNP Chan 43 N35°55.25′ W95°58.12′ 330° 17.7 NM to fld. 810.




SAYRE MUNI (304) 7 S UTC–6(–5DT) N35°10.06′ W99°39.47′ **DALLAS–FT WORTH**
1937 B NOTAM FILE MLC **L–15C**
RWY 17–35: H4276X130 (CONC) S–30 MIRL 0.5% up S
RWY 17: PAPI(P2L)—GA 3.0° TCH 41′.
RWY 35: PAPI(P2L)—GA 3.0° TCH 45′.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Self svc fuel avbl 24 hrs with credit card.
AIRPORT MANAGER: 580-878-0028
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.




SCOTT FLD (See MANGUM on page 229)

SEILING (1S4) 0 NW UTC–6(–5DT) N36°09.32′ W98°56.02′ **WICHITA**
1746 NOTAM FILE MLC
RWY 17–35: H2435X38 (ASPH) LIRL(NSTD) 0.4% up N
RWY 35: Tree.
SERVICE: **LGT** Rwy 17–35 nstd LIRL due to spacing and hgt.
AIRPORT REMARKS: Unattended. 496′ AGL unlgtd twr 18 NM S. S wgt thsd less than 4000 lbs. Rwy 17–35 edge mkd only.
AIRPORT MANAGER: 580-922-4460
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.

SEMINOLE MUNI (SRE)(KSRE) 3 N UTC–6(–5DT) N35°16.47′ W96°40.52′ **DALLAS–FT WORTH**
1023 B NOTAM FILE SRE **H–6H, L–15E**
RWY 16–34: H5004X75 (ASPH) S–16 MIRL 0.5% up N **IAP**
RWY 16: REIL. PAPI(P4L)—GA 3.0° TCH 27′.
RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 49′.
RWY 05–23: 2000X150 (TURF) 0.9% up NE
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 16–34 preset low intst, incr intst—CTAF. **FUEL** 100LL self svc avbl H24. A svc and aft hrs—405–808–4045.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat 1400–1800Z‡. Deer and misc wildlife on and invof rwy.
AIRPORT MANAGER: 405-382-2180
WEATHER DATA SOURCES: AWOS–3 118.625 (405) 382–0111.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
MC ALESTER (L) TACAN Chan 57 MLC (112.0) N34°50.97′ W95°46.94′ 292° 50.8 NM to fld. 782/8E.



SHAWNEE RGNL (SNL)(KSNL) 2 NW UTC–6(–5DT) N35°21.44′ W96°56.57′ **DALLAS–FT WORTH**
1073 B NOTAM FILE SNL **H–6H, L–15D**
RWY 17–35: H5997X100 (ASPH) S–30, D–40, 2D–60 MIRL **IAP**
RWY 17: MALSR. REIL. PAPI(P4L)—GA 3.0° TCH 52′. P–line. Rgt tfc.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 42′. Thld dsplcd 404′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 17–35 preset low intst; to incr intst and ACTVT MALSR Rwy 17—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Aft hrs call out avbl–AMGR. Fuel avbl 24 hrs with credit card. Pilots conducting EFVS ops; be aware LED ALS in use Rwy 17.
AIRPORT MANAGER: 405-878-1633
WEATHER DATA SOURCES: AWOS–3PT 118.275 (405) 214–1916.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **OKE CITY APP/DEP CON** 120.45
CLEARANCE DELIVERY PHONE: For CD ctc oke Apch at 405-681-5683.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 083° 32.7 NM to fld. 1240/7E.
TACAN AZIMUTH unusable:
297°–315°
ILS/DME 108.75 I–HNQ Chan 24(Y) Rwy 17. Class IE.



SKIATOOK MUNI (2F6) 1 SW UTC–6(–5DT) N36°21.31′ W96°00.64′ **KANSAS CITY**
671 B NOTAM FILE MLC **L–15E**
RWY 18–36: H3002X60 (CONC) S–4 MIRL 0.4% up N
RWY 18: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 36: Thld dsplcd 90′. Tree.
RWY N–S: 2600X40 (TURF)
RWY N: Tree.
RWY S: Tree.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—CTAF. PAPI Rwy 18 on consly. Rwy 36 PAPI unusbl.
AIRPORT REMARKS: Unattended. Parachute Jumping. Turf Rwy N–S CLOSED indef. 100LL avbl 24 hr with automated credit card adp sys.
AIRPORT MANAGER: 918-396-2797
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa Apch at 918-831-6714/6720.


SNYDER (4O1) 4 SW UTC–6(–5DT) N34°37.66′ W99°00.84′ **DALLAS–FT WORTH**
1325 NOTAM FILE MLC
RWY 17–35: H2125X30 (ASPH)
RWY 35: Trees.
SERVICE: **FUEL** 100LL, JET A
AIRPORT REMARKS: Attended irregularly. Fuel avbl on request call 580–569–2222.
AIRPORT MANAGER: 580-569-2222
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

SOUTH GRAND LAKE RGNL (See KETCHUM on page 226)

STAN STAMPER MUNI (See HUGO on page 225)

STEARMANS ROOST (See VINITA on page 253)

STIGLER RGNL (GZL)(KGZL) 3 NE UTC–6(–5DT) N35°17.29′ W95°05.63′ **DALLAS–FT WORTH L–15E IAP**
600 B NOTAM FILE MLC
RWY 17–35: H4296X60 (ASPH) S–12.5 MIRL
RWY 17: PAPI(P2L)—GA 2.75° TCH 40′. Thld dsplcd 95′. P–line.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Tree.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 17: TORA–4296 TODA–4296 ASDA–4296 LDA–4200
RWY 35: TORA–4296 TODA–4296 ASDA–4296 LDA–4296
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 17–35—CTAF. PAPI Rwy 17 & 35 on consly.
AIRPORT REMARKS: Unattended. Aft hrs police non–emer: 918–967–3377. 100LL self svc fuel is avbl 24 hrs.
AIRPORT MANAGER: 918-967-2164
WEATHER DATA SOURCES: AWOS–3PT 118.575 (918) 967–8982.
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.
FORT SMITH (L) (L) VORTACW 110.4 FSM Chan 41 N35°23.30′ W94°16.29′ 255° 40.8 NM to fld. 432/7E.




STILLWATER RGNL (SWO)(KSWO) 3 NW UTC–6(–5DT) N36°09.68′ W97°05.15′ **WICHITA H–6H, L–15D IAP, AD**
1000 B TPA—See Remarks ARFF Index—See Remarks NOTAM FILE SWO
RWY 17–35: H7401X100 (CONC–GRVD) S–100, D–157, 2S–175, 2D–310 PCR 582 R/C/W/T MIRL 0.5% up N
RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 38′.
RWY 04–22: H5002X75 (ASPH) S–34, D–60 PCR 158 R/C/W/T MIRL 0.5% up NE
RWY 04: PAPI(P4L)—GA 3.0° TCH 35′. Ground.
RWY 22: PAPI(P4L)—GA 3.0° TCH 39′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 04: TORA–5002 TODA–5002 ASDA–5002 LDA–5002
RWY 17: TORA–7401 TODA–7401 ASDA–7401 LDA–7401
RWY 22: TORA–5002 TODA–5002 ASDA–5002 LDA–5002
RWY 35: TORA–7401 TODA–7401 ASDA–7401 LDA–7401
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MALSR Rwy 17; REIL Rwy 35; PAPI Rwy 22; MIRL Rwy 04–22 and 17–35—CTAF. MIRL Rwy 17–35 preset low intst; incr intst–CTAF. PAPI Rwy 04 unusbl byd 9 degs right of cntrln. PAPI Rwy 17 byd 9 degs left and right of cntrln. PAPI Rwy 35 unusbl byd 9 degs left and 8 degs right of cntrln.
AIRPORT REMARKS: Attended 1100–0600Z‡. Student ops and birds on and invof arpt. All ramps are uncontrolled. Aft hr fuel 405–377–5326. Aft hrs fuel avbl with PPR; ctc 405–624–5463. Class I, ARFF Index B. ARFF Index 24 hrs PPR for unsked acft ops with more than 9 pax call amgr 405–533–2222. ARFF index B maintained; ARFF index C PPR. TPA—light acft 1800 (800), turbo props/jets 2500 (1500). Ptn of Twy F north of T–hngr 2 not vsbl from ATCT. For GA tsnt prkg on Hangar 1 ramp ctc FBO on UNICOM or fone 405–624–5463. Opns abv PCR value by PPR.
AIRPORT MANAGER: 405-533-8425
WEATHER DATA SOURCES: ASOS 135.725 (405) 743–8150.
COMMUNICATIONS: CTAF 125.35 **UNICOM** 122.95
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8
TOWER 125.35 (1400–0400Z‡) **GND CON** 121.6
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Kansas City ARTCC at 913-254-8508.
AIRSPACE: CLASS D svc 1400–0400Z‡ daily; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE SWO.
(T) (T) VORW/DME 108.4 SWO Chan 21 N36°13.45′ W97°04.88′ 176° 3.8 NM to fld. 1022/7E.
GABEH NDB (LOMW) 255 SW N36°14.17′ W97°05.24′ 174° 4.5 NM to fld. 975/5E.
ILS/DME 109.15 I–SWO Chan 28(Y) Rwy 17. Class IB. LOM GABEH NDB. Unmonitored when ATCT clsd.

STROUD MUNI (SUD)(KSUD) 3 N UTC–6(–5DT) N35°47.38′ W96°39.34′ **DALLAS–FT WORTH**
901 B NOTAM FILE MLC **L–15E**
RWY 18–36: H3000X60 (ASPH) S–12.5 MIRL
RWY 18: PAPI(P2L).
RWY 36: PAPI(P2L).
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT PAPI Rwy 18 and 36; MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Unattended. Fuel avbl 24 hr with credit card. 30′ unmarked powerline lctd approx 990′ from Rwy 18 end.
AIRPORT MANAGER: (918) 290-0787
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE OKM.
OKMULGEE (VH) (DH) VORW/DME 114.9 OKM Chan 96 N35°41.58′ W95°51.96′ 271° 39.0 NM to fld. 774/8E.


SULPHUR MUNI (F3Ø) 2 NW UTC–6(–5DT) N34°31.62′ W96°59.41′ **DALLAS–FT WORTH**
1071 B NOTAM FILE MLC **L–17C**
RWY 17–35: H3500X60 (ASPH) S–12.5 MIRL 1.1% up N
RWY 17: Trees. Rgt tfc.
SERVICE: S4 **FUEL** 100LL **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Fuel: 100LL avbl 24 hrs with cc.
AIRPORT MANAGER: 580-618-8585
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.
ARDMORE (VH) (H) VORTACW 116.7 ADM Chan 114 N34°12.70′ W97°10.09′ 019° 20.9 NM to fld. 937/6E.
VOR unusable:
150°–160°
302°–346°

SUNDANCE (See OKLAHOMA CITY on page 235)

TAHLEQUAH MUNI (TQH)(KTQH) 2 NW UTC–6(–5DT) N35°55.82′ W95°00.27′ **DALLAS–FT WORTH**
874 B NOTAM FILE TQH **H–6I, L–15E**
RWY 17–35: H5001X75 (ASPH) S–26 MIRL 0.4% up N **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.5° TCH 39′. Trees.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 39′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT REIL Rwy 17 and 35; MIRL Rwy 17–35—CTAF. PAPI Rwy 17 and 35 on consly. Rwy 35 PAPI unusbl byd 8° right of cntrln.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Parachute Jumping. Self svc credit card fuel H24.
AIRPORT MANAGER: (918) 708-5600
WEATHER DATA SOURCES: AWOS–3P 118.425 (918) 453–2729. Thunderstorm sensor NA – perm disabld.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**MEMPHIS CENTER APP/DEP CON** 126.1
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 104° 41.3 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′




TALIHINA MUNI (6F1) 3 SW UTC–6(–5DT) N34°42.47′ W95°04.43′ **DALLAS–FT WORTH**
687 B NOTAM FILE MLC **L–17D**
RWY 01–19: H3300X60 (ASPH) S–12 MIRL
RWY 01: Trees.
SERVICE: **LGT** ACTVT MIRL Rwy 01–19—CTAF. ACTVT WDI lights–CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: (918) 413-2088
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
RICH MOUNTAIN (VL) (L) VORTACW 113.5 PGO Chan 82
N34°40.83′ W94°36.54′ 270° 23.1 NM to fld. 2700/4E.
VOR unusable:
016°–021° byd 40 NM
028°–029° byd 40 NM
030°–040°
050°–075° blo 4,000′
090°–145°
167°–169° byd 40 NM
170°–200°
235°–245° byd 30 NM blo 5,000′
250°–271°
260°–280° byd 35 NM blo 5,000′
329°–335° byd 40 NM
340°–345° blo 5,000′
358°–002° byd 40 NM




TENKILLER LAKE AIRPARK (See COOKSON on page 210)

TEXHOMA MUNI (K49) 1 W UTC–6(–5DT) N36°30.34′ W101°48.82′ **WICHITA**
3468 NOTAM FILE MLC **L–15B**
RWY 03–21: H3564X48 (ASPH)
RWY 03: Thld dsplcd 590′. Road.
RWY 21: Thld dsplcd 340′. Fence.
RWY 17–35: 2340X75 (TURF)
RWY 17: Fence.
RWY 35: Road.
AIRPORT REMARKS: Unattended. Ultralight act on & invof arpt. Wind turbines 350 ft AGL lctd 2 mi south of arpt. Rwy 17–35 fairly smooth, few rodent mounds, several patches of cactus.
AIRPORT MANAGER: 806-753-6567
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.
DALHART (L) (L) VORTACW 112.0 DHT Chan 57 N36°05.49′ W102°32.68′ 043° 43.3 NM to fld. 4020/12E.
TAC AZM unusable:
240°–255° byd 15 NM
320°–350° byd 15 NM



TEXOMA N33°56.65′ W96°23.51′ NOTAM FILE DUA. **DALLAS–FT. WORTH**
(L) DME 114.3 URH Chan 90 at Durant Rgnl/Eaker Fld. 682. **H–6H, L–17D**
DME unusable:
207°–240° byd 35 NM blo 2,500′
335°–350° byd 35 NM blo 2,500′

THOMAS MUNI (1O4) 1 SE UTC–6(–5DT) N35°44.02′ W98°43.83′ **DALLAS–FT WORTH**
1733 B NOTAM FILE MLC **L–15D**
RWY 17–35: H3771X60 (ASPH) S–4 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Thld dsplcd 212′. Road.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A+ **LGT** Rwy 17 PAPI unusbl byd 8° right of cntrln. MIRL Rwy 17–35 on ss–sr preset low ints; incr/decr intst—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Fuel 100LL, A+ avbl 24 hrs self svc with credit card. Svcs ctc amgr 580–603–2636.
AIRPORT MANAGER: 580-603-2636
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
KINGFISHER (H) TACAN Chan 94 IFI (114.7) N35°48.32′ W98°00.23′ 254° 35.7 NM to fld. 1112/9E.




TINKER AFB (TIK)(KTIK) AF 8 SE UTC–6(–5DT) N35°24.89′ W97°23.20′ **DALLAS–FT WORTH**
1291 B TPA—See Remarks NOTAM FILE MLC Not insp. **H–6H, L–15D**
RWY 18–36: H11100X200 (PEM) PCN 73 R/C/W/T HIRL **DIAP, AD**
RWY 18: SALSF. PAPI(P4L)—GA 2.8° TCH 51′. RVR–T 0.3% up.
RWY 36: ALSF1. PAPI(P4L)—GA 2.6° TCH 52′. RVR–T Rgt tfc.
RWY 13–31: H10000X200 (PEM) PCN 59 R/C/W/T HIRL
RWY 13: SALS. PAPI(P4L)—GA 2.8° TCH 47′. Rgt tfc. 0.5% up.
RWY 31: SALS. PAPI(P4L)—GA 3.0° TCH 71′.
SERVICE: S4 **OX** 1, 2, 4 **LGT** ALS Rwy 18 nstd for Cat I ILS. ALS Rwy 13–31 nstd. **MILITARY— JASU** 1(MC–1A) 1(MC–2A) (A/M32A–86) 8(AM32A–60) 6(AM32A–95) **FUEL** A++ (Mil) **FLUID** PRESAIR LHOX LOX LHNIT SP **OIL** O–148–156 SOAP–Results avbl 1345–1730Z‡, 1830–0600Z‡ wkd exc hol, results not avbl OT. **TRAN ALERT** Opr 1400–0530Z‡. Ltd Fleet Svc (lavatory and water only).
NOISE: Noise abatement: Practice circling apch to Rwy 18 prohibited. Night quiet hr in effect 0500–1200Z‡, practice apch are restricted.
MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remark. **RSTD** PPR tran acft, ctc base ops DSN 884–2191, C405–734–2191. Notify Base OPS of 1 hr or more ETA chg and PPR CNL. No tran acft arr/dep 0530–1400Z‡. Tran acft may exp only one apch dur periods of ints lcl trng. **CAUTION** Exer ctn while tax; portions of ALC Ramp, KC–46 Ramp, and munitions fac not vis fm twr. Hold short of ramp for individual acft flw–me assistance. Use caution Rwy 13–31, N–S VFR corridor surface –3000′ 1 NM off dep end Rwy 31. Unlgtd fences around airfield. Unlighted bldgs NW, W, SW and E of Rwy 18–36. **TFC PAT** TPA Rectangular and clsd tfc pat 3000 (1709) (includes fighter/trainer acft), overhead tfc pat on req 3500 (2209). Use 124.45 while in tfc pat, monitor 251.05 to maximum extent possible. **CSTMS/AG/IMG:** See foreign clearance guide KTIK entry. **MISC** VIP acft ctc Base OPS 30 min prior to ETA with firm chock time. Rwy 13–31 apch end 1000′ conc, remaining rwy keel 75′ conc, non–keel asphalt. Rwy 18–36 apch ends 1000′ conc, remaining rwy keel 75′ conc, non–keel asphalt, mid 8100′ rwy grooved. Twy A clsd east side Rwy 18–36. Twy M NSTD due to 50′ wide. Rwy C NSTD shoulders btn trim pad and Rwy 13–31. Hgr space for tran acft dur inclement WX extremely ltd. Tran svc for B52, B1, C5, C17, C130, KC10 and C135 extremely ltd, acft should have crew chief on board. Anti–icing/De–icing capabilities for tran acft limited, tran aircews must ctc Base OPS with deicing req prior to arrival. Rwy Cond Code (RwyCC) and Field Condition NOTAM (FICON) not determined/rprtd. Air terminal svc (ATOC) and contingency/deployment OPR avail 1300–0100Z‡ dly. Acft loading/offloading req outside publ times ctc DSN 339–5553, C405–734–2751. Std USAF RSRS applied. Veh transportation for tran aircews avbl Mon–Thur 1230–0430Z‡, Fri 1230–0200Z‡, exc hol. Air terminal svc (ATOC) and contingency/deployment opr avbl 1300–0100Z‡ dly. Acft loading/offloading req outside publ times ctc DSN 339–5553, C405–734–2751. Std USAF reduced same rwy separation applied.
AIRPORT MANAGER: 405-732-1110

CONTINUED ON NEXT PAGE


CONTINUED FROM PRECEDING PAGE

COMMUNICATIONS: SFA 354.125 (Sooner Con/Okie Ops 228.45 311.0)
ATIS 270.1 (1100–0400Z‡) DSN 884–5152, C405–734–5152.
PTD 134.1 372.2
Ⓡ **OKE CITY APP/DEP CON** 120.45 288.325 (081°–170°) 124.2 336.4 (001°–080°) 124.6 266.8 (261°–360°) 126.65 263.075 (171°–260°)
TOWER 124.45 251.05 **GND CON** 121.8 275.8 **CLNC DEL** 119.7 335.8
TIK COMD POST (Arrow Ctl) 139.95 141.65 225.875 305.6
PMSV METRO 261.025 (Forecast svc avbl during afld opr hr.) DSN 884–3196, C405–734–3196. Alternate wx location DSN 884–3529, C405–734–3529. **TINKER ATOC** 119.15
AFMC FLT TEST 382.6 (OC–ALC PDM input acft ctc Sabre Control 30 min prior arrival.)
AIRSPACE: CLASS C svc ctc **APP CON**.
RADIO AIDS TO NAVIGATION: NOTAM FILE PWA.
WILEY POST (T) (T) VORW/DME 113.4 PWA Chan 81 N35°31.98′ W97°38.83′ 111° 14.6 NM to fld. 1271/8E.
WILL ROGERS (H) (H) VORTACW 114.1 IRW Chan 88 N35°21.52′ W97°36.55′ 066° 11.4 NM to fld. 1240/7E. NOTAM FILE OKC.
TACAN AZIMUTH unusable:
297°–315°
(T) TACAN Chan 105 TIK (115.8) N35°26.19′ W97°22.78′ 192° 1.3 NM to fld. 1251/3E. NOTAM FILE MLC.
TACAN AZIMUTH unusable:
051°–061° byd 20 NM blo 3,400′
154°–174° byd 23 NM blo 3,400′
DME unusable:
051°–061° byd 20 NM blo 3,400′
154°–174° byd 23 NM blo 3,400′
No NOTAM MP: 1300–1500Z‡ 1st & 3rd Tue each Month
LOC 111.7 I–EVG Rwy 13.
ILS 111.3 I–FRJ Rwy 18. Glideslope sgl not protected fm psbl reflective intfc caused by vehicle tfc. Acft with AN/ARN–58 localizer rcvr may experience course deviations due to intfc. LOC unusable byd 15° right of course centerline; fm 0.1 NM to rwy thld. No NOTAM MP: 1300–1500Z‡ 1st and 3rd Tue each Month.
LOC 111.7 I–PLH Rwy 31.
ILS 109.5 I–TIK Rwy 36. Acft with AN/ARN–58 localizer rcvr may experience course deviations due to intfc. No NOTAM MP: 1300–1500Z‡ 1st and 3rd Tue each Month.
ASR
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. Acft with AN/ARN–58 localizer receiver may experience course deviations due to interference.

TIPTON MUNI (1O8) 3 SW UTC–6(–5DT) N34°27.52′ W99°10.28′ **DALLAS–FT WORTH**
1248 B NOTAM FILE MLC **L–17B**
RWY 17–35: H3062X50 (ASPH) S–12 MIRL **IAP**
RWY 17: Pole.
RWY 35: Pole.
AIRPORT REMARKS: Unattended. Rwy 17–35 moderate to severe cracking and grass growing through cracks.
AIRPORT MANAGER: 580-667-5211
COMMUNICATIONS: CTAF 122.9
Ⓡ **ALTUS APP/DEP CON** 125.1 (1500–0830Z‡ Mon–Fri, clsd weekends and holidays, other times ctc)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4 133.5
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.
HOBART (VL) (L) VORTACW 115.85 HBR Chan 105(Y) N34°51.99′ W99°03.80′ 182° 25.0 NM to fld. 1472/10E.
VOR unusable:
045°–070° byd 40 NM
071°–079° byd 54 NM blo 7,000′
071°–079° byd 66 NM
080°–120° byd 10 NM
355°–360° byd 15 NM blo 4,500′
TACAN AZIMUTH unusable:
050°–055° byd 21 NM blo 4,500′
050°–055° byd 26 NM blo 5,500′
050°–055° byd 33 NM blo 7,500 . 080–120 byd 10 NM′
245°–270° byd 33 NM blo 3,500′
DME unusable:
080°–120° byd 10 NM
355°–360° byd 15 NM blo 4,500′



TISHOMINGO AIRPARK (ØF9) 2 S UTC–6(–5DT) N34°11.91′ W96°40.47′ **DALLAS–FT WORTH L–17C**
647 B NOTAM FILE MLC
RWY 17–35: H3100X60 (ASPH) S–12 RWY LGTS(NSTD)
RWY 17: Trees.
RWY 35: Trees.
SERVICE: **LGT** Nstd solar LIRL Rwy 17–35 SS–SR. Rwy 17–35 nstd due to thld lgts all red and edge lgts all yellow. Rotating bcn OTS indef.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: (580) 371-8605
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.
ARDMORE (VH) (H) VORTACW 116.7 ADM Chan 114 N34°12.70′ W97°10.09′ 086° 24.6 NM to fld. 937/6E.
VOR unusable:
150°–160°
302°–346°



TULSA

TULSA INTL (TUL)(KTUL) P (ANG ARNG) 5 NE UTC–6(–5DT) N36°11.90′ W95°53.29′ **KANSAS CITY H–6I, L–15E IAP, AD**
678 B LRA Class I, ARFF Index C NOTAM FILE TUL
RWY 18L–36R: H10000X150 (CONC–GRVD) S–75, D–200, 2S–175, 2D–400 PCR 1175 R/C/W/T HIRL CL
RWY 18L: MALSR. PAPI(P4L)—GA 2.75° TCH 56′. RVR–TMR Tree. 0.4% up.
RWY 36R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 52′. RVR–TMR Tree. Rgt tfc.
RWY 08–26: H7376X150 (CONC–GRVD) S–75, D–200, 2S–175, 2D–350 PCR 626 R/B/W/T HIRL 0.5% up W
RWY 08: REIL. PAPI(P4L)—GA 3.0° TCH 52′. Tree.
RWY 26: MALSR. PAPI(P4L)—GA 3.0° TCH 57′.
RWY 18R–36L: H6101X100 (ASPH–GRVD) S–100, D–140, 2S–127 PCR 427 F/D/X/T HIRL 0.7% up S
RWY 18R: REIL. PAPI(P4L)—GA 2.75° TCH 42′. Thld dsplcd 600′. Rgt tfc.
RWY 36L: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Road.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 08: TORA–7376 TODA–7376 ASDA–7376 LDA–7376
RWY 18L: TORA–10000 TODA–10000 ASDA–10000 LDA–10000
RWY 18R: TORA–6101 TODA–6101 ASDA–5741 LDA–5141
RWY 26: TORA–7376 TODA–7376 ASDA–7376 LDA–7376
RWY 36L: TORA–6101 TODA–6101 ASDA–5101 LDA–5101
RWY 36R: TORA–10000 TODA–10000 ASDA–10000 LDA–10000
ARRESTING GEAR/SYSTEM
RWY 18L BAK–14 BAK–12A(B) (1500 FT). BAK–14 BAK–12A(B) (1500 FT). **RWY 36R**
RWY 08 BAK–14 BAK–12A(B) (1500 FT). BAK–14 BAK–12A(B) (1500 FT). **RWY 26**
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2, 3, 4 **LGT** Rwy 08 PAPI unusbl byd 8 deg left & right of rwy cntrln. Rwy 26 PAPI unusbl byd 7 degs right & 9 degs left of cntrln. **MILITARY— A–GEAR** BAK–12A(B) raised by BAK–14 device O/R to twr. **JASU** 2(A/M32A–86) 3(MD–3M) 3(MA–1A) 4(AM32A–60A) 6(AM32A–60B) **FUEL** A, A+ (C918–836–6592, 1000–0600Z‡. OT 1 hr PN, $100 fee.) (NC–100LL, A1, B) **FLUID** SP PRESAIR LPOX LOX **OIL** O–128–148; SOAP–Avbl dur ANG opr hr.
NOISE: Noise abatement all rwys; climb to 3000′ asap aft tkof.
AIRPORT REMARKS: Attended continuously. Birds on and invof arpt.. Ctn: 4000 ft blacktop track 1.5 NM E Rwy 26; do not mistake for rwy. Rwy 18R ireg wind pat. Twy L south of Twy L3 not vsb to ATCT. Txl LA, LB, NN and QQ not vsb fm ATCT. Txl LB not vsb to ATCT. Twy L north of Rwy 08–26 S–93/D–140/DT209. Twy M–2 S–81/D–140/DT186. Wt rstrd areas: Twy JJ S–35; Twy M2 S–81/D–140/DT–186; Twy HH S–55/D–60; Twy L north of Rwy 08–26 S–93/D–140/DT209; Twy L btn Twy C & Twy L2 S–120/D–250/DT–372; Twy L2 S–70/D–100/DT–166. Apvd acft run up area: 0500–1200Z‡ N end Twy J acft orientation N & S. 24 hr apch end Rwy 26 acft orientation E & W. 1200–0500Z‡ N end Twy L acft orientation N and S. SAID in use. Operate transponers with altitude reporting mode and ADS–B (if equiped) enabled on all airport surfaces.
AIRPORT MANAGER: 918-838-5000

CONTINUED ON NEXT PAGE


CONTINUED FROM PRECEDING PAGE

WEATHER DATA SOURCES: ASOS (539) 399–0187 LLWAS. TDWR.
COMMUNICATIONS: UNICOM 122.95 **D–ATIS** 124.9 377.2 (918–831–6718) **PTD** 260.4
RCO 122.2 (MC ALESTER RADIO)
Ⓡ **APP/DEP CON** 119.1 (355°–174°) (FINAL 119.85 355°–174°) 124.0 (175°–354°) (FINAL 132.1 175°–354°)
TOWER 121.2 310.8 (Rwy 18L–36R and Rwy 08–26) 118.7 257.8 (Rwy 18R–36L) **GND CON** 121.9 348.6
CLNC DEL PRE–TAXI CLNC 134.05 284.7
NG OPS 46.9 **ANG OPS** 141.175 335.475 (Opr 1230–2300Z‡ Tue–Fri, exc hol. DSN 628–6545 or C572–247–6545, ctc Lunar Ops inbd.)
PDC
AIRSPACE: CLASS C svc ctc **APP CON**.
VOR TEST FACILITY (VOT) 109.0
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
(H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 264° 4.9 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′
OILLR NDB (LOMW) 338 TU N36°05.85′ W95°53.33′ 357° 6.0 NM to fld. 710/3E.
ILS/DME 109.7 I–DWE Chan 34 Rwy 18L. Class IE. Autopilot coupled apchs NA blw 813′ MSL. 813′ MSL is blw the Cat I DH.
ILS 111.1 I–TJY Rwy 18R. Class IA.
ILS/DME 110.3 I–TUL Chan 40 Rwy 36R. Class IIE. LOM OILLR NDB.
ASR

TULSA RIVERSIDE (RVS)(KRVS) 5 S UTC–6(–5DT) N36°02.38′ W95°59.08′

KANSAS CITY
H–6I, L–15E
IAP, AD

638 B TPA—See Remarks NOTAM FILE RVS
RWY 01L–19R: H5101X100 (ASPH–GRVD) S–61, D–87, 2D–168
PCN 27 F/B/X/T HIRL 0.3% up N
RWY 01L: REIL. PAPI(P4L)—GA 3.0° TCH 48′. Trees.
RWY 19R: REIL. PAPI(P4L)—GA 3.2° TCH 48′. Trees. Rgt tfc.
RWY 01R–19L: H4205X100 (ASPH) S–30, D–60 MIRL 0.3% up N
RWY 01R: PAPI(P4L)—GA 2.83° TCH 40′. Rgt tfc.
RWY 19L: PAPI(P4L)—GA 2.83° TCH 40′. Thld dsplcd 142′. P–line.
RWY 13–31: H2639X50 (ASPH) S–30 MIRL 0.4% up NW
RWY 13: Trees.
RWY 31: Rgt tfc.



SERVICE: S4 **FUEL** 100LL, JET A, A+ **OX** 4 **LGT** When ATCT clsd ACTVT MIRL Rwy 01R–19L and 13–31; HIRL Rwy 01L–19R; Twys H, L, T and Z; Txl DD–CTAF. HIRL Rwy 01L–19R preset med intst; incr intst—CTAF.
NOISE: Noise Abatement: No turns on dep prior to 1500′ MSL NA.
AIRPORT REMARKS: Attended 1200–0400Z‡. After hr PPR. Birds on and invof arpt. Rwy 13 L turn on dep bfr 1500′ MSL NA. Rwy 31 mntn TPA until abeam AER on downwind leg. NE, NW and SW ramps, ptns of Txl CC, DD and GG not vsb fm ATCT. Txl BB and NW pvt hngr area txl 20′ wide. NE and NW pvt hngr area wingspan gtr than 49 NA; wt lmt 12500 lb. Rwy 01L–19R only cntr 80′ grvd. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces.
AIRPORT MANAGER: 918-299-5886
WEATHER DATA SOURCES: ASOS 126.5 (918) 299–0740. LAWRS.
COMMUNICATIONS: CTAF 120.3 **ATIS** 126.5 **UNICOM** 122.95
Ⓡ **TULSA APP/DEP CON** 134.7 (175°–355°) 119.85 (356°–174°)
RIVERSIDE TOWER 120.3 119.2 (1300–0400Z‡) **GND CON** 121.7
CLNC DEL PRE–TAXI CLNC 124.5
AIRSPACE: CLASS D svc 1300–0400Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
(H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 218° 13.4 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′
GLENPOOL (T) DME 110.6 GNP Chan 43 N35°55.25′ W95°58.12′ 354° 7.2 NM to fld. 810. NOTAM FILE MLC.
ILS/DME 109.95 I–RVS Chan 36(Y) Rwy 01L. Class IT.
COMM/NAV/WEATHER REMARKS: Only use 119.2 lcl/twr frequency when advised to do so by RVS ATC or when broadcasted on RVS ATIS.

UNIVERSITY OF OKLAHOMA WESTHEIMER (See NORMAN on page 232)

VANCE AFB (END)(KEND) AF 3 S UTC–6(–5DT) N36°20.39′ W97°55.03′ **WICHITA**
1307 B NOTAM FILE MLC Not insp. **H–6H, L–15D**
RWY 17C–35C: H9217X150 (CONC–GRVD) PCN 45 R/B/W/T HIRL **DIAP, AD**
RWY 17C: SALSF. PAPI(P4L)—GA 2.5° TCH 46′. RVR–T
RWY 35C: SALSF. PAPI(P4L)—GA 2.5° TCH 42′. RVR–T
RWY 17R–35L: H9217X150 (CONC–GRVD) PCN 57 R/B/W/T HIRL
RWY 17R: SALS. PAPI(P4L)—GA 2.5° TCH 48′.
RWY 35L: SALS. PAPI(P4L)—GA 2.5° TCH 49′.
RWY 17L–35R: H5024X150 (CONC–GRVD) PCN 36 R/C/W/T MIRL
RWY 17L: REIL. PAPI(P4L)—GA 3.0° TCH 54′.
RWY 35R: REIL. PAPI(P4L)—GA 3.0° TCH 50′.
ARRESTING GEAR/SYSTEM
RWY 17C BAK–15 CHAG (154 FT OVRN). BAK–15 CHAG (154 FT OVRN). **RWY 35C**
RWY 17R BAK–15 CHAG (152 FT OVRN). BAK–15 CHAG (152 FT OVRN). **RWY 35L**
SERVICE: S4 **OX** 2, 4 **LGT** Rwy 17C–35C nstd SALSF installed on precision rwy. Rwy 17C–35C and 17L–35R 4–lgt PAPI lctd both sides. Rwy 35R PAPI unubl byd 9 degs right and left of cntrln. **MILITARY— JASU** 8(A/M32A–86) 10(AM32–95) **FUEL** A++ (Mil) B+ **FLUID** SP PRESAIR LPOX LOX **OIL** O–148–156 SOAP **TRAN ALERT** Avbl durg publ/NOTAM ops hrs; no fleet svc avbl; tsnt deicing unavbl.
MILITARY REMARKS: Opr Mon–Fri, 1300–0200Z‡ Sun 1900–2300Z‡. Clsd Sat and Fed hol; OT by NOTAM. Apch lighting system Rwy 17C–35C nstd (SALS) installed on precision runway). Rwy 17R–35L 4 lgt PAPI located both sides of rwy. Rwy 17C–35C is grooved conc. Rwy 17L–35R middle 2000′ is grooved. **RSTD** Rwy 17C–35C CLSD til aprx Apr 2025. PPR at least 72 business hrs in adv ctc Vance afld mgt ops DSN 448–7426, C580–213–7426. Offl bus; submit req to afld mgmt at DSN 448–7426, C580–213–7426. Durg VMC, dep acft rmn blw 2300′ until DER to ensure sepn fm VFR ovhd pat unless otrw cleared by ATC. **CAUTION** Some obst lgts nstd; only vis to 3 mi. Led obst lgts may not be vis nvd or ngt vision goggles. Acft sunshades 735′ E of Rwy 17L–35R. **MISC** DV code 7 or hyr ctc Vance OPS 20 min prior to ETA. Afld Wx obs rprtd 24/7 via AN/FMQ–19 AWOS; augmented by human obsn when reqrd. Wx obs lmtd all quad; all EOR not vis fm obs pt; when fog and/or lo clouds ovr AER 17–35 cond rpt fm obs pt may not be representative. Wind sock unlgtd when rwy unlgtd. Vance Wx opr H24 (standby pers mnt on Sat and Federal Hol) DSN 448–7203/7530, C580–213–7203/7530. All 175–1 Wx request rqr 2 hr NTC. Afld wx mnt by AN/FMQ–19 ASOS, augmented by human obsn when rqr. Wx obsn ltd all quad due bldg, hgr, shelters and acft obst view. All EOR not vis fr obsn pt. When fog and/or low clouds present over apch end rwy cond rpt fr obsn pt may not be representative. Migratory bird act BASH (Phase II) 15 Apr–31 May and 1 Nov–28 Feb or active via NOTAM.
AIRPORT MANAGER: 580-213-7424
COMMUNICATIONS: SFA 392.1 **ATIS** 115.4 263.15 (1 May–31Oct) Mon–Fri 1300–0200Z‡ (1 Nov–30 Apr) Mon–Fri 1300–0100Z‡, Sun 2000–0000Z‡, clsd Sat and federal holidays. **PTD** 372.2
Ⓡ **APP CON** 120.525 306.3 (169°–007° 10000′ to FL 240, 337°–169° FL 230 to FL 240) 118.075 273.475 (337°–037° to 19 DME at or blo FL 220) 121.3 291.1 (037°–169° at or blo 6500′) 125.45 343.625(7000′ to FL 220) 126.75 346.325 (209°–337° to 18 DME at or blo FL 240) 119.775 244.875 (169°–007° within 18 DME at or blo 9500′) (1300–0200Z‡ wkd, 1900–2300Z‡ Sun; clsd Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening. Other times by NOTAM) Frequencies 126.75 and 346.325 unreliable byd 60 NM from rwy end.
Ⓡ **KANSAS CITY CENTER APP CON** 127.8 319.1 (0200–1300Z‡ wkd, 2300–1900Z‡ Sun; 24 Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening)
TOWER 124.05 259.1 (1300–0200Z‡ wkd, 1900–2300Z‡ Sun; clsd Sat and federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening. Other times by NOTAM)
GND CON 121.675 289.4 **CLNC DEL** 225.4 **COMD POST** 237.15 (Call BOOMER OPS)
Ⓡ **DEP CON** 120.525 306.3 1300–0200Z‡ Mon–Fri, 1900–2300Z‡, Sun, clsd Sat and federal holidays. Other times by NOTAM.)
Ⓡ **KANSAS CITY CENTER DEP CON** 127.8 319.1 (0200–1300Z‡ wkd, 2300–1900Z‡ Sun, 24 hr Sat and Federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening)
PMSV METRO 342.55
AIRSPACE: CLASS D svc 1300–0200Z‡ Mon–Fri, 1900–2300Z‡ Sun, clsd Sat and fed hol; other times by NOTAM; other times CLASS E.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
(H) (H) VORTACW 115.4 END Chan 101 N36°20.70′ W97°55.10′ at fld. 1276/5E.
mntnd drg ops hr
mp 1000–1230Z‡ Mon–Fri, 1400–2200Z‡ Sat, 1400–1800Z‡ Sun
VOR unusable:
103°–117° byd 25 NM
WOODRING (T) (T) VORW/DME 109.0 ODG Chan 27 N36°22.43′ W97°47.29′ 244° 6.6 NM to fld. 1150/8E. NOTAM FILE WDG.
ILS 108.9 I–LVC Rwy 17C. Class IE. Mnt dur publ opr hr only. Operates simultaneously with I–END. No NOTAM MP: 1100–1230Z‡ Tue and Wed. Autopilot cpd apch NA blw 1,500′ MSL.
ILS 108.5 I–EZQ Rwy 17R. Class IE.
ILS 110.1 I–END Rwy 35C. Class IT. Mnt dur publ opr hr only. Operates simultaneously with I–LVC. No NOTAM MP: 1000–1230Z‡ Mon–Fri, 1400–2200Z‡ Sat, 1400–1800Z‡ Sun.
ILS 111.55 I–JUS Rwy 35L. Class IE.
COMM/NAV/WEATHER REMARKS: AWOS—24/7 automated obs; augmented only durg ops hr or sev wx.

VICI MUNI (5O1) 1 S UTC–6(–5DT) N36°08.46′ W99°18.20′ **WICHITA**
2268 NOTAM FILE MLC
RWY 16–34: H2565X50 (ASPH) S–8 RWY LGTS(NSTD) 1.0% up N
RWY 16: Pole.
SERVICE: **LGT** SS–SR. Rwy 16–34 intens rwy lgts NSTD.
AIRPORT REMARKS: Unattended. Rwy 16 145′ Grain elevator 3200′ NE fm end of thr. Rwy 34 30′ drop off only 10′ from thr.
AIRPORT MANAGER: 580-995-4442
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.

VINITA


STEARMANS ROOST (OK1) 10 S UTC–6(–5DT) N36°29.31′ W95°08.63′ **KANSAS CITY**
702 NOTAM FILE MLC Not insp.
RWY 09–27: 4000X100 (TURF)
SERVICE: S4
AIRPORT REMARKS: Attended continuously.
AIRPORT MANAGER: 918-557-1999
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.

VINITA MUNI (HØ4) 2 SE UTC–6(–5DT) N36°36.88′ W95°09.10′ **KANSAS CITY**
695 B NOTAM FILE MLC **L–15E**
RWY 17–35: H4209X60 (ASPH–CONC) MIRL 0.4% up N **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 45′. Thld dsplcd 210′. Fence.
RWY 35: PAPI(P2L)—GA 3.0° TCH 43′. Trees.
SERVICE: **FUEL** 100LL **LGT** ACTIVATE MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. 24/7 self serve 100LL available w/ cc. Interstate highway 425 ft north of Rwy 17 end.
AIRPORT MANAGER: 918-244-7260
COMMUNICATIONS: CTAF 122.9
Ⓡ**KANSAS CITY CENTER APP/DEP CON** 128.6
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 043° 39.7 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′

WAGONER

HEFNER–EASLEY (H68) 2 E UTC–6(–5DT) N35°57.94′ W95°20.51′
599 B NOTAM FILE MLC
RWY 18–36: H3401X60 (ASPH) S–12.5 MIRL 0.4% up S
RWY 18: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 36: PAPI(P2R)—GA 3.0° TCH 35′. Tree.
SERVICE: S4 **LGT** PAPI Rwy 18 and Rwy 36 oper consly; MIRL Rwy 18–36 on dusk–dawn.
AIRPORT REMARKS: Unattended. Birds and deer reprtd on and invof arpt. Ultralights on and invof arpt.
AIRPORT MANAGER: 918-485-2554
COMMUNICATIONS: CTAF 122.9
Ⓡ **TULSA APP/DEP CON** 119.1
CLEARANCE DELIVERY PHONE: For CD ctc Memphis ARTCC at 901-368-8453/8449.
RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.
TULSA (H) (H) VORTACW 114.4 TUL Chan 91 N36°11.78′ W95°47.29′ 114° 25.7 NM to fld. 788/8E.
TACAN AZIMUTH unusable:
248°–258° byd 23 NM blo 3,100′
DME unusable:
248°–258° byd 23 NM blo 3,100′

DALLAS–FT WORTH
L–15E
IAP




WALTERS MUNI (3O5) 5 W UTC–6(–5DT) N34°22.36′ W98°24.35′
1058 B NOTAM FILE MLC
RWY 16–34: H2900X50 (ASPH) S–7 MIRL
AIRPORT REMARKS: Unattended. Rwy cntrln markings faded.
AIRPORT MANAGER: 580-875-3337
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


DALLAS–FT WORTH

WATONGA RGNL (JWG)(KJWG) 1 NW UTC–6(–5DT) N35°51.87′ W98°25.25′
1551 B NOTAM FILE JWG
RWY 17–35: H4001X60 (ASPH) S–12.5 MIRL 0.5% up N
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Rgt tfc.
RWY 35: PAPI(P2L)—GA 3.5° TCH 46′. Tree.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Aft hr—405–434–3122. Self svc fuel avbl.
AIRPORT MANAGER: 580-623-7350
WEATHER DATA SOURCES: AWOS–3 134.175 (580) 623–7388.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **VANCE APP/DEP CON** 126.75 (1300–0200Z‡ wkd, 1900–2300Z‡ Sun; clsd Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening. Other times by NOTAM)
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95 (0200–1300Z‡ wkd, 2300–1900Z‡ Sun; 24 Sat & federal hol. Gnd ctl and clnc del svc avbl 15 min prior to afld opening)
CLEARANCE DELIVERY PHONE: For CD ctc Vance Apch at 580-213-6765. When Vance Apch is clsd, ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
KINGFISHER (H) TACAN Chan 94 IFI (114.7) N35°48.32′ W98°00.23′ 271° 20.6 NM to fld. 1112/9E.


DALLAS–FT WORTH
L–15D
IAP



WAYNOKA MUNI (1K5) 1 SE UTC–6(–5DT) N36°34.28′ W98°51.28′ **WICHITA**
1544 B NOTAM FILE MLC **L–15D**
RWY 17–35: H3532X60 (ASPH) S–8 MIRL 0.3% up N
RWY 35: Rgt tfc.
SERVICE: **LGT** ACTIVATE MIRL Rwy 17–35 dusk–dawn—CTAF.
AIRPORT REMARKS: Unattended. Parallel twy clsd indef.
AIRPORT MANAGER: (720) 256-3442
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.



WEATHERFORD STAFFORD (OJA)(KOJA) 2 NE UTC–6(–5DT) N35°32.75′ W98°40.11′ **DALLAS–FT WORTH**
1605 B NOTAM FILE MLC **H–6H, L–150**
RWY 17–35: H5100X75 (CONC) S–30, D–48 MIRL **IAP**
RWY 17: REIL. PAPI(P2L)—GA 3.34° TCH 57′. Trees.
RWY 35: REIL. PAPI(P2L)—GA 2.92° TCH 41′. P–line.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 3, 4 **LGT** REIL Rwy 17 and 35; MIRL Rwy 17–35 on SS–SR; incr intst—CTAF. PAPI Rwy 17 and 35 on consly.
AIRPORT REMARKS: Attended Mon–Fri 1400–2330Z‡, Sat 1400–2300Z‡, Sun 1800–2300Z‡. FBO clsd some hols. Courtesy car avbl.
AIRPORT MANAGER: 580-774-1971
WEATHER DATA SOURCES: AWOS–3PT 118.575 (580) 772–7020.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 128.4
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
KINGFISHER (H) TACAN Chan 94 IFI (114.7) N35°48.32′ W98°00.23′ 236° 36.0 NM to fld. 1112/9E.




WELLSTON

BIGGS AIRPORT (3OK) 4 SE UTC–6(–5DT) N35°39.66′ W97°00.14′ **DALLAS–FT WORTH**
1000 NOTAM FILE MLC Not insp.
RWY 18–36: 3835X60 (TURF) S–6
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. Rwy 18–36 S wgt thsd lbs: max acft GWT 6000 lbs. Rwy 18–36 D wgt thsd lbs: max rwy GWT 6000 lbs.
AIRPORT MANAGER: 405-258-2965
CLEARANCE DELIVERY PHONE: For CD ctc Oke City Apch at 405-681-5683

WEST WOODWARD (See WOODWARD on page 257)

WESTPORT (4F1) 2 E UTC–6(–5DT) N36°13.29′ W96°20.79′ **KANSAS CITY**
901 TPA—1501(600) NOTAM FILE MLC
RWY 03–21: H2900X42 (ASPH) S–10, D–12.5 MIRL 1.0% up NE
RWY 21: Tree.
SERVICE: **LGT** ACTIVATE MIRL Rwy 03–21—CTAF. ACTIVATE rwy lgts for all ops day & night. Use highest ints for daytime ops.
AIRPORT REMARKS: Attended irregularly. Rwy 21 steep uphill slope up to +60′ hill at rwy end and 50′ right of centerline. Gross weight limited by airport operator to 6000 lbs single wheel gear.
AIRPORT MANAGER: 918-358-6031
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Tulsa Apch at 918-831-6714/6720.

WILBURTON MUNI (HØ5) 4 W UTC–6(–5DT) N34°55.21′ W95°23.63′ **DALLAS–FT WORTH**
670 B NOTAM FILE MLC **L–17D**
RWY 17–35: H3000X60 (ASPH) S–2 MIRL
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
SERVICE: **LGT** ACTIVATE MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Deer on and invof rwy. Parl twy pavement failed; use south cnctr twy to apn.
AIRPORT MANAGER: 918-465-5361
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
MC ALESTER (L) TACAN Chan 57 MLC (112.0) N34°50.97′ W95°46.94′ 069° 19.6 NM to fld. 782/8E.



WILEY POST (See OKLAHOMA CITY on page 236)


WILLIAM R POGUE MUNI (See SAND SPRINGS on page 242)

WOODRING N36°22.43′ W97°47.29′ NOTAM FILE WDG. **WICHITA**
(T) (T) VORW/DME 109.0 ODG Chan 27 at Enid Woodring Rgnl. 1150/8E. **L–15D**

WOODWARD

WEST WOODWARD (WWR)(KWWR) 6 W UTC–6(–5DT) N36°26.30′ W99°31.35′ **WICHITA**
2189 B NOTAM FILE WWR **H–6H, L–15C**
IAP


RWY 18–36: H6002X100 (CONC) S–30, D–60 MIRL 0.5% up S
RWY 18: ODALS. PAPI(P4L)—GA 3.0° TCH 39′.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 06–24: H2500X60 (ASPH) MIRL
RWY 24: Rgt tfc.



SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** ACTVT and incr intst ODALS Rwy 18; REIL Rwy 36; MIRL Rwy 06–24 and Rwy 18–36—CTAF. PAPI Rwy 18 & 36 24–HR photo cell.
AIRPORT REMARKS: Attended Mon–Fri 1400–0000Z‡; Sat 1400–2200Z‡. Unattend Sun and hol. Deer & coyotes on & invof arpt. Ultralight activity on and invof arpt. Self svc fuel avbl 24/7. Aft hrs ctc 580–216–8233; call out fee. Tetrahedron OTS. 24 hr lounge. Rwy 06 and Rwy 24 markings faded & obscd.
AIRPORT MANAGER: 580-334-5786
WEATHER DATA SOURCES: AWOS–3 118.425 (580) 254–5217.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.
MITBEE (VH) (H) VORTACW 115.6 MMB Chan 103 N36°20.62′ W99°52.81′ 062° 18.2 NM to fld. 2426/10E.

ABILENE RGNL (ABI)(KABI) 3 SE UTC–6(–5DT) N32°24.68′ W99°40.91′ **DALLAS–FT WORTH**
1791 B ARFF Index—See Remarks NOTAM FILE ABI **H–6H, L–17B**
IAP, AD

RWY 17R–35L: H7208X150 (ASPH–GRVD) S–120, D–218, 2S–175, 2D–289, 2D/2D2–768 PCR 680 F/D/W/T HIRL 0.4% up S
RWY 17R: PAPI(P4L)—GA 3.0° TCH 63′. Rgt tfc.
RWY 35L: REIL. PAPI(P4L)—GA 3.0° TCH 54′.
RWY 17L–35R: H7198X150 (ASPH–GRVD) S–120, D–194, 2S–165, 2D–259, 2D/2D2–715 PCR 600 F/D/W/T HIRL
RWY 17L: PAPI(P4L)—GA 3.0° TCH 54′. RVR–R Ground.
RWY 35R: MALSR. RVR–T Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 17L: TORA–7198 TODA–7198 ASDA–7198 LDA–7198
RWY 17R: TORA–7202 TODA–7202 ASDA–7202 LDA–7202
RWY 35L: TORA–7202 TODA–7202 ASDA–7202 LDA–7202
RWY 35R: TORA–7198 TODA–7198 ASDA–7198 LDA–7198
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2
AIRPORT REMARKS: Attended continuously. High bird actvty on and invof arpt. Uncontrolled arpt 2 NM NE of arpt pat alt 2300′. Class I, ARFF Index B; ARFF Index C avbl with PPR. Mil avn svcs avbl at arpt. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces.
AIRPORT MANAGER: 325-676-6367
WEATHER DATA SOURCES: ASOS (325) 238–3987
COMMUNICATIONS: ATIS 118.25 325–201–9495 **UNICOM** 122.95
RCO 122.6 (FORT WORTH RADIO)
Ⓡ **APP/DEP CON** 125.0 EAST 127.2 WEST
TOWER 120.1 **GND CON** 121.7
AIRSPACE: CLASS C svc ctc **APP CON**.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
(VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 104° 10.1 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′
TUSCOLA (L) (L) VORW/DME 114.85 TQA Chan 95(Y) N32°14.14′ W99°49.01′ 023° 12.6 NM to fld. 2058/10E. NOTAM FILE FTW.
LOC/DME 109.75 I–EMB Chan 34(Y) Rwy 17R.
ILS/DME 110.3 I–ABI Chan 40 Rwy 35R. Class IE. DME unusable byd 17 DME (16 NM).



ADDISON (See DALLAS on page 303)

AERO COUNTRY (See MC KINNEY on page 389)

AERO ESTATES (See FRANKSTON on page 332)

AERO ESTATES SPB (See FRANKSTON on page 332)

AERO VALLEY (See ROANOKE on page 420)

AGUA DULCE

OLD HOPPE PLACE (67T) 3 E UTC–6(–5DT) N27°47.98′ W97°51.05′ **BROWNSVILLE**
96 B NOTAM FILE SJT
RWY 16–34: H3164X30 (CONC) LIRL
RWY 16: REIL. VASI(V2L)—GA 3.0°. Tn exceeds a 45 deg slope..
RWY 34: REIL. VASI(V2L)—GA 3.75°. Pole.
SERVICE: **LGT** For REIL Rwy 16 and Rwy 34; VASI Rwy 16 and Rwy 34; LIRL Rwy 16–34 prior arngmts rqrd. Call 361–998–2516. Arpt bcn dusk–0700Z‡. Rwy lgts are srrndd by 18 in high stakes and razor wire. Rwy 16 and Rwy 34 VASI srndd by 2 ft high razor wire. Rwy 16 and Rwy 34 REIL are non–frangible and are srrndd with 18 inch razor wire.
AIRPORT REMARKS: Attended Mon–Fri 1400–2230Z‡. Wildlife on and invof arpt. Rwy 34, 99 ft AGL lgtd twr 0.35 mile SSE, 140 ft L of rwy cntrln. Rwys 16 and 34 have 40 ft blast pads 30 ft wide. Ldg fee.
AIRPORT MANAGER: 361-998-2516
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

AIR PARK–DALLAS (See DALLAS on page 303)

AIRPARK EAST (See DALLAS on page 304)

AKROVILLE (See SLIDELL on page 439)


ALAMINOS CANYON 25 HHV N26°56.40′ W94°41.40′/128
AWOS–3 119.075 (713) 431–9699
L–20J, 21A, GOAW

ALAMINOS CANYON BLK 857 GYF N26°07.80′ W94°54.00′/176
AWOS–3P 120.275 Wind unrel 306–315.
L–20J, 21A, GOAW

ALAMINOS CANYON BLOCK 773 AQA N26°13.41′ W94°40.41′/573
AWOS–3PT 119.275 (504) 425–5965
L–20J, 21A, GOAW

ALBANY MUNI (T23) 2 E UTC–6(–5DT) N32°43.28′ W99°16.06′
1415 B NOTAM FILE FTW
DALLAS–FT WORTH
H–6H, L–17B
IAP


RWY 17–35: H5000X75 (ASPH) S–30 MIRL 0.5% up S
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Road.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Trees. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 17–35 preset low intst; to incr intst and ACTVT PAPI Rwy 17 and Rwy 35—123.5.
AIRPORT REMARKS: Attended irregularly. 100LL and JET A avbl 24 hrs self serve.
AIRPORT MANAGER: 325-762-0383
COMMUNICATIONS: CTAF 122.9
Ⓡ **ABILENE APP/DEP CON** 125.0
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 054° 33.4 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′



ALIBI N30°25.92′ W95°28.58′ NOTAM FILE CXO.
HOUSTON
NDB (LOMW) 281 CX 141° 5.7 NM to Conroe/North Houston Rgnl. 371/5E.

ALICE INTL (ALI)(KALI) 3 SE UTC–6(–5DT) N27°44.45′ W98°01.62′ **BROWNSVILLE**
178 B NOTAM FILE ALI **H–7B, L–20H**
IAP


RWY 13–31: H5997X100 (ASPH) S–30 MIRL
RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Road.
RWY 31: MALS.
RWY 17–35: H4490X100 (ASPH) S–23 MIRL
RWY 17: PAPI(P2L)—GA 3.0° TCH 44′.
RWY 35: PAPI(P2L)—GA 3.0° TCH 44′. P–line.



SERVICE: **FUEL** 100LL, JET A **OX** 1, 2, 3, 4 **LGT** ACTVT MALS Rwy 31; REIL Rwy 13; PAPI Rwy 17 and Rwy 35—CTAF. MIRL Rwy 13–31 and Rwy 17–35 preset low intst dusk–0500Z‡; to incr intst ACTVT—CTAF aft 0500Z‡.
AIRPORT REMARKS: Attended 1400–2300Z‡. Aft hrs svc, call 361–664–2656. 100LL avbl 24 hrs at self–svc pump. Rwy 31 mkgs discolored.
AIRPORT MANAGER: 361-453-1721
WEATHER DATA SOURCES: ASOS 119.225 (361) 668–0069.
COMMUNICATIONS: CTAF/UNICOM 123.0
RCO 122.6 (SAN ANGELO RADIO)
Ⓡ **KINGSVILLE APP/DEP CON** 119.9 (1345–0600Z‡ Mon–Thu; 1345–2345Z‡ Fri; clsd Sat; Sun and hol exc by NOTAM, hrs subj to chg)
Ⓡ **HOUSTON CENTER APP/DEP CON** 128.15 (0500–1300Z‡ Mon–Thu; 2200–1300Z‡ Fri; 24 Sat, Sun and hol by NOTAM)
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102 N27°54.23′ W97°26.69′ 244° 32.5 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024°–036° byd 35 NM blo 1,700′
037°–023° byd 35 NM blo 2,000′
265°–275°
VOR unusable:
340°–005° byd 40 NM blo 7,000′
340°–005° byd 84 NM
Byd 30 NM blo 1,500′
TACAN AZIMUTH unusable:
080°–085° byd 30 NM
(VL) VORW 114.5 ALI N27°44.39′ W98°01.28′ at fld. 170/6E. NOTAM FILE ALI.
VOR unusable:
352°–002° byd 40 NM
LOC/DME 109.3 I–ALI Chan 30 Rwy 31. LOC/DME unmonitored.

ALPINE

ALPINE–CASPARIS MUNI (E38) 2 NW UTC–6(–5DT) N30°23.05′ W103°41.02′ **EL PASO**
4514 B NOTAM FILE E38 **H–7A, L–6J**
RWY 01–19: H6002X75 (ASPH) S–12.5 MIRL 1.1% up S **IAP**
RWY 01: PAPI(P2L)—GA 3.5° TCH 40′. P–line.
RWY 19: PAPI(P2L)—GA 3.0° TCH 40′. Fence.
RWY 05–23: H5018X60 (ASPH) S–12.5 MIRL 1.2% up SW
RWY 05: Fence.
RWY 23: Road.
SERVICE: S4 **FUEL** 100LL, JET A, A1+ **LGT** MIRL Rwy 01–19 preset low intst; to incr intst and to ACTVT MIRL Rwy 05–23—CTAF. PAPI Rwy 01 does not prvd obstn clnc byd 2 NM fm thr.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat 1400–2200Z‡. Unattended Sun and major hols. Aft hrs call–in fee. Self svc fuel avbl 24 hrs.
AIRPORT MANAGER: 432-837-5929
WEATHER DATA SOURCES: AWOS–3 119.025 (432) 837–9613.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE FST.
FORT STOCKTON (VH) (H) VORTACW 116.9 FST Chan 116
N30°57.13′ W102°58.54′ 216° 50.0 NM to fld. 2893/11E.
VOR unusable:
020°–055° byd 20 NM blo 6,900′
070°–086° byd 35 NM blo 6,400′
106°–132° byd 30 NM blo 5,900′
125°–202° byd 40 NM
203°–213° byd 40 NM blo 18,000′
214°–230° byd 40 NM
245°–255° byd 40 NM
315°–330° byd 30 NM blo 5,400′



TERLINGUA RANCH (1E2) 57 SE UTC–6(–5DT) N29°27.09′ W103°23.86′ **EL PASO**
3769 NOTAM FILE SJT
RWY 02–20: 4700X80 (GRVL–DIRT) 2.8% up SW
RWY 02: Trees.
RWY 20: Road.
AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Arpt srndd by 2000 ft mtns. 5–15 ft brush at rwy edge. Full rwy wid may not be avbl. Rwy 02–20 rwy rough and uneven gravel. Rwy slopes up fm NE to SW 128 ft (2.7%).
AIRPORT MANAGER: 432-371-3146
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

ALVIN AIRPARK (6R5) 3 W UTC–6(–5DT) N29°24.89′ W95°17.34′ **HOUSTON**
43 NOTAM FILE CXO **COPTER**
RWY 06–24: 1500X80 (TURF)
RWY 06: P–line.
RWY 24: Trees.
RWY 03–21: 1420X75 (TURF)
RWY 03: Trees.
RWY 21: Trees.
RWY 12–30: 830X60 (TURF)
RWY 12: P–line.
RWY 30: Trees.
AIRPORT REMARKS: Unattended. Radio control model acft oprg area adj to arpt, NW. Rwy 03, 6 ft fence 40 ft SE of cntrln alg SE edge. +50 ft trees alg Rwy 03 right of cntrln. Rwy 21, 6 ft fence 20 ft dstc, acrs the apch. 30 ft trees alg Rwy 21 left of cntrln. 6 ft arpt scty fence. All gates locked. For ingress or egress, ctc amgr. Rwy 03–21, Rwy 06–24, and Rwy 12–30 surfaces defined by mowing. Dfclt to dtrm rwy dimensions. Rwy sfc rough & uneven.
AIRPORT MANAGER: 713-208-8707
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.

AMARILLO


BUFFALO (1E7) 9 S UTC–6(–5DT) N35º03.83´ W101º52.66´ **DALLAS–FT WORTH**
3640 B NOTAM FILE FTW
RWY 02–20: 6200X150 (TURF) LIRL
RWY 02: Fence.
RWY 20: Tree. Rgt tfc.
RWY 08–26: 1600X102 (TURF) LIRL(NSTD)
RWY 08: P–line.
RWY 26: Road.
SERVICE: **LGT** Rwy 08–26 nstd solar LIRL.
AIRPORT REMARKS: Attended irregularly.
AIRPORT MANAGER: 720-412-1132
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

PALO DURO (1E4) 3 S UTC–6(–5DT) N35º08.62´ W101º50.35´ **DALLAS–FT WORTH**
3639 NOTAM FILE FTW
RWY 17–35: 3700X50 (TURF–GRVL)
RWY 17: P–line.
RWY 35: Fence.
AIRPORT REMARKS: Unattended. Arpt fenced, gates locked, no aces. Rwy not suitable for acft. Arpt hazardous for tsnts; rwy not mkd or defined; 63 ft mkd/lgtd transmission line acrs Rwy 17 end. Rwy 17–35 soft when wet on S end; loose grvl on rwy, vegetation on rwy.
AIRPORT MANAGER: 806-376-5853
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

RICK HUSBAND AMARILLO INTL (AMA)(KAMA) 7 E UTC–6(–5DT) N35º13.16´ W101º42.36´ **DALLAS–FT WORTH**
3607 B TPA—See Remarks LRA ARFF Index—See Remarks NOTAM FILE AMA **H–6G, L–15B**
RWY 04–22: H13502X200 (CONC–GRVD) S–100, D–200, 2S–175, 2D–400 PCR 1820 R/D/W/T **IAP, AD**
HIRL(NSTD)
RWY 04: MALSR. PAPI(P4L)—GA 3.0º TCH 61´. RVR–T
RWY 22: MALSR. PAPI(P4L)—GA 3.0º TCH 77´. RVR–R
RWY 13–31: H7901X150 (CONC–GRVD) S–100, D–200, 2S–175, 2D–400 PCR 780 R/D/W/T HIRL
RWY 13: REIL. PAPI(P4L)—GA 3.0º TCH 52´.
RWY 31: PAPI(P4L)—GA 3.0º TCH 52´.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 04: TORA–13502 TODA–13502 ASDA–13502 LDA–13502
RWY 13: TORA–7901 TODA–7901 ASDA–7901 LDA–7901
RWY 22: TORA–13502 TODA–13502 ASDA–13502 LDA–13502
RWY 31: TORA–7901 TODA–7901 ASDA–7901 LDA–7901
SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 2, 4 **LGT** When ATCT clsd, to incr intst and ACTVT MALSR Rwys 04 and 22; REIL Rwy 13; HIRL Rwys 04–22, 13–31; all twys—CTAF.
AIRPORT REMARKS: Attended continuously. Tiltrotor acft activity invof arpt. Class I, ARFF Index B. Index C equip avbl upon req. TPA for propeller acft 4502 (895), turbojet acft 5002 (1395), overhead 5502 (1895). Rwy 04–22 center 130´ grvd full length. RWY 04 RVR AVBL 1200–0600Z‡ CTC TWR. Rwy 04–22 NSTD HIRL due to spacing. HIRL 50 ft from rwy edge, NSTD dstc fm cntrln–pavement outside rwy edge stripes may not be full strength and depth perception problems may exist during periods of darkness. Flight Notification Service (ADCUS) available. Lndg fee.
AIRPORT MANAGER: 806-335-1671
WEATHER DATA SOURCES: ASOS 118.85 (806) 223–2973.
COMMUNICATIONS: CTAF 118.3 **ATIS** 118.85 **UNICOM** 122.95 (0600–1200Z‡)
Ⓡ **APP/DEP CON** 119.5 (1200–0600Z‡)
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85 (0600–1200Z‡)
TOWER 118.3 (1200–0600Z‡) **GND CON** 121.9 **CLNC DEL** 121.65
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Albuquerque ARTCC at 505-856-4561.
AIRSPACE: CLASS C svc ctc **APP CON** svc 1200–0600Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
PANHANDLE (H) (H) VORTACW 116.6 PNH Chan 113 N35º14.10´ W101º41.94´ at fld. 3595/8E.
PANDE NDB (LOMW) 251 AM N35º08.79´ W101º48.33´ 040º 6.6 NM to fld. 3609/8E. NOTAM FILE AMA.
NDB unmonitored when ATCT clsd.
ILS 110.3 I–AMA Rwy 04. Class IB. LOM PANDE NDB. Unmonitored when ATCT clsd.
LDA/DME 111.1 I–RIQ Chan 48 Rwy 22. Autopilot coupled apchs NA blw 3,762´.
ASR (1200–0600Z‡)

RIVER FALLS (H81) 9 SE UTC–6(–5DT) N35°04.89′ W101°45.35′ **DALLAS–FT WORTH**
3585 B NOTAM FILE H81 **H–6G, L–15B**
RWY 17–35: H6015X60 (ASPH) MIRL
RWY 17: Thld dsplcd 151′. Road.
RWY 35: Rgt tfc.
RWY 04–22: 3200X70 (TURF)
RWY 04: Rgt tfc.
SERVICE: S2 **FUEL** 100LL, JET A1+ **OX** 4 **LGT** ACTVT MIRL Rwy 17–35—CTAF. Click PTT slowly, no more than once per second.
AIRPORT REMARKS: Attended 1300–0100Z‡. 100LL: for fuel call 806–306–6525. Rwy 17 dsplcd thr at 415 ft, not lgtd. Day len 6015 ft, night len 5000 ft.
AIRPORT MANAGER: 806-206-6525
COMMUNICATIONS: CTAF/UNICOM 122.725
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
PANHANDLE (H) (H) VORTACW 116.6 PNH Chan 113 N35°14.10′ W101°41.94′ 189° 9.6 NM to fld. 3595/8E.

TRADEWIND (TDW)(KTDW) 3 SE UTC–6(–5DT) N35°10.19′ W101°49.55′ **DALLAS–FT WORTH**
3649 B NOTAM FILE FTW **H–6G, L–15B**
RWY 17–35: H5098X60 (ASPH) S–16 MIRL **IAP**
RWY 17: REIL. Thld dsplcd 290′. Tree. Rgt tfc.
RWY 35: REIL. Thld dsplcd 289′. Trees.
RWY 05–23: H3000X60 (ASPH) S–20 MIRL 0.5% up SW
RWY 05: Fence.
RWY 23: Pole. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 3 **LGT** MIRL Rwy 17–35 SS–SR preset low. To incr intst and ACTVT REIL Rwy 17, 35; MIRL Rwy 05–23—CTAF.
AIRPORT REMARKS: Attended 1300–0400Z‡. Aft hrs svc 806–376–1008. Rwy 05–23 no mkgs.
AIRPORT MANAGER: 806-376-1008
WEATHER DATA SOURCES: AWOS–AV 118.475 (806) 350–7407.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**AMARILLO APP/DEP CON** 119.5 (1200–0600Z‡)
Ⓡ**ALBUQUERQUE CENTER APP/DEP CON** 127.85 (0600–1200Z‡)
CLNC DEL 125.4
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.




PANHANDLE (H) (H) VORTACW 116.6 PNH Chan 113 N35°14.10′ W101°41.94′ 230° 7.4 NM to fld. 3595/8E.
PANDE NDB (LOMW) 251 AM N35°08.79′ W101°48.33′ 317° 1.7 NM to fld. 3609/8E. NOTAM FILE AMA.
NDB unmonitored when ATCT clsd.

HELIPAD H1: H50X50 (ASPH)


AMBASSADOR N32°35.13′ W95°06.79′ NOTAM FILE FTW. **DALLAS–FT. WORTH**
NDB (MHW) 404 ABG 424/7E. (VFR only).

ANAHUAC

CHAMBERS CO (TØØ) 1 E UTC–6(–5DT) N29°46.19′ W94°39.81′ **HOUSTON**
20 B NOTAM FILE CXO **L–19E, 21A, GOAW**
RWY 12–30: H3002X60 (ASPH) S–13 MIRL **IAP**
RWY 12: PAPI(P2L)—GA 4.0° TCH 28′. Pole.
RWY 30: Tree. Rgt tfc.
RWY 17–35: 1900X300 (TURF)
RWY 17: Trees.
RWY 35: Road. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A, A1+ **LGT** Dusk–dawn. MIRL Rwy 12–30 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. 100LL 24 hr self–serve. Rwy 17–35 soft when wet. Rwy 12–30 mkgs faded. Rwy 17–35 marked 1660′ long. Rwy 17, PAPI Rwy 12 in Rwy 17 apch, do not land bfr xng Rwy 12.
AIRPORT MANAGER: 409-267-2719
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON APP/DEP CON** 134.45
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
TRINITY (VL) (DL) VORW/DME 114.75 MHF Chan 94(Y)
N29°32.78′ W94°44.85′ 011° 14.1 NM to fld. 38/7E.
VOR unusable:
060°–079° byd 40 NM
080°–090° byd 40 NM blo 6,000′
080°–090° byd 50 NM blo 8,000′
091°–109° byd 40 NM
110°–190° blo 2,000′



ANDREWS CO (E11) 1 NE UTC–6(–5DT) N32°19.85′ W102°31.78′ **ALBUQUERQUE**
3174 B NOTAM FILE SJT **H–6G, L–6H**
RWY 16–34: H5816X75 (ASPH) S–23, D–37 MIRL **IAP**
RWY 16: REIL. PAPI(P4L)—GA 3.0° TCH 37′. Tree.
RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 34′. Trees. Rgt tfc.
RWY 02–20: H3893X75 (ASPH) S–23 MIRL
RWY 02: PAPI(P2L)—GA 3.0° TCH 26′. Thld dsplcd 954′. Trees. Rgt tfc.
RWY 20: PAPI(P2L)—GA 3.0° TCH 42′. Ground.
RWY 11–29: H3048X75 (ASPH) S–17 0.3% up W
RWY 11: Trees.
RWY 29: Pole. Rgt tfc.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwys 16 and 34; PAPI Rwys 02 and 20; MIRL Rwy 02–20 and 16–34—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡.
AIRPORT MANAGER: 432-524-1447
WEATHER DATA SOURCES: AWOS–3 118.2 (432) 524–2471.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **MIDLAND APP/DEP CON** 124.6 (1200–0600Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.1 (0600–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Midland Apch at 432-563-2123. When Apch clsd ctc Fort Worth ARTCC at 817-858-7584.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.

MIDLAND (VL) (H) VORTACW 112.6 MAF Chan 73 N32º00.56´ W102º11.42´ 307º 25.9 NM to fld. 2860/11E.

VOR unusable:
010º–020º byd 8 NM blo 8,000´
207º–262º byd 40 NM
263º–273º byd 53 NM
274º–322º byd 40 NM
343º–349º byd 40 NM

TACAN AZIMUTH unusable:
167º–169º byd 10 NM
200º–294º byd 14 NM
295º–305º byd 14 NM blo 12,000´
295º–305º byd 18 NM
306º–335º byd 14 NM

DME unusable:
167º–169º byd 10 NM
200º–294º byd 14 NM
295º–305º byd 14 NM blo 12,000´
295º–305º byd 18 NM
306º–335º byd 14 NM

HELIPAD H1: H25X25 (ASPH)

ANGELINA CO (See LUFKIN on page 383)

ANGLETON

BAILES (7R9) 2 E UTC–6(–5DT) N29º09.90´ W95º24.07´ **HOUSTON**

21 NOTAM FILE CXO

RWY 17–35: 2060X50 (TURF)

RWY 17: Tree.

RWY 35: Trees. Rgt tfc.

AIRPORT REMARKS: Unattended. Rwy 17 end mkd w/conc pad. Rwy defined by mowing. Rwy rough and uneven.

AIRPORT MANAGER: 979-551-4242

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.

FLYIN TIGER (81D) 6 N UTC–6(–5DT) N29º15.90´ W95º24.75´ **HOUSTON COPTER**

30 NOTAM FILE CXO

RWY 16–34: 2261X90 (TURF)

RWY 16: Road.

RWY 34: Trees.

RWY 17–35: 2200X80 (TURF)

RWY 17: Road.

RWY 35: Trees.

AIRPORT REMARKS: Unattended. Power lines buried in Rwy 16 and Rwy 17 apch. Rwy 16–34, 3 ft berm at south th. Rwy 16 and Rwy 17, 15 ft rd acrs rwy end.


AIRPORT MANAGER: 281-731-1231

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.

ANGLETON/LAKE JACKSON


TEXAS GULF COAST RGNL (LBX)(KLBX) 4 SW UTC–6(–5DT) N29°06.52′ W95°27.73′ **HOUSTON**
25 B Class IV, ARFF Index A NOTAM FILE LBX **H–7C, L–19D, 21A, GOAW**
RWY 17–35: H7000X100 (CONC–GRVD) S–60, D–95, 2S–120, 2D–120 **IAP**
PCR 303 R/B/W/U MIRL
RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 52′. Rgt tfc.
RWY 35: PAPI(P4L)—GA 3.0° TCH 40′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 17: TORA–7000 TODA–7000 ASDA–7000 LDA–7000
RWY 35: TORA–7000 TODA–7000 ASDA–7000 LDA–7000
SERVICE: S6 **FUEL** 100LL, JET A **OX** 4 **LGT** MIRL Rwy 17–35 preset low intst; to incr intst and ACTVT MALSR Rwy 17—CTAF. PAPI Rwys 17 and 35 opr consly.
AIRPORT REMARKS: Attended Mon–Fri 1230–0030Z‡, Sat–Sun 1400–0030Z‡. 100LL fuel avbl 24 hrs self service. For Jet A fuel after hrs call 979–319–2740. Arpt located 4.6 NM NW of Lake Jackson. Air carrier ops involving acft with more than 30 passengers are not authorized in excess of 15 min before or after scheduled arrival or departure times without prior coordination with arpt manager and confirmation that ARFF svcs are avbl prior to ldg or tkf.
AIRPORT MANAGER: 979-849-5755
WEATHER DATA SOURCES: ASOS 119.925 (979) 849–3319.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **HOUSTON APP/DEP CON** 134.45
CLNC DEL 125.2



CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844. To cnl IFR ctc Houston Apch at 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE GLS.
SCHOLES (VH) (DH) VORW/DME 113.0 VUH Chan 77 N29°16.16′ W94°52.06′ 247° 32.7 NM to fld. 4/6E.
VOR unusable:
285°–295° byd 35 NM blo 2,500′
ILS/DME 109.1 I–LBX Chan 28 Rwy 17. Class IE.

ARANSAS CO (See ROCKPORT on page 423)


ARCHER CITY MUNI (T39) 1 SE UTC–6(–5DT) N33°34.94′ W98°37.12′ **DALLAS–FT WORTH**
1065 NOTAM FILE FTW **L–17B**
RWY 17–35: H3200X60 (ASPH–TURF) S–12.5
RWY 17: Road.
SERVICE: S2
AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Rwy 17–35 CLOSED indefly; under repair. Rwy 17–35 loose grvl, tall grass on rwy. Rwy mostly turf.
AIRPORT MANAGER: 940-631-4519
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33°59.24′ W98°35.61′ 173° 24.3 NM to fld. 1133/10E.



ARESTI AERODROME (See GODLEY on page 338)

ARLEDGE FLD (See STAMFORD on page 443)


ARLINGTON MUNI (GKY)(KGKY) 4 S UTC–6(–5DT) N32°39.83′ W97°05.66′ **DALLAS–FT WORTH**
628 B NOTAM FILE GKY **COPTER**
RWY 16–34: H6080X100 (CONC) S–60 MIRL 0.5% up NW **H–6H, L–17C, A**
RWY 16: REIL. PAPI(P4L)—GA 3.0° TCH 42′. **IAP, AD**
RWY 34: MALSR. PAPI(P4L)—GA 3.0° TCH 55′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A, A+ **OX** 4 **LGT** MIRL Rwy 16–34 preset med intst; higher intst by ATCT req. When ATCT clsd ACTVT MALSR Rwy 34—CTAF.
AIRPORT REMARKS: Attended continuously. 100LL full and self serve. Extsv hel tfc west of rwy.
AIRPORT MANAGER: 817-459-5571
WEATHER DATA SOURCES: ASOS 127.375 (817) 557–0251.
COMMUNICATIONS: CTAF 128.625
Ⓡ **LONE STAR APP/DEP CON** 118.1 124.3 125.2 125.8 135.975 (North) 125.8 135.975 (South) 118.1 125.8
TOWER 128.625 (1300–0300Z‡) **GND CON/CLNC DEL** 121.875
CLNC DEL 118.85 (RGNL APP CON when twr clsd)
AIRSPACE: CLASS D svc 1300–0300Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MAVERICK (VH) (H) VORW/DME 113.1 TTT Chan 78 N32°52.15′ W97°02.43′ 186° 12.6 NM to fld. 536/6E.
All acft arriving DFW are requested to turn DME off until departure due to traffic overload of Maverick DME.
DME unusable:
180°–190° byd 10 NM
240°–260° byd 20 NM blo 3,500′
VOR unusable:
105°–110° byd 40 NM
ILS/DME 111.55 I–GKY Chan 52(Y) Rwy 34. Class IE. LOC unusable byd 15° right of course. Unmonitored when ATCT clsd.




ARVILLA N33°03.98′ W96°03.68′ NOTAM FILE GVT. **DALLAS–FT WORTH**
(T) TACAN 109.6 MJF Chan 33 at Majors. 543/5E. **L–17D**
DME unusable:
024°–034° byd 16 NM blo 3,000′
080°–095° byd 5 NM
TACAN AZIMUTH unusable:
024°–034° byd 16 NM blo 3,000′
080°–095° byd 5 NM
212°–222° byd 12 NM blo 3,500′

ASPERMONT

STONEWALL CO (T6Ø) 1 NE UTC–6(–5DT) N33°10.22′ W100°11.84′ **DALLAS–FT WORTH**
1744 B NOTAM FILE FTW **L–17B**
RWY 17–35: H4000X60 (ASPH) S–12.5 MIRL 0.7% up S
RWY 35: P–line.
AIRPORT REMARKS: Unattended. Agricultural activity May–Sep. Gate locked. Call AMGR for combination or access. 940–200–0894 AMGR cell.
AIRPORT MANAGER: 940-989-3393
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 328° 44.6 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′




ATHENS MUNI (F44) 3 SE UTC–6(–5DT) N32°09.83′ W95°49.70′ **DALLAS–FT WORTH**
444 B NOTAM FILE FTW **L–17D**
RWY 18–36: H3988X60 (ASPH) S–25 MIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 37′. Trees.
RWY 36: PAPI(P2L)—GA 4.0° TCH 47′. Trees. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3, 4
AIRPORT REMARKS: Attended 1400Z‡—dusk. Feral hogs on and invof arpt.
AIRPORT MANAGER: 903-675-8036
WEATHER DATA SOURCES: AWOS–3PT 119.6 (903) 670–1247.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **FORT WORTH CENTER APP/DEP CON** 135.25
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
FRANKSTON (L) (L) VORW/DME 111.4 FZT Chan 51 N32°04.48′ W95°31.85′ 283° 16.1 NM to fld. 305/6E.
VOR portion unusable:
270°–293° byd 5 NM blo 8,000′
293°–295° byd 25 NM blo 3,500′
295°–340° byd 20 NM



ATLANTA

HALL–MILLER MUNI (ATA)(KATA) 2 SW UTC–6(–5DT) N33°06.15′ W94°11.70′ **MEMPHIS**
280 B NOTAM FILE FTW **L–17E**
RWY 05–23: H3800X60 (ASPH) S–12.5 MIRL 0.3% up SW **IAP**
RWY 05: REIL. PAPI(P2L)—GA 4.0° TCH 29′. Trees.
RWY 23: REIL. PAPI(P2L)—GA 4.0° TCH 30′. Trees.
RWY 15–33: 2264X75 (TURF) 0.5% up NW
RWY 15: Trees.
RWY 33: Trees.
SERVICE: **FUEL** 100LL **LGT** ACTVT REIL Rwy 05 and Rwy 23; MIRL Rwy 05–23—CTAF.
AIRPORT REMARKS: Attended irregularly. Fuel avbl 24 hrs self–serve. Feral hogs and deer on arpt. Rwy 05 trrn slopes +20′ 670′ fm thr. Rwy 15 marked with 1′ yellow plastic pipes. Rwy 23, 24′ mkd powerline 500′ dstc. Rwy 33, 42′ mkd powerline, 285′ dstc.
AIRPORT MANAGER: 903-796-2192
WEATHER DATA SOURCES: AWOS–3 118.250 (903) 799–4066.
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 123.925
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.
TEXARKANA (VH) (H) VORTACW 116.3 TXK Chan 110 N33°30.83′ W94°04.39′ 187° 25.4 NM to fld. 273/7E.
ATLANTA NDB (MHW) 347 ATA N33°06.25′ W94°11.40′ at fld. 263/4E. NOTAM FILE FTW.



AUSTIN

AUSTIN EXEC (EDC)(KEDC) 12 NE UTC–6(–5DT) N30°23.85′ W97°33.98′ **SAN ANTONIO**
620 B NOTAM FILE EDC **H–7C, L–19C, 21A**
RWY 13–31: H6025X100 (ASPH) D–101 MIRL 0.4% up NW **IAP, AD**
RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Thld dsplcd 600′. Tree.
RWY 31: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 16–34: H1550X25 (ASPH) S–8 1.0% up N
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT REIL Rwys 13 and 31; MIRL Rwy 13–31—CTAF. PAPI Rwys 13 and 31 opr consly.
AIRPORT REMARKS: Attended continuously. Rwy 16–34 CLOSED indefly. Rwy 16–34 extsv cracking, vegetation growing through. NW end of Rwy 13–31 and Twy A has a 16′ drop off at end of pavement. Rwy 13–31 twy edges are mkd by reflector posts.
AIRPORT MANAGER: 713-679-4308
WEATHER DATA SOURCES: AWOS–3 118.825 (512) 616–2967.
COMMUNICATIONS: CTAF 120.3 **UNICOM** 122.975
Ⓡ **AUSTIN APP/DEP CON** 127.225
EXECUTIVE TOWER 120.3 (1300–0400Z‡)
GND CON 119.45 **CLNC DEL** 126.025 (Aus App/Dep when EDC twr clsd)
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
AIRSPACE: CLASS D svc 1300–0400Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71′ W97°31.79′ 295° 2.2 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM
COMM/NAV/WEATHER REMARKS: VFR deps requesting ATC svc remain clear of the final apch crs of KAUS Rwys 18L and 18R. If the acft is initially eastbound, ctc AUS Apch Ctl on 127.22. If the acft is initially westbound ctc AUS Apch Ctl on 125.32. AUS Clearance Delivery 126.025.

AUSTIN–BERGSTROM INTL (AUS)(KAUS) P (ARNG) 5 SE UTC–6(–5DT) N30°11.67′ **SAN ANTONIO**
W97°40.19′ **H–7C, L–19C, 21A**
542 B LRA Class I, ARFF Index D NOTAM FILE AUS **IAP, AD**
RWY 18R–36L: H12250X150 (CONC–GRVD) S–120, D–250, 2D–550, 2D/2D2–1120
PCR 1070 R/B/W/T HIRL
RWY 18R: MALS. PAPI(P4L)—GA 3.0° TCH 60′. RVR–TR Rgt tfc.
RWY 36L: MALS. PAPI(P4L)—GA 3.0° TCH 60′. RVR–TR
RWY 18L–36R: H9000X150 (CONC–GRVD) S–120, D–250, 2D–513, 2D/2D2–1033 PCR 900 R/B/W/T HIRL CL
RWY 18L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 74′. RVR–TMR Tower.
RWY 36R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 59′. RVR–TMR Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18L: TORA–9000 TODA–9000 ASDA–9000 LDA–9000
RWY 18R: TORA–12250 TODA–12250 ASDA–12250 LDA–12250
RWY 36L: TORA–12250 TODA–12250 ASDA–12250 LDA–12250
RWY 36R: TORA–9000 TODA–9000 ASDA–9000 LDA–9000
SERVICE: S2 **FUEL** 100LL, JET A **OX** 3, 4 **MILITARY— FUEL** A+ (C512–530–5451) (NC–100LL, A) **FLUID** HPOX
NOISE: Noise abatement: All dep follow ATC instructions; climb ASAP to 4000′ or above. During the hrs 0600–1200Z‡ arrg acft will be asgnd Rwy 36L or Rwy 36R and departing acft will be asgnd Rwy 18L or Rwy 18R to avoid noise sensitive areas.
AIRPORT REMARKS: Attended continuously. Bird activity on and invof arpt. Pilots conducting EFVS Ops; be aware LED ALS in use Rwy 36R. PPR engine maintenance run–ops call ops 512–530–7550. PPR GA acft on the passenger terminal apron, call ops 512–530–7550. Twy A clsd to acft with wingspan more than 171′. PPR for non State of Texas aircarft entering the State Ramp abeam Twy E. Call State Ops 512–936–8900 or freq. 131.375. Txln R4 clsd to acft with wingspan more than 135 ft. Txln C2 clsd to acft with wingspan more than 171 ft. Txln R1, R3, R5 clsd to acft with wingspan more than 118 ft. Txln C2 btwn Twy C and G1, and Txln R1 clsd 0200–1400Z‡. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces.
AIRPORT MANAGER: 512-530-8846
WEATHER DATA SOURCES: ASOS (512) 369–7881 WSP.
COMMUNICATIONS: UNICOM 122.95 **D–ATIS** 124.4 (512) 369–7867.
AUSTIN RCO 122.2 (SAN ANGELO RADIO)
Ⓡ **AUSTIN APP/DEP CON** 127.225 (East) 120.875 (South) 119.0 (West)
AUSTIN TOWER 121.0 **GND CON** 121.9 **CLNC DEL** 125.5 **RAMP CTL** 126.225
CPDLC (LOGON KUSA)
PDC

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE


AIRSPACE: CLASS C svc ctc **APP CON**.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71´ W97°31.79´ 207° 13.2 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM
ILS/DME 110.5 I–VNK Chan 42 Rwy 18L. Class IIIE. DME also serves Rwy 36R.
ILS/DME 110.95 I–GFQ Chan 46(Y) Rwy 18R. Class IE. DME also serves Rwy 36L.
ILS/DME 110.95 I–BSM Chan 46(Y) Rwy 36L. Class IE. DME also serves Rwy 18R.
ILS/DME 110.5 I–HCE Chan 42 Rwy 36R. Class IIE. DME also serves Rwy 18L. DME unusable byd 24° left of course.
COMM/NAV/WEATHER REMARKS: Ctc ramp ctl at 126.225 prior to entry/exit to/fm the trml apn.

HELIPAD H1: H60X60 (CONC)
HELIPAD H2: H60X60 (CONC)
HELIPAD H3: H50X50 (CONC)

SAN MARCOS RGNL (HYI)(KHYI) 31 S UTC–6(–5DT) N29°53.57´ W97°51.78´

SAN ANTONIO
H–7C, L–19C, 21A
IAP, AD

595 B NOTAM FILE HYI
RWY 08–26: H6330X100 (ASPH) S–80 MIRL
RWY 08: Hangar.
RWY 26: Crops.
RWY 13–31: H5601X100 (ASPH) S–60 MIRL 0.4% up NW
RWY 13: MALS. PAPI(P2L)—GA 3.0° TCH 57´.
RWY 31: PAPI(P2L)—GA 3.0° TCH 60´.
RWY 17–35: H5214X100 (ASPH) S–20 MIRL 0.4% up N
RWY 17: PAPI(P2L)—GA 3.0° TCH 55´.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 4 **LGT** MALS Rwy 13; MIRL Rwys 08–26, 13–31 and 17–35 preset low intst; to ACTVT and incr intst—CTAF.
AIRPORT REMARKS: Attended 1300–0300Z‡. For aft hrs svc 800–229–2379. Call–in fee. Birds and wildlife on and invof arpt. 100LL self svc; 100LL and Jet A+ avbl full serve. Apn all ireg sfc. Tsnt acft prkg avbl on FBO ramp only. All otr ramp areas resd for based acft or rqr prior cdn with arpt mgmt.
AIRPORT MANAGER: 512-216-6039
WEATHER DATA SOURCES: AWOS–3PT (512) 353–8005
COMMUNICATIONS: CTAF 126.825 **ATIS** 120.825 (512–353–8005)
Ⓡ **AUSTIN APP/DEP CON** 119.0
TOWER 126.825 (1300–0300Z‡)
GND CON/CLNC DEL 120.125 **CLNC DEL** 121.35 (When twr clsd)
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
AIRSPACE: CLASS D svc 1300–0300Z‡ eff 01 Apr 2021; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71´ W97°31.79´ 205° 33.9 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM
GARYS NDB (LOMW) 272 RU N29°57.52´ W97°56.94´ 124° 6.0 NM to fld. 819/7E. NOTAM FILE HYI.
ILS 108.7 I–RUM Rwy 13. Class IT. LOM GARYS NDB. ILS and LOM unmonitored. LOC unusable byd 30° left of course.




AVENGER FLD (See SWEETWATER on page 446)

BAILES (See ANGLETON on page 265)

BALLINGER

BRUCE FLD (E3Ø) 5 SW UTC–6(–5DT) N31º40.47´ W99º58.62´ **SAN ANTONIO**
1739 B NOTAM FILE SJT **L–19B**
RWY 17–35: H3909X60 (ASPH) S–20 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0º TCH 40´. Road.



SERVICE: **FUEL** 100LL **LGT** Dusk–dawn ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Deer on and invof arpt. 100LL: self–service. Credit card. For arpt attendant call 325–977–9754. Rwy 17–35 vegetation growing thru pavement.
AIRPORT MANAGER: 325-977-9754
COMMUNICATIONS: CTAF 122.9
Ⓡ **SAN ANGELO APP/DEP CON** 125.35 (1200–0300Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.15 (0300–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc san angelo Apch at 432-563-2123. When Apch clsd ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
SAN ANGELO (VH) (H) VORTACW 115.1 SJT Chan 98 N31º22.50´ W100º27.29´ 044º 30.4 NM to fld. 1886/10E.
VOR unusable:
111º–190º byd 40 NM
120º–178º byd 24 NM blo 4,500´
191º–201º byd 49 NM
202º–218º byd 40 NM
219º–245º byd 40 NM blo 12,000´
246º–267º byd 40 NM
268º–289º byd 7 NM
290º–314º byd 46 NM
315º–352º byd 40 NM
TACAN AZIMUTH unusable:
120º–178º byd 18 NM

BAR V K (See BOLIVAR on page 277)


BAY CITY RGNL (BYY)(KBYY) 5 E UTC–6(–5DT) N28º58.39´ W95º51.81´ **HOUSTON**
45 B NOTAM FILE BYY **H–7C, L–19D, 21A, GOAW**
RWY 13–31: H5107X75 (ASPH) S–30, D–51, 2D–82 MIRL **IAP**
RWY 13: REIL. PAPI(P2L)—GA 3.0º TCH 40´.
RWY 31: REIL. Pole.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 13–31 preset low intst SS–SR; to incr intst and ACTVT REIL Rwy 13 & 31—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Arpt unattended holidays. Aft hrs atndt avbl on call. Call out fee two hr min. 100LL & Jet A, 24 hr self–service fuel. Full serv availible. Twy reflectors on all twys.
AIRPORT MANAGER: 979-244-5037
WEATHER DATA SOURCES: AWOS–3PT 118.075 (979) 323–1801.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 128.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE PSX.
PALACIOS (VH) (H) VORTACW 117.3 PSX Chan 120 N28º45.87´ W96º18.37´ 054º 26.5 NM to fld. 16/8E.

BAY ELECTRIC SUPPLY HELIPORT (See LEAGUE CITY on page 377)

BAYTOWN


BAYTOWN (HPY)(KHPY) 3 N UTC–6(–5DT) N29°47.17′ W94°57.16′
34 B NOTAM FILE CXO
RWY 14–32: H4334X60 (ASPH) S–24 MIRL
RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 20′. Thld dsplcd 786′. Road.
RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 20′. Thld dsplcd 721′. P–line.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 14: TORA–4088 TODA–4088 ASDA–4088 LDA–3320
RWY 32: TORA–4003 TODA–4003 ASDA–4003 LDA–3283
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT REIL Rwy 14 and Rwy 32; PAPI Rwy 14 and Rwy 32; MIRL Rwy 14–32—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡.
AIRPORT MANAGER: 713-303-8638
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON APP/DEP CON** 134.45
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
TRINITY (VL) (DL) VORW/DME 114.75 MHF Chan 94(Y)
N29°32.78′ W94°44.85′ 316° 17.9 NM to fld. 38/7E.
VOR unusable:
060°–079° byd 40 NM
080°–090° byd 40 NM blo 6,000′
080°–090° byd 50 NM blo 8,000′
091°–109° byd 40 NM
110°–190° blo 2,000′

HOUSTON
COPTER
L–19E, 21A
IAP



RWJ AIRPARK (54T) 7 E UTC–6(–5DT) N29°45.71′ W94°50.91′
33 B NOTAM FILE CXO
RWY 08–26: H5035X40 (ASPH) S–6 LIRL
RWY 08: Bldg.
RWY 26: Thld dsplcd 939′. Road.
RWY 14–32: 3532X100 (TURF) S–4
RWY 14: Thld dsplcd 340′. Road.
RWY 32: Thld dsplcd 600′. Road.
RWY 09–27: 1255X22 (TURF)
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Rwy 08–26 LIRL lctd 15′ fm rwy edge west, 4000′ lgtd.
AIRPORT REMARKS: Attended Mon–Fri 1400–0000Z‡. A: For fuel call 281–383–2320. Partial parallel twy fr 26 dsplcd thr not suitable for acft. Rwy 08 37′ p–line mkd and lgtd, 460′ fm rwy end. Rwy 08 mkgs nstd, mkgs do not match published dimensions. Rwy 26 dsplcd thr mkgs nstd, no arrows, no arrowheads.
AIRPORT MANAGER: 512-825-9771
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **HOUSTON APP/DEP CON** 134.45
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
TRINITY (VL) (DL) VORW/DME 114.75 MHF Chan 94(Y)
N29°32.78′ W94°44.85′ 331° 13.9 NM to fld. 38/7E.
VOR unusable:
060°–079° byd 40 NM
080°–090° byd 40 NM blo 6,000′
080°–090° byd 50 NM blo 8,000′
091°–109° byd 40 NM
110°–190° blo 2,000′


HOUSTON
COPTER
H–7C, L–19E, 21A, GOAW
IAP



BEAUMONT MUNI (BMT)(KBMT) 6 W UTC–6(–5DT) N30°04.21′ W94°12.91′ **HOUSTON**
32 B NOTAM FILE CXO **L–19E, 21A, GOAW**
RWY 13–31: H4001X75 (ASPH) S–17 MIRL **IAP**
RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Thld dsplcd 332′. P–line. Rgt tfc.
RWY 31: PAPI(P4L)—GA 4.0° TCH 40′. Thld dsplcd 67′. Road.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 13–31 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1300–0100Z‡.
AIRPORT MANAGER: 409-866-0084
WEATHER DATA SOURCES: AWOS–3PT 118.425 (409) 866–2832.
COMMUNICATIONS: CTAF/UNICOM 123.0
RCO 122.2 (MONTGOMERY COUNTY RADIO)
Ⓡ **HOUSTON APP/DEP CON** 121.3
CLNC DEL 121.75
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844. To cnl IFR ctc Houston Apch at 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE BPT.
(L) DME 114.5 BPT Chan 92 N29°56.76′ W94°00.97′ 306° 12.7 NM to fld. 7.
GOODHUE NDB (MHW) 368 GDE N30°04.23′ W94°12.66′ at fld. 30/7E. NOTAM FILE CXO. VFR only. NDB OTS indef


BEAUMONT/PORT ARTHUR

JACK BROOKS RGNL (BPT)(KBPT) 9 SE UTC–6(–5DT) N29°57.05′ W94°01.24′ **HOUSTON**
15 B LRA Class I, ARFF Index A NOTAM FILE BPT **H–7D, L–19E, 21A, GOAW**
RWY 12–30: H6751X150 (CONC–GRVD) S–90, D–170, 2S–175, 2D–230 PCR 578 R/C/W/T HIRL **IAP, AD**
RWY 12: MALSR. RVR–T Tree.
RWY 30: REIL. VASI(V4L)—GA 3.0° TCH 54′. RVR–R Tree.
RWY 16–34: H5071X150 (ASPH–CONC–GRVD) S–70, D–90, 2S–114, 2D–145 PCR 172 R/D/W/T HIRL
RWY 16: REIL. PAPI(P4R)—GA 3.0° TCH 53′.
RWY 34: REIL. VASI(V4L)—GA 3.0° TCH 53′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 12: TORA–6751 TODA–6751 ASDA–6508 LDA–6508
RWY 16: TORA–5070 TODA–5070 ASDA–5070 LDA–5070
RWY 30: TORA–6751 TODA–6751 ASDA–6751 LDA–6751
RWY 34: TORA–5070 TODA–5070 ASDA–5070 LDA–5070
SERVICE: S2 **FUEL** 100LL, JET A **OX** 2 **LGT** When ATCT clsd REIL Rwy 16, 30 and 34; HIRL Rwy 12–30 and 16–34 preset med intst. ACTVT MALSR Rwy 12—CTAF.
AIRPORT REMARKS: Attended continuously. Bird activity on and invof arpt. First 4271 ft of Rwy 34 grvd. First 1000 ft Rwy 16 much darker than remainder of rwy. Flight Notification Service (ADCUS) available.
AIRPORT MANAGER: 409-719-4900
WEATHER DATA SOURCES: ASOS 126.3 (409) 223–4011.
COMMUNICATIONS: CTAF 119.5 **ATIS** 126.3 **UNICOM** 122.95
Ⓡ **HOUSTON APP/DEP CON** 121.3
BEAUMONT TOWER 119.5 (1200–0400Z‡) **GND CON** 124.85 **CLNC DEL** 118.3
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc Houston Apch at 281-443-5844 to cnl IFR at 281-443-5888.
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS E.
TRSA svc ctc **APP CON** 25 NM out
RADIO AIDS TO NAVIGATION: NOTAM FILE BPT.
BEAUMONT (L) DME 114.5 BPT Chan 92 N29°56.76′ W94°00.97′ at fld. 7.
SABINE PASS (VL) (L) VORW/DME 115.4 SBI Chan 101 N29°41.20′ W94°02.28′ 356° 15.8 NM to fld. 10/7E. NOTAM FILE CXO.
ILS/DME 110.15 I–BPT Chan 38(Y) Rwy 12. Class IE. Unmonitored when ATCT clsd.




BEEVILLE

BEEVILLE MUNI (BEA)(KBEA) 3 SW UTC–6(–5DT) N28°21.85′ W97°47.52′ **SAN ANTONIO**
273 B NOTAM FILE BEA **L–20H, 21A, GOAW**
RWY 12–30: H4553X75 (ASPH) S–25 MIRL 0.5% up NW **IAP**
RWY 12: PAPI(P2L)—GA 3.0° TCH 20′. Road.
RWY 30: PAPI(P2L)—GA 3.0° TCH 43′. Road.
RWY 18–36: 2251X60 (TURF) 0.3% up N
RWY 18: P–line.
RWY 36: P–line.
SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** SS–SR, MIRL Rwy 12–30 preset low intst, to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Unattended. 100LL fuel 24 hr self serv. On site attendant 361–319–3448, also 361–542–6544. Rwy 18 mkd with 3 ft yellow cones.
AIRPORT MANAGER: 361-358-4641
WEATHER DATA SOURCES: AWOS–3 118.675 (361) 362–7627.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 134.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
THREE RIVERS (L) TACAN Chan 51 THX (111.4) N28°30.30′ W98°09.03′ 106° 20.8 NM to fld. 266/8E.



CHASE FLD INDUSTRIAL (TX2) 5 SE UTC–6(–5DT) N28°21.75′ W97°39.72′ **SAN ANTONIO**
184 B NOTAM FILE SJT **H–7C, L–20H, 21A**
RWY 13–31: H8000X200 (ASPH) MIRL **IAP**
RWY 13: Trees.
SERVICE: **FUEL** JET A **LGT** MIRL Rwy 13–31 preset to low intst SS–SR; to incr intst and ACTVT—CTAF.
AIRPORT REMARKS: Unattended. Jet A 24 hr self–serve. The prev parl Rwy 13R–31L CLOSED. Rwy 13–31 mkg faded, covered by rubber deposits in some areas. Rwy 13–31 some areas of loose stones. Arpt fenced, gates locked, for aces call amgr.
AIRPORT MANAGER: 361-358-2023
COMMUNICATIONS: CTAF/UNICOM 122.8
HOUSTON CENTER APP/DEP CON 134.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
THREE RIVERS (L) TACAN Chan 51 THX (111.4) N28°30.30′ W98°09.03′ 100° 27.2 NM to fld. 266/8E.




BIG BEND RANCH STATE PARK (See PRESIDIO on page 415)

BIG LAKE

REAGAN CO (E41) 1 W UTC–6(–5DT) N31°11.92′ W101°28.51′
2706 B NOTAM FILE SJT
RWY 16–34: H5035X50 (ASPH) S–14 MIRL
RWY 16: PAPI(P2L)—GA 3.0° TCH 30′. Thld dsplcd 1005′. Rgt tfc.
RWY 34: PAPI(P2L)—GA 3.5° TCH 40′. Pole.
RWY 09–27: H4001X60 (ASPH) 0.4% up E
RWY 27: Pole. Rgt tfc.
SERVICE: **FUEL** 100LL **LGT** ACTVT PAPI Rwy 16 and Rwy 34; MIRL Rwy 16–34—CTAF.
AIRPORT REMARKS: Unattended. For fuel call 325–277–1551. Rwy 09–27 sfc seal spalling. Rwy 16–34 loose stones on the rwy.
AIRPORT MANAGER: 325-650-1314
WEATHER DATA SOURCES: AWOS–3PT 118.4 (325) 884–2770.
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.15
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
SAN ANGELO (VH) (H) VORTACW 115.1 SJT Chan 98 N31°22.50′ W100°27.29′ 249° 53.5 NM to fld. 1886/10E.
VOR unusable:
111°–190° byd 40 NM
120°–178° byd 24 NM blo 4,500′
191°–201° byd 49 NM
202°–218° byd 40 NM
219°–245° byd 40 NM blo 12,000′
246°–267° byd 40 NM
268°–289° byd 7 NM
290°–314° byd 46 NM
315°–352° byd 40 NM
TACAN AZIMUTH unusable:
120°–178° byd 18 NM


SAN ANTONIO
H–6G, L–19A
IAP



BIG SPRING/MC MAHON–WRINKLE

(BPG)(KBPG) 2 SW UTC–6(–5DT) N32°12.76′ W101°31.30′
2573 B NOTAM FILE BPG
RWY 17–35: H8803X100 (CONC) S–60, D–150, 2D–200 MIRL
RWY 17: SSALS. PAPI(P4L)—GA 3.0° TCH 45′. Rgt tfc.
RWY 35: PAPI(P4L)—GA 3.0° TCH 36′. 0.3% up S.
RWY 06–24: H4601X75 (ASPH) MIRL 0.6% up NE
RWY 06: PAPI(P2L)—GA 3.0° TCH 40′. Rgt tfc.
RWY 24: PAPI(P2L)—GA 3.0° TCH 40′. Fence.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwys 06–24 and 17–35 preset low intst; to incr intst and ACTVT SSALS Rwy 17—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Prairie dogs on rwys and twys. Sandhill Cranes xng in the spring and fall. 100LL and Jet–A full and self serve. FBO 432–264–7124. Aft hrs 432–935–1238.
AIRPORT MANAGER: 432-264-2362
WEATHER DATA SOURCES: AWOS–3PT 118.025 (432) 264–7475.
COMMUNICATIONS: CTAF/UNICOM 122.8
RCO 122.4 (SAN ANGELO RADIO)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.7
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE BPG.
(VL) (H) VORTACW 117.2 BGS Chan 119 N32°23.14′ W101°29.02′ 180° 10.5 NM to fld. 2670/11E.

DALLAS–FT WORTH
H–6G, L–6H
IAP




BIGGS AAF (FORT BLISS) (BIF)(KBIF) A 5 NE UTC–7(–6DT) N31°50.97′ W106°22.80′ **EL PASO**
3947 B LRA NOTAM FILE ABQ Not insp. **H–4L, L–6F**
RWY 04–22: H13554X150 (CONC–GRVD) PCN 84 R/C/W/T HIRL **DIAP, AD**
RWY 04: REIL. PAPI(P4L)—GA 3.0° TCH 75′.
RWY 22: SSALR. PAPI(P4L)—GA 3.0° TCH 75′. Rgt tfc.
ARRESTING GEAR/SYSTEM
RWY 04 BAK–14 BAK–12B(B) (1500'). BAK–14 BAK–12B(B) (2100'). **RWY 22**
SERVICE: **FUEL** JET A++ **LGT** When unatndd ACTVT REIL Rwy 04; PAPI Rwy 04 and 22; HIRL Rwy 04–22—127.9. No twy edge lts at hot refuel area. SSALR OTS. **MILITARY—** **JASU** 4(A/M32A–86) 2(A/M32–95) **FUEL** A+ (1400–0600Z‡, C915–779–2831, 2 hr PN, after hr call out fee $150.) **FLUID** SP
NOISE: Noise abatement: VFR west arr/dep via mtn pass 15 NM NW of Biggs AAF. Avoid VFR ovft of city. Fly 1500′ AGL, 1500′ horizontal dist fm mtn dwellings.
MILITARY REMARKS: Attended Mon–Sun 1500–0700Z‡, except holidays. See FLIP AP/1 Supplementary Arpt Remark. No de–ice avbl, no off afld trnsp avbl for aircrew, 24 hr notice for lav and water svcs, 915–525–7087. Afld OPS opr 1500–0700Z‡ Mon–Sun, exc hol. **RSTD** PPR all acft 24 hr PN rqrd, ctc Airfield Ops DSN 621–8811/8330, C915–744–8811/8330. Twr and svcs avbl for all acft with PPR. PPR time valid +/– 1 hr. All acft ctc Afld Ops via PTD 30 min prior to arr. Flt Ops and Tran Alert svc unavbl bfr 1 hr prior to PPR sked arr. **CAUTION** El Paso Intl Rwy 22 2 NM SE can be mistaken for Biggs AAF Rwy 22. Coyote haz. **TFC PAT** Fixed Wing 5000(1052), Turbo Prop 5500(1552), Rotary Wing 4500(552), Jet 6000(2052). **MISC** Approval required for access to ramp. Intl garbage cap ltd. Expect delays unless placed in garbage bags prior to arrival. Hangar space extremely limited for transient acft. KBIF auto obsn and BAAF USAF wx avbl 24/7, DSN 621–1215/1214, C915–744–1215/1214, OT 25th OWS, Davis–Monthan AFB, DSN 228–6598/6599. Class D airspace eff 1500–0700Z‡ Mon–Sun, exc hol. OT Class E intl garbage cap ltd. Must be bagged prior to arr. Twy L south of Twy F dsgnd for rotary wing acft only. Closed circuit TV opns, tsnt acft Civ–Mil inbd ctc afld opns via PTD at 60 NM prior to ldg. Acft svc/trans alert will not support lcl, round robin or out and back for trans acft. William Beaumont Hospital helipad PCL freq 126.2.
AIRPORT MANAGER: 915-744-8088
COMMUNICATIONS: PTD 126.2
Ⓡ **EL PASO APP CON** 119.15 353.5 (South–V16) 124.25 298.85 (North–V16)
TOWER 127.9 342.25 (Open 24 hrs)
BLISS RDO 134.1 237.2 (Open 24 hrs) **GND CON** 121.6 251.125
Ⓡ **EL PASO DEP CON** 124.25 298.85
EL PASO CLNC DEL 125.0 379.1 **PMSV** 373.7
AIRSPACE: CLASS D svc 1500–0700Z‡ Mon–Sun; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ.
NEWMAN (VL) (H) VORTACW 112.4 EWM Chan 71 N31°57.11′ W106°16.35′ 210° 8.2 NM to fld. 4041/12E.
TACAN AZIMUTH unusable:
220°–255° byd 25 NM blo 12,000′
DME unusable:
220°–255° byd 25 NM blo 12,000′
VOR unusable:
001°–005° byd 40 NM
030°–034° byd 40 NM
042°–065° byd 40 NM
066°–084° byd 40 NM blo 18,000′
085°–130° byd 40 NM
243°–260° byd 40 NM
261°–279° byd 40 NM blo 18,000′
280°–290° byd 40 NM
304°–332° byd 40 NM
ILS/DME 110.9 I–BIF Chan 46 Rwy 22. Class IE.
ASR
COMM/NAV/WEATHER REMARKS: Radar—See Terminal FLIP for Radar Minima.

BIRD DOG AIRFIELD (See KRUM on page 371)

BISHOP (See DECATUR on page 309)

BISHOP'S LANDING (See CELINA on page 288)

BISHOP–WINDHAM (Ø7R) 3 NE UTC–6(–5DT) N27°36.61′ W97°45.15′ **BROWNSVILLE**
55 B NOTAM FILE SJT **L–20H, 21A**
RWY 15–33: H3200X50 (ASPH) S–12.5 MIRL
RWY 15: Road.
RWY 33: Road.
SERVICE: **LGT** Rwy 15–33 MIRLs OTS indefly.
AIRPORT REMARKS: Unattended. Intensive mil jet tfc 1300 ft AGL and abv from Kingsville NAS (NQI) 7 NM SW. Ctc Kingsville apch 119.9 for instrns.
AIRPORT MANAGER: 361-584-2567
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102
N27°54.23′ W97°26.69′ 214° 24.0 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024°–036° byd 35 NM blo 1,700′
037°–023° byd 35 NM blo 2,000′
265°–275°
VOR unusable:
340°–005° byd 40 NM blo 7,000′
340°–005° byd 84 NM
Byd 30 NM blo 1,500′
TACAN AZIMUTH unusable:
080°–085° byd 30 NM




BOERNE STAGE AIRFIELD (See SAN ANTONIO on page 427)

BOLIVAR

BAR V K (T38) P 1 N UTC–6(–5DT) N33°22.58′ W97°14.61′ **DALLAS–FT WORTH**
765 NOTAM FILE FTW
RWY 18–36: 2900X100 (TURF) LIRL
RWY 18: Thld dsplcd 200′. Road.
RWY 36: Thld dsplcd 200′. Trees.
SERVICE: **LGT** ACTVT LIRL Rwy 18–36—122.825.
AIRPORT REMARKS: Unattended. Arpt clsd at ngt to non–residents. Wildlife on and invof rwy. Glider actvt on and invof arpt. PAEW on rwy. Grass mower will clear rwy aft low apch. No fuel or otr svcs avbl. Do not mistake north end 1400 ft long turf twy as rwy. Rwy soft when wet, call for ficons. Cell twr midfield inside downwind for Rwy 36. Ditch on both sides of rwy mid field outside of rwy lgts.
AIRPORT MANAGER: 940-453-5256
COMMUNICATIONS: CTAF 122.85
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

BONHAM

JONES FLD (FØØ) 2 N UTC–6(–5DT) N33°36.79′ W96°10.76′ **DALLAS–FT WORTH**
618 B NOTAM FILE FTW **L–17D, A**
RWY 17–35: H4000X75 (ASPH) S–12.5 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 37′. Trees.
RWY 35: PAPI(P2L)—GA 3.0° TCH 37′. Antenna.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 17 and 35 SS–SR preset low; to ACTVT or incr intst—CTAF. PAPI Rwy 17 and PAPI Rwy 35 opr consly.
AIRPORT REMARKS: Unattended. For arpt attendant call 903–583–7555 Mon–Fri 1400–2300Z‡. Aft hrs call Bonham Police Dept. 903–583–2141. 100LL self–serv. Jet A full serv. Call 903–227–5199. Extensive aerial AG ops Apr–Aug. Otr times ireg. For airframe repairs call 903–640–0233 or 903–583–5119.
AIRPORT MANAGER: 903-583-8623
WEATHER DATA SOURCES: AWOS–3PT 118.05 (903) 583–2082.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 124.875
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.




CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
BONHAM (VH) (H) VORTACW 114.6 BYP Chan 93 N33°32.25′ W96°14.05′ 025° 5.3 NM to fld. 700/6E.
COMM/NAV/WEATHER REMARKS: UNICOM unmonitored.

BORGER


HUTCHINSON CO (BGD)(KBGD) 2 N UTC–6(–5DT) N35°42.05′ W101°23.62′ **DALLAS–FT WORTH**
3055 B NOTAM FILE BGD **H–6G, L–15B**
RWY 17–35: H6299X100 (ASPH) S–60, D–100 MIRL 0.9% up S **IAP**
RWY 17: PAPI(P4L)—GA 3.0° TCH 58′. Pole.
RWY 35: PAPI(P4R)—GA 3.0° TCH 41′. Trees.
RWY 03–21: H3897X100 (ASPH) S–60, D–100 MIRL 0.5% up SW
SERVICE: **FUEL** 100LL, JET A+ **LGT** ACTVT PAPI Rwys 17 and 35; MIRL Rwys 03–21 and 17–35—CTAF.
AIRPORT REMARKS: Attended 1400–0000Z‡. Rwy 21, 100′ drop–off, 95′ dstc. Rwy 3, 40′ drop–off, 150′ dstc.
AIRPORT MANAGER: 806-273-0137
WEATHER DATA SOURCES: ASOS 118.325 (806) 274–7318.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ**AMARILLO APP/DEP CON** 119.5 (1200–0600Z‡)
Ⓡ**ALBUQUERQUE CENTER APP/DEP CON** 127.85 (0600–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.
BORGER (L) TACAN Chan 23 BGD (108.6) N35°48.42′ W101°22.93′ 174° 6.4 NM to fld. 3130/11E.
TACAN AZIMUTH unusable:
220°–320° byd 10 NM blo 12,000′



BORGER N35°48.42′ W101°22.93′ NOTAM FILE BGD. **DALLAS–FT WORTH**
(L) TACAN 108.6 BGD Chan 23 174° 6.4 NM to Hutchinson Co. 3130/11E. **H–6G, L–15B**
TACAN AZIMUTH unusable:
220°–320° byd 10 NM blo 12,000′


BOURLAND FLD (See FORT WORTH on page 327)

BOWIE MUNI (ØF2) 4 NE UTC–6(–5DT) N33°36.10′ W97°46.53′ **DALLAS–FT WORTH**
1101 B NOTAM FILE FTW **L–17C, A**
RWY 17–35: H3603X60 (ASPH) S–12.5 MIRL 0.5% up N **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 35′. Pole.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–dawn. ACTVT PAPI Rwy 17 and 35; MIRL 17–35—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1330–2230Z‡. For arpt attendant after hrs call 940–841–4156. Deer on and invof arpt. Crop dusting Jan–Apr. 100LL and Jet A 24 hr self–serve. Rwy 35 has 30 ft drop–off 190 ft dstc, both sides. Rwy 17–35 pvmt lip 1.5 inches abv grade.
AIRPORT MANAGER: 940-841-4156
WEATHER DATA SOURCES: AWOS–3PT 118.75 (940) 872–2366.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 127.95
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
(H) (H) VORTACW 117.15 UKW Chan 118(Y) N33°32.15′ W97°49.28′ 024° 4.6 NM to fld. 1102/6E.



BRADY


CURTIS FLD (BBD)(KBBD) 3 NE UTC–6(–5DT) N31°10.76′ W99°19.44′ — SAN ANTONIO
1827 B NOTAM FILE SJT — L–19B
RWY 17–35: H4605X75 (ASPH) S–21 MIRL 0.7% up N — IAP
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 35: PAPI(P2L)—GA 3.0° TCH 48′. Trees.
RWY 08–26: 3520X110 (TURF) 0.3% up E
RWY 08: Fence.
RWY 26: Fence.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 17–35 —CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat & Sun 1500–1900Z‡. Deer on and invof arpt. Rwy 08–26 west 1240 ft clsd, 2280 ft rmng.
AIRPORT MANAGER: 325-597-1461
WEATHER DATA SOURCES: AWOS–3 118.375 (325) 597–9139.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**HOUSTON CENTER APP/DEP CON** 132.35
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE AQO.
LLANO (L) TACAN Chan 19 LLO (108.2) N30°47.78′ W98°47.24′ 302° 35.9 NM to fld. 1207/8E.



BRAZOS 538 BQX N28°18.60′ W95°37.20′/78
AWOS–3P 118.375 (979) 843–7255 — L–20I, 21A, GOAW

BRECKENRIDGE

STEPHENS CO (BKD)(KBKD) 2 S UTC–6(–5DT) N32°43.13′ W98°53.50′ — DALLAS–FT WORTH
1284 B NOTAM FILE FTW — H–6H, L–17B
RWY 17–35: H5002X100 (ASPH) S–19 MIRL 0.6% up S — IAP
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 13–31: H2401X50 (ASPH) S–4 1.1% up SE
RWY 13: Trees.
RWY 31: Thld dsplcd 120′. Trees.
RWY 04–22: H2398X50 (ASPH) S–4 0.4% up SW
RWY 04: Tree.
RWY 22: Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 17–35 preset low intst; to incr intst and ACTVT PAPI Rwys 17 and 35—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. After hrs on call.
AIRPORT MANAGER: 254-559-2190
WEATHER DATA SOURCES: AWOS–3 120.175 (254) 559–5525.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 127.0
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.



CONTINUED ON NEXT PAGE


CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MILLSAP (VH) (H) VORTACW 117.7 MQP Chan 124 N32°43.57′ W97°59.85′ 261° 45.3 NM to fld. 900/9E.

VOR unusable:
004°–009° byd 40 NM
010°–054° byd 40 NM blo 3,800′
010°–054° byd 46 NM blo 5,000′
010°–054° byd 56 NM
055°–066° byd 40 NM blo 3,800′
055°–066° byd 50 NM
230°–247° byd 40 NM
248°–258° byd 40 NM blo 3,700′
248°–258° byd 53 NM
259°–270° byd 40 NM blo 6,000′
259°–270° byd 63 NM
271°–285° byd 40 NM
312°–316° byd 40 NM
325°–340° byd 40 NM blo 3,000′
325°–340° byd 46 NM blo 5,000′
325°–340° byd 66 NM
353°–003° byd 40 NM blo 18,000′


BRENHAM MUNI (11R) 3 NE UTC–6(–5DT) N30°13.18′ W96°22.46′ **HOUSTON**
318 B NOTAM FILE 11R **H–7C, L–19D, 21A, GOAW**
RWY 16–34: H6003X75 (ASPH) S–30 MIRL 1.1% up N **IAP**
RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 36′. Tree.
RWY 34: REIL. PAPI(P4L)—GA 3.5° TCH 48′. Trees.



SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 4 **LGT** MIRL Rwy 16–34 preset med SS–SR. To ACTVT and incr intst—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Fuel 24 hr self–serv. Full svc avbl durg atndd hrs. For aft hrs svc 979–337–7245, call–in fee. 94 ft lgtd radar ant, 1060 ft west of Rwy 16 end. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 979-337-7232
WEATHER DATA SOURCES: AWOS–3 121.125 (979) 836–2303.
COMMUNICATIONS: CTAF/UNICOM 123.075
Ⓡ **HOUSTON APP/DEP CON** 134.3
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.
COLLEGE STATION (L) (L) VORTACW 113.3 CLL Chan 80 N30°36.30′ W96°25.24′ 166° 23.2 NM to fld. 264/8E.
TACAN unusable:
101°–130° byd 25 NM blo 2,500′
131°–148° byd 30 NM blo 2,500′
149°–160° byd 30 NM blo 2,000′
325°–349° byd 30 NM blo 2,500′
350°–100° byd 25 NM blo 3,500′
VOR unusable:
024°–034° blo 4,000′
024°–034° byd 20 NM
131°–142° blo 7,000′
142°–152° byd 30 NM
152°–189° blo 7,000′

BRIDGEPORT MUNI (XBP)(KXBP) 4 SW UTC–6(–5DT) N33°10.44′ W97°49.71′
864 B NOTAM FILE XBP
RWY 18–36: H5005X75 (ASPH) S–30 MIRL 1.1% up S
RWY 18: PAPI(P2L)—GA 3.0° TCH 51′. Tree.
RWY 36: PAPI(P2L)—GA 3.5° TCH 46′.
SERVICE: S4 **FUEL** 100LL, JET A+
AIRPORT REMARKS: Attended Mon–Fri 1400–1800Z‡. 100LL fuel 24 hrs self svc. Jet A self–serve. Full serv avbl on req 940–399–9504. Call in fee. Deer on and invof arpt.
AIRPORT MANAGER: 940-683-3435
WEATHER DATA SOURCES: AWOS–3PT 119.225 (940) 683–8027.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **FORT WORTH CENTER APP/DEP CON** 127.0
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
BOWIE (H) (H) VORTACW 117.15 UKW Chan 118(Y) N33°32.15′ W97°49.28′ 175° 21.7 NM to fld. 1102/6E.

DALLAS–FT WORTH
L–17C, A
IAP




BROOKS CO (See FALFURRIAS on page 324)

BROWNFIELD

TERRY CO (BFE)(KBFE) 4 E UTC–6(–5DT) N33°10.39′ W102°11.58′
3265 B NOTAM FILE FTW
RWY 02–20: H5218X75 (ASPH) S–50, D–65 MIRL
RWY 02: PAPI(P2L)—GA 3.0° TCH 43′.
RWY 20: PAPI(P2L)—GA 3.0° TCH 41′. Trees.
RWY 13–31: H2765X75 (ASPH) S–12 0.4% up NW
RWY 13: P–line.
RWY 31: Road.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 02–20 preset low intensity, to increase intensity ACTIVATE—CTAF.
AIRPORT REMARKS: Unattended. Birds and wildlife on and invof arpt. 100LL fuel self svc 24 hrs. Rwy 02–20 parl twy poor, extsv cracks.
AIRPORT MANAGER: 432-955-4601
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LUBBOCK APP/DEP CON** 119.2 119.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
LUBBOCK (L) (L) VORTACW 109.2 LBB Chan 29 N33°42.30′ W101°54.84′ 193° 34.8 NM to fld. 3310/11E.
VOR unusable:
040°–050° byd 38 NM blo 5,300′
210°–260° byd 25 NM blo 6,000′

ALBUQUERQUE
H–6G, L–6H
IAP



BROWNSVILLE/SOUTH PADRE ISLAND INTL (BRO)(KBRO) 4 E UTC–6(–5DT) N25°54.37´ W97°25.56´

BROWNSVILLE
H–7C, L–20H, 21A
IAP, AD

22 B AOE ARFF Index—See Remarks NOTAM FILE BRO

RWY 13–31: H7399X150 (ASPH–GRVD) S–75, D–170, 2S–175, 2D–240 PCR 660 F/B/X/T HIRL

RWY 13: MALSR. RVR–T Tree.

RWY 31: PAPI(P4L)—GA 3.0° TCH 68´. RVR–R Tree.


RWY 18–36: H6000X150 (ASPH–GRVD) S–75, D–144, 2S–175, 2D–150 PCR 540 F/D/X/T MIRL

RWY 18: PAPI(P4L)—GA 3.0° TCH 50´. Thld dsplcd 190´. Tree.

RWY 36: VASI(V4L)—GA 3.0° TCH 51´. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA–7399 TODA–7399 ASDA–7399 LDA–7399
RWY 18: TORA–6000 TODA–6000 ASDA–6000 LDA–5810
RWY 31: TORA–7399 TODA–7399 ASDA–7399 LDA–7399
RWY 36: TORA–5532 TODA–5532 ASDA–5532 LDA–5532



SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3 **LGT** When ATCT clsd ACTVT MALSR Rwy 13—CTAF.

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. For acft svc call 956–542–5852 or 956–542–9111. Lgtd oil derricks lctn aprxly 5 NM NE max 500 ft AGL. Class I, ARFF Index B. When ATCT clsd req ARFF assistance thru Houston ARTCC or flt svc. PPR 24 hrs for unsked ACR opns with more than 30 psgr seats call AMGR. Txy J north of Txy H open to tfc under 12500 lbs. Landing fee. For cust and bdr protection svcs ctc: 956–547–5760 dly 1400–0600Z‡; kbro.gap@cbp.dhs.gov. Aft hrs: 956–983–5704, 956–982–3653; brownsvilleopscenter@cbp.dhs.gov. Flight Notification Service (ADCUS) available.

AIRPORT MANAGER: 956-459-1811

WEATHER DATA SOURCES: ASOS 128.55 (956) 299–5871.

COMMUNICATIONS: CTAF 118.9 **ATIS** 128.55 **UNICOM** 122.95
RCO 122.3 (SAN ANGELO RADIO)
Ⓡ **VALLEY APP/DEP CON** 119.5
TOWER 118.9 (1200–0600Z‡) **GND CON** 121.9

CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc crp Apch at 361-299-4230.

AIRSPACE: CLASS D svc 1200–0600Z‡; other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE BRO.

(H) (H) VORTACW 116.3 BRO Chan 110 N25°55.44´ W97°22.52´ 240° 2.9 NM to fld. 10/9E.
TACAN AZIMUTH unusable:
006°–290° byd 24 NM
355°–005° byd 9 NM
DME unusable:
006°–290° byd 24 NM
355°–005° byd 9 NM
360°–005° byd 24 NM
VOR unusable:
271°–290° byd 20 NM
320°–335°
360°–270° byd 24 NM

DEPOO NDB (LOMW) 393 BR N25°59.02´ W97°30.55´ 133° 6.5 NM to fld. 29/3E.

ILS/DME 110.3 I–BRO Chan 40 Rwy 13. Class IE. LOM DEPOO NDB. Unmonitored when ATCT closed. Localizer backcourse unusable byd 25° right of cse.


BROWNWOOD RGNL (BWD)(KBWD) 5 N UTC–6(–5DT) N31°47.62′ W98°57.39′ SAN ANTONIO
1387 B NOTAM FILE BWD MON Airport H–6H, L–19C
RWY 17–35: H5599X100 (ASPH) S–30 MIRL 0.3% up N IAP
RWY 17: MALS. PAPI(P4L)—GA 3.0° TCH 55′. Trees.
RWY 35: PAPI(P4L)—GA 3.0° TCH 48′. Trees.
RWY 13–31: H4608X101 (ASPH) S–25 MIRL
RWY 31: Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MALS Rwy 17; MIRL Rwy 13–31 and Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–2300Z‡, Sat–Sun 1300–2100Z‡. 100LL fuel 24 hrs self svc. For fuel svc when unatndd call 325–643–1482. Airframe repairs 325–643–1482.
AIRPORT MANAGER: 325-643-1482
WEATHER DATA SOURCES: AWOS–3 118.325 (888) 297–9399.
COMMUNICATIONS: CTAF/UNICOM 122.8
RCO 122.5 (FORT WORTH RADIO)
Ⓡ**FORT WORTH CENTER APP/DEP CON** 127.45
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE BWD.
(VL) (L) VORW/DME 113.55 BWD Chan 82(Y) N31°53.55′ W98°57.45′ 172° 5.9 NM to fld. 1574/8E.
VOR unusable:
010°–024° byd 40 NM
025°–035° byd 44 NM
036°–074° byd 40 NM
050°–080° byd 35 NM blo 5,500′
075°–084° byd 50 NM
085°–099° byd 40 NM blo 5,000′
085°–099° byd 49 NM
DME unusable:
050°–080° byd 35 NM blo 5,500′
LOC 109.1 I–BWD Rwy 17. LOC unmonitored.



BRUCE FLD (See BALLINGER on page 271)

BRYAN

COULTER FLD (CFD)(KCFD) 3 NE UTC–6(–5DT) N30°42.94′ W96°19.88′ HOUSTON
367 B NOTAM FILE CFD L–19D, 21A
RWY 15–33: H4000X75 (ASPH) MIRL IAP
RWY 15: REIL. PAPI(P2L)—GA 3.5° TCH 40′. Trees.
RWY 33: REIL. PAPI(P2L)—GA 3.5° TCH 40′. Road.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** SR–SS MIRL Rwy 15–33 preset low intst; to ACTVT or incr intst—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–0000Z‡, Sat–Sun 1500–2330Z‡. Unlgtd hngrs 450 ft SW AER 15. Unlgtd supplemental windsock 460′ SW AER 15.
AIRPORT MANAGER: 979-209-5233
WEATHER DATA SOURCES: AWOS–3PT 125.975 (979) 778–2544.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ**HOUSTON APP/DEP CON** 134.3
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.
COLLEGE STATION (L) (L) VORTACW 113.3 CLL Chan 80 N30°36.30′ W96°25.24′ 027° 8.1 NM to fld. 264/8E.
TACAN unusable:
101°–130° byd 25 NM blo 2,500′
131°–148° byd 30 NM blo 2,500′
149°–160° byd 30 NM blo 2,000′
325°–349° byd 30 NM blo 2,500′
350°–100° byd 25 NM blo 3,500′
VOR unusable:
024°–034° blo 4,000′
024°–034° byd 20 NM
131°–142° blo 7,000′
142°–152° byd 30 NM
152°–189° blo 7,000′




BUFFALO (See AMARILLO on page 262)

BULVERDE AIRPARK (See SAN ANTONIO on page 427)

BURNET MUNI/KATE CRADDOCK FLD (BMQ)(KBMQ) 1 SW UTC–6(–5DT) N30°44.34′ W98°14.32′ **SAN ANTONIO**
1283 B NOTAM FILE BMQ **H–7B, L–19C**
IAP

RWY 01–19: H5001X75 (ASPH) S–30 MIRL 0.5% up N
RWY 01: REIL. PAPI(P4L)—GA 3.0° TCH 43′. P–line. Rgt tfc.
RWY 19: REIL. PAPI(P4L)—GA 3.03° TCH 45′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** REIL RWY 01 and 19; PAPI RWY 01 and 19; MIRL Rwy 01–19 preset low INTST; to INCR INTST and ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–0000Z‡. For arpt attendant call 512–756–6655. Deer invof arpt. Rwy 19 preferred calm wind rwy.
AIRPORT MANAGER: 512-756-6655
WEATHER DATA SOURCES: ASOS 119.925 (737) 365–5660.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**HOUSTON CENTER APP/DEP CON** 132.35
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
GOOCH SPRINGS (H) (H) VORTACW 112.5 AGJ Chan 72 N31°11.13′ W98°08.51′ 186° 27.2 NM to fld. 1191/5E.




C DAVID CAMPBELL FLD–CORSICANA MUNI (See CORSICANA on page 298)

CABANISS FLD NOLF (NGW)(KNGW) 3 SW N27°42.15′ W97°26.33′ **BROWNSVILLE**
L–20H, 21A
AIRSPACE: CLASS D svc 1400–0500Z‡ Mon–Thu, 1400–0100Z‡ Fri (DT 1300–0400Z Mon–Thu, 1300–0000Z Fri); other times CLASS G.


CADDO MILLS MUNI (7F3) 2 SW UTC–6(–5DT) N33°02.17′ W96°14.59′ **DALLAS–FT WORTH**
542 B NOTAM FILE FTW **L–17D, A**
IAP

RWY 13–31: H4000X150 (CONC) S–26
RWY 13: Tree.
RWY 31: Tree.
RWY 18–36: H4000X75 (CONC) S–26 MIRL
RWY 18: Tree.
RWY 36: Tree.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1500–0000Z‡. For arpt attendant other times, call 214–585–9953. Parachute Jumping. 100LL fuel self serve. Rocket launch area adj to txy east of Rwy 13–31, midway.
AIRPORT MANAGER: 214-585-9953
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 132.025
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
BONHAM (VH) (H) VORTACW 114.6 BYP Chan 93 N33°32.25′ W96°14.05′ 175° 30.0 NM to fld. 700/6E.
COMM/NAV/WEATHER REMARKS: UNICOM not mnt.



CAIN (See SLIDELL on page 439)

CALDWELL MUNI (RWV)(KRWV) 1 SW UTC–6(–5DT) N30°30.93′ W96°42.25′ **HOUSTON**
391 B NOTAM FILE RWV **L–19D, 21A**
RWY 15–33: H3252X50 (ASPH) S–4 MIRL 0.9% up NW **IAP**
RWY 15: PAPI(P2L)—GA 3.0° TCH 42′. Trees.
RWY 33: Thld dsplcd 242′. Trees.
SERVICE: **FUEL** 100LL **LGT** Dusk–dawn, MIRL Rwy 15–33 preset low intst; to incr intst and ACTVT PAPI Rwy 15—CTAF. Rwy 15–33 Intens rwy lgts: photocell sensor.
AIRPORT REMARKS: Unattended. Rwy 15, 17 ft bldg. Penetrates trsn sfc, 104 ft fm rwy end, 260 ft R.
AIRPORT MANAGER: 979-599-4639
WEATHER DATA SOURCES: AWOS–3PT 118.35 (979) 567–6784.
COMMUNICATIONS: CTAF 122.9
Ⓡ**HOUSTON APP/DEP CON** 134.3
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.
COLLEGE STATION (L) (L) VORTACW 113.3 CLL Chan 80
N30°36.30′ W96°25.24′ 242° 15.6 NM to fld. 264/8E.
TACAN unusable:
101°–130° byd 25 NM blo 2,500′
131°–148° byd 30 NM blo 2,500′
149°–160° byd 30 NM blo 2,000′
325°–349° byd 30 NM blo 2,500′
350°–100° byd 25 NM blo 3,500′
VOR unusable:
024°–034° blo 4,000′
024°–034° byd 20 NM
131°–142° blo 7,000′
142°–152° byd 30 NM
152°–189° blo 7,000′



CALHOUN CO (See PORT LAVACA on page 414)

CAMERON CO (See PORT ISABEL on page 414)

CAMERON MUNI AIRPARK (T35) 2 N UTC–6(–5DT) N30°52.74′ W96°58.33′ **HOUSTON**
402 B NOTAM FILE FTW **L–19D, 21A**
RWY 16–34: H3200X50 (ASPH) S–19 MIRL
RWY 16: PAPI(P2L)—GA 3.0° TCH 25′.
RWY 34: PAPI(P2L)—GA 3.0° TCH 35′. Road.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 16–34 preset low intst; to incr intst ACTVT—122.8.
AIRPORT REMARKS: Unattended. Rwy 16, 15 ft drop 155 ft byd thr. Rwy 34, 8 ft drop 150 ft byd thr. 105 ft ant 535 ft west of rwy cntrln.
AIRPORT MANAGER: 254-697-6646
WEATHER DATA SOURCES: AWOS–3P 124.1 (254) 605–0856.
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844, to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.
COLLEGE STATION (L) (L) VORTACW 113.3 CLL Chan 80 N30°36.30′ W96°25.24′ 292° 32.9 NM to fld. 264/8E.
TACAN unusable:
101°–130° byd 25 NM blo 2,500′
131°–148° byd 30 NM blo 2,500′
149°–160° byd 30 NM blo 2,000′
325°–349° byd 30 NM blo 2,500′
350°–100° byd 25 NM blo 3,500′
VOR unusable:
024°–034° blo 4,000′
024°–034° byd 20 NM
131°–142° blo 7,000′
142°–152° byd 30 NM
152°–189° blo 7,000′

CANADIAN

HEMPHILL CO (HHF)(KHHF) 2 SW UTC–6(–5DT) N35°53.71′ W100°24.23′ — **DALLAS–FT WORTH L–15C IAP**

2396 B NOTAM FILE HHF

RWY 04–22: H5004X75 (ASPH) S–30 MIRL

RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 38′. Fence.

RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 35′. Trees. Rgt tfc.

RWY 18–36: H3001X60 (ASPH) S–12.5 MIRL 1.0% up S

RWY 18: Thld dsplcd 100′. Road. Rgt tfc.

RWY 36: Fence.

SERVICE: **FUEL** 100LL, JET A, A++10 **LGT** Dusk–dawn. MIRL Rwy 04–22 and Rwy 18–36 preset low intst; to incr intst ACTVT—CTAF.

AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. 15 ft ditch N of Rwy 04 thr extdg 1000 ft alg left side of rwy.

AIRPORT MANAGER: 806-679-4774

WEATHER DATA SOURCES: AWOS–3PT 119.025 (806) 225–8080.


COMMUNICATIONS: CTAF 122.9

Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85

CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

MITBEE (VH) (H) VORTACW 115.6 MMB Chan 103 N36°20.62′ W99°52.81′ 214° 37.0 NM to fld. 2426/10E.



CANNON FLD (See SOMERSET on page 440)

CARRIZO SPRINGS

DIMMIT CO (CZT)(KCZT) 2 E UTC–6(–5DT) N28°31.34′ W99°49.42′ — **SAN ANTONIO H–7B, L–20G IAP**

598 B NOTAM FILE CZT

RWY 13–31: H5003X75 (ASPH) S–30 MIRL 0.3% up NW

RWY 13: PAPI(P4L)—GA 3.0° TCH 40′. P–line.

RWY 31: PAPI(P4L)—GA 3.0° TCH 40′. Pole.

SERVICE: **FUEL** 100LL, JET A+

AIRPORT REMARKS: Attended 1400–2300Z‡. Deer on or invof arpt. 100LL avbl avbl on request 830–876–2967. Rwy 31 unmkd, unlgtd elect transmission lines underlie apch. Landing fee.

AIRPORT MANAGER: 830-876-2967

WEATHER DATA SOURCES: AWOS–3 119.625 (830) 876–9243.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **HOUSTON CENTER APP/DEP CON** 127.8

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

RADIO AIDS TO NAVIGATION: NOTAM FILE COT.

COTULLA (VL) (H) VORTACW 115.8 COT Chan 105 N28°27.72′ W99°07.11′ 267° 37.5 NM to fld. 522/9E.




CARRIZO SPRINGS FTN N28°12.67′ W100°01.42′/758 — **SAN ANTONIO L–20G**

AWOS–3 118.425 (956) 419–2913 AWOS associated with Faith Ranch airport (XA89).


CARSWELL FLD (See FORT WORTH NAS JRB (CARSWELL FLD) on page 331)

CARTHAGE

PANOLA CO–SHARPE FLD (4F2) 2 E UTC–6(–5DT) N32°10.57′ W94°17.93′ **MEMPHIS**
248 B NOTAM FILE FTW **L–17E**
RWY 17–35: H4000X75 (ASPH) MIRL **IAP**
RWY 17: PAPI(P4L)—GA 3.0°. Trees.
RWY 35: PAPI(P4L)—GA 4.0°. Trees.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF. PAPI opr consly.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Deer on & invof rwy. 100LL avbl 24 hrs self–serve. Rwy 17–35 extensive cracking, loose stones on pavement. Rwy 17–35 mkgs faded. Gate access—CTAF#. Terminal access—CTAF
AIRPORT MANAGER: 903-693-7856
WEATHER DATA SOURCES: AWOS–3PT 121.125 (903) 690–0511.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **SHREVEPORT APP/DEP CON** 119.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.
GREGG COUNTY (VL) (H) VORTACW 112.9 GGG Chan 76
N32°25.07′ W94°45.19′ 115° 27.3 NM to fld. 329/7E.
TACAN AZIMUTH unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′
DME unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′
VOR unusable:
138°–152° byd 40 NM
188°–192° byd 40 NM
210°–230° byd 40 NM



CASTROVILLE MUNI (CVB)(KCVB) 2 SE UTC–6(–5DT) N29°20.54′ W98°51.07′ **SAN ANTONIO**
774 B NOTAM FILE CVB **H–7B, L–19C**
RWY 16–34: H5001X75 (ASPH) S–26, D–40 PCN 11 F/C/X/T MIRL
RWY 16: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 34: PAPI(P2L)—GA 3.0° TCH 40′. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 16–34 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–1800Z‡. For aft hrs atndt call durg bus hrs. 100LL fuel avbl 24 hrs self svc. Jet A full serv durg atnd hrs. Bright lgts at ball park from Apr–July.
AIRPORT MANAGER: 830-538-2782
WEATHER DATA SOURCES: AWOS–3PT 119.25 (830) 931–0232.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **SAN ANTONIO APP/DEP CON** 118.05
CLEARANCE DELIVERY PHONE: For CD ctc San Antonio Apch at 210-805-5516.
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29°38.64′ W98°27.68′ 221° 27.3 NM to fld. 1159/8E.
VOR unusable:
018°–022° byd 40 NM
028°–032° byd 40 NM
342°–347° byd 40 NM
355°–002° byd 40 NM blo 18,000′



CEDAR CREEK N32°11.14′ W96°13.09′ NOTAM FILE FTW. **DALLAS–FT. WORTH**
(L) (L) VORTACW 114.8 CQY Chan 95 219° 13.3 NM to C David Campbell Fld–Corsicana Muni. 400/6E. **H–6H, L–13C, 17D, A**


CEDAR MILLS (See GORDONVILLE on page 339)

CELINA

BISHOP'S LANDING (T8Ø) 5 NE UTC–6(–5DT) N33°22.59′ W96°43.74′ **DALLAS–FT WORTH**
750 NOTAM FILE FTW
RWY 17–35: 1580X80 (TURF)
RWY 17: Pole.
RWY 35: Trees. Rgt tfc.
AIRPORT REMARKS: Unattended. Rwy 17–35 soft aft rain. Call amgr for fld conds. Rwy 17 p–line buried acrs apch. 35 ft poles 0 ft dstc, 87 ft R, 96 ft L.
AIRPORT MANAGER: 214-280-4408
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

FOUR WINDS (9S1) 3 NE UTC–6(–5DT) N33°22.10′ W96°45.28′ **DALLAS–FT WORTH**
790 NOTAM FILE FTW
RWY 18–36: 2662X100 (TURF)
RWY 18: Trees. Rgt tfc.
RWY 36: Fence.
AIRPORT REMARKS: Attended dawn–dusk. All tfc remain west of the arpt. Rwy 17–20′ drop north of thr.
AIRPORT MANAGER: 214-803-7533
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

CENTER MUNI (F17) 3 NE UTC–6(–5DT) N31°49.90′ W94°09.39′ **HOUSTON**
319 B NOTAM FILE F17 **H–6I, L–19E**
RWY 17–35: H5501X75 (ASPH) S–30 MIRL 0.5% up N **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 50′. Trees.
RWY 35: PAPI(P2L)—GA 3.0° TCH 49′. Trees.
SERVICE: S6 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 17–35 preset low intst, to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended intermittently. On call 936–229–8105. Deer on and invof rwy. 100LL self–svc fuel.
AIRPORT MANAGER: 936-598-8119
WEATHER DATA SOURCES: AWOS–3PT 128.775 (936) 598–3355.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.325
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.
GREGG COUNTY (VL) (H) VORTACW 112.9 GGG Chan 76 N32°25.07′ W94°45.19′ 132° 46.4 NM to fld. 329/7E.
TACAN AZIMUTH unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′
DME unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′
VOR unusable:
138°–152° byd 40 NM
188°–192° byd 40 NM
210°–230° byd 40 NM



CENTER POINT N29°55.34′ W99°12.87′ NOTAM FILE ERV. **SAN ANTONIO**
(VH) (H) VORTACW 117.5 CSI Chan 122 056° 7.5 NM to Kerrville Muni/Louis Schreiner Fld. 2079/8E. **H–7B, L–19B**

CENTEX N30°22.71′ W97°31.79′ NOTAM FILE AUS. **SAN ANTONIO**
(VH) (H) VORTACW 112.8 CWK Chan 75 015° 12.5 NM to Taylor Muni. 593/6E. **H–7C, L–19C, 21A**
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM

CHAMBERS CO (See ANAHUAC on page 264)

CHAMBERS CO/WINNIE STOWELL (See WINNIE/STOWELL on page 462)

CHAPARROSA RANCH N28º52.71´ W99º59.66´ NOTAM FILE SJT. SAN ANTONIO L–19B

NDB (MHW) 385 CPZ 134º 14.3 NM to Crystal City Muni. 676/5E. NDB unmonitored 2300–1430Z‡ Mon–Fri.

CHARLES R JOHNSON (See PORT MANSFIELD on page 415)

CHASE FLD INDUSTRIAL (See BEEVILLE on page 274)

CHEROKEE CO (See JACKSONVILLE on page 363)

CHILDRESS MUNI (CDS)(KCDS) 4 W UTC–6(–5DT) N34º26.03´ W100º17.28´ DALLAS–FT WORTH H–6G, L–17B IAP

1954 B NOTAM FILE CDS

RWY 18–36: H5949X75 (ASPH) S–21 MIRL(NSTD)

RWY 18: PAPI(P2L)—GA 3.0º TCH 40´. Pole.

RWY 36: PAPI(P2L)—GA 3.0º TCH 40´.

RWY 04–22: H4425X60 (ASPH) S–21

SERVICE: **FUEL** 100LL, JET A1+ **LGT** MIRL Rwy 18–36 preset low intst; to incr intst ACTVT—CTAF. Nstd MIRL Rwy 36 thr lgts 60 ft south of rwy end.

AIRPORT REMARKS: Attended 1400–2200Z‡. Unattd New Year´s day. Rwy 04–22 CLOSED indefly. 24 hr self svc 100LL and Jet A+. Full svc Jet A+ avbl durg oprg hrs; aft hrs call 940–937–8309. Rwy not mntnd; loose gravel and vegetation growing through the pavement. Agriculture opns near all paved sfcs.

AIRPORT MANAGER: 940-937-8309

WEATHER DATA SOURCES: ASOS 135.125 (940) 226–1189.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.4 (FORT WORTH RADIO)

Ⓡ**FORT WORTH CENTER APP/DEP CON** 133.5


CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

AIRSPACE: CLASS E svc continuous.

RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.

(VL) (H) VORTACW 117.0 CDS Chan 117 N34º22.14´ W100º17.34´ 351º 3.9 NM to fld. 1920/10E.

VOR unusable:
215º–225º



CHINA SPRING

WILDCAT CANYON (3T8) 4 NW UTC–6(–5DT) N31º40.71´ W97º21.75´ SAN ANTONIO

660 NOTAM FILE FTW

RWY 15–33: 2450X60 (TURF) 0.4% up NW

RWY 15: Fence.

RWY 33: Road.

AIRPORT REMARKS: Unattended. Deer and wild hogs on and invof rwy. 100´+ high tension power line (marked) 2500´ NW of Rwy 15 end.


AIRPORT MANAGER: 817-909-8044

COMMUNICATIONS: CTAF 122.9


CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

CISCO

CISCO MUNI (3F2) 3 N UTC–6(–5DT) N32°24.90′ W98°59.81′ **DALLAS–FT WORTH**
1621 B NOTAM FILE FTW **L–17B**
RWY 17–35: H3700X60 (ASPH) S–12 MIRL 0.7% up S
RWY 17: Trees.
RWY 35: Rgt tfc.
SERVICE: S2 **LGT** Nmrs rwy lgts out. Lgts obsc by vegetation.
AIRPORT REMARKS: Unattended. Deer and hogs on and invof arpt. Rwy 17–35 thin asph is with seal coat. Extsv loose stones on pavement.
AIRPORT MANAGER: 254-442-2111
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 085° 44.2 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′



GREGORY M SIMMONS MEML (GZN)(KGZN) 3 WSW UTC–6(–5DT) N32°21.95′ W99°01.42′ **DALLAS–FT WORTH**
1711 NOTAM FILE FTW **L–17B**
RWY 18–36: H6536X100 (CONC) S–150 MIRL **IAP**
RWY 18: PAPI(P4L)—GA 3.0° TCH 45′. Thld dsplcd 472′. Road. Rgt tfc.
RWY 36: PAPI(P4L)—GA 3.2° TCH 48′. Pole.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18: TORA–6536 TODA–6536 ASDA–6064 LDA–6064
RWY 36: TORA–6536 TODA–6536 ASDA–6536 LDA–6536
SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTVT PAPI Rwy 18 and 36; MIRL Rwy 18–36 —CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. No longer offering aft hrs call–out svcs. 100LL fuel 24 hr self serve. 260 ft AGL lgtd/mkd twr 0.74 SM E of rwy. 330 ft AGL lgtd/mkd twr 0.42 NM SE of rwy.
AIRPORT MANAGER: 254-433-1874
WEATHER DATA SOURCES: AWOS–4 118.0 (254) 442–1185.
COMMUNICATIONS: CTAF 122.9
Ⓡ **ABILENE APP/DEP CON** 125.0
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 089° 43.2 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′



CITY OF SLATON/LARRY T NEAL MEML (See SLATON on page 439)

CITY OF TULIA/SWISHER CO MUNI (See TULIA on page 450)


CLARENDON

SMILEY JOHNSON MUNI/BASS FLD (E34) 2 SE UTC–6(–5DT) N34°54.69′ W100°52.16′ **DALLAS–FT WORTH L–17A**
2833 B NOTAM FILE FTW
RWY 01–19: H4496X60 (ASPH) S–17 MIRL
RWY 01: Berm.
SERVICE: **LGT** Dusk–dawn. MIRL Rwy 01–19 preset low intst; to incr intst ACTVT—122.8. ACTVT rotg bcn—122.8.
AIRPORT REMARKS: Unattended. No line of sight between rwy ends.
AIRPORT MANAGER: 806-874-3438
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.
CHILDRESS (VL) (H) VORTACW 117.0 CDS Chan 117 N34°22.14′ W100°17.34′ 309° 43.4 NM to fld. 1920/10E.
VOR unusable:
215°–225°


CLARK (See JUSTIN on page 365)

CLARKSVILLE/RED RIVER CTY–J D TRISSELL FLD (LBR)(KLBR) 3 SW UTC–6(–5DT) **DALLAS–FT WORTH L–17D**
N33°35.56′ W95°03.85′
440 B NOTAM FILE LBR
RWY 18–36: H3000X50 (ASPH) S–10 MIRL 0.4% up N
RWY 18: Trees.
RWY 36: Trees.
AIRPORT REMARKS: Attended irregularly.
AIRPORT MANAGER: 903-631-9531
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SLR.
SULPHUR SPRINGS (L) DME 109.0 SLR Chan 27 N33°11.92′ W95°32.57′ 045° 33.7 NM to fld. 476.

CLEBURNE RGNL (CPT)(KCPT) 2 NW UTC–6(–5DT) N32°21.23′ W97°26.03′ **DALLAS–FT WORTH H–6H, L–17C, A IAP**
854 B NOTAM FILE CPT
RWY 15–33: H5697X100 (ASPH) S–30 MIRL
RWY 15: PAPI(P4L)—GA 3.0° TCH 39′. Thld dsplcd 185′. Trees. Rgt tfc.
RWY 33: Pole.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 2, 3, 4 **LGT** ACTVT PAPI Rwy 15; MIRL Rwy 15–33—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat–Sun 1400–2200Z‡. 100LL 24 hr self–serve. For attendant aft hrs call 817–933–1650, call–in fee. Hot refueling opns prohibited.
AIRPORT MANAGER: 817-641-5456
WEATHER DATA SOURCES: AWOS–3 119.525 (817) 641–4135.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **Lone Star APP/DEP CON** 135.975
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
GLEN ROSE (L) TACAN Chan 97 JEN (115.0) N32°09.58′ W97°52.66′ 057° 25.4 NM to fld. 1300/6E.
LOC/DME 111.15 I–CPT Chan 48(Y) Rwy 15. LOC unmonitored.




CLEVELAND MUNI (6R3) 4 NE UTC–6(–5DT) N30°21.39′ W95°00.48′ **HOUSTON**
150 B NOTAM FILE CXO **H–7C, L–19E, 21A, GOAW**
RWY 16–34: H5001X75 (ASPH) S–30 MIRL **IAP**
RWY 16: PAPI(P4L)—GA 3.0° TCH 52′. Trees.
RWY 34: PAPI(P4L)—GA 3.0° TCH 45′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT PAPI Rwy 16 & Rwy 34; MIRL Rwy 16–34 —CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1400–0000Z‡. For svc aft hrs call 281–761–5012. CAUTION: Flt school trng consly inpr. Extsv student tfc in the pat. Rwy 16 calm wind rwy. To access airport security—CTAF. TGL opns prohibited when four or more acft oprg in tfc pat.
AIRPORT MANAGER: 281-592-1282
WEATHER DATA SOURCES: AWOS–3 119.325 (281) 593–1754.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **HOUSTON APP/DEP CON** 119.7
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
DAISETTA (H) (H) VORTACW 116.9 DAS Chan 116 N30°11.38′ W94°38.70′ 293° 21.3 NM to fld. 76/5E.
VOR unusable:
Byd 35 NM blo 1,600′
TACAN AZIMUTH unusable:
Byd 35 NM blo 1,600′
DME unusable:
Byd 35 NM blo 1,600′



CLIFTON MUNI/ISENHOWER FLD (7F7) 2 N UTC–6(–5DT) N31°49.03′ W97°34.17′ **SAN ANTONIO**
760 B NOTAM FILE FTW **L–19B, A**
RWY 14–32: H3000X50 (ASPH) S–13 MIRL 0.3% up NW
RWY 14: PAPI(P2L)—GA 3.0° TCH 30′.
RWY 32: PAPI(P2R)—GA 3.0° TCH 30′. Thld dsplcd 150′. Trees.
SERVICE: S4 **FUEL** 100LL **OX** 4 **LGT** SS–SR MIRL Rwy 14–32 preset low intst; to incr intst—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2230Z‡. Security gate locked after hrs., for access contact 254–675–6620. For arpt attendant on Sat and Sun–call 254–978–0020 or 254–253–0859, after hrs fee. Steep drop–off north of Rwy 14. No line of sight between rwy ends.
AIRPORT MANAGER: 254-675-3771
COMMUNICATIONS: CTAF/UNICOM 122.7
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.
WACO (VH) (H) VORTACW 115.3 ACT Chan 100 N31°39.73′ W97°16.14′ 292° 18.0 NM to fld. 507/9E.
VOR unusable:
125°–149° byd 40 NM
149°–159° byd 47 NM
159°–187° byd 40 NM
188°–198° byd 40 NM blo 12,000′
199°–234° byd 40 NM
235°–245° byd 50 NM
246°–256° byd 40 NM blo 18,000′
246°–256° byd 52 NM
257°–267° byd 58 NM
268°–282° byd 51 NM
270°–335° byd 35 NM blo 4,000′
283°–293° byd 40 NM blo 6,000′
283°–293° byd 58 NM
294°–330° byd 40 NM


COCHRAN CO (See MORTON on page 397)

COLEMAN MUNI (COM)(KCOM) 2 NE UTC–6(–5DT) N31°50.47′ W99°24.22′ **SAN ANTONIO**
1697 B NOTAM FILE FTW **L–19B**
RWY 15–33: H4506X75 (ASPH) S–12.5 MIRL 0.4% up NW **IAP**
SERVICE: S4 **FUEL** 100LL **LGT** Rwy 15–33 MIRL preset to low, to incr ints and ACTIVATE—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Employee lives on premises.
AIRPORT MANAGER: 325-625-5495
WEATHER DATA SOURCES: AWOS–3PT 119.1 (325) 625–3563.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 127.45
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 138° 44.9 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′



COLLEGE STATION

EASTERWOOD FLD (CLL)(KCLL) 3 SW UTC–6(–5DT) N30°35.28′ W96°21.75′ **HOUSTON**
321 B Class I, ARFF Index B NOTAM FILE CLL **H–7C, L–19D, 21A**
RWY 17–35: H7000X146 (ASPH–CONC–GRVD) S–78, D–94, 2D–156 PCR 300 R/D/W/T HIRL **IAP, AD**
RWY 17: VASI(V4R)—GA 3.0° TCH 51′. Tree.
RWY 35: MALSR.
RWY 11–29: H5158X150 (ASPH–GRVD) S–37, D–49
PCR 570 F/D/X/T MIRL
RWY 11: VASI(V4L)—GA 3.0° TCH 50′. Tree.
RWY 29: REIL. VASI(V4L)—GA 3.0° TCH 54′. Tree.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 11: TORA–5158 TODA–5158 ASDA–5158 LDA–5158
RWY 17: TORA–7000 TODA–7000 ASDA–7000 LDA–7000
RWY 29: TORA–5158 TODA–5158 ASDA–5158 LDA–5158
RWY 35: TORA–7000 TODA–7000 ASDA–6932 LDA–6932
SERVICE: S4 **FUEL** 100LL, JET A, A+ **LGT** When twr clsd ACTIVATE MALSR Rwy 35; MIRL Rwy 11–29; HIRL Rwy 17–35—CTAF. REIL Rwy 29 preset low ints only.
AIRPORT REMARKS: Attended 1200–0400Z‡. 100LL svc 1200–0400Z‡. For fuel aft hrs PPR call 979–775–5255. Late night fee. CLOSED to unscheduled air carrier ops with more than 30 passenger seats except 24 hours PPR call arpt manager 979–775–9920. Turn fee skedd FAR 135 and all FAR 121 opns. Rwy 17–35 first 1850′ Rwy 35 conc. PAEW adjacent all rwys and twys 1200–2200Z‡. Surface conditions not reported from 2300–1100Z‡ (1700–0500 local) Mon–Fri & Sat–Sun. All rapid rfl mil Hel adz ATC for rapid rfl ops & procd to south ramp. Ctc UNICOM 122.95 for svc prior to Indg. Rapid rfl is avbl 1200–0400Z‡ dly. Spl rqs csdrd on case by case basis.
AIRPORT MANAGER: 979-775-9901
WEATHER DATA SOURCES: ASOS (979) 846–1708
COMMUNICATIONS: CTAF 118.5 **ATIS** 126.85 **UNICOM** 122.95
COLLEGE STATION RCO 122.2 (MONTGOMERY COUNTY RADIO).
Ⓡ **HOUSTON APP/DEP CON** 134.3
TOWER 118.5 (1400–0300Z‡) **GND CON/CLNC DEL** 128.7 **CLNC DEL** 120.4 (when twr clsd)
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Houston ARTCC at 281-230-5622.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE


AIRSPACE: CLASS D svc 1400–0300Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.
COLLEGE STATION (L) (L) VORTACW 113.3 CLL Chan 80 N30°36.30′ W96°25.24′ 101° 3.2 NM to fld. 264/8E.
TACAN unusable:
101°–130° byd 25 NM blo 2,500′
131°–148° byd 30 NM blo 2,500′
149°–160° byd 30 NM blo 2,000′
325°–349° byd 30 NM blo 2,500′
350°–100° byd 25 NM blo 3,500′
VOR unusable:
024°–034° blo 4,000′
024°–034° byd 20 NM
131°–142° blo 7,000′
142°–152° byd 30 NM
152°–189° blo 7,000′
ROWDY NDB (LOM) 260 CL N30°29.62′ W96°20.26′ 344° 5.8 NM to fld.
ILS/DME 110.55 I–CLL Chan 42(Y) Rwy 35. Class IE. LOM ROWDY NDB. Unmonitored when ATCT clsd. DME unmonitored. Glideslope unusable for coupled apchs blo 1,050′ MSL.
COMM/NAV/WEATHER REMARKS: All acft prkg on SE ramp must ctc for svc or trnsp, UNICOM 122.95 or 979–775–5255.

COLLINSVILLE

SUDDEN STOP (T32) 1 NE UTC–6(–5DT) N33°34.29′ W96°54.43′ **DALLAS–FT WORTH**
720 NOTAM FILE FTW
RWY 17–35: 1550X60 (TURF)
RWY 17: Trees.
RWY 35: Road.
AIRPORT REMARKS: Attended continuously. Student training prohibited. Rwy soft when wet, call to confirm cond. Rwy 17–35 thlds unmarked.
AIRPORT MANAGER: 903-429-6343
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

COLONEL BOBBY WADDLE/DESOTO HELIPORT (See DESOTO on page 314)


COLORADO CITY (T88) 6 NW UTC–6(–5DT) N32°28.11′ W100°55.27′ **DALLAS–FT WORTH**
2214 B NOTAM FILE FTW **H–6G, L–17A**
RWY 17–35: H5479X60 (ASPH) S–50 RWY LGTS(NSTD)
SERVICE: **LGT** Rwy 17–35 NSTD low intst; lgts 40 ft fm rwy edges.
AIRPORT REMARKS: Attended irregularly. Rwy 17–35 pavement fm Rwy 35 thr lgts south not maintained. Rwy 17–35 markings no centerline.
AIRPORT MANAGER: 325-728-3464
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE BPG.
BIG SPRING (VL) (H) VORTACW 117.2 BGS Chan 119 N32°23.14′ W101°29.02′ 069° 29.0 NM to fld. 2670/11E.




COLUMBUS

ROBERT R WELLS JR (66R) 3 S UTC–6(–5DT) N29°38.49′ W96°30.96′ **HOUSTON**
242 B NOTAM FILE CXO **L–19D, 21A**
RWY 15–33: H3800X60 (ASPH) S–12.5 MIRL 0.3% up NW
RWY 15: REIL. PAPI(P2L). Thld dsplcd 305′. Road.
RWY 33: REIL. PAPI(P2L). Thld dsplcd 177′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** ACTIVATE MIRL Rwy 15–33—CTAF.
AIRPORT REMARKS: Unattended. Deer and birds on and invof arpt. 100LL self svc fuel.
AIRPORT MANAGER: 979-732-2604
WEATHER DATA SOURCES: AWOS–3 123.875 (979) 732–2514.
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
INDUSTRY (L) TACAN Chan 39 IDU (110.2) N29°57.34′ W96°33.72′ 165° 19.0 NM to fld. 419/8E.

COMANCHE CO–CITY (MKN)(KMKN) 2 NE UTC–6(–5DT) N31°55.22′ W98°35.95′ **SAN ANTONIO**
1387 B NOTAM FILE MKN **L–19C**
RWY 17–35: H4497X75 (ASPH) S–12.5 MIRL 0.3% up N **IAP**
RWY 17: PAPI(P2L)—GA 4.0° TCH 40′.
RWY 35: PAPI(P2L)—GA 4.0° TCH 39′. Tree. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Unattended. 100LL self svc fuel. Deer and wildlife on and invof arpt.
AIRPORT MANAGER: 325-330-0289
WEATHER DATA SOURCES: AWOS–3 118.575 (325) 356–7032.
COMMUNICATIONS: CTAF/UNICOM 123.075
Ⓡ**FORT WORTH CENTER APP/DEP CON** 135.375
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
GOOCH SPRINGS (H) (H) VORTACW 112.5 AGJ Chan 72 N31°11.13′ W98°08.51′ 327° 49.9 NM to fld. 1191/5E.



COMMERCE MUNI (2F7) 3 N UTC–6(–5DT) N33°17.57′ W95°53.79′ **DALLAS–FT WORTH**
516 B NOTAM FILE FTW **L–17D**
RWY 18–36: H3907X60 (ASPH) S–13 MIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 36: PAPI(P2L)—GA 3.0° TCH 40′. Tree.
SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 18–36 preset to low intst; to incr intst and ACTVT—CTAF.
AIRPORT REMARKS: Unattended. For attendant Mon–Fri 1400–2300Z‡ call 903–886–1101, after hrs call 903–886–1139 (Commerce Police Dept). 100LL avbl self serve. Rwy 18 mkgs faded. Rwy 36 mkgs faded.
AIRPORT MANAGER: 903-886-1101
COMMUNICATIONS: CTAF 122.9
Ⓡ**FORT WORTH CENTER APP/DEP CON** 132.025
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SLR.
SULPHUR SPRINGS (L) DME 109.0 SLR Chan 27 N33°11.92′ W95°32.57′ 288° 18.7 NM to fld. 476.



CONROE/NORTH HOUSTON RGNL (See HOUSTON on page 351)

CONROE N30º20.55´ W95º24.35´ NOTAM FILE PIK. **HOUSTON**
(L) DME 115.55 PIK Chan 102(Y) at Conroe/North Houston Rgnl. 227. **L–19D, 21A**
DME unusable:
030º–042º byd 39 NM blo 3,000´
300º–315º byd 36 NM blo 2,500´
337º–342º byd 38 NM blo 2,500´

CONWAY

EAGLES AERODROME (55T) 2 W UTC–6(–5DT) N35º12.87´ W101º24.66´ **DALLAS–FT WORTH**
3475 NOTAM FILE FTW
RWY 17–35: 5000X80 (TURF) LIRL(NSTD)
RWY 17: Fence.
RWY 35: Fence. Rgt tfc.
SERVICE: **LGT** Arpt lgts opr dusk–0700Z‡. Rwy 17–35 NSTD LIRL; only center 3500 ft lgtd. Lights OTS indefly.
AIRPORT REMARKS: Attended continuously. Rwy 17–35 rwy sfc rough. Wind turbines invof arpt. Deep tire ruts acrs rwy, aprxly 660 ft and 1700 ft fm N end.
AIRPORT MANAGER: 806-674-8993
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

CORPUS CHRISTI INTL (CRP)(KCRP) P (CG) 5 W UTC–6(–5DT) N27º46.33´ W97º30.15´ **BROWNSVILLE**
46 B LRA Class I, ARFF Index B NOTAM FILE CRP MON Airport **H–7C, L–20H, 21A, GOAW**
RWY 13–31: H7510X150 (ASPH–GRVD) S–150, D–170, 2S–175, 2D–245 PCR 507 F/D/X/U **IAP, AD**
HIRL
RWY 13: MALSR. PAPI(P4L)—GA 3.0º TCH 50´. RVR–T Pole. Rgt tfc.
RWY 31: MALSR. PAPI(P4L)—GA 3.0º TCH 50´.
RWY 18–36: H6080X150 (ASPH–GRVD) S–150, D–170, 2S–175, 2D–245 PCR 507 F/D/X/U HIRL
RWY 18: MALSR. PAPI(P4L)—GA 3.0º TCH 50´. Pole.
RWY 36: MALSR. RVR–T Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 13: TORA–7510 TODA–7510 ASDA–7510 LDA–7510
RWY 18: TORA–6080 TODA–6080 ASDA–6080 LDA–6080
RWY 31: TORA–7510 TODA–7510 ASDA–7510 LDA–7510
RWY 36: TORA–6080 TODA–6080 ASDA–6080 LDA–6080
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3 **MILITARY— FUEL** CG will use FBO
AIRPORT REMARKS: Attended continuously. Birds on and invof arpt year round. Unmanned acft may be oprg 3 mi west of arpt drg dalgt hrs at or blw 400´ AGL. For svc after hrs call 361–438–1190. Cabaniss Fld located 5 miles southeast of arpt may be mistaken for Corpus Christi Intl arpt. VFR tfc may be operating in the Cabaniss Fld tfc pattern. Cuddihy Fld (clsd arpt) is located 4 miles south of arpt may be mistaken for Corpus Christi Intl arpt. Acft at trml gates adz gnd ctl prior to push. Twr will provide progressive assistance.
MILITARY REMARKS: CG OFFL BUS, min 24 hr PPR. Ctc CORPUS CHRISTI AIR 345.0 15 min prior to entering CG ramp. No tran qrts or govt transportation avbl. If destn CG, incl CGAS CORPUS CHRISTI in rmk sec of flt plan. Sector Command Center: C361–939–0450.
AIRPORT MANAGER: 361-289-0171
WEATHER DATA SOURCES: ASOS (361) 267–5360
COMMUNICATIONS: ATIS 126.8 **UNICOM** 122.95
Ⓡ **CORPUS APP/DEP CON** 120.9 Rwys 13 & 18 (340º–045º) 120.9 Rwys 31 & 36 (270º–045º) 124.8 Rwys 13 & 18 (150º–339º) 124.8 Rwys 31 & 36 (150º–269º) 125.4 (046º–149º)
TOWER 119.4 **GND CON** 121.9 **CLNC DEL** 118.55
CG CORPUS CHRISTI AIR 345.0 157.175(M83A)X
AIRSPACE: CLASS C svc ctc **APP CON**.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
(VH) (H) VORTACW 115.5 CRP Chan 102 N27º54.23´ W97º26.69´ 192º 8.4 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024º–036º byd 35 NM blo 1,700´
037º–023º byd 35 NM blo 2,000´
265º–275º
VOR unusable:
340º–005º byd 40 NM blo 7,000´
340º–005º byd 84 NM
Byd 30 NM blo 1,500´
TACAN AZIMUTH unusable:
080º–085º byd 30 NM
ILS/DME 110.3 I–CRP Chan 40 Rwy 13. Class IE. DME also serves Rwy 31. Autopilot cpd apch NA blw 260´.
LOC/DME 110.3 I–EKI Chan 40 Rwy 31. DME also serves Rwy 13.
ILS/DME 109.5 I–OYC Chan 32 Rwy 36. Class IB. LOC unusable inside 1.6 DME.

CORPUS CHRISTI NAS (TRUAX FLD) (NGP)(KNGP) NAS, A 6 SE UTC–6(–5DT) **BROWNSVILLE**
N27°41.56′ W97°17.42′ **H–7C, L–20H, 21A, GOAW**
18 B TPA—See Remarks NOTAM FILE NGP Not insp. **DIAP, AD**

RWY 13R–31L: H8001X200 (PEM) PCN 52 R/C/W/T HIRL
RWY 13R: SALSF. PAPI(P4L)—GA 3.0° TCH 47′. Rgt tfc.
RWY 31L: REIL. PAPI(P4L)—GA 3.0° TCH 45′.
RWY 13L–31R: H5002X220 (ASPH) PCN 48 F/B/W/T HIRL
RWY 13L: REIL. PAPI(P4L)—GA 3.0° TCH 46′.
RWY 31R: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Rgt tfc.
RWY 18–36: H5002X196 (ASPH) PCN 70 F/B/W/T HIRL
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Rgt tfc.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 04–22: H5001X200 (ASPH) PCN 44 F/B/W/T HIRL
RWY 04: REIL. PAPI(P4R)—GA 3.0° TCH 50′.
RWY 22: REIL. PAPI(P4R)—GA 3.0° TCH 52′. Rgt tfc.

SERVICE: **OX** 1, 2, 3, 4 **LGT** Dusk–Dawn. When twr clsd ACTVT PCL—CTAF. **MILITARY—JASU** 3(MSU–200, A/UA47A–5), MEPP–2(NC–8), 3(NC–10), 2(AM32A–108) **FUEL** F–24 **FLUID–LO** avbl only with 7 days prior notification of requirement. **OIL** MIL–PRF–23699 (NATO: O–156) AND MIL–PRF–7808 L GRADE 3 (NATO: 148) **TRAN ALERT** Tran acft exp delays fm 1500–2000Z‡ due ltd refuel/svc. Maint extremely ltd before 1500Z‡, after 2000Z‡ and during non–work hrs.

MILITARY REMARKS: Opr Mon–Thu 1300–0500Z‡, Fri 1300–0100Z‡, CLOSED Sat, Sun and hol, other times check NOTAM. AFM hr 1230–0500Z‡ Mon–Thu; 1230–0100Z‡ Fri; clsd Sat, Sun and hol. No lavatory svcs avbl here. Main prkg apron fm Twy A to Twy C ltd to TW4 acft only. **RSTD** Refueling/tran alert arrangements strongly recommended for all acft to avoid extv svcg/turnaround delays or parking in high FOD risk areas. PPR 48 hr all tran acft, DSN 861–2506/2507, C361–961–2506/2507. For civ air ldg pmt info ctc AFM C361–961–2506/5511. Acft arr/dep prohibited one hr prior to afld opening due to afld preparations exc for Cust/Border Protection. Mission critical or other event rqr ctc AFM C361–961–2506/2507/5511. USCG helopad located on seawall at 27 42 13N/ 97 16 42.5W clsd. Twy S, south of Ocean Drive, ltd to acft with a wingspan of 60′ or less. Rwy 31L lead off cntrln mrkgs at twy echo right side removed. **CAUTION** High mid–air potential, extreme vigilance rqr. Exercise extreme caution vcnty Waldron Fld NALF lctd 3 NM south. Bird act/BASH–See AP–1. See AP–1. Extv R/W test flgts conducted Mon–Sat fm town of Port O′Connor to Mustang Beach Arpt (KRAS), alg the coast fm 300–5000′. Nmrs birds vcnty afld, use ectreme ctn durg hvy rain events. If equipped, all acft shall utilize UHF ATC freq unless assigned VHF. **TFC PAT** TPA—All tfc use ldg or taxi lgt while in arpt tfc area. Tran acft exp apch to full stop ldg only when single rwy ops are being conducted, practice apch not authorized. **CSTMS/AG/IMG** CSTMS, IMG avbl for acft arriving from overseas, plan arr from btn 1400–2100Z‡, C361–961–2506/2507. Pilots rqr to provide Identa Plate number to Inspector for billing. **MISC** Clsd twr ops: departing IFR acft shall obtain an IFR clnc and release from San Angelo FSS prior to tkof when the field is IFR via ground link or Corpus Christi apch by calling 361–299–4230. If the field is VFR, a VFR departure is authorized. Rwy 13R–31L clsd Sun 1400–1800Z‡. Twy Y open fm intxn of Rwy 04–22 to apch end Rwy 13R. Acft operating to the sea wall use caution. Inbd heli ctc Corpus Christi Army Depot (CCAD) flt ops X–ray Charlie at 49.70, 139.0, 339.7, or DSN 861–0520/1020, C361–961–0520/1020. **A** Avoid flt over populated areas blo 1000′ AGL prior to Gulf shore line. Rotary wing acft destined for Corpus Christi Army Depot turn in will remain at least 1/4 NM off shore and 500′ prior to ctc Navy Corpus Twr. PPR all CCAD tran acft. Turn in will only be accepted dur nml duty hr, Mon–Fri 1300–2300Z‡. All R/W and F/W acft ldg/taxiing to seawall PPR DSN 861–2506/2507, C361–961–2506/2507. R/W acft make apch to helipad adj Hgr 44, ctc Ops/X–ray Charlie and gnd taxi to/fron parking. POC Avn Div, Hngr 44. Avoid overflt of bldg south of ramp area and ammo dump east of containment area. All acft with weapons arr CCAD after nml duty hr notify CCAD Security DSN 861–3313/3314, C361–961–3313/3314. Major maint avbl. Loading/unloading of air cargo mil/civ designated for CCAD will be scheduled for daylgt hr only. Dur times of natl emerg exceptions apvd by Director, Supply Corpus Christi Army Depot DSN 861–2557, C361–961–2557.

AIRPORT MANAGER: 361-961-3395

COMMUNICATIONS: **CTAF** 134.85 **ATIS** 127.9 290.9

Ⓡ **APP CON** 120.9 127.5 128.675 259.3 343.75 348.725 (120.9 343.75 all rwys exc as noted, 120.9 348.725 Hi–TACAN Rwy 13R, 127.5 259.3 Hi–TACAN 31L)

NAVY CORPUS TOWER 134.85 340.2 (North) 125.525 360.2 (South) (1300–0500Z‡ Mon–Thu, 1300–0100Z‡ Fri; clsd Sat, Sun and hol) No NOTAM MP: PAR Thurs 1300–1800Z‡. **NAVY CORPUS GND CON** 118.7 257.85

NAVY CORPUS CLNC DEL 314.3

BASE OPS 346.65 7965 **AIR** 345.0 5699 SSB. **PMSV METRO** 343.5 (Mon–Thu 1000–0500Z‡, Fri 1000–0100Z‡, clsd Sat, Sun and hol) (Radar wx advsy svc) **ARMY OPS** X–RAY CHARLIE 139.0 339.7 49.7

Ⓡ **DEP CON** 128.675 343.75

AIRSPACE: CLASS D svc during twr hrs; other times CLASS E.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE NGP.

TRUAX (L) TACAN Chan 87 NGP (114.0) N27°41.18′ W97°17.68′ at fld. 17/3E.
No NOTAM MP: 1500–1800Z‡ 2nd Wed ea Month
DME unusable:
190°–305° byd 20 NM blo 2,000′
333°–343° byd 10 NM blo 8,000′

(VH) (H) VORTACW 115.5 CRP Chan 102 N27°54.23′ W97°26.69′ 138° 15.1 NM to fld. 60/9E. NOTAM FILE CRP.
TACAN AZIMUTH & DME unusable:
024°–036° byd 35 NM blo 1,700′
037°–023° byd 35 NM blo 2,000′
265°–275°
VOR unusable:
340°–005° byd 40 NM blo 7,000′
340°–005° byd 84 NM
Byd 30 NM blo 1,500′
TACAN AZIMUTH unusable:
080°–085° byd 30 NM

ILS/DME 111.3 I–NGP Chan 50 Rwy 13R. Class IT. No NOTAM MP: 1200–1800Z‡ 3rd Thu ea Month. Glideslope unusable byd 6° left of course.

ASR/PAR (PAR unsvc every Mon 0700L–1100L)

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

CORSICANA

C DAVID CAMPBELL FLD–CORSICANA MUNI (CRS)(KCRS) 5 SE UTC–6(–5DT) N32°01.68′ W96°24.04′

DALLAS–FT WORTH
H–6H, L–19D, A
IAP

449 B NOTAM FILE CRS

RWY 14–32: H5004X75 (ASPH) S–26 MIRL 0.3% up NW
RWY 14: REIL. VASI(V4R)—GA 3.0° TCH 26′. Road.
RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Trees.

RWY 02–20: 3200X75 (TURF) 0.3% up NE
RWY 02: P–line.
RWY 20: Tree.

SERVICE: **FUEL** 100LL, JET A, MOGAS **LGT** MIRL Rwy 14–32 preset med intst; to incr intst and ACTVT—CTAF.


AIRPORT REMARKS: Attended Mon–Fri 1430–2200Z‡, Sat 1430–2130Z‡. Birds and wildlife invof arpt. 100LL avbl self–serve only. Rwy 02, 45 ft marked pline at 935 ft acrs extdd cntrln. Rwy 02 and 20 rwy ends mrkd with 8 white squares.

AIRPORT MANAGER: 903-654-4857

WEATHER DATA SOURCES: ASOS 120.675 (903) 872–9321.

COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.725


CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.



RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) (L) VORTACW 114.8 CQY Chan 95 N32°11.14′ W96°13.09′ 219° 13.3 NM to fld. 400/6E.

COTULLA–LA SALLE CO (COT)(KCOT) 1 NE UTC–6(–5DT) N28°27.34′ W99°13.03′ **SAN ANTONIO**
474 B NOTAM FILE COT **H–7B, L–20G**
RWY 13–31: H6005X75 (ASPH) S–25 MIRL 0.4% up NW **IAP**
RWY 13: PAPI(P4L)—GA 3.0° TCH 45′.
RWY 31: PAPI(P4L)—GA 3.0° TCH 45′. Ground. Rgt tfc.
SERVICE: S2 **FUEL** 100LL, JET A+ **OX** 3 **LGT** MIRL Rwy 13–31 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–0000Z‡. Arpt unattended Christmas. Amgr lives on airport. Fuel and svc avbl on call after hours 830–879–3858. Ramp fee waived with minimum fuel purchase.
AIRPORT MANAGER: 830-879-3858
WEATHER DATA SOURCES: ASOS 118.325 (830) 879–2861.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ**HOUSTON CENTER APP/DEP CON** 134.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE COT.
(VL) (H) VORTACW 115.8 COT Chan 105 N28°27.72′ W99°07.11′ 257° 5.2 NM to fld. 522/9E.



COULTER FLD (See BRYAN on page 283)

COVEY TRAILS (See FULSHEAR on page 333)

COWBOY N32°53.42′ W96°54.24′ NOTAM FILE FTW. **DALLAS–FT WORTH**
(VH) (DH) VORW/DME 116.2 CVE Chan 109 129° 3.8 NM to Dallas Love Fld. 443/6E. **COPTER**
VOR unusable: **H–6H, L–17C, A**
055°–057° byd 57 NM blo 7,500′
131°–137° byd 38 NM


COX FLD (See PARIS on page 409)

CRANE CO (E13) 1 NW UTC–6(–5DT) N31°24.69′ W102°21.63′ **SAN ANTONIO**
2555 B NOTAM FILE SJT **L–19A**
RWY 12–30: H4258X70 (ASPH) MIRL 0.4% up SE
RWY 12: PAPI(P2L)—GA 3.5° TCH 52′.
RWY 30: PAPI(P2L)—GA 3.0° TCH 40′. Thld dsplcd 488′. Pole.
RWY 15–33: H3395X50 (ASPH)
RWY 15: Trees.
RWY 33: Thld dsplcd 176′. P–line.
SERVICE: **LGT** PAPI Rwy 12 and 30; MIRL Rwy 12–30—CTAF.
AIRPORT REMARKS: Unattended. Rwy 15, 75 ft pwrline crosses apch path 1800 ft dstc. Rwy 33, 126 ft unlighted temporary cranes occasionally in apch.
AIRPORT MANAGER: 432-631-5196
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.
MIDLAND (VL) (H) VORTACW 112.6 MAF Chan 73 N32°00.56′ W102°11.42′ 183° 36.8 NM to fld. 2860/11E.
VOR unusable:
010°–020° byd 8 NM blo 8,000′
207°–262° byd 40 NM
263°–273° byd 53 NM
274°–322° byd 40 NM
343°–349° byd 40 NM
TACAN AZIMUTH unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM
DME unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM

CROCKETT

HOUSTON CO (DKR)(KDKR) 3 SE UTC–6(–5DT) N31°18.42′ W95°24.23′ **HOUSTON**
348 B NOTAM FILE DKR **L–19D, 21A**
RWY 02–20: H4000X75 (ASPH) S–12 MIRL 0.5% up NE **IAP**
RWY 02: PAPI(P2L)—GA 3.0° TCH 35′. Tree.
RWY 20: PAPI(P2L)—GA 3.0° TCH 35′. Road.
SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 02–20 preset low ints; to increase ints ACTIVATE—CTAF. MIRLs operate with photocell operating only at night with selectable ints on CTAF. Rwy 02 PAPI OTS indef. Rwy 20 PAPI OTS indef.
AIRPORT REMARKS: Unattended. 100LL self–serve fuel.
AIRPORT MANAGER: 936-544-3255
WEATHER DATA SOURCES: AWOS–3PT 118.775 (936) 545–8510. Ceilings unavbl.
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON CENTER APP/DEP CON** 134.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
LEONA (L) (L) VORTACW 110.8 LOA Chan 45 N31°07.44′ W95°58.08′ 061° 31.0 NM to fld. 346/8E.

CROSBYTON MUNI (8F3) 2 S UTC–6(–5DT) N33°37.43′ W101°14.45′ **DALLAS–FT WORTH**
3018 B NOTAM FILE FTW **L–17A**
RWY 17–35: H3600X60 (ASPH) S–12 MIRL **IAP**
RWY 17: VASI(V2L)—GA 4.0°. P–line.
RWY 35: VASI(V2L)—GA 4.0° TCH 23′. Trees.
SERVICE: **LGT** ACTVT MIRL Rwy 17–35—CTAF; opr on step 1 only. Rwy 17 and 35 VASI OTS indefly. Windsock lgt OTS indefly.
AIRPORT REMARKS: Unattended. Seasonal aerial ag actvty. Rwy 17 and Rwy 35 markings faded, nrs missing.
AIRPORT MANAGER: 806-790-8533
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LUBBOCK APP/DEP CON** 119.2 119.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
LUBBOCK (L) (L) VORTACW 109.2 LBB Chan 29 N33°42.30′ W101°54.84′ 087° 34.1 NM to fld. 3310/11E.
VOR unusable:
040°–050° byd 38 NM blo 5,300′
210°–260° byd 25 NM blo 6,000′



CRYSTAL CITY MUNI (2ØR) 1 NE UTC–6(–5DT) N28°41.85′ W99°49.06′ **SAN ANTONIO**
608 NOTAM FILE SJT **L–20G**
RWY 13–31: H3550X100 (ASPH–DIRT) MIRL 0.3% up SE
RWY 13: Trees.
RWY 31: Trees.
SERVICE: **LGT** Lgts OTS indef. Lgt and windsock OTS indefly.
AIRPORT REMARKS: Unattended. Arpt CLOSED indef. Apron and twy cracked with grass and loose grvl. Rwy 13 and 31 markings faded. Rwy 13–31 all paved surfaces have pot holes, loose gravel, and grass.
AIRPORT MANAGER: 830-602-0247
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE COT.
COTULLA (VL) (H) VORTACW 115.8 COT Chan 105 N28°27.72′ W99°07.11′ 282° 39.5 NM to fld. 522/9E.

CUERO MUNI (T71) 1 E UTC–6(–5DT) N29°05.02′ W97°16.02′ **SAN ANTONIO**
214 B NOTAM FILE CXO **L–19C, 21A**
RWY 14–32: H2800X60 (ASPH) S–11 LIRL
RWY 14: Thld dsplcd 243′. Pole.
RWY 32: Thld dsplcd 192′. Trees.
AIRPORT REMARKS: Unattended. Deer and wild hogs on and invof arpt. Call for FICONs. Unrstd veh Xng nr Rwy 14 thr. Una to determine opr status of rwy lgts. Svrl lgts misg or broken. Rwy 14–32 pvmnt cracking, loose stones. Rwy 32 thr dsplcd 202 ft at ngt. No rwy mkgs. No bldgs, no facilities.
AIRPORT MANAGER: 360-243-2041
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE PSX.
PALACIOS (VH) (H) VORTACW 117.3 PSX Chan 120 N28°45.87′ W96°18.37′ 283° 54.1 NM to fld. 16/8E.


CULBERSON CO (See VAN HORN on page 453)

CURTIS FLD (See BRADY on page 279)

CYPRESS RIVER (See JEFFERSON on page 364)


DAINGERFIELD

GREATER MORRIS CO (8F5) 7 N UTC–6(–5DT) N33°08.88′ W94°42.01′ **MEMPHIS**
402 NOTAM FILE FTW **L–17D**
RWY 17–35: H3000X50 (ASPH)
RWY 17: Tree.
RWY 35: Trees.
AIRPORT REMARKS: Unattended. Rwy 17–35 extsv cracking, loose grvl and grass on rwy and twy. Rwy conds not mnt. No line of sight btn rwy ends. No bldgs, no facs. No airframe or powerplant rprs avbl.
AIRPORT MANAGER: 903-445-1788
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
QUITMAN (L) DME 114.0 UIM Chan 87 N32°52.83′ W95°22.01′ 064° 37.3 NM to fld. 517.



DAISETTA N30°11.38′ W94°38.70′ NOTAM FILE CXO. **HOUSTON**
(H) (H) VORTACW 116.9 DAS Chan 116 198° 7.3 NM to Liberty Muni. 76/5E. **H–7C, L–19E, 21A, GOAW**
VOR unusable:
Byd 35 NM blo 1,600′
TACAN AZIMUTH unusable:
Byd 35 NM blo 1,600′
DME unusable:
Byd 35 NM blo 1,600′

DALHART MUNI (DHT)(KDHT) 3 SW UTC–6(–5DT) N36°01.35′ W102°32.84′ **WICHITA**
3991 B NOTAM FILE DHT MON Airport **H–6G, L–15B**
RWY 17–35: H6400X75 (ASPH) S–20, D–30 MIRL **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 25′.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 39′.
RWY 03–21: H5440X75 (ASPH) S–30 MIRL
RWY 03: Tree.
RWY 21: Antenna.
SERVICE: S4 **FUEL** 100LL, JET A1 **LGT** MIRL Rwys 03–21 and 17–35 preset low intst; to incr intst and ACTVT PAPI Rwys 17 and 35—CTAF.
AIRPORT REMARKS: Attended 1400–0100Z‡. For Jet A aft hrs call 806–244–5521 durg bus hrs. 100LL full and self serve. Large flocks of waterfowl invof Lake Rita Blanca 2 miles east spring and fall.
AIRPORT MANAGER: 806-244-5521
WEATHER DATA SOURCES: ASOS 134.075 (806) 249–5671.
COMMUNICATIONS: CTAF/UNICOM 122.95
RCO 122.2 (FORT WORTH RADIO)
Ⓡ**ALBUQUERQUE CENTER APP/DEP CON** 127.85
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Albuquerque ARTCC at 505-856-4561.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.
(L) (L) VORTACW 112.0 DHT Chan 57 N36°05.49′ W102°32.68′ 170° 4.1 NM to fld. 4020/12E.
TAC AZM unusable:
240°–255° byd 15 NM
320°–350° byd 15 NM



DALLAS


ADDISON (ADS)(KADS) 9 N UTC–6(–5DT) N32°58.11′ W96°50.19′ **DALLAS–FT WORTH**
644 B TPA—See Remarks NOTAM FILE ADS **COPTER**
RWY 16–34: H7203X100 (ASPH–GRVD) S–60, D–120 HIRL **H–6H, L–17C, A**
RWY 16: MALSR. PAPI(P4R)—GA 3.0° TCH 51′. Thld dsplcd 979′. Road. **IAP, AD**
RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 60′. Thld dsplcd 772′. Road.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 16: TORA–7203 TODA–7203 ASDA–7203 LDA–6224
RWY 34: TORA–7203 TODA–7203 ASDA–7203 LDA–6431
ARRESTING GEAR/SYSTEM
RWY 16: EMAS
SERVICE: S4 **FUEL** 100LL, JET A **OX** 2, 3 **LGT** ACTVT MALSR Rwy 16; HIRL Rwy 16–34—CTAF.
NOISE: Noise sensitive areas surround arpt. Pilots req to use NBAA std noise procedures.
AIRPORT REMARKS: Attended 1200–0400Z‡. Birds on and invof arpt. No touch and go ldgs without arpt mgr apvl. Numerous 200 ft bldgs within 1 mile east and south of arpt, transmission twrs and water tanks west of arpt. TPA—1600 (956) for light acft, 2000 (1356) for large acft. Be alert: rwy hldg ptn mrkgs lctd at the west edge of Twy A. User Fee arpt. CPB ofc hrs M–F 1600–0300Z‡. 214–208–3636. Flight Notification Service (ADCUS) available.
AIRPORT MANAGER: 972-392-4850
WEATHER DATA SOURCES: AWOS–3PT (972) 386–4855 LAWRS.
COMMUNICATIONS: CTAF 126.0 **ATIS** 133.4 972–628–2439 **UNICOM** 122.95
Ⓡ **Lone Star APP/DEP CON** 124.3
TOWER 126.0 (1200–0400Z‡) **GND CON** 121.6 **CLNC DEL** 119.55
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MAVERICK (VH) (H) VORW/DME 113.1 TTT Chan 78 N32°52.15′ W97°02.43′ 054° 11.9 NM to fld. 536/6E.
All acft arriving DFW are requested to turn DME off until departure due to traffic overload of Maverick DME.
DME unusable:
180°–190° byd 10 NM
240°–260° byd 20 NM blo 3,500′
VOR unusable:
105°–110° byd 40 NM
ILS/DME 110.1 I–ADS Chan 38 Rwy 16. Class IT. Unmonitored when ATCT closed. DME also serves Rwy 34.
ILS/DME 110.1 I–TBQ Chan 38 Rwy 34. Class IB. Localizer unmonitored when ATCT closed. DME also serves Rwy 16.
COMM/NAV/WEATHER REMARKS: AWOS–3 info only avbl when ATCT clsd. ATIS avbl during twr hrs.

AIR PARK–DALLAS (F69) 16 NE UTC–6(–5DT) N33°01.41′ W96°50.22′ **DALLAS–FT WORTH**
695 NOTAM FILE FTW **COPTER**
RWY 16–34: H3080X30 (ASPH) **L–17C, A**
RWY 16: Thld dsplcd 300′. Pole.
RWY 34: Trees. Rgt tfc.
SERVICE: S4
AIRPORT REMARKS: Unattended. Rwy 16 apch, obstn lights lower than obstructions. Rwy 34 apch, obstruction light on bldg is lower than obstructions closer to rwy end. Rwy 34 mkd with 300 ft dsplcd thr. Airport inside Addison (ADS) Class D Airspace ctc ADS twr 126.0 when airborne. Rwy 16 Marked with nstd size arrows. Rwy 34 marked with 300 ft dsplcd thr, nstd size arrows.
AIRPORT MANAGER: 214-693-0513
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MAVERICK (VH) (H) VORW/DME 113.1 TTT Chan 78 N32°52.15′ W97°02.43′ 042° 13.8 NM to fld. 536/6E.
All acft arriving DFW are requested to turn DME off until departure due to traffic overload of Maverick DME.
DME unusable:
180°–190° byd 10 NM
240°–260° byd 20 NM blo 3,500′
VOR unusable:
105°–110° byd 40 NM
COMM/NAV/WEATHER REMARKS: Unicom freq: Arpt inside Addison Class D airspace. Ctc Addison twr 126.0 (1200–0400Z‡)

AIRPARK EAST (1F7) 23 E UTC–6(–5DT) N32°48.78′ W96°21.12′ **DALLAS–FT WORTH COPTER**
500 B NOTAM FILE FTW
RWY 13–31: H2630X30 (ASPH) RWY LGTS(NSTD) 0.8% up NW
RWY 13: Tree. Rgt tfc.
RWY 31: Trees.
SERVICE: S4 **FUEL** 100LL **LGT** Intens rwy lgts: nstd fixtures.
AIRPORT REMARKS: Unattended. Rwy 13 apch expect wind shear and turb. 4 ft fence parallel to rwy, full len, 78 ft west of rwy cntrln. Rwy 13–31, 15 ft drop off each end. Rwy and twy shoulders broken, loose aggregate and stones, extensive cracking and spalling. Twy pavement rough and uneven. Rwy 13 and 31 nstd rwy cl mkgs 8 in wide.
AIRPORT MANAGER: 214-679-8277
COMMUNICATIONS: CTAF/UNICOM 122.7
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.


DALLAS CBD HELIPORT (49T) 0 N UTC–6(–5DT) N32°46.30′ W96°48.12′ **DALLAS–FT WORTH COPTER**
480 B NOTAM FILE FTW
HELIPAD H1: H60X60 (CONC) S–43 PERIMETER LGTS
HELIPAD H2: H60X60 (CONC) S–43 PERIMETER LGTS
SERVICE: **LGT** Perimeter lgts OTS indefly.
HELIPORT REMARKS: Unattended. CLOSED indefinitely. CBD vertiport CLOSED for demolition and reconstruction in conjunction with adjoining city convention center anticipating reopening 2Q 2029. Helipad H1 and H2 900′ bldgs NW, 500′ bldgs NE 1.2 mile dist. Helipad security 214–939–2940. Helipad H1 perimeter lgts. Helipad H1 rooftop. Ingress/egress SW. Helipad H2 rooftop. Ingress/egress SE.
AIRPORT MANAGER: 214-670-7612
WEATHER DATA SOURCES: AWOS–3 135.425 (214) 670–1243. AWOS temp unreliable. AWOS freq OTS indef.
COMMUNICATIONS: CTAF/UNICOM 123.05
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

DALLAS EXEC (RBD)(KRBD) 6 SW UTC–6(–5DT) N32°40.88′ W96°52.13′ **DALLAS–FT WORTH COPTER H–6H, L–17C, A IAP, AD**
661 B NOTAM FILE RBD
RWY 13–31: H7136X100 (CONC–GRVD) S–40, D–90, 2D–130 MIRL
RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Thld dsplcd 1085′. Trees.
RWY 31: REIL. PAPI(P4R)—GA 3.0° TCH 45′. Thld dsplcd 500′. Road.
RWY 17–35: H3800X150 (CONC) S–35, D–60, 2D–110 MIRL
RWY 17: REIL. PAPI(P4R)—GA 3.0° TCH 43′. Trees.
RWY 35: REIL.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 13: TORA–6766 TODA–7136 ASDA–6622 LDA–5537
RWY 31: TORA–6051 TODA–7136 ASDA–7101 LDA–6601
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2 **LGT** When ATCT clsd MIRL Rwy 13–31 and 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1200–0200Z‡. On call aft hrs. 100LL fuel avbl 24 hr. Birds on and invof arpt.
AIRPORT MANAGER: 214-670-7612
WEATHER DATA SOURCES: ASOS (214) 330–5317 LAWRS.
COMMUNICATIONS: CTAF 127.25 **ATIS** 126.35 **UNICOM** 122.95
Ⓡ **Lone Star APP/DEP CON** 125.2
EXECUTIVE TOWER 127.25 (1300–0300Z‡) **GND CON** 119.475
CLNC DEL 118.625
AIRSPACE: CLASS D svc 1300–0300Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MAVERICK (VH) (H) VORW/DME 113.1 TTT Chan 78 N32°52.15′ W97°02.43′ 136° 14.2 NM to fld. 536/6E.
All acft arriving DFW are requested to turn DME off until departure due to traffic overload of Maverick DME.
DME unusable:
180°–190° byd 10 NM
240°–260° byd 20 NM blo 3,500′
VOR unusable:
105°–110° byd 40 NM
ILS/DME 110.75 I–RBD Chan 44(Y) Rwy 31. Class IT. Unmonitored when ATCT closed.



DALLAS LOVE FLD (DAL)(KDAL) 5 NW UTC–6(–5DT) N32°50.76′ W96°51.05′ **DALLAS–FT WORTH**
487 B Class I, ARFF Index C NOTAM FILE DAL **COPTER**
RWY 13R–31L: H8800X150 (CONC–GRVD) S–120, D–250, 2S–175, 2D–388, 2D/2D2–875 **H–6H, L–17C, A**
PCR 865 R/D/W/T HIRL CL **IAP, AD**
RWY 13R: PAPI(P4R)—GA 3.0° TCH 52′. RVR–TM Thld dsplcd 489′. Rgt tfc.
RWY 31L: MALSR. TDZL. PAPI(P4L)—GA 3.08° TCH 55′. RVR–TM Bldg.
RWY 13L–31R: H7752X150 (CONC–GRVD) S–100, D–200, 2S–175, 2D–350 PCR 450 R/B/W/T HIRL CL
RWY 13L: MALSR. TDZL. PAPI(P4R)—GA 3.0° TCH 57′. RVR–TR Thld dsplcd 399′.
RWY 31R: MALSR. PAPI(P4L)—GA 3.0° TCH 55′. RVR–TR Pole. Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 13L: TORA–7752 TODA–7752 ASDA–7752 LDA–7352
RWY 13R: TORA–8800 TODA–8800 ASDA–8800 LDA–8310
RWY 31L: TORA–8800 TODA–8800 ASDA–8000 LDA–8000
RWY 31R: TORA–7752 TODA–7752 ASDA–6952 LDA–6952
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2, 3, 4
NOISE: Noise sensitive areas all quadrants; noise abatement procedures in effect jet and acft over 12,500 lbs use Rwy 13R–31L between 0300–1200Z‡. For information call 214–670–5683.
AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Bird activity Trinity River bottom 3 miles SW side. Pilots conducting EFVS ops; be aware LED ALS in use Rwy 31L & Rwy 31R. PAEW on arpt. Pvt pilot certificate or better rqrd to tkf or land. No student solo flights permitted. Twy K clsd thru tfc. K runup pad clsd 0600–1200Z‡. Acft using K runup pad btn 1200–0600Z‡ must obtain apvl fm arpt opns cntr 214–670–5683 prior to entering. Twy all clsd to acft wingspan 118 ft and gtr exc 1 hr PPR. 214–288–3069. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. Flight Notification Service (ADCUS) available. User fee arpt. Ldg fee arpt.
AIRPORT MANAGER: 214-670-5683
WEATHER DATA SOURCES: ASOS (214) 353–1551 TDWR.
COMMUNICATIONS: D–ATIS 120.15 (214) 358–5355
DALLAS RCO 122.3 (FORT WORTH RADIO)
Ⓡ **LONE STAR APP CON** 124.3 (North) 125.2 (South)
LOVE TOWER 123.7 **GND CON** 121.75 **CLNC DEL** 127.9
Ⓡ **LONE STAR DEP CON** 118.55 (East) 125.125 (South) 118.55 125.125 (Turbojets) 125.2 (South Props) 124.3 (North Props)
CPDLC (LOGON KUSA)
PDC
AIRSPACE: CLASS B See VFR Terminal Area Chart.
VOR TEST FACILITY (VOT) 113.3
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
COWBOY (VH) (DH) VORW/DME 116.2 CVE Chan 109 N32°53.42′ W96°54.24′ 129° 3.8 NM to fld. 443/6E.
VOR unusable:
055°–057° byd 57 NM blo 7,500′
131°–137° byd 38 NM
ILS/DME 111.5 I–DAL Chan 52 Rwy 13L. Class IIE. DME also serves Rwy 31R. DME unusable wi 1.3 NM fm thr; byd 30° left of course.
ILS/DME 111.1 I–DPX Chan 48 Rwy 13R. Class IE. DME also serves Rwy 31L.
ILS/DME 111.1 I–LVF Chan 48 Rwy 31L. Class IE. DME also serves Rwy 13R. LOC unusable byd 21° right of course.
ILS/DME 111.5 I–OVW Chan 52 Rwy 31R. Class IIE. DME also serves Rwy 13L. DME unusable byd 014° right of course.

MCKINNEY NTL (TKI)(KTKI) 32 N UTC–6(–5DT) N33°10.62′ W96°35.33′
589 B NOTAM FILE TKI
RWY 18–36: H7002X150 (CONC) S–75, D–150, 2D–450 HIRL
RWY 18: MALSR. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 36: MALS. PAPI(P4L)—GA 3.0° TCH 50′. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 3 **LGT** When ATCT clsd ACTVT MALSR Rwy 18; PAPI Rwy 18 and Rwy 36; PAPI Rwy 18 and 36; HIRL Rwy 18–36—CTAF.
NOISE: Noise sensitive areas S of arpt. Pilots are reqd to use NBAA std noise procs. Rwy 18 dep VFR acft req dep turn hdg 135 degs with ATC apvl.
AIRPORT REMARKS: Attended 1200–0400Z‡. Bird activity invof arpt. Rwy 18–36 actual rwy length does not match published value. 500 ft extension on south end mkd as dsplcd thld. Arpt admin 972–562–4053. No TGLs btwn 1200–1300Z‡ and 0300–0400Z‡. NOTE: See Special Notices—Arrival Alert.
AIRPORT MANAGER: 972-547-3401
WEATHER DATA SOURCES: ASOS (972) 548–8525 ASOS broadcast over ATIS 119.925 mhz
COMMUNICATIONS: CTAF 118.825 **UNICOM** 122.95 **ATIS** 119.925
Ⓡ **LONE STAR APP/DEP CON** 124.3
TOWER 118.825 (1200–0400Z‡) **GND CON** 121.875 **CLNC DEL** 121.35 (when twr clsd)
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
COWBOY (VH) (DH) VORW/DME 116.2 CVE Chan 109 N32°53.42′ W96°54.24′ 037° 23.4 NM to fld. 443/6E. VOR unusable:
055°–057° byd 57 NM blo 7,500′
131°–137° byd 38 NM
ILS/DME 109.35 I–EFE Chan 30(Y) Rwy 18. Unmonitored when ATCT clsd.



DALLAS SOUTH PORT (See PALMER on page 407)

DALLAS–FORT WORTH INTL (DFW)(KDFW) 12 NW UTC–6(–5DT) N32°53.83′ W97°02.26′ **DALLAS–FT WORTH**
606 B LRA Class I, ARFF Index E NOTAM FILE DFW **COPTER**
RWY 18L–36R: H13401X200 (CONC–GRVD) S–120, D–250, 2D–550, 2D/2D2–1066 **H–6H, L–17C, A**
PCR 1130 R/B/W/T HIRL CL **IAP, AD**
RWY 18L: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 70′. RVR–TMR
RWY 36R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 66′. RVR–TMR
RWY 17C–35C: H13400X150 (ASPH–GRVD) S–120, D–250, 2D–550, 2D/2D2–1120 PCR 2080 R/B/W/T HIRL CL
RWY 17C: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 74′. RVR–TMR
RWY 35C: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 76′. RVR–TMR
RWY 17R–35L: H13400X200 (ASPH–GRVD) S–120, D–250, 2D–550, 2D/2D2–1049 PCR 1620 R/B/W/T HIRL CL
RWY 17R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 68′. RVR–TMR
RWY 35L: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 63′. RVR–TMR
RWY 18R–36L: H13400X150 (ASPH–GRVD) S–120, D–250, 2D–490, 2D/2D2–985 PCR 1540 R/B/W/T HIRL CL
RWY 18R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 74′. RVR–TMR
RWY 36L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 72′. RVR–TMR
RWY 13R–31L: H9300X150 (CONC–GRVD) S–120, D–250, 2D–485, 2D/2D2–1005 PCR 1220 R/B/W/T HIRL CL
RWY 13R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 71′. RVR–TR
RWY 31L: REIL. PAPI(P4L)—GA 3.13° TCH 72′. RVR–TR
RWY 13L–31R: H9000X200 (CONC–GRVD) S–120, D–250, 2D–550, 2D/2D2–1120 PCR 1870 R/B/W/T HIRL CL
RWY 13L: REIL. PAPI(P4L)—GA 3.0° TCH 82′. RVR–TMR Thld dsplcd 627′. 0.5% down.
RWY 31R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 69′. RVR–TMR 0.5% up.
RWY 17L–35R: H8500X150 (CONC–GRVD) S–120, D–250, 2D–550, 2D/2D2–1120 PCR 1730 R/B/W/T HIRL CL
RWY 17L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 77′. RVR–TMR Antenna. 0.6% up.
RWY 35R: ALSF2. TDZL. PAPI(P4R)—GA 3.0° TCH 73′. RVR–TMR 0.6% down.

LAND AND HOLD–SHORT OPERATIONS

LDG RWY	HOLD–SHORT POINT	AVBL LDG DIST
RWY 17C	TWY B	10460
RWY 18R	TWY B	10100
RWY 35C	TWY EJ	9050
RWY 36L	TWY Z	10650

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13L:	TORA–9000	TODA–9000	ASDA–9000	LDA–8373
RWY 13R:	TORA–9300	TODA–9300	ASDA–9300	LDA–9300
RWY 17C:	TORA–13400	TODA–13400	ASDA–13400	LDA–13400
RWY 17L:	TORA–8500	TODA–8500	ASDA–8500	LDA–8500
RWY 17R:	TORA–13400	TODA–13400	ASDA–13400	LDA–13400
RWY 18L:	TORA–13401	TODA–13401	ASDA–13401	LDA–13401
RWY 18R:	TORA–13400	TODA–13400	ASDA–13400	LDA–13400
RWY 31L:	TORA–9300	TODA–9300	ASDA–9300	LDA–9300
RWY 31R:	TORA–8373	TODA–8373	ASDA–8373	LDA–8373
RWY 35C:	TORA–13400	TODA–13400	ASDA–13400	LDA–13400
RWY 35L:	TORA–13400	TODA–13400	ASDA–13400	LDA–13400
RWY 35R:	TORA–8500	TODA–8500	ASDA–8500	LDA–8500
RWY 36L:	TORA–13400	TODA–13400	ASDA–13400	LDA–13400
RWY 36R:	TORA–13401	TODA–13401	ASDA–13401	LDA–13401

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

SERVICE: **FUEL** 100LL, JET A **OX** 1, 3

NOISE: See Special Notices–Noise Abatement Procedures.

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Rwy 17L–35R CLOSED 0400–1200Z‡ exc PPR. Rwy 13R–31L CLOSED 0400–1200Z‡ except PPR. Rwy 13L–31R CLOSED 0400–1200Z‡ exc PPR. Visual screen 20´ AGL 1180´ south AER 35C. Visual screen 22´ AGL 1179´ south AER 35L. ASDE–X in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. Runway Status Lights in operation. Arpt under const, PAEW in movement areas. Acft should not execute the twy turn WB to SB fm Twy A to Twy C. Acft with wingspan gtr than 214´ opns not auzd on Rwy 13R–31L, Twy K btn Twys K11 and B, Twy G btn Twys A and WR, Twy P btn Twys A and ER, N of Twy EF, or S of Twy ER. No acft with wingspan gtr than 118´ may pass another acft with wingspan gtr than 214´ in NE, SE, NW, SW hold pads. Acft with wt gtr than 910,000 lbs not auzd on Twys Z, A, B btn Twys G and Twy K, Twys EL and ER btn Twys P and Q. Acft with wt gtr than 1,327,000 lbs not auzd on Twy Y btn Twys G and K. Tkf distance for Rwy 17L from Twy Q2 is 8196´. Tkf distance for Rwy 35R from Twy Q9 is 8196´. Tkf distance for Rwy 17R from Twy EG is 13082´ and from Twy EH is 12816´. Tkf distance for Rwy 35L from Twy EQ is 13084´ and from Twy EP is 12811´. Tkf distance for Rwy 36R from Twy WP is 12815´, from Twy WQ is 13,082´. Tkf distance for Rwy 18L from Twy WG is 13082´, from Twy WH is 12815´. Tkf distance for Rwy 17C from Twy EG is 13,082´. Tkf distance for Rwy 18R from Twy WG is 13,082´. Land And Hold Short signs on Rwy 17C at Twy B 10,460´ south of Rwy 17C thld, Rwy 18R at Twy B 10,100´ south of Rwy 18R thld, Rwy 35C at Twy EJ 9050´ north of Rwy 35C thld, Rwy 36L at Twy Z 10,650´ north of Rwy 36L thld, lgtd and marked with in–pavement pulsating white lgts. Terminal A apron entrance/exit points 5, 7, 8, 9, 10 & 11 clsd to acft with wingspan greater than 118´. Terminal A apron entrance/exit points 12, 13, 14, 15, 16 & 17 clsd to acft with wingspan greater than 214´. Acft using Terminal B Gates B1–B18, must obtain approval from Ramp 129.625 prior to entering ramp and prior to pushback. Terminal B apron entrance/exit points 103, 104, 106, 107, 108, 109 clsd to acft with wingspan greater than 95´. Terminal B apron entrance/exit points 110, 111, 112, 113, 115, 116, 117, 118 & 122 clsd to acft with wingspan greater than 118´. Acft using Terminal B Gates B19–B49 must obtain approval from Ramp 130.10 prior to entering ramp and prior to pushback. Acft using Terminal A Gates A8–A39 and Terminal C Gates C2–C12 must obtain approval from ramp 131.275 prior to entering ramp and prior to pushback. Acft using Terminal C Gates C14–C39 must obtain approval from Ramp 131.80 prior to entering ramp and prior to pushback. Terminal C apron entrance/exit points 22, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, & 42 clsd to acft with wingspan greater than 118´. Terminal C apron entrance/exit points 23 and 43 clsd to acft with wingspan greater than 214´. Acft using Terminal D Gates D25–D1 must obtain approval from ramp 129.825 prior to entering ramp and prior to pushback. Terminal D apron entrance/exit points 123, 131, 132, 133, 134, 135, 136, 137, 138, and 144 clsd to acft with wingspan greater than 214´. Terminal D apron entrance/exit point 124 clsd to acft with wingspan greater than 200´. Terminal D apron entrance/exit points 142 clsd to acft with wingspan greater than 214´ exc PPR. Terminal D apron entrance/exit points 143 and 145 clsd to acft with wingspan greater than 118´. Acft using Terminal D Gates D27–D40 must obtain approval from ramp 129.625 prior to entering ramp and prior to pushback. Acft using terminal E gates E2–E17 must obtain approval from ramp 131.0 prior to entering ramp and prior to pushback. Acft using terminal E gates E–18–E38 must obtain approval from ramp 128.825 prior to entering ramp and prior to pushback. Terminal E apron entrance/exit points 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, & 55 clsd to acft with wingspan greater than 118´ except PPR. Twy JY and JZ clsd to acft with wingspan greater than 118´. Acft using Twy HA north of Twy B must obtain approval from ramp 129.825 prior to entering ramp. Apron entrance/exit point 48 clsd to acft with wingspan greater than 195´. Unless otherwise specified, all apron entrance/exit points clsd to acft with wingspan greater than 214´ except PPR. Acft using Terminal F hardstand spots T83 through T86 must contact ground conrtol on 121.85 prior to taxi. Twys may rqr judgemental oversteering for large acft. Corporate aviation apron entrance/exit Point 1 and 2 clsd to acft with wingspan greater than 89´ except PPR. Corporate aviation apron entrance/exit Point 1W and 3 clsd to acft with wingspan greater than 214´ except PPR. PPR general aviation ops 0600–1100Z‡, call arpt ops 972–973–3112. PPR from arpt ops for general aviation acft to proceed to airline terminal gate exc to general aviation fac. PPR from the primary tenant airlines to opr within the central terminal area. Proper minimum object free area distances may not be maintained for ramp/apron taxi lanes. Twy edge reflectors along all twys. Twy S1 clsd to acft with wingspan gtr that 118´. Twy S2 clsd to acft with wingspan gtr than 214´. Acft using South Ramp must obtain apvl fm ramp 129.825 prior to entering ramp and prior to pushback. Ldg fee. Flight Notification Service (ADCUS) available. NOTE: See Special Notices–Noise Abatement Procedures.

AIRPORT MANAGER: 972-973-3112

WEATHER DATA SOURCES: ASOS (214) 600–7784 LLWAS. TDWR.

COMMUNICATIONS: D–ATIS ARR 123.775 (972) 615–2701 **D–ATIS DEP** 135.925 (972) 615–2701 **UNICOM** 122.95

Ⓡ **LONE STAR APP CON** 118.1 (Rwy 13R) 118.425 (Rwy 18L, Rwy 18R, Rwy 31L, Rwy 36L, Rwy 36R) 119.4 (Rwy 17L, Rwy 31L, Rwy 35R)
119.875 (West) 124.3 (North) 125.025 (East) 125.2 (South, Rwy 31R) 127.075 (Rwy 17C, Rwy 17R, Rwy 31L, Rwy 35L, Rwy 35C) 133.15 (Rwy 13R)
135.5 (Rwy 31R) 135.975 (South) 133.625 (West) 133.525 (East)
DFW TOWER 126.55 127.5 (E) 124.15 134.9 (W) **GND CON** 121.65 121.8 (E) 121.85 (W)
CLNC DEL 128.25

Ⓡ **LONE STAR DEP CON** 118.1 135.975 124.825(North) 125.125 135.975(South) 126.475(West) 118.55(East)
CPDLC (LOGON KUSA)
PDC

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS B See VFR Terminal Area Chart.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MAVERICK (VH) (H) VORW/DME 113.1 TTT Chan 78 N32°52.15′ W97°02.43′ 359° 1.7 NM to fld. 536/6E.
All acft arriving DFW are requested to turn DME off until departure due to traffic overload of Maverick DME.
DME unusable:
180°–190° byd 10 NM
240°–260° byd 20 NM blo 3,500′
VOR unusable:
105°–110° byd 40 NM
ILS/DME 109.5 I–LWN Chan 32 Rwy 13R. Class IIE. DME unusable wi 2.5 NM (4.2 DME).
ILS/DME 110.3 I–FLQ Chan 40 Rwy 17C. Class IIIE. DME also serves Rwy 35C.
ILS/DME 111.75 I–PPZ Chan 54(Y) Rwy 17L. Class IIIE. DME also serves Rwy 35R.
ILS/DME 111.35 I–JHZ Chan 50(Y) Rwy 17R. Class IIE. DME also serves Rwy 35L.
ILS/DME 110.55 I–CIX Chan 42(Y) Rwy 18L. Class IT. DME also serves Rwy 36R.
ILS/DME 111.9 I–VYN Chan 56 Rwy 18R. Class IIIE. DME also serves Rwy 36L.
ILS/DME 110.9 I–RRA Chan 46 Rwy 31R. Class IE.
ILS/DME 110.3 I–PKQ Chan 40 Rwy 35C. Class IIIE. DME also serves Rwy 17C. LOC unusable byd 16NM blw 3,700ft; byd 3° right of course byd 16nm.
ILS/DME 111.35 I–UWX Chan 50(Y) Rwy 35L. Class IE. LOC unusable byd 14 NM blo 3,400′. DME also serves Rwy 17R.
ILS/DME 111.75 I–AJQ Chan 54(Y) Rwy 35R. Class IIIE. DME also serves Rwy 17L. LOC unusable byd 16 NM 5° right of course.
ILS/DME 111.9 I–BXN Chan 56 Rwy 36L. Class ID. DME also serves Rwy 18R. LOC unusable byd 15 NM 5° right of course.
ILS/DME 110.55 I–FJN Chan 42(Y) Rwy 36R. Class IE. DME also serves Rwy 18L.

DAN E RICHARDS MUNI (See PADUCAH on page 406)

DAN JONES INTL (See HOUSTON on page 352)

DAVID WAYNE HOOKS MEML (See HOUSTON on page 353)

DECATUR

BISHOP (76T) 6 E UTC–6(–5DT) N33°16.15′ W97°27.11′ **DALLAS–FT WORTH COPTER**
888 NOTAM FILE FTW
RWY 17–35: 3730X170 (TURF) 0.4% up N
RWY 17: Pole.
RWY 35: Fence.
SERVICE: S4
AIRPORT REMARKS: Unattended. For rwy conds call 940–389–6100, or 940–389–6200. Rwy may be rough due to drought conds. Rwy soft aft hvy rain. Four 20 ft white poles 45 ft from W. runway edge.
AIRPORT MANAGER: 940-389-6100
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

DECATUR MUNI (LUD)(KLUD) 2 N UTC–6(–5DT) N33°15.26′ W97°34.83′ **DALLAS–FT WORTH COPTER L–17C, A IAP**

1047 B NOTAM FILE LUD

RWY 17–35: H4200X60 (ASPH) S–12.5, D–17 MIRL

RWY 17: REIL. PAPI(P2L)—GA 3.5° TCH 23′. Tree.

RWY 35: PAPI(P2L)—GA 3.5° TCH 40′. P–line. Rgt tfc.

SERVICE: S4 **FUEL** 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.

AIRPORT REMARKS: Attended 1400–2300Z‡. Deer and wildlife on and invof arpt. Gnd drops sharply 160′ north of Rwy 17 thr. Rwy 17–35 extensive pavement cracking. Due to rwy elev chg, acft not vsb at opposite end.

AIRPORT MANAGER: 940-627-2855

WEATHER DATA SOURCES: AWOS–3 118.225 (940) 627–2365.


COMMUNICATIONS: CTAF/UNICOM 123.075

Ⓡ **Lone Star APP/DEP CON** 118.1

CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

BOWIE (H) (H) VORTACW 117.15 UKW Chan 118(Y) N33°32.15′ W97°49.28′ 138° 20.8 NM to fld. 1102/6E.



HERITAGE CREEK AIRSTRIP (58T) 9 SE UTC–6(–5DT) N33°09.96′ W97°28.79′ **DALLAS–FT WORTH COPTER**

883 NOTAM FILE FTW

RWY 13–31: 3000X60 (TURF) LIRL 0.8% up NW

RWY 13: Tree.

RWY 31: Tree. Rgt tfc.

SERVICE: S4 **LGT** ACTVT LIRL Rwy 13–31 —CTAF. Rwy defined by white "L" markers on each corner—nights: two lights each side of cntrln mark rwy ends.

AIRPORT REMARKS: Unattended. Deer and birds on and invof arpt. RCO ctl model acft ops on arpt. All acft monitor CTAF due to the close proximity of Rhome Meadows arpt T76. Rwy 31 right tfc for fixed wing acft; remain east of the rwy.

AIRPORT MANAGER: 817-988-9745

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

LAZY G BAR RANCH (Ø9T) 5 NE UTC–6(–5DT) N33°16.88′ W97°29.80′ **DALLAS–FT WORTH**

931 NOTAM FILE FTW

RWY 17–35: 1600X40 (TURF–DIRT)

RWY 17: Tree. Rgt tfc.

RWY 35: Tree.

AIRPORT REMARKS: Unattended. Livestock on and invof arpt. For fld condition call to confirm rwy is clear of livestock. Rwy 17–35 rough, rolling gradient. No line of sight btween rwy ends. Rwy 17–35 center 20 ft mowed.

AIRPORT MANAGER: 719-221-7993

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

TRIPLE–ACE FLD (35X) 2 NE UTC–6(–5DT) N33°15.11′ W97°33.21′ **DALLAS–FT WORTH**

1010 NOTAM FILE FTW

RWY 02–20: 1271X40 (TURF)

RWY 02: Road. Rgt tfc.

RWY 20: Fence.


AIRPORT REMARKS: Unattended. No student trng. Rwy soft aft rain, call for ficons.

AIRPORT MANAGER: 940-627-6800

COMMUNICATIONS: CTAF 122.8

COMM/NAV/WEATHER REMARKS: Acft oprg into or out of arpt will use Decatur Arpt freq 122.8 to communicate with Decatur Arpt tfc.

DEL RIO INTL (DRT)(KDRT) 2 NW UTC–6(–5DT) N29°22.45′ W100°55.63′
1002 B AOE ARFF Index—See Remarks NOTAM FILE DRT
RWY 13–31: H6300X100 (ASPH) S–59, D–75, 2D–126
PCR 230 F/D/X/T MIRL
RWY 13: MALS. PAPI(P4L)—GA 3.0° TCH 47′. Thld dsplcd 300′. Tree. Rgt tfc.
RWY 31: REIL. PAPI(P4L)—GA 3.0° TCH 62′. Tree.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 13: TORA–6300 TODA–6300 ASDA–6300 LDA–6000
RWY 31: TORA–6300 TODA–6300 ASDA–5980 LDA–5980
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT MALS Rwy 13; REIL Rwy 31; MIRL Rwy 13–31; twy—CTAF.
AIRPORT REMARKS: Attended 1300–0100Z‡. After hrs call 830–768–0898. The National Weather Service releases weather ballons from the Del Rio Airport twice daily (1200 and 0000 ZULU). Class I, ARFF Index A. ARFF Index B available upon request. Lndg fee: starts at 6,500 lbs MTOGW.
AIRPORT MANAGER: (830) 734-4857
WEATHER DATA SOURCES: ASOS 118.525 (830) 282–0257.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **APP/DEP CON** 119.6 (Mon–Fri 1300–0100Z‡, clsd Sat, Sun 2100–2359Z‡ except holidays). Other hours ctc
Ⓡ **HOUSTON CENTER APP/DEP CON** 125.75 (Mon–Fri 0100–1300Z‡, Sat 24, Sun 2359–2100Z‡ except holidays.)
CLNC DEL 120.5
CLEARANCE DELIVERY PHONE: For CD ctc Laughlin Apch at 830-298-5192, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE DLF.
LAUGHLIN (H) (H) VORTAC 114.4 DLF Chan 91 N29°21.65′ W100°46.30′ 269° 8.2 NM to fld. 1071/7E. VORTAC unmonitored when Del Rio apch ctl clsd.
TACAN AZIMUTH unusable:
161°–285° byd 15 NM
No NOTAM MP: 0800–1200Z‡ Tue–Thu
VOR unusable:
045°–050° blo 3,000′
161°–285° byd 15 NM
286°–330° byd 25 NM blo 4,500′
331°–359° byd 25 NM
360°–160° byd 25 NM blo 4,500′
DME unusable:
161°–285° byd 15 NM
KOTTI NDB (LOMW) 335 DR N29°26.56′ W100°59.54′ 132° 5.3 NM to fld. 1148/8E. NOTAM FILE DRT.
ILS/DME 111.9 I–DRT Chan 56 Rwy 13. Class IE. LOM KOTTI NDB. ILS/DME unmonitored. KOTTI LOM unmonitored.



HELIPAD H1: H46X46 (CONC)
HELIPAD H2: H46X46 (CONC)
HELIPORT REMARKS: Helipad H1 and H2 lctd south end of main prkg ramp.

SAN ANTONIO
H–7B, L–19B
IAP


DELL CITY MUNI (2E5) 2 N UTC–7(–6DT) N31°56.86′ W105°11.51′ **EL PASO**
3703 B NOTAM FILE ABQ **L–6F**
RWY 08–26: H4685X55 (ASPH) S–12.5 RWY LGTS(NSTD)
RWY 08: Road.
RWY 26: Thld dsplcd 400′. Road.
SERVICE: **LGT** Solar lights–nstd colors. Rwy width 35 ft at night.
AIRPORT REMARKS: Unattended. Rwy 26 dsplcd thld bar not painted, dsplcd thld not lighted. Rwy 08–26 potholes, loose asph and stones.
AIRPORT MANAGER: 915-964-2344
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ.
SALT FLAT (VL) (H) VORTACW 113.5 SFL Chan 82 N31°44.89′ W105°05.21′ 324° 13.1 NM to fld. 3730/12E.
VOR unusable:
020°–044° byd 27 NM blo 15,000′
045°–067° byd 40 NM
068°–078° byd 47 NM blo 10,000′
079°–095° byd 40 NM
096°–106° byd 57 NM blo 9,000′
129°–139° byd 58 NM blo 11,000′
140°–150° byd 40 NM
151°–160° byd 61 NM blo 15,000′
260°–300° byd 40 NM
345°–019° byd 40 NM
TACAN AZIMUTH unusable:
020°–080° byd 25 NM blo 16,000′
065°–075° byd 25 NM
180°–190° byd 31 NM blo 9,500′
285°–290° byd 39 NM
DME unusable:
020°–080° byd 25 NM blo 16,000′
065°–075° byd 25 NM
180°–190° byd 31 NM blo 9,500′
285°–290° byd 39 NM

DENISON N33°49.59′ W96°40.13′ NOTAM FILE GYI. **DALLAS–FT. WORTH**
NDB (MHW) 341 DNI 179° 6.7 NM to North Texas Rgnl/Perrin Fld. 642/3E. **L–17C**

DENTON ENTERPRISE (DTO)(KDTO) 3 W UTC–6(–5DT) N33°12.12′ W97°11.95′ 643 B TPA—1443(800) NOTAM FILE DTO

DALLAS–FT WORTH COPTER
H–6H, L–17C, A
IAP, AD


RWY 18L–36R: H7002X150 (ASPH) S–70, D–100 MIRL
RWY 18L: MALSR. PAPI(P4L)—GA 3.0° TCH 54′. Trees.
RWY 36R: PAPI(P4L)—GA 3.0° TCH 50′. Thld dsplcd 100′. Trees.
RWY 18R–36L: H5003X75 (ASPH) S–30 MIRL 0.3% up N
RWY 18R: PAPI(P4L)—GA 3.0° TCH 42′.
RWY 36L: PAPI(P4L)—GA 3.0° TCH 42′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 18L:TORA–7002 TODA–7002 ASDA–6502 LDA–6502
RWY 36R:TORA–7002 TODA–7002 ASDA–6602 LDA–6502
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Dusk–dawn when ATCT clsd, MIRL Rwy 18L–36R and 18R–36L preset to low intst; to incr intst and ACTVT MALSR Rwy 18L—CTAF.
AIRPORT REMARKS: Attended 1200–0400Z‡. Arpt closed to ultralights and gliders. Mowing opns on arpt May–Sept. Rwy 18L designated as a calm wind rwy.
AIRPORT MANAGER: 940-349-7744
WEATHER DATA SOURCES: ASOS 119.325 (940) 354–2971.
COMMUNICATIONS: CTAF 119.95 **ATIS** 119.325
Ⓡ **LONE STAR APP/DEP CON** 118.1
TOWER 119.95 (1200–0400z‡) **GND CON** 123.95 **CLNC DEL** 123.95
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc Lone Star Apch at 972-615-2799.
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
RANGER (VH) (H) VORTACW 115.7 FUZ Chan 104 N32°53.37′ W97°10.77′ 351° 18.7 NM to fld. 639/6E.
VOR unusable:
275°–290° byd 40 NM
317°–327° byd 40 NM
PINCK NDB (LOMW) 257 DT N33°16.99′ W97°11.78′ 178° 4.9 NM to fld. 739/4E. NOTAM FILE DTO.
(H) H 114.15 DQD Chan 88(Y) N33°12.93′ W97°11.93′ at fld. 632. NOTAM FILE DTO.
ILS 109.1 I–DTO Rwy 18L. Class IT. LOM PINCK NDB. LOC unusable byd 10° left of course.



DENVER CITY (E57) 1 NW UTC–6(–5DT) N32°58.48′ W102°50.71′ 3575 B NOTAM FILE FTW

ALBUQUERQUE
H–6G, L–6H

RWY 04–22: H5780X50 (ASPH) S–13 MIRL
RWY 04: PAPI(P2L)—GA 4.5° TCH 64′. Thld dsplcd 350′. Road.
RWY 22: PAPI(P2L)—GA 4.0° TCH 43′. Thld dsplcd 155′. Fence. Rgt tfc.
RWY 08–26: H3960X45 (ASPH) S–13
RWY 08: Thld dsplcd 179′. P–line.
RWY 26: Thld dsplcd 526′. P–line. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A
AIRPORT REMARKS: Attended irregularly. Fuel 100LL self–serve. Lgtd drilling rigs on and invof arpt. Rwy 26, entrance road and 20′ hangars inside prim sfc.
AIRPORT MANAGER: 806-592-5426
WEATHER DATA SOURCES: AWOS–3PT 118.275 (806) 592–3681.
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE HOB.
HOBBS (L) (L) VORTACW 111.0 HOB Chan 47 N32°38.29′ W103°16.16′ 036° 29.4 NM to fld. 3664/11E.



DEPOO N25°59.02′ W97°30.55′ NOTAM FILE BRO.


BROWNSVILLE

NDB (LOMW) 393 BR 133° 6.5 NM to Brownsville/South Padre Island Intl. 29/3E.

DESOTO

COLONEL BOBBY WADDLE/DESOTO HELIPORT (73T) 3 N UTC–6(–5DT) N32°37.90′ W96°51.31′ **DALLAS–FT WORTH COPTER**
649 B NOTAM FILE FTW
HELIPAD H1: H54X54 (CONC) RWY LGTS(NSTD)
SERVICE: S4 **FUEL** 100LL, JET A **LGT** SS–SR on photocell. Lgts with recessed lgts srndg lndg pads.
HELIPORT REMARKS: Attended Mon–Fri 1500–0000Z‡. Self–serve fuel. Helipad H1 ingress/egress north and south. 1024 ft MSL (310 ft AGL) twr, 310 deg .73 mile from helipad. Inside KRBD Class D sfc area, ctc Dallas Exec twr 127.25.
AIRPORT MANAGER: 214-379-6790
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.


DEVINE MUNI (23R) 2 W UTC–6(–5DT) N29°08.30′ W98°56.51′ **SAN ANTONIO L–19C IAP**
702 B NOTAM FILE SJT
RWY 17–35: H3399X60 (ASPH) S–12.5 MIRL 0.8% up S
RWY 17: PAPI(P2L)—GA 3.0° TCH 33′. Road.
RWY 35: PAPI(P2L)—GA 3.0° TCH 33′. Trees.
SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri dawn–dusk. Deer on and invof arpt.
AIRPORT MANAGER: 830-663-2804
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON CENTER APP/DEP CON** 134.95
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29°38.64′ W98°27.68′ 212° 39.4 NM to fld. 1159/8E.
VOR unusable:
018°–022° byd 40 NM
028°–032° byd 40 NM
342°–347° byd 40 NM
355°–002° byd 40 NM blo 18,000′
NDB (MHW) 359 HHH N29°08.30′ W98°56.36′ at fld. 703/7E. NOTAM FILE SJT.



DICKINSON


TALON AIR HELIPORT (T34) 2 NE UTC–6(–5DT) N29°29.01′ W95°00.49′ **HOUSTON**
28 NOTAM FILE CXO
HELIPAD H1: 40X40 (TURF)
SERVICE: S2 **OX** 1, 2, 3, 4
HELIPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Ldg area not mkd. No windsock. Rcmdd apch fm the W, dept to the W. Trees in E apch close to ldg pad. Airframe rprs: Overwater flight safety/survival gear, supplies, rental, re–certification, service.
AIRPORT MANAGER: 281-339-6000
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 581-443-5888.

DILLEY AIRPARK (24R) 2 NW UTC–6(–5DT) N28°41.13′ W99°11.35′ **SAN ANTONIO**
542 B NOTAM FILE SJT **L–20G**
RWY 12–30: H3400X60 (ASPH) S–12.5 LIRL 0.4% up SE
RWY 12: Trees.
RWY 30: Sign.
SERVICE: **LGT** Arpt lgts opr dusk–0500Z‡. Rotating bcn OTS indefly. Rwy 12–30 LIRL OTS indefly.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 830-965-1624
COMMUNICATIONS: **CTAF** 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE COT.
COTULLA (VL) (H) VORTACW 115.8 COT Chan 105 N28°27.72′ W99°07.11′ 335° 13.9 NM to fld. 522/9E.



DIMMIT CO (See CARRIZO SPRINGS on page 286)

DIMMITT MUNI (T55) 2 N UTC–6(–5DT) N34°34.00′ W102°19.36′ **ALBUQUERQUE**
3883 B NOTAM FILE FTW **H–6G, L–6H**
RWY 01–19: H5500X60 (ASPH) S–15 MIRL
RWY 01: Tree.
RWY 19: Road. Rgt tfc.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 01–19—CTAF.
AIRPORT REMARKS: Unattended. For fuel call 806–647–2550 during business hrs. Rwy 01–19 Pavement spallling, cracks with vegetation growing through, loose stones and paint on sfc. Rwy 01 and 19 Markings peeling off pavement.
AIRPORT MANAGER: 806-647-2155
COMMUNICATIONS: **CTAF** 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
TEXICO (VH) (H) VORTACW 112.2 TXO Chan 59 N34°29.71′ W102°50.38′ 069° 26.0 NM to fld. 4060/11E.
VOR unusable:
095°–100° byd 40 NM
120°–130° byd 40 NM
210°–272° byd 60 NM blo 10,000′
273°–283° byd 40 NM blo 6,000′
273°–283° byd 46 NM blo 7,000′
273°–283° byd 59 NM
284°–319° byd 40 NM
320°–035° byd 40 NM
TACAN AZIMUTH unusable:
222°–232°



DORCHESTER


TXAEROSPORT AERODROME (X65) 1 NE UTC–6(–5DT) N33°32.18′ W96°40.83′ **DALLAS–FT WORTH**
855 NOTAM FILE FTW
RWY 17–35: 3200X100 (TURF)
RWY 17: Trees.
RWY 35: Road.
SERVICE: S4
AIRPORT REMARKS: Attended Mon–Fri 1300–2200Z‡. Wildlife on and invof arpt. Rwy 17–35 mkd with orange tfc cones set at 70′ wide.
AIRPORT MANAGER: 469-759-9976
COMMUNICATIONS: **CTAF** 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

DRAUGHON–MILLER CENTRAL TEXAS RGNL (See TEMPLE on page 448)

DRYDEN


TERRELL CO (6R6) 5 W UTC–6(–5DT) N30°02.79′ W102°12.79′ **SAN ANTONIO L–19A**
2323 B NOTAM FILE SJT
RWY 13–31: H4526X75 (ASPH) S–30 MIRL 0.7% up NW
RWY 13: Fence.
RWY 04–22: H4525X75 (ASPH) S–30 0.3% up SW
RWY 22: Brush.
SERVICE: **LGT** ACTVT MIRL Rwy 13–31—CTAF. Heli pad lgts, 5 clicks—123.05.
AIRPORT REMARKS: Attended intmnt. Rwy 04–22 and Rwy 13–31 extensive cracking, loose stones on sfc. Rwy 13–31 and Rwy 04–22 marking poor due to pavement deterioration.
AIRPORT MANAGER: 432-345-6731
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE FST.
FORT STOCKTON (VH) (H) VORTACW 116.9 FST Chan 116 N30°57.13′ W102°58.54′ 133° 67.1 NM to fld. 2893/11E.
VOR unusable:
020°–055° byd 20 NM blo 6,900′
070°–086° byd 35 NM blo 6,400′
106°–132° byd 30 NM blo 5,900′
125°–202° byd 40 NM
203°–213° byd 40 NM blo 18,000′
214°–230° byd 40 NM
245°–255° byd 40 NM
315°–330° byd 30 NM blo 5,400′

DUBLIN MUNI (9FØ) 2 SE UTC–6(–5DT) N32°04.09′ W98°19.52′ **DALLAS–FT WORTH L–17B**
1495 B NOTAM FILE FTW
RWY 15–33: H3200X60 (ASPH) S–12.5 MIRL
RWY 15: P–line.
SERVICE: **FUEL** UL94 **LGT** ACTIVATE MIRL Rwy 15–33 —123.5.
AIRPORT REMARKS: Attended Mon–Fri on call. 254–445–3331—City Hall. Deer and wildlife on and invof arpt.
AIRPORT MANAGER: 254-434-1082
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
GLEN ROSE (L) TACAN Chan 97 JEN (115.0) N32°09.58′ W97°52.66′ 251° 23.5 NM to fld. 1300/6E.



DUMAS

MOORE CO (DUX)(KDUX) 2 W UTC–6(–5DT) N35°51.45′ W102°00.80′ **ALBUQUERQUE**
3706 B NOTAM FILE DUX **H–6G, L–15B**
RWY 01–19: H6001X100 (ASPH) S–30, D–45 MIRL **IAP**
RWY 01: PAPI(P4L)—GA 3.0° TCH 50′.
RWY 19: PAPI(P4L)—GA 3.0° TCH 50′. Road.
RWY 14–32: H3100X60 (ASPH) S–21, D–32 MIRL
RWY 14: P–line.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 01–19 preset low intst; to incr intst ACTVT—CTAF. PAPI Rwy 01 and 19 opr consly.
AIRPORT REMARKS: Attended 1400–2300Z‡. For svcs aft hrs call 806–935–6995. Parachute Jumping. Extensive crop dusting in Mar–Sep. 100LL self–serve fuel avbl 24 hrs.
AIRPORT MANAGER: 806-935-6995
WEATHER DATA SOURCES: AWOS–3PT 118.075 (806) 934–3390.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.
DALHART (L) (L) VORTACW 112.0 DHT Chan 57 N36°05.49′ W102°32.68′ 106° 29.4 NM to fld. 4020/12E.
TAC AZM unusable:
240°–255° byd 15 NM
320°–350° byd 15 NM



DUVAL–FREER (See FREER on page 333)

DYESS AFB (DYS)(KDYS) AF 5 SW UTC–6(–5DT) N32°25.11′ W99°51.39′ **DALLAS–FT WORTH**
1790 B TPA—See Remarks NOTAM FILE FTW Not insp. **H–6H, L–17B**
RWY 16–34: H13500X300 (CONC) PCN 57 R/C/W/T HIRL **DIAP, AD**
RWY 16: ALSF1. PAPI(P4L)—GA 2.6° TCH 48′. RVR–T
RWY 34: ALSF1. PAPI(P4L)—GA 2.5° TCH 53′. RVR–T
RWY 163–343: 3500X60 (DIRT)
RWY 164–344: H3498X60 (ASPH) PCN 40 F/B/W/T
SERVICE: S4 **FUEL** JET A+ **OX** 2 **MILITARY—** **JASU** 1(MD–3) 1(A/M32A–60A) 1(A/M32A–86) 1(A/M32A–95) **FUEL** A++ **FLUID** LPOX De–ice **OIL** O–133–148–156 **TRAN ALERT** Svc avbl 1400–0400Z‡ Mon–Fri; clsd wkend and hol. No mil fleet svc avbl, ltd tran svc avbl.
NOISE: Quiet hr policy 0400–1000Z‡.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

MILITARY REMARKS: Opr hrs 1300–0559Z‡ Mon–Fri for all acft, 1500–2300Z‡ Sat–Sun for 7 BW and 317 AW only; clsd hol, hol wkend and AFGSC Fam Days. In case of aft hr emerg ntfy 7 BW Comd Post at 325–696–1921. **RSTD** PPR ctc afld mgmt at 7OSS.OSAA.AMOPS@us.af.mil for PPR req form DSN 461–2515/2258. Min 24 hr notice required and req no more than 7 days prior. PPR valid +/– 30 minutes of sked ldg. All diverts must ctc Afld Mgmt to confirm ramp space/tran svc avbl. Rwy 163–343 Indg zone CLOSED. PPR valid +/– 30 minutes. PPR will not be issued for tran acft req Rwy 163–343 and Rwy 164–344. LZ164–444 has a non–std ltg sys. Tran acft must obtain briefing fm 317 OSK prior to ngt opns. Without formal notification from 317 OSK, tran acft using Rwy 163–343 or 164–344 at ngt without lgt (overt or covert) and with respective MAJCOM/A3 apvl must notify Afld Mgmt and req separate NOTAM for unlgtd LZ opns. Inbd acft with DV code 6 or abv ctc afld ops 20 min prior arr Mon–Fri, ctc Comd Post on UHF or DSN 461–1921. 45 min prior wkend and hol. No arrival/departure when lightning within 5 NM without OG/CC approval. Twy G rstd to daylight ops only, exc navigation ops and maintenance tow. Park spots A1 and B1 avbl for taxi only. Parking spots A12, A13 and A20 are designated Acft Ground Equipment (AGE) spots. ops only. Tye ramp clsd. B–52 acft apch/ldg Dyess AFB must prvd at least 2–4 hrs notice bfr arr for afld prep. **CAUTION** Intensive training and formation flight of heavy acft in the immediate vicinity. Extensive VFR assault strip tfc west of Rwy 16–34. Afld signs require B52 acft exit Rwy 16–34 at Twy F. Acft lrgr than C130 only allowed 180 deg turns on conc sfc at N and S ends of Rwy 16–34. During bird watch condition moderate and severe, aircrews should comply with owning MAJCOM/Unit guidance, aircrews can obtain current bird watch condition fr ATIS/PTD. BASH Phase II in effect Apr–Jun and Sep–Nov. COMSEC stored at Command Post. Nmrs unmkd spalls thru out Rwy 16–34. Ctc afld mgmt ops DSN 461–2515 for further info. **TFC PAT** TPA—Rectangular 3000(1210), overhead 3500(1710). During VMC dep acft must remain at or blo 3000´ until fld boundary to ensure separation from VFR overhead. RSRS applies to all local acft, B–1 8000´, C–130, 5000´ separation, B–1 acft rqr minimum ceiling/visibility 1500´/3 statute miles and rwy surface dry. **CSTMS/AG/IMG** Cstms avbl, ctc Security Forces DSN 461–2131/2132 24 hr in advance. **MISC** All AMC acft ctc AMCC prior to arrival DSN 461–1984, C325–696–1984. Wx fcst svc avbl dur afld opr hrs; DSN 461–2524, C325–696–2524. All 175–1 wx req rqr 2 hr notice. Afld wx mnt by AN/FMQ–19 ASOS, augmented by human obsn when rqr. ATC will relay twr prev vis, RCR/RSC and VIRGA rmk to acft. Augmented sfc vis rstd 090º–160º by bldg. For customs refer to FCG or AP–1. Fire bottles lctd at N and S hammerheads.

WEATHER DATA SOURCES: ASOS 269.175.

COMMUNICATIONS: SFA ATIS 269.175 **PTD** 139.3 372.2

Ⓡ **ABILEEN APP/DEP CON** 125.0 338.3 (E) 127.2 282.3 (W)

TOWER 133.0 257.675 (UHF equipped acft shall use 257.675 to max extent possible.) **GND CON** 118.35 275.8

COMMAND POST (CALL– RAYMOND 37) 311.0 **PMSV METRO** 383.25 Altn PMSV, Sheppard AFB 339.65.

AIRSPACE: CLASS C svc ctc **APP CON**.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

(L) TACAN Chan 63 DYS (133.6) N32º25.11´ W99º51.42´ at fld. 1784/5E.

mp: 1100–1500Z‡ Mon

No NOTAM MP: 1100–1500Z‡ Wed

TACAN AZIMUTH unusable:

096º–106º byd 25 NM blo 5,500´

166º–178º byd 30 NM blo 5,500´

179º–239º byd 20 NM blo 5,500´

240º–260º byd 14 NM

261º–272º byd 30 NM blo 5,500´

DME unusable:

131º–142º byd 39 NM blo 5,500´

166º–178º byd 30 NM blo 5,500´

179º–239º byd 20 NM blo 5,500´

240º–260º byd 14 NM

261º–272º byd 30 NM blo 5,500´

ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32º28.88´ W99º51.81´ 165º 3.8 NM to fld. 1809/10E. NOTAM FILE ABI.

VOR unusable:

163º–236º byd 40 NM blo 18,000´

237º–247º byd 40 NM blo 7,000´

248º–250º byd 40 NM blo 18,000´

251º–255º byd 40 NM blo 4,500´

251º–255º byd 46 NM blo 18,000´

TUSCOLA (L) (L) VORW/DME 114.85 TQA Chan 95(Y) N32º14.14´ W99º49.01´ 340º 11.1 NM to fld. 2058/10E.


ILS 109.9 I–TYY Rwy 16. Class ID. Mp:1100–1500Z‡ Tue. No NOTAM MP: 1100–1500Z‡ Fri.

ILS 109.9 I–DYS Rwy 34. Class IE. Mp: 1100–1500Z‡ Tue. No NOTAM MP: 1100–1500Z‡ Fri.

ASR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

EAGLE LAKE (ELA)(KELA) 1 NE UTC–6(–5DT) N29°36.00′ W96°19.32′ **HOUSTON**
184 B NOTAM FILE ELA **L–19D, 21A, GOAW**
RWY 17–35: H4280X60 (ASPH) S–12.5 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 48′.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL RWY 17–35 preset low, to INCR INTST ACTVT—CTAF.
AIRPORT REMARKS: Attended irregularly. For svc after hrs call 713–502–4064.
AIRPORT MANAGER: 979-234-2640
WEATHER DATA SOURCES: AWOS–3PT 128.475 (979) 234–2665.
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON APP/DEP CON** 124.225
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELA.
(DH) DME 116.4 ELA Chan 111 N29°39.75′ W96°19.03′ 184° 3.7 NM to fld. 192.



EAGLE LAKE N29°39.75′ W96°19.03′ NOTAM FILE ELA. **HOUSTON**
(DH) DME 116.4 ELA Chan 111 184° 3.7 NM to Eagle Lake. 192. **H–7C, L–19D, 21A, GOAW**

EAGLE PASS

MAVERICK CO MEML INTL (5T9) 8 N UTC–6(–5DT) N28°51.43′ W100°30.81′ **SAN ANTONIO**
887 B AOE NOTAM FILE SJT **H–7B, L–19B**
RWY 13–31: H5506X100 (ASPH) MIRL **IAP**
RWY 13: Brush.
SERVICE: **FUEL** 100LL, JET A+ **LGT** Dusk–Dawn. MIRL Rwy 13–31 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1430–2000Z‡, Sat–Sun 1600–2200Z‡. Rwy 13–31 extsv cracking. Rwy 13 mrkgs faded. Flight Notification Service (ADCUS) available.
AIRPORT MANAGER: 830-773-9636
WEATHER DATA SOURCES: AWOS–3 119.175 (830) 757–6795.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **DEL RIO APP/DEP CON** 127.75 (Mon–Fri 1300–0100Z‡, clsd Sat, Sun 2100–2359Z‡ except holidays). Other times ctc
Ⓡ **HOUSTON CENTER APP/DEP CON** 125.75 (Mon–Fri 0100–1300Z‡, Sat 24, Sun 2359–2100Z‡ except holidays.)
CLEARANCE DELIVERY PHONE: For CD ctc Laughlin Apch at 830-298-5192, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE DLF.
LAUGHLIN (H) (H) VORTAC 114.4 DLF Chan 91 N29°21.65′ W100°46.30′ 149° 33.1 NM to fld. 1071/7E. VORTAC unmonitored when Del Rio apch ctl clsd.
TACAN AZIMUTH unusable:
161°–285° byd 15 NM
No NOTAM MP: 0800–1200Z‡ Tue–Thu
VOR unusable:
045°–050° blo 3,000′
161°–285° byd 15 NM
286°–330° byd 25 NM blo 4,500′
331°–359° byd 25 NM
360°–160° byd 25 NM blo 4,500′
DME unusable:
161°–285° byd 15 NM

EAGLE'S NEST ESTATES (See MIDLOTHIAN on page 394)

EAGLES AERODROME (See CONWAY on page 296)

EAST BREAKS 643 VAF N27°21.00′ W94°37.20′/125
AWOS–3 119.525 (832) 636–9297 Winds unreliable 225°–360°. **L–20J, 21A, H–7C, GOAW**

EAST TEXAS RGNL (See LONGVIEW on page 381)

EASTERWOOD FLD (See COLLEGE STATION on page 293)


EASTLAND MUNI (ETN)(KETN) 1 N UTC–6(–5DT) N32°24.89′ W98°48.58′ **DALLAS–FT WORTH**
1468 B NOTAM FILE FTW **H–6H, L–17B**
RWY 17–35: H5000X60 (ASPH) S–20 MIRL 0.4% up N **IAP**
RWY 17: PAPI(P2L)—GA 3.5° TCH 48′. Thld dsplcd 980′. Pole.
RWY 35: PAPI(P2L)—GA 3.0° TCH 45′. Thld dsplcd 420′. Trees.
SERVICE: S3 **FUEL** 100LL, JET A **LGT** ACTVT PAPI Rwy 17 and 35, MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–0000Z‡. Aft fuel hrs call 254–488–1055. Trml avbl 24/7 for flt crews. 183 AGL, 1617 MSL unltd/unmkd ant, 1000 fm Rwy 35 end, 1500 R.
AIRPORT MANAGER: 254-629-1588
WEATHER DATA SOURCES: AWOS–3PT 118.45 (254) 631–0493.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 135.375
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MILLSAP (VH) (H) VORTACW 117.7 MQP Chan 124 N32°43.57′ W97°59.85′ 237° 45.2 NM to fld. 900/9E.
VOR unusable:
004°–009° byd 40 NM
010°–054° byd 40 NM blo 3,800′
010°–054° byd 46 NM blo 5,000′
010°–054° byd 56 NM
055°–066° byd 40 NM blo 3,800′
055°–066° byd 50 NM
230°–247° byd 40 NM
248°–258° byd 40 NM blo 3,700′
248°–258° byd 53 NM
259°–270° byd 40 NM blo 6,000′
259°–270° byd 63 NM
271°–285° byd 40 NM
312°–316° byd 40 NM
325°–340° byd 40 NM blo 3,000′
325°–340° byd 46 NM blo 5,000′
325°–340° byd 66 NM
353°–003° byd 40 NM blo 18,000′

EDINBURG

SOUTH TEXAS INTL AT EDINBURG (EBG)(KEBG) 9 N UTC–6(–5DT) N26°26.50′ W98°07.33′ **BROWNSVILLE**
75 B NOTAM FILE EBG **H–7B, L–20H**
RWY 14–32: H5000X75 (ASPH) S–30 MIRL **IAP**
RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 42′.
RWY 32: PAPI(P2L)—GA 3.0° TCH 45′.
SERVICE: **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 14–32 preset low intst; to incr intst and ACTVT REIL Rwy 14—CTAF. PAPI Rwy 14 and Rwy 32 opr consly.
AIRPORT REMARKS: Attended 1400–2300Z‡. 100LL & Jet A+ 24 hr self svc, full serve durg atndd hrs. 100 ft pole 595 ft NE of helipad. Twy has reflectors on pavement. Cust avbl M–F 1400–2200Z‡. User fee arpt.
AIRPORT MANAGER: 956-292-2047
WEATHER DATA SOURCES: AWOS–3PT 118.025 (956) 587–0743.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **VALLEY APP/DEP CON** 126.55
CLEARANCE DELIVERY PHONE: For CD ctc Corpus Christi Apch at 361-299-4230.
RADIO AIDS TO NAVIGATION: NOTAM FILE HRL.
HARLINGEN (VL) (DH) VORW/DME 113.65 HRL Chan 83(Y) N26°13.75′ W97°39.14′ 292° 28.3 NM to fld. 32/5E.

EDNA

JACKSON CO (26R) 3 NE UTC–6(–5DT) N29°00.06′ W96°34.92′ **HOUSTON**
62 B NOTAM FILE CXO **L–19D, 21A**
RWY 15–33: H3393X70 (ASPH) S–12.5 MIRL **IAP**
RWY 15: P–line.
SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 15–33 preset to low. To incr intst and ACTVT—CTAF.
AIRPORT REMARKS: Unattended. Fuel 24 hrs, self–serve. Twy has reflectors on pavement. To mnt aerobatic box—123.3. Hvy itnrnt tfc on wkends. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 361-652-4163
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 135.05
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE PSX.
PALACIOS (VH) (H) VORTACW 117.3 PSX Chan 120 N28°45.87′ W96°18.37′ 306° 20.3 NM to fld. 16/8E.



EDWARDS CO (See ROCKSPRINGS on page 423)

EL PASO INTL (ELP)(KELP) 4 NE UTC–7(–6DT) N31°48.44′ W106°22.58′ **EL PASO**
3962 B TPA—See Remarks AOE Class I, ARFF Index C NOTAM FILE ELP **H–4L, L–6F**
RWY 04–22: H12020X150 (ASPH–CONC–GRVD) S–100, D–180, 2D–350 PCR 680 F/B/X/T HIRL **IAP, AD**
RWY 04: REIL. PAPI(P4L)—GA 3.0° TCH 55′. RVR–TR
RWY 22: MALSR. PAPI(P4R)—GA 3.0° TCH 70′. RVR–TR Rgt tfc. 0.3% down.
RWY 08R–26L: H9025X150 (ASPH–CONC–GRVD) S–100, D–180, 2S–175, 2D–350 PCR 520 F/B/X/T HIRL
RWY 08R: REIL. PAPI(P4L)—GA 3.0° TCH 75′. Rgt tfc. 0.5% up.
RWY 26L: MALSR. PAPI(P4R)—GA 3.0° TCH 75′. 0.3% down.
RWY 08L–26R: H5499X75 (CONC–GRVD) S–60, D–180, 2S–175 PCR 100 R/C/W/T MIRL No Part 121/Part 380 Ops
RWY 26R: Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 04: TORA–12020 TODA–12020 ASDA–12020 LDA–12020
RWY 08L: TORA–5499 TODA–5499 ASDA–5499 LDA–5499
RWY 08R: TORA–9025 TODA–9025 ASDA–9025 LDA–9025
RWY 22: TORA–12020 TODA–12020 ASDA–12020 LDA–12020
RWY 26L: TORA–9025 TODA–9025 ASDA–9025 LDA–9025
RWY 26R: TORA–5499 TODA–5499 ASDA–5499 LDA–5499
SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 2, 4
NOISE: Military users should review noise abatement procedures listed for Biggs AAF. Noise abatement procedures in effect, ctc tower for details.
AIRPORT REMARKS: Attended continuously. TPA small acft 5000 (1038); turbojet 5504 (1542); overhead apch 6004 (2042). 24 hour PPR class A explosives ctc 915–212–0333. CAUTION: Biggs AAF 2 NM northwest Rwy 22 can be mistaken for ELP Rwy 22. Engine power is rstd to idle power on one engine at a time for maximum 5 min on any terminal or parking aprons. Rwy 04 holding position markings are located adjacent to the terminal apron on Twy T1, T2. ILS markings on the terminal ramp apply to Rwy 08R–26L approach and departures. Aircraft on the terminal ramp must contact El Paso Ground for pushback and taxi instructions. Rwy 04–22, 206′ conc, 10,814′ asph, 1,000′ conc. Rwy 08R–26L, 7,780′ asph, 1,247′ conc. Twy T1; Twy A NE of Twy A7, Twy A8 and A9 not visible fm ATCT. Cross–bleed starts or other pre–dep activity on movement areas only. Maintenance or other requirements needing longer or higher power ctc tower for directions to designated runup areas. NOTE: See Special Notices—Arrival Alert.
AIRPORT MANAGER: 915-212-0333
WEATHER DATA SOURCES: ASOS (915) 774–9497 LLWAS. WSP.
COMMUNICATIONS: D–ATIS 120.0 (915) 774–9415 **UNICOM** 122.95
RCO 122.6 (ALBUQUERQUE RADIO)
Ⓡ **APP CON** 124.25 (North–V16) 119.15 (South–V16)
TOWER 118.3 **GND CON** 121.9 **CLNC DEL** 125.0
Ⓡ **DEP CON** 119.15
PDC
AIRSPACE: CLASS C svc ctc **APP CON**.

CONTINUED ON NEXT PAGE


CONTINUED FROM PRECEDING PAGE

VOR TEST FACILITY (VOT) 111.0
RADIO AIDS TO NAVIGATION: NOTAM FILE ELP.
(VH) (H) VORTACW 115.2 ELP Chan 99 N31º48.95´ W106º16.91´ 252º 4.9 NM to fld. 4023/12E.
DME unusable:
260º–270º byd 30 NM blo 11,000´
270º–310º byd 30 NM blo 10,000´
VOR unusable:
031º–075º byd 40 NM
076º–099º byd 40 NM blo 18,000´
100º–103º byd 40 NM
258º–268º byd 40 NM blo 18,000´
269º–294º byd 40 NM
295º–305º byd 40 NM blo 18,000´
295º–305º byd 48 NM blo 20,000´
306º–309º byd 40 NM
310º–070º byd 25 NM blo 12,000´
314º–329º byd 40 NM
LOC/DME 111.5 I–ETF Chan 52 Rwy 04. DME also serves Rwy 22. LOC unusable byd 24º left of course. LOC unusable byd 30º right of course.
ILS/DME 111.5 I–ELP Chan 52 Rwy 22. Class IE. DME also serves Rwy 4. DME unusable byd 16 NM restricted area r–5103a. LOC unusable byd 16 NM restricted area R–5103A.
ASR

ELDORADO (27R) 1 W UTC–6(–5DT) N30º51.73´ W100º36.65´ **SAN ANTONIO L–19B**
2448 B NOTAM FILE SJT
RWY 17–35: H4300X60 (ASPH) S–12.5 MIRL
RWY 17: PAPI(P2L)—GA 3.0º TCH 40´. Pole. Rgt tfc.
RWY 35: PAPI(P2L)—GA 3.0º TCH 40´. Road.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 17–35 preset to low intst, to increase intst and ACTIVATE PAPI Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. 100LL: for fuel call 325–853–2036/2737 or 325–650–9553.
AIRPORT MANAGER: 325-853-2593
COMMUNICATIONS: CTAF/UNICOM 123.0
CLEARANCE DELIVERY PHONE: For CD ctc san angelo Apch at 432-563-2123. When Apch clsd ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
SAN ANGELO (VH) (H) VORTACW 115.1 SJT Chan 98 N31º22.50´ W100º27.29´ 185º 31.7 NM to fld. 1886/10E.
VOR unusable:
111º–190º byd 40 NM
120º–178º byd 24 NM blo 4,500´
191º–201º byd 49 NM
202º–218º byd 40 NM
219º–245º byd 40 NM blo 12,000´
246º–267º byd 40 NM
268º–289º byd 7 NM
290º–314º byd 46 NM
315º–352º byd 40 NM
TACAN AZIMUTH unusable:
120º–178º byd 18 NM

ELLINGTON (See HOUSTON on page 354)

ENNIS MUNI (F41) 2 W UTC–6(–5DT) N32°19.78′ W96°39.83′ **DALLAS–FT WORTH**
500 B NOTAM FILE FTW **L–17C, A**
RWY 16–34: H4012X50 (ASPH) S–18 MIRL 0.6% up N **IAP**
RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 35′. Ground. Rgt tfc.
RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 35′. Thld dsplcd 254′. P–line.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL RWY 16 and 34; PAPI RWY 16 and 34; MIRL Rwy 16–34, preset low INTST—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Parachute Jumping. Birds on and invof arpt. 100LL fuel self serve. Rwy 16–34 sfc cracking, loose stones.
AIRPORT MANAGER: 972-875-4279
COMMUNICATIONS: CTAF 122.9
Ⓡ **Lone Star APP/DEP CON** 125.2
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
CEDAR CREEK (L) (L) VORTACW 114.8 CQY Chan 95 N32°11.14′ W96°13.09′ 285° 24.3 NM to fld. 400/6E.



FABENS (E35) 1 NE UTC–7(–6DT) N31°31.03′ W106°08.82′ **EL PASO**
3680 B NOTAM FILE ABQ **L–6F**
RWY 08–26: H4197X60 (ASPH) S–12.5 MIRL 1.2% up E
RWY 08: PAPI(P2L)—GA 3.0° TCH 42′. Thld dsplcd 173′. Fence.
RWY 26: PAPI(P2L)—GA 4.0° TCH 73′. Antenna.
SERVICE: S4 **FUEL** 100LL **LGT** ACTVT rotg bcn and MIRL Rwy 08–26—CTAF. Rwy 08 and Rwy 26 PAPI OTS.
AIRPORT REMARKS: Attended 1400–2300Z‡. After hrs 915–637–4459. Rising terrain E of Rwy 08–26.
AIRPORT MANAGER: 915-764-3549
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELP.
EL PASO (VH) (H) VORTACW 115.2 ELP Chan 99 N31°48.95′ W106°16.91′ 147° 19.2 NM to fld. 4023/12E.
DME unusable:
260°–270° byd 30 NM blo 11,000′
270°–310° byd 30 NM blo 10,000′
VOR unusable:
031°–075° byd 40 NM
076°–099° byd 40 NM blo 18,000′
100°–103° byd 40 NM
258°–268° byd 40 NM blo 18,000′
269°–294° byd 40 NM
295°–305° byd 40 NM blo 18,000′
295°–305° byd 48 NM blo 20,000′
306°–309° byd 40 NM
310°–070° byd 25 NM blo 12,000′
314°–329° byd 40 NM

FAIRVIEW (See RHOME on page 419)

FALFURRIAS

BROOKS CO (BKS)(KBKS) 2 SE UTC–6(–5DT) N27°12.36′ W98°07.26′ **BROWNSVILLE H–7B, L–20H IAP**

112 B NOTAM FILE BKS

RWY 17–35: H6006X75 (ASPH) S–52, D–80 MIRL

RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Tree.

RWY 35: PAPI(P4L)—GA 3.0° TCH 45′.

RWY 14–32: H3018X60 (ASPH) S–18

RWY 14: Trees.

SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 17–35 preset low intst. To incr intst and ACTVT REIL Rwy 17; PAPI Rwys 17 and Rwy 35—CTAF.

AIRPORT REMARKS: Attended Mar–Oct, Mon–Fri 1500–2200Z‡; Nov–Feb 1500–2300Z‡. For attendant after hrs call 361–325–2909. 9 ft fence lctd aprx 900 ft north of Rwy 17.

AIRPORT MANAGER: 361-325-2909

WEATHER DATA SOURCES: AWOS–3PT 118.125 (361) 325–4055.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **KINGSVILLE APP/DEP CON** 119.9 (1345–0600Z‡ Mon–Thu; 1345–2345Z‡ Fri; clsd Sat, Sun and hol exc by NOTAM, hrs subj to chg)

Ⓡ **HOUSTON CENTER APP/DEP CON** 128.15 (0500–1300Z‡ Mon–Thu; 2200–1300Z‡ Fri; 24 Sat, Sun and hol by NOTAM)

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.


RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102 N27°54.23′ W97°26.69′ 212° 55.2 NM to fld. 60/9E.

TACAN AZIMUTH & DME unusable:
024°–036° byd 35 NM blo 1,700′
037°–023° byd 35 NM blo 2,000′
265°–275°

VOR unusable:
340°–005° byd 40 NM blo 7,000′
340°–005° byd 84 NM
Byd 30 NM blo 1,500′

TACAN AZIMUTH unusable:
080°–085° byd 30 NM



FARLY N31°59.29′ W102°19.51′ NOTAM FILE MAF. **SAN ANTONIO L–6H**

NDB (HW/LOM) 326 MA 104° 6.9 NM to Midland Intl Air And Space Port. 2957/9E. NDB unmonitored when ATCT clsd.

FAYETTE RGNL AIR CENTER (See LA GRANGE on page 371)

FERRIS RED OAK MUNI HELIPORT (See FERRIS/RED OAK on page 324)

FERRIS/RED OAK

FERRIS RED OAK MUNI HELIPORT (12T) 4 N UTC–6(–5DT) N32°31.79′ W96°43.87′ **DALLAS–FT WORTH COPTER**

510 NOTAM FILE FTW

HELIPAD H1: H40X40 (CONC)

HELIPORT REMARKS: Unattended. 5′ chain link perimeter fence, 80′–100′ from center of pad.


AIRPORT MANAGER: 972-544-2110

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

FISHER CO (See ROTAN/ROBY on page 425)

FLOYDADA MUNI (41F) 1 N UTC–6(–5DT) N34°00.09′ W101°19.82′ **DALLAS–FT WORTH**
3187 B NOTAM FILE FTW **L–6H**
RWY 17–35: H4600X60 (ASPH) S–15 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 35: PAPI(P2L)—GA 3.0° TCH 39′. Bldg. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 17–35 preset to low intst; to incr intst or ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1400–0000Z‡. Extsv aerial ag ops.
AIRPORT MANAGER: 806-983-2314
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LUBBOCK APP/DEP CON** 119.2 119.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE PVW.
PLAINVIEW (VL) (L) VORW/DME 112.9 PVW Chan 76 N34°05.17′ W101°47.41′ 091° 23.5 NM to fld. 3400/11E.



FLUFY N31°13.13′ W94°49.51′ NOTAM FILE LFK. **HOUSTON**
NDB (LOMW) 350 LF 075° 4.0 NM to Angelina Co. 205/2E. NDB unmonitored.


FLYIN TIGER (See ANGLETON on page 265)

FLYING C (See SANGER on page 433)

FLYING H RANCH (See WHITESBORO on page 460)

FLYING V RANCH (See LOUISE on page 381)

FORT STOCKTON–PECOS CO (FST)(KFST) 2 NW UTC–6(–5DT) N30°54.92′ W102°54.77′ **SAN ANTONIO**
3011 B NOTAM FILE FST **H–6G, L–19A**
RWY 12–30: H7508X100 (ASPH) S–24 MIRL 0.3% up SE **IAP**
RWY 12: PAPI(P4L)—GA 3.0° TCH 45′. Tree.
RWY 30: PAPI(P4L)—GA 3.0° TCH 45′. Road.
RWY 07–25: 4961X150 (TURF) 0.6% up SW
RWY 25: Trees.
RWY 03–21: H4400X60 (ASPH) MIRL 1.1% up SW
RWY 03: P–line.
RWY 16–34: 3981X150 (TURF) 1.0% up SE
RWY 16: Brush.
RWY 34: Tree.
RWY 11–29: 3348X100 (TURF) 0.3% up SE
RWY 29: Road.



SERVICE: **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 03–21 and 12–30 preset low intst; to incr intst ACTVT—CTAF. PAPI Rwy 12 and 30 opr consly. Rwy 12 and Rwy 30 VGSI unusbl byd 8 deg right of RCL.
AIRPORT REMARKS: Attended 1400–2300Z‡. For fuel and svcs aft hrs call 432–336–9900 or UNICOM. 24 hr self service avbl. Rwy 11 and Rwy 29 thr not mkd. Turf Rwy 07–25, 11–29, 16–34 rough. Rwy ends 16 and 25 not inspd due to fld conds. Rwys 07–25, 11–29, 16–34, rwy not mkd–rough with thorns. 3210 ft twr 2 mi NE. NOTE: See Special Notices—Model Aircraft Activity.
AIRPORT MANAGER: 432-336-6261
WEATHER DATA SOURCES: ASOS 118.525 (432) 336–7591.
COMMUNICATIONS: CTAF/UNICOM 122.8
RCO 122.2 (SAN ANGELO RADIO)
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Albuquerque ARTCC at 505-856-4561.
RADIO AIDS TO NAVIGATION: NOTAM FILE FST.
(VH) (H) VORTACW 116.9 FST Chan 116 N30°57.13′ W102°58.54′ 113° 3.9 NM to fld. 2893/11E.
VOR unusable:
020°–055° byd 20 NM blo 6,900′
070°–086° byd 35 NM blo 6,400′
106°–132° byd 30 NM blo 5,900′
125°–202° byd 40 NM
203°–213° byd 40 NM blo 18,000′
214°–230° byd 40 NM
245°–255° byd 40 NM
315°–330° byd 30 NM blo 5,400′

FORT WORTH

BOURLAND FLD (5ØF) 17 SW UTC–6(–5DT) N32°34.91′ W97°35.45′
873 B NOTAM FILE FTW

RWY 17–35: H4049X60 (ASPH) MIRL(NSTD) 0.9% up N
RWY 17: VASI(V2L)—GA 3.0° TCH 23′. Thld dsplcd 392′. Road.
RWY 35: VASI(V2L)—GA 3.5° TCH 28′. Thld dsplcd 215′. Trees.

SERVICE: **FUEL** 100LL, JET A **LGT** ACTVT MIRL Rwy 17–35—CTAF. Rwy 17–35 nstd lgt spacing, 100′ between rwy lts.

AIRPORT REMARKS: Attended Mon–Sat dalgt hours. For svcs aft hrs call 817–752–4701. Deer and wildlife on and invof rwy. 100LL self serve. Arpt clsd to tsnt student tfc. Acft ovr 12,500 lb max GWT prohibited. Rwy 17 dthr lts and mkgs not coincident.


AIRPORT MANAGER: 682-260-3778

COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **Lone Star APP/DEP CON** 135.975

CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MILLSAP (VH) (H) VORTACW 117.7 MQP Chan 124 N32°43.57′ W97°59.85′ 104° 22.3 NM to fld. 900/9E.
VOR unusable:
004°–009° byd 40 NM
010°–054° byd 40 NM blo 3,800′
010°–054° byd 46 NM blo 5,000′
010°–054° byd 56 NM
055°–066° byd 40 NM blo 3,800′
055°–066° byd 50 NM
230°–247° byd 40 NM
248°–258° byd 40 NM blo 3,700′
248°–258° byd 53 NM
259°–270° byd 40 NM blo 6,000′
259°–270° byd 63 NM
271°–285° byd 40 NM
312°–316° byd 40 NM
325°–340° byd 40 NM blo 3,000′
325°–340° byd 46 NM blo 5,000′
325°–340° byd 66 NM
353°–003° byd 40 NM blo 18,000′




DALLAS–FT WORTH
COPTER
L–17C, A
IAP

FORT WORTH MEACHAM INTL (FTW)(KFTW) 5 N UTC–6(–5DT) N32°49.19′ W97°21.75′ **DALLAS–FT WORTH**
710 B TPA—See Remarks ARFF Index—See Remarks NOTAM FILE FTW **COPTER**
RWY 16–34: H7502X150 (CONC–GRVD) S–80, D–100, 2S–127, 2D–190, 2D/2D2–350 **H–6H, L–17C, A**
PCR 310 R/C/W/T HIRL 0.5% up N **IAP, AD**
RWY 16: MALSR. PAPI(P4R)—GA 3.0° TCH 59′. RVR–T Pole.
RWY 34: MALS. RVR–R Rgt tfc.
RWY 17–35: H4005X75 (ASPH) S–25, D–45 PCR 100 F/C/X/T MIRL No Part 121/Part 380 Ops
RWY 17: PAPI(P2L)—GA 3.75° TCH 56′. Berm. Rgt tfc.
RWY 35: PAPI(P2L)—GA 3.25° TCH 43′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 16: TORA–7502 TODA–7502 ASDA–7502 LDA–7502
RWY 34: TORA–7502 TODA–7502 ASDA–7306 LDA–7306
SERVICE: S4 **FUEL** 100LL, JET A, A1+ **OX** 1, 3 **LGT** Rwy 17–35 LED lgt can appr brgtr than Rwy 16–34; ensure cor rwy alnmt.
AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Rwy 09–27 CLOSED indef. Class IV, ARFF Index A. ARFF Index B avbl all users with PPR. Helo skidding opns prohibited on Rwy 17–35. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. If skidding is rqrd, coord with ATCT to use Twy B. Twys B, B1, C and D west of Rwy 16–34, Twys C and M east of Twy A, Twys H, J, K south of Twy D, Twy G SE of Twy K clsd to air carrier acft with more than 30 psgr seats. Rwy 17–35 designed for acft with wingspan of 49 ft or less. Twys B and B1 designed for acft with wingspan less than 79 ft. Rwy 16–34 and Twys A, A1, and M designed for acft with wingspan less than 171 ft. All other Twys designed for acft with wingspan of less than 118 ft. Mkd US Customs pkrg southeast of Txl G and Txl N intxn. PPR for ACR opns with more than 30 psgr seats–24 hr notice rqrd–call Arpt Ops 817–994–0653. TPA—Rwy 17–35 R/W 1300(590) , F/W 1500(790) , Rwy 16–34 1500(790) , Jets 2000(1290) . Arpt fees for use of cust svcs will be could imt upon ldg by city of Fort Worth Arpt opns psnl. User fee arpt. NOTE: See Special Notices—Arrival Alert.
AIRPORT MANAGER: 817 392-5400
WEATHER DATA SOURCES: ASOS (817) 740–3346
COMMUNICATIONS: ATIS 120.7
Ⓡ **LONE STAR APP/DEP CON** 118.1 (North) 135.975 (South)
MEACHAM TOWER 118.3 **GND CON** 121.9 **CLNC DEL** 124.65
AIRSPACE: CLASS D.
VOR TEST FACILITY (VOT) 108.2
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
RANGER (VH) (H) VORTACW 115.7 FUZ Chan 104 N32°53.37′ W97°10.77′ 240° 10.1 NM to fld. 639/6E.
VOR unusable:
275°–290° byd 40 NM
317°–327° byd 40 NM
MUFIN NDB (LOMW) 365 FT N32°53.59′ W97°22.40′ 165° 4.4 NM to fld. 744/8E.
ILS/DME 109.9 I–FTW Chan 36 Rwy 16. Class IT. LOM MUFIN NDB. DME also serves Rwy 34.
ILS/DME 109.9 I–UXT Chan 36 Rwy 34. Class IB. DME also serves Rwy 16.

• • • • • • • • • • • • • • • • • •

HELIPAD H1: H35X35 (CONC)
HELIPAD H2: H35X35 (CONC)
HELIPORT REMARKS: H1 and H2 helipads are VMC dalgt use only; non–movement area. Hels repositioning byd imt prkg apron and under their own pwr must ctc ATC.

FORT WORTH SPINKS (FWS)(KFWS) 14 S UTC–6(–5DT) N32°33.91′ W97°18.51′ **DALLAS–FT WORTH**
700 B NOTAM FILE FWS **COPTER**
RWY 18R–36L: H6002X100 (ASPH) S–60, D–70, 2D–100 MIRL **H–6H, L–17C, A**
RWY 18R: PAPI(P4L)—GA 3.0° TCH 40′. P–line. Rgt tfc. **IAP, AD**
RWY 36L: MALSR. PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RWY 18L–36R: 3660X60 (TURF)
RWY 36R: Ground. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT MALSR Rwy 36L—CTAF. When ATCT clsd MIRL Rwy 18R–36L preset on med intst. Twy A unlighted.
NOISE: Noise abatement procedure: Avoid noise sensitive areas all quadrants of arpt; maintain altitudes at or above 1000 ft AGL over these areas.
AIRPORT REMARKS: Attended 1300–0400Z‡. Birds and wildlife invof arpt. 100LL full and self–serve. Rwy 18L–36R avbl only during dalgt/VFR and dry weather sfc conds. Rotorcraft opns prohibited in self svc fuel areas. Rotorcraft opns prohibited on Twy A btn Twy H and Twy A2. Hel skidding opns prohibited.
AIRPORT MANAGER: 817-392-5430
WEATHER DATA SOURCES: AWOS–3PT 120.025 (817) 426–4172.
COMMUNICATIONS: CTAF 124.625 **ATIS** 120.025 **UNICOM** 122.7
Ⓡ**Lone Star APP/DEP CON** 135.975
TOWER 124.625 (1300–0200Z‡) **GND CON** 119.475



CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc Lone Star Apch at 972-615-2799.
AIRSPACE: CLASS D svc 1300–0200Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
RANGER (VH) (H) VORTACW 115.7 FUZ Chan 104 N32°53.37′ W97°10.77′ 193° 20.5 NM to fld. 639/6E.
VOR unusable:
275°–290° byd 40 NM
317°–327° byd 40 NM
ILS 110.95 I–JZW Rwy 36L. Class IB. Unmonitored.

HICKS AIRFIELD (T67) 14 NW UTC–6(–5DT) N32°55.87′ W97°24.70′ **DALLAS–FT WORTH**
855 B TPA—1705(850) NOTAM FILE FTW **COPTER**
RWY 14–32: H3740X60 (ASPH) MIRL **L–17C, A**
RWY 14: PAPI(P2L)—GA 3.5° TCH 20′. Thld dsplcd 340′. Railroad. Rgt tfc.
RWY 32: PAPI(P2L)—GA 4.0° TCH 20′. Thld dsplcd 191′. Railroad.
SERVICE: S4 **FUEL** 100LL
AIRPORT REMARKS: Unattended. 100LL fuel avbl 24 hr self–serve. Ultralight ops invof arpt. Uncontrolled vehicle tfc invof hangars and on twys. Calm wind Rwy 14. Rwy 14–32 railroad parallel and adj to rwy on SW side within primary sfc. ABN obsc by ramp lighting.
AIRPORT MANAGER: 281-380-7746
COMMUNICATIONS: CTAF/UNICOM 123.05
CLNC DEL 125.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
RANGER (VH) (H) VORTACW 115.7 FUZ Chan 104 N32°53.37′ W97°10.77′ 276° 12.0 NM to fld. 639/6E.
VOR unusable:
275°–290° byd 40 NM
317°–327° byd 40 NM

KENNETH COPELAND (4T2) 18 NW UTC–6(–5DT) N32°58.66′ W97°29.54′ **DALLAS–FT WORTH COPTER H–6H, L–17C, A IAP**

693 B NOTAM FILE FTW

RWY 17–35: H5943X127 (ASPH–CONC) LIRL 0.5% up N

RWY 17: Road.

RWY 35: Trees.

SERVICE: **LGT** ACTVT LIRL Rwy 17–35; twy lgts—CTAF.

AIRPORT REMARKS: Unattended. Tnst acft 3 hrs PPR. Rwy 17–35 outer 50′ of each side of rwy asph. Rwy 17 end cntr 40′ conc. Rwy 35 cntr 40′ asph. Pavement cracking with loose aggregate. Twy A poor. Outer 18′ of each side is asph, center 39′ is conc. Extsv hel act in area. 260′ AGL twr 0.7 NM NW Rwy 17 end.

AIRPORT MANAGER: 817-252-3510

COMMUNICATIONS: CTAF/UNICOM 123.075

Ⓡ **Lone Star APP/DEP CON** 125.8

CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.


RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

RANGER (VH) (H) VORTACW 115.7 FUZ Chan 104 N32°53.37′ W97°10.77′ 283° 16.7 NM to fld. 639/6E.

VOR unusable:

275°–290° byd 40 NM

317°–327° byd 40 NM



PEROT FLD/FORT WORTH ALLIANCE (AFW)(KAFW) 14 N UTC–6(–5DT) N32°59.42′ W97°19.17′ **DALLAS–FT WORTH COPTER H–6H, L–17C, A IAP, AD**

723 B ARFF Index—See Remarks NOTAM FILE AFW

RWY 16R–34L: H11125X150 (CONC–GRVD) S–120, D–239, 2S–175, 2D–415, 2D/2D2–929 PCR 786 R/B/W/T HIRL

RWY 16R: REIL. PAPI(P4R)—GA 3.0° TCH 82′. Railroad. Rgt tfc. 0.4% down.

RWY 34L: REIL. PAPI(P4L)—GA 3.0° TCH 74′. Thld dsplcd 716′. Fence. 0.7% up.

RWY 16L–34R: H11000X150 (CONC–GRVD) S–120, D–239, 2S–175, 2D–415, 2D/2D2–929 PCR 786 R/B/W/T HIRL CL

RWY 16L: ALSF2. TDZL. RVR–TMR Rgt tfc. 0.4% down.

RWY 34R: MALSR. TDZL. RVR–TMR P–line. 0.7% up.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 16L: TORA–11000 TODA–11000 ASDA–10600 LDA–10600

RWY 16R: TORA–11010 TODA–11010 ASDA–10410 LDA–10410

RWY 34L: TORA–11010 TODA–11010 ASDA–11010 LDA–10409

RWY 34R: TORA–11000 TODA–11000 ASDA–11000 LDA–11000

SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 4

AIRPORT REMARKS: Attended continuously. Class IV, ARFF Index E. PPR for acr opns with more than 30 psgr seats, call 817–890–1000 or 800–318–9268. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. Portions of Twy H movement area east of Twy A is not visible from ATCT. Prior arrangements required for airframe or power plant repairs for design group III and above. User fee arpt. Flight Notification Service (ADCUS) available.

AIRPORT MANAGER: 817-890-1000

WEATHER DATA SOURCES: ASOS (817) 491–6188

COMMUNICATIONS: ATIS 126.925

LONE STAR APP/DEP CON 118.1 124.3 125.2 125.8 125.9 135.975

ALLIANCE TOWER 135.15 120.825 (Helicopters) **CLNC DEL** 128.725 **GND CON** 132.65

AIRSPACE: CLASS D.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

RANGER (VH) (H) VORTACW 115.7 FUZ Chan 104 N32°53.37′ W97°10.77′ 305° 9.3 NM to fld. 639/6E.

VOR unusable:

275°–290° byd 40 NM


317°–327° byd 40 NM

ILS/DME 110.15 I–UPE Chan 38(Y) Rwy 16L. Class IIIE. DME also serves Rwy 34R.

ILS/DME 110.15 I–JVX Chan 38(Y) Rwy 34R. Class ID. DME also serves Rwy 16L.

COMM/NAV/WEATHER REMARKS: Emerg frequency not available. ARINC frequency 129.75 avbl.

SYCAMORE STRIP (9F9) 8 S UTC–6(–5DT) N32°37.62′ W97°21.24′ **DALLAS–FT WORTH**
762 TPA—1562(800) NOTAM FILE FTW **COPTER**
RWY 17–35: H3375X30 (CONC) LIRL(NSTD) **L–17C, A**
RWY 17: Railroad. Rgt tfc.
RWY 35: Thld dsplcd 175′. Railroad.
SERVICE: S2 **FUEL** 100LL **LGT** LIRL Rwy 17–35 call ahead 817–293–0510 M–F 1500–2300Z‡. Rwy 17–35 NSTD LIRL—single white thr lgt each side, NSTD 15′ fm rwy edge. 2766′ usbl at ngt. Rwy 35 thr 609′ at ngt.
AIRPORT REMARKS: Attended 1500–2300Z‡. Ultralight activity on and in vicinity of arpt. Rwy 35 thld relocated 609′ at ngt. Rwy 17–35 7′ wall 76′ east of centerline parallel and adjacent rwy on 1730′ north end of rwy. Arpt clsd to transient acft except 2 hrs PPR call 817–293–0510. Lndg fee for all tnst acft. Windsock may be unreliable due to proximity of trees.
AIRPORT MANAGER: 817-293-0510
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
RANGER (VH) (H) VORTACW 115.7 FUZ Chan 104 N32°53.37′ W97°10.77′ 203° 18.0 NM to fld. 639/6E.
VOR unusable:
275°–290° byd 40 NM
317°–327° byd 40 NM



FORT WORTH NAS JRB (CARSWELL FLD) (NFW)(KNFW) N (AFRC) 5 W UTC–6(–5DT) **DALLAS–FT WORTH**
N32°46.15′ W97°26.49′ **COPTER**
650 B TPA—See Remarks NOTAM FILE NFW Not insp. **H–6H, L–17C, A**
RWY 18–36: H11999X200 (CONC) PCN 107 R/B/W/T HIRL **DIAP, AD**
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 62′. Rgt tfc.
RWY 36: ALSF1. PAPI(P4L)—GA 3.0° TCH 58′.
RWY 17S–35: H3996X60 (CONC)
ARRESTING GEAR/SYSTEM
RWY 18 HOOK E28(B) (1251'). HOOK E28(B) (1375'). **RWY 36**
SERVICE: S4 **MILITARY—** **JASU** 1(NCPP–105) 1(NC–8) 4(AM32A–86D) 7(AM32A–60A) **FUEL** Opr 1200–0430Z‡. JA **FLUID** SP PRESAIR Ltd LOX. LOX svc not avbl with/non–removable LOX converters UFN. **OIL** O–133–148 Ltd JOAP. **TRAN ALERT** No priority basis. Ltd tran svc/maint avbl, emerg only. Hgr space/fleet svc/de–ice unavbl. Tran acft ctc twr on GND freq prior eng start/ taxiing. 48 hr PN for PPR acft rqr dly tran/ATC svc. Rules of ATC svc brief rqr for acft opr out of NAS Ft. Worth.
MILITARY REMARKS: Opr Mon–Fri 1300–0500Z‡, Sat and Sun 1500–2300Z‡, other times by NOTAM. See FLIP AP/1 Supplementary Arpt Remark. **RSTD** PPR all acft ctc air ODO C817–825–6411, DSN 739–5175. PPR all acft parking ANG ramp, DSN 874–3256, C817–852–3256, normal opr Tue–Fri 1130–2215Z‡, clsd Sat, Sun, Mon, and hol. All tran acft ctc ANG OPS 226.9 15 min prior to ldg. Bearing strength Rwy 18–36: ST175, SBTT593, TRT585. **CAUTION** Taxi on centerline, increase interval. Four–engine acft, secure outboard engine. Moderate and strong west wind reduced at touchdown point Rwy 18 by Lockheed Complex. Bird haz. **TFC PAT** TPA—Rectangular 1700 (1050), overhead 2200 (1550), Helicopter 1200 (550). **CSTMS/AG/IMG** US military customs schedule Mon–Fri 1400–2200Z‡ 48 hr prior notice through NAS Security DSN 739–5200, C817–782–5200. **MISC** E–28 A–gear maint sked second and third Wed ev month fm 1200–1800Z‡. Maint days and times adjusted for inclement wx. Rwy 18 first 1000 ft concrete, 6700 ft hi–friction asphalt, 2800 ft grooved concrete, remaining 1500 ft concrete, Twy B east of Twy F 50 ft. Twy A will be clsd between Twy F and the ramp from 1630–1730 local, Tue thru Fri, and at other times as disseminated by NOTAM. Flight Plan Dispatch DSN 739–7531, C817–782–7531. On site Wx forecasting available, ctc 1–888–PILOT–WX (1–888–745–6899) for forecasting svc. POC for the AFM and CALP C817–782–6824. Duty driver not avbl. Lockheed Martin—Official Business Only. For access, ctc Lockheed Martin flt ops DSN 838–5677, C817–763–3624. See FLIP AP/1 Supplementary Arpt Remark for additional information. **AFRC** DSN 739–6888. NOTE: See Special Notices—Aerobatic Practice Area.
COMMUNICATIONS: SFA ATIS 351.675 (1300–0500Z‡)
Ⓡ **LONE STAR APP/DEP CON** 118.1 124.3 125.2 125.8 125.9 135.975 257.95 282.275 306.95 343.65 (North) 125.8 135.975 (South) 118.1 125.8
NAVY FORT WORTH TOWER 120.95 269.325 284.725 (Mon–Fri 1300–0500Z‡, Sat–Sun 1500–2300Z‡ other times by NOTAM.)
NAVY FORT WORTH GND CON 121.675 279.575 **NAVY FORT WORTH ARR** 128.775 371.875 (Mon–Fri 1300–0500Z‡, clsd Sat, Sun and hol.) **GND CON** 121.675 **CLNC DEL** 126.4 254.325
PMSV METRO 342.55 **BASE OPS** 291.775 **LOCKHEED** 284.1 292.5 (Mon–Fri 1300–0000Z‡)
ROPER OPS 226.9

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS D svc 1300–0500Z‡ Mon–Fri, 1500–2300Z‡ Sat & Sun, other times by NOTAM; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE NFW.
NAS JRB FORT WORTH (L) TACAN Chan 24 NFW (108.7) N32°46.28′ W97°26.36′ at fld. 631/4E.
TACAN unavbl 0500–1300Z‡
No NOTAM MP: 1330–1530Z‡ Wed
TACAN AZIMUTH unusable:
180°–320° byd 20 NM blo 4,000′
DME unusable:
180°–320° byd 20 NM blo 4,000′
ILS/DME 108.7 I–NFW Chan 24 Rwy 18. Class IB. No NOTAM MP: 1300–1600Z‡ Mon and Wed . ILS not avbl when twr clsd.
ILS 109.3 I–FWH Rwy 36. Class IB. LOC unavbl when ATCT clsd.
ASR/PAR 1300–0500Z‡ Mon–Fri, exc hol
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

FOUR WINDS (See CELINA on page 288)

FOX STEPHENS FLD/GILMER MUNI (See GILMER on page 337)

FRANKLIN CO (See MOUNT VERNON on page 398)

FRANKSTON


AERO ESTATES (T25) 3 NE UTC–6(–5DT) N32°04.91′ W95°27.15′ **DALLAS–FT WORTH**
445 NOTAM FILE FTW
RWY 09–27: 3100X60 (TURF) LIRL
RWY 09: VASI(V2L). Pole. Rgt tfc.
RWY 27: Trees.
SERVICE: **LGT** ACTIVATE LIRL Rwy 09–27, VASI Rwy 09, lighted wind cone—CTAF, 3 clicks slow.
AIRPORT REMARKS: Attended irregularly. Deer on and invof rwy. All acft monitor CTAF due to proximity to Paradise Point pvt. arpt north of arpt. Rwy 09, 20 ft flagpole at Rwy 09 thld, 90 ft L. Rwy 09 rgt tfc pat: All acft remain south of the rwy. Rwy 09–27 marked with 18′ numerals on 40′ by 50′ asph pad. Student Pilot training prohibited except by residents of Aero Estates.
AIRPORT MANAGER: 903-530-9025
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
HELIPAD H1: 50X50 (TURF)
HELIPORT REMARKS: 14′ bldg 200′ north and 20′ bldg 200′ west of landing pad. 43′ trees 152′ north, 30′ pole 70′ east, 38′ trees 280′ south, 25′ pole 205′ west.

AERO ESTATES SPB (TX1) 3 NE UTC–6(–5DT) N32°04.75′ W95°25.95′ **DALLAS–FT WORTH**
345 NOTAM FILE FTW
WATERWAY 17W–35W: 5268X300 (WATER)
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 903-530-9025
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

FRANKSTON N32°04.48′ W95°31.85′ NOTAM FILE FTW. **HOUSTON**
(L) (L) VORW/DME 111.4 FZT Chan 51 283° 16.1 NM to Athens Muni. 305/6E. **H–6I, L–17D**
VOR portion unusable:
270°–293° byd 5 NM blo 8,000′
293°–295° byd 25 NM blo 3,500′
295°–340° byd 20 NM

FREDERICKSBURG

GILLESPIE CO (T82) 3 SW UTC–6(–5DT) N30°14.59′ W98°54.55′ **SAN ANTONIO**
1695 B NOTAM FILE T82 **H–7B, L–19C**
RWY 14–32: H5002X75 (ASPH) S–30 PCN 21 F/C/X/T MIRL **IAP**
0.4% up NW
RWY 14: PAPI(P2L)—GA 3.0° TCH 43′. Fence. Rgt tfc.
RWY 32: PAPI(P2L)—GA 3.0° TCH 37′. Road.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Rwy 14–32 MIRL preset low intst; to incr intst ACTVT—CTAF.
NOISE: Voluntary noise abatement procs in effect; See arpt website. Avoid houses 60 degs at 35 NM from Dep end Rwy 14.
AIRPORT REMARKS: Attended 1400–0000Z‡. 100LL 24 hr self serve. Full serve avbl during atnd hrs. Seasonal ffr air opns in and out of arpt. 75 ft tank 300 ft SE of rotg bcn. FBO: 830–997–3313.
AIRPORT MANAGER: 830-990-5764
WEATHER DATA SOURCES: AWOS–3 120.0 (830) 990–2716.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ**HOUSTON CENTER APP/DEP CON** 134.2
CLEARANCE DELIVERY PHONE: For CD if una via GCO ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE T82.
STONEWALL (VH) (H) VORTACW 113.8 STV Chan 85 N30°12.41′ W98°42.35′ 274° 10.8 NM to fld. 1530/8E.
TACAN AZIMUTH unusable:
056°–066° byd 30 NM blo 3,000′
067°–055° byd 30 NM blo 3,300′
DME unusable:
056°–066° byd 30 NM blo 3,000′
067°–055° byd 30 NM blo 3,300′
VOR unusable:
056°–066° byd 30 NM blo 3,000′
067°–055° byd 30 NM blo 3,300′
110°–122° byd 40 NM blo 5,500′
110°–122° byd 46 NM
123°–210° byd 40 NM
230°–240° byd 40 NM



FREEDOM FLD (See LINDSAY on page 378)

FREER


DUVAL–FREER (T19) 1 NE UTC–6(–5DT) N27°53.32′ W98°36.00′ **BROWNSVILLE**
564 B NOTAM FILE SJT **L–20H**
RWY 14–32: H3200X60 (ASPH) S–24 RWY LGTS(NSTD)
RWY 14: Trees.
RWY 32: Trees.
SERVICE: **LGT** Rwy 14–32 NSTD fixtures. Svrl rwy and thr lgts inop or misg. Lgts mounted on non–frangible steel rods. Rwy lgts OTS indefly.
AIRPORT REMARKS: Unattended. Apron and twy, no marking. Rwy 14–32 broken asphalt, loose stones on rwy, vegetation encroaching along edges. Rwy 14–32 mkgs faded. No trml fac. To have gate unlocked, call 361–394–6002 (police dept).
AIRPORT MANAGER: 361-453-1325
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

FULSHEAR

COVEY TRAILS (XØ9) 3 E UTC–6(–5DT) N29°41.41′ W95°50.43′ **HOUSTON**
130 B NOTAM FILE CXO
RWY 17–35: 3352X100 (TURF) LIRL(NSTD)
RWY 17: VASI(V2L). Thld dsplcd 315′. Tree.
RWY 35: Thld dsplcd 250′. Tree.
SERVICE: **LGT** Dusk–0400Z‡. ACTVT LIRL Rwy 17–35 aft 0400Z‡—CTAF. VASI Rwy 17 opr consly. Rtg bcn dusk–0400Z‡. Rwy 17–35 nstd LIRL; 2800 ft of rwy lgtd at night btn dsplcd thlds.
AIRPORT REMARKS: Unattended. Rwy 17–35 soft areas, unretracted sprinkler heads on rwy. Base legs and turns to final apch must be within 0.75 NM of the rwy ends. Cell twr, 1.5 miles south of Rwy 17 end. Student tng prohibited. Ldg fee.
AIRPORT MANAGER: 281-685-7540
COMMUNICATIONS: CTAF/UNICOM 122.725
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.


GAINES CO (See SEMINOLE on page 434)

GAINESVILLE MUNI (GLE)(KGLE) 3 W UTC–6(–5DT) N33°39.13′ W97°11.84′ **DALLAS–FT WORTH**
846 B NOTAM FILE GLE **H–6H, L–17C, A**
RWY 18–36: H6000X100 (ASPH) S–30, D–50 MIRL 0.9% up N **IAP, AD**
RWY 18: REIL. PAPI(P2R)—GA 3.0° TCH 45′. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 45′. Trees.
RWY 13–31: H4307X75 (ASPH) S–15 0.8% up NW
RWY 13: Trees.
RWY 31: Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** Rwy 18–36 MIRL preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. 100LL self–serve and full serve. Rwy 13–31 has extsv cracking. Rwy 13 has aim points. Rwy 13 markings faded. Rwy 31 markings faded. Hel skid ldg prohibited on all paved sfcs.
AIRPORT MANAGER: 940-668-4565
WEATHER DATA SOURCES: AWOS–3PT 118.375 (940) 612–3549.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.75
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
BOWIE (H) (H) VORTACW 117.15 UKW Chan 118(Y) N33°32.15′ W97°49.28′ 071° 32.0 NM to fld. 1102/6E.



GALVESTON

SCHOLES INTL AT GALVESTON (GLS)(KGLS) 3 SW UTC–6(–5DT) N29°15.92′ **HOUSTON**
W94°51.63′ **COPTER**
6 B LRA NOTAM FILE GLS MON Airport **H–7C, L–19E, 21A, GOAW**
RWY 18–36: H6001X150 (CONC) S–74, D–92, 2D–162 MIRL **IAP, AD**
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 44′.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Bldg.
RWY 14–32: H6000X150 (ASPH–CONC) S–90, D–115, 2D–192 HIRL
RWY 14: MALSR. PAPI(P4L)—GA 3.0° TCH 52′.
RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 46′. Bldg.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 14: TORA–6000 TODA–6000 ASDA–6000 LDA–6000
RWY 18: TORA–6001 TODA–6001 ASDA–6001 LDA–6001
RWY 32: TORA–6000 TODA–6000 ASDA–5819 LDA–5819
RWY 36: TORA–6001 TODA–6001 ASDA–6001 LDA–6001
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** HIRL Rwy 14–32, MIRL Rwy 18–36 preset on med intst. To incr intst and ACTVT MALSR Rwy 14—CTAF. PAPI Rwys 14, 18, 32 and 36 opr consly.
AIRPORT REMARKS: Attended 1200–0200Z‡. Flocks of birds invof arpt blw 200 ft AGL. Hels oprg on and invof arpt. 100LL aft hrs svc 409–750–0195. 178 ft lgtd bldg 1800 ft NE of Rwy 18 thr. Pilots conducting EFVS ops; be aware LED ALS in use Rwy 14. PAEW adj rwys and twys. Rwy 14–32 first 1,300′ NW end is conc. Flight Notification Service (ADCUS) available.
AIRPORT MANAGER: 409-797-3590
WEATHER DATA SOURCES: ASOS 123.950 (409) 740–5483.
COMMUNICATIONS: CTAF 120.575 **UNICOM** 123.05
Ⓡ **HOUSTON APP/DEP CON** 134.45
TOWER 120.575 (1200–0000Z‡) **GND CON** 118.625 **CLNC DEL** 135.35
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc Houston Apch at 281-443-5844 to cnl IFR at 281-443-5888.
AIRSPACE: CLASS D svc 1200–0000Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE GLS.
(VH) (DH) VORW/DME 113.0 VUH Chan 77 N29°16.16′ W94°52.06′ at fld. 4/6E.
VOR unusable:
285°–295° byd 35 NM blo 2,500′
ILS 111.7 I–GLS Rwy 14.



GALVESTON 209B GVW N29°07.80′ W94°33.00′/86 **HOUSTON, HOUSTON TAC**
AWOS–3 118.25 (832) 917–1465 Vis sensor elev 104.0 ft. **L–19E, L–21A, GOAW**

GARDEN BANKS 668 GUL N27°18.00′ W93°32.40′/160
AWOS–3 119.025 (832) 636–9298 Winds unreliable.
L–21B, GOAW

GARLAND/DFW HELOPLEX HELIPORT (T57) 2 SW UTC–6(–5DT) N32°53.22′ W96°41.10′ **DALLAS–FT WORTH**
601 B NOTAM FILE FTW **COPTER**
HELIPAD H1: H105X105 (CONC) PERIMETER LGTS
HELIPAD H2: H54X54 (CONC)
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Peri lgts low intst SS–SR, to incr intst—CTAF.
HELIPORT REMARKS: Attended Mon–Sat 1400–0000Z‡, Sun 1500–2300Z‡. Helipad H1 ingress 360, egress 180. Helipad H2 ingress 180, egress 360. Unmkd powerline S, avoid early turns after dep. 1249 ft MSL (650 ft AGL) twr 1.0 mi N; 42 ft blgs all dir. Pilots are rqrd to flw lead in lgts for both apch and dep. H1 (east pad) mkd 36–NB apch and SB dep. H2 (west pad) mkd 18–SB apch and NB dep. Helipads offset fm each otr for obstn avoidance. Prevailing winds from south.
AIRPORT MANAGER: 214-349-7000
COMMUNICATIONS: CTAF/UNICOM 123.05
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

GARNER FLD (See UVALDE on page 452)

GARYS N29°57.52′ W97°56.94′ NOTAM FILE HYI. **SAN ANTONIO**
NDB (LOMW) 272 RU 124° 6.0 NM to San Marcos Rgnl. 819/7E.


GATESVILLE MUNI (GOP)(KGOP) 3 W UTC–6(–5DT) N31°25.26′ W97°47.79′ **SAN ANTONIO**
905 B NOTAM FILE GOP **L–19C, 21A**
RWY 17–35: H3400X60 (ASPH) S–12 MIRL 0.3% up S
RWY 17: PAPI(P2L)—GA 3.0° TCH 30′. Trees.
RWY 35: PAPI(P2L)—GA 3.0° TCH 30′. Trees.
SERVICE: S4 **FUEL** 100LL **OX** 1, 2, 3, 4 **LGT** Dusk–Dawn. MIRL Rwy 17–35 preset low intst, to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. 100LL avbl 24 hrs self serve. Low flying mil jet acft and hel in vcnty.
AIRPORT MANAGER: 254-865-8951
WEATHER DATA SOURCES: AWOS–3PT 119.725 (254) 865–6742. AWOS precipitation unreliable.
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
GOOCH SPRINGS (H) (H) VORTACW 112.5 AGJ Chan 72 N31°11.13′ W98°08.51′ 046° 22.7 NM to fld. 1191/5E.

GAV AIR (See WHARTON on page 459)

GEORGE BUSH INTCNTL/HOUSTON (See HOUSTON on page 356)


GEORGE WEST

LIVE OAK CO (8T6) 2 N UTC–6(–5DT) N28°21.77′ W98°06.99′ **SAN ANTONIO**
129 B NOTAM FILE SJT **L–20H**
RWY 13–31: H3799X60 (ASPH) MIRL **IAP**
RWY 13: PAPI(P2L)—GA 3.0° TCH 53′. P–line.
RWY 31: PAPI(P2L)—GA 3.0° TCH 45′.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 13–31 preset low intst, to incr intst ACTVT—122.7.
AIRPORT REMARKS: Unattended. Birds on and invof arpt. 100LL self–serve. 75′ elec transmission line, 600′ W of and parl to rwy cntrln, full len. For assistance or hngr call 361–449–2559 or 361–449–6315 (cell).
AIRPORT MANAGER: 361-449-8002
WEATHER DATA SOURCES: AWOS–3PT 119.05 (361) 449–1119.
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON CENTER APP/DEP CON** 134.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.



GEORGETOWN EXEC (GTU)(KGTU) 3 N UTC–6(–5DT) N30°40.73′ W97°40.76′ **SAN ANTONIO**
790 B NOTAM FILE GTU **H–7C, L–19C, 21A**
IAP, AD


RWY 18–36: H5004X100 (ASPH–GRVD) S–30, D–60 MIRL 0.8% up N
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 35′. Trees.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Trees. Rgt tfc.
RWY 11–29: H4099X75 (ASPH) S–12.5 MIRL 0.7% up NW
RWY 11: Tree.
RWY 29: Tree. Rgt tfc.



SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 1, 2, 3, 4 **LGT** Aftr twr hrs, MIRL Rwy 18–36 preset low intst; to incr intst and ACTVT REILS Rwy 18–36; MIRL Rwy 11–29—CTAF. .
AIRPORT REMARKS: Attended 1300Z‡–0100Z‡. Deer on and in vicinity of arpt. Mil hel opns prohibited btn 0300–1300Z‡. Rwy 18–36 hel skid ldg prohibited to prevent dmg to groovrd sfc. Portions of Twy F not visible from tower. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 512-930-8464
WEATHER DATA SOURCES: AWOS–3PT (512) 869–3430 LAWRS.
COMMUNICATIONS: CTAF 120.225 **ATIS** 118.6 **UNICOM** 123.0
Ⓡ **AUSTIN APP/DEP CON** 119.0
TOWER 120.225 (1300–0400Z‡) **GND CON** 119.125
CLNC DEL 119.125 **CLNC DEL** 121.1 (when twr clsd)
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
AIRSPACE: CLASS D svc 1300–0400Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71′ W97°31.79′ 331° 19.6 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM

GIDDINGS–LEE CO (GYB)(KGYB) 3 W UTC–6(–5DT) N30°10.16′ W96°58.80′ **HOUSTON**
484 B NOTAM FILE GYB **L–19D, 21A**
IAP

RWY 17–35: H4000X75 (ASPH) S–12.5 MIRL 1.1% up N
RWY 17: PAPI(P2L)—GA 3.75° TCH 34′. Trees.
RWY 35: PAPI(P2L)—GA 3.4° TCH 45′. Trees.



SERVICE: S4 **FUEL** 100LL, JET A
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Deer on and invof arpt. 100LL and Jet A 24 hr self serve.
AIRPORT MANAGER: 979-542-6081
WEATHER DATA SOURCES: AWOS–3 119.225 (979) 542–0382.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **AUSTIN APP/DEP CON** 127.225
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
INDUSTRY (L) TACAN Chan 39 IDU (110.2) N29°57.34′ W96°33.72′ 293° 25.2 NM to fld. 419/8E.

GILLESPIE CO (See FREDERICKSBURG on page 333)

GILMER

FOX STEPHENS FLD/GILMER MUNI (JXI)(KJXI) 2 S UTC–6(–5DT) N32°41.88′ W94°56.93′ **MEMPHIS L–17D IAP**

415 B NOTAM FILE JXI

RWY 18–36: H3998X60 (ASPH) S–12 MIRL

RWY 18: PAPI(P2L)—GA 3.75° TCH 32′.

SERVICE: S4 **FUEL** 100LL, JET A

AIRPORT REMARKS: Attended Mon–Fri 1430–2300Z‡. PAEW invof rwys. Fuel A full svc avbl 1430–2300Z‡, Mon–Fri.

AIRPORT MANAGER: 903-843-2552

WEATHER DATA SOURCES: AWOS–3PT 120.250 (903) 734–7313.

COMMUNICATIONS: CTAF 122.9


Ⓡ **LONGVIEW APP/DEP CON** 124.275 (1200–0400Z‡)

Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.025 (0400–1200Z‡)

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

QUITMAN (L) DME 114.0 UIM Chan 87 N32°52.83′ W95°22.01′ 117° 23.8 NM to fld. 517.



GLADEWATER MUNI (Ø7F) 2 SW UTC–6(–5DT) N32°31.73′ W94°58.31′ **MEMPHIS L–17D IAP**

297 B NOTAM FILE FTW

RWY 14–32: H3299X75 (ASPH) S–12.5 MIRL 0.3% up SE

RWY 14: PAPI(P2L)—GA 3.0° TCH 44′. Trees.

RWY 32: Trees.

RWY 17–35: H2300X50 (ASPH) S–7

RWY 17: Trees.

RWY 35: Trees.

SERVICE: **FUEL** 100LL

AIRPORT REMARKS: Attended 1400–2300Z‡. Parachute Jumping. For service after hours call 903–235–0784. Rwy 17–35 nmrs cracks, loose stones.

AIRPORT MANAGER: 903-845-2586

COMMUNICATIONS: CTAF 122.9

Ⓡ **LONGVIEW APP/DEP CON** 124.275 (1200–0400Z‡)

Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.325 (0400–1200Z‡)

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.

GREGG COUNTY (VL) (H) VORTACW 112.9 GGG Chan 76 N32°25.07′ W94°45.19′ 294° 12.9 NM to fld. 329/7E.

TACAN AZIMUTH unusable:
- 045°–070° byd 25 NM blo 2,500′
- 180°–225° byd 33 NM blo 3,500′
- 248°–258° byd 34 NM blo 8,100′
- 258°–268° byd 26 NM blo 4,500′
- 325°–340° byd 37 NM blo 2,500′

DME unusable:
- 045°–070° byd 25 NM blo 2,500′
- 180°–225° byd 33 NM blo 3,500′
- 248°–258° byd 34 NM blo 8,100′
- 258°–268° byd 26 NM blo 4,500′
- 325°–340° byd 37 NM blo 2,500′

VOR unusable:
- 138°–152° byd 40 NM
- 188°–192° byd 40 NM
- 210°–230° byd 40 NM



GLEN ROSE N32°09.58′ W97°52.66′ NOTAM FILE FTW. **DALLAS–FT WORTH H–6H, L–17C**

(L) TACAN 115.0 JEN Chan 97 276° 15.6 NM to Stephenville Clark Rgnl. 1300/6E.

GODLEY

ARESTI AERODROME (2ØT) 2 NW UTC–6(–5DT) N32°28.24′ W97°33.62′ **DALLAS–FT WORTH**
985 NOTAM FILE FTW
RWY 14–32: 2500X60 (TURF)
RWY 14: P–line. Rgt tfc.
RWY 32: P–line. Rgt tfc.
NOISE: Noise sensitive area 1 mi west of AER 14.
AIRPORT REMARKS: Attended continuously. PPR 30 min prior at 817–304–4658. Pilots rqd to ctc aprt opns at 817–304–4658 for safety brief and ldg auth. Arpt sfc cond not rprtd. PPR 30 min prior at 817–304–4658. Aerobatic box 1 mi north of Rwy 14 thr, 300 ft AGL to 3500 ft AGL. Student trng PPR. Do not taxi on non–mowed areas. The flwg opns prohibited: ultralights, pwrd prchts, sailplanes, auto–gyros, paja, ag opns, airships. Unctld vehicle tfc invof hngrs and rwy. Fqt mowing opns. 30 ft unmkd p–line, parallel to and 60 ft SW of rwy edge, full length, partially obscured by trees. Three 60 ft antennas, 145 ft NE of rwy edge, mid–field. Ldg fee.
AIRPORT MANAGER: 817-304-4658
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

GOLDTHWAITE MUNI (T37) 2 SW UTC–6(–5DT) N31°25.74′ W98°36.50′ **SAN ANTONIO**
1458 B NOTAM FILE FTW **L–19C**
RWY 01–19: H3200X60 (ASPH) S–12.5 MIRL 0.4% up N
RWY 01: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 19: PAPI(P2L)—GA 3.0° TCH 40′. Tree.
SERVICE: **LGT** MIRLS Rwy 01–19 pre–set low intst; to incr intst and ACTVT—CTAF. PAPI Rwy 01 and 19 opr consly.
AIRPORT REMARKS: Attended 1400–2300Z‡. Deer on and invof arpt.
AIRPORT MANAGER: 325-648-3186
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
GOOCH SPRINGS (H) (H) VORTACW 112.5 AGJ Chan 72 N31°11.13′ W98°08.51′ 296° 28.1 NM to fld. 1191/5E.

GOLIAD NOLF (NGT)(KNGT) N 5 N UTC–6(–5DT) N28°36.70′ W97°36.75′ **SAN ANTONIO**
322 NOTAM FILE SJT **H–7C, L–20H, 21A**
RWY 17–35: H8001X150 (PEM) PCN 9 R/B/W/T HIRL
RWY 17: TDZL. PAPI(P4L)—GA 3.0° TCH 54′.
RWY 35: TDZL. PAPI(P4L)—GA 3.0° TCH 53′.
RWY 11–29: H8000X150 (PEM) PCN 8 R/B/W/T HIRL
RWY 11: TDZL. PAPI(P4L)—GA 3.0° TCH 54′. Brush.
RWY 29: TDZL. PAPI(P4L)—GA 3.0° TCH 53′. Brush.
SERVICE: **LGT** Rwy 17 PAPI unusable byd 8° right of centerline.
MILITARY REMARKS: Opr 1400Z‡–SS Mon–Fri. Opr outside publ hr proh. TRAWING 4 exclusive use. **CAUTION** Student training activity, high mid–air potential, extreme vigilance req. All acft check–in with RDO prior to arrival on CTAF. **SERVICE** Avbl only during hrs of opr. No svc avbl.
AIRPORT MANAGER: 361-961-2247
WEATHER DATA SOURCES: ASOS 353.675.
COMMUNICATIONS: CTAF 132.875
Ⓡ **HOUSTON CENTER APP/DEP CON** 135.05 353.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

GONZALES

ROGER M DREYER MEML (T2Ø) 2 NW UTC–6(–5DT) N29º31.75´ W97º27.86´ **SAN ANTONIO**
354 B NOTAM FILE T20 **L–19C, 21A**
RWY 15–33: H3200X50 (ASPH) S–21 MIRL
RWY 15: Trees.
RWY 33: Tower. Rgt tfc.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 15–33 preset on low intst; to incr intst ACTVT—123.0.
AIRPORT REMARKS: Unattended. 100LL self–serve. Rwy 33 5 ft hill, 80 ft right and left of cntrln from thr north 500 ft. Rwy 33, 100´ elec transmission line acrs S apch, 2400´ dstc, mkd and lgtd. No line of sight btn rwy ends.
AIRPORT MANAGER: 830-672-2815
WEATHER DATA SOURCES: AWOS–3 125.875 (830) 519–4254.
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30º22.71´ W97º31.79´ 170º 51.0 NM to fld. 593/6E.
VOR unusable:
180º–190º byd 40 NM
200º–210º byd 40 NM

GOOCH SPRINGS N31º11.13´ W98º08.51´ NOTAM FILE SJT. **SAN ANTONIO**
(H) (H) VORTACW 112.5 AGJ Chan 72 205º 5.5 NM to Lampasas. 1191/5E. **H–6H, L–19C**


GOODHUE N30º04.23´ W94º12.66´ NOTAM FILE CXO. **HOUSTON**
NDB (MHW) 368 GDE at Beaumont Muni. 30/7E. (VFR only).
NDB OTS indef

GORDONVILLE


CEDAR MILLS (3TØ) 3 N UTC–6(–5DT) N33º50.36´ W96º48.60´ **DALLAS–FT WORTH**
640 NOTAM FILE FTW
RWY 07–25: 3000X60 (TURF)
RWY 07: Trees.
RWY 25: Tree.
AIRPORT REMARKS: Unattended. Wildlife on and invof of arpt. Rwy 25 end 70´ fm lake, 10´ drop off. 40´ trees 75´ N and 80´ trees 90´ S of Rwy 25 cntrln. Rwy 07–25 slopes down 24´ fm W to E twd lake.
AIRPORT MANAGER: 903-523-4222
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

GRAFORD

POSSUM KINGDOM (F35) 12 SW UTC–6(–5DT) N32°55.40′ W98°26.21′ **DALLAS–FT WORTH**
1008 B NOTAM FILE FTW **L–17B**
RWY 02–20: H3500X60 (ASPH) S–24 MIRL **IAP**
RWY 02: PAPI(P2L)—GA 3.5° TCH 33′. Trees.
RWY 20: PAPI(P2L)—GA 3.5° TCH 30′. Trees.
SERVICE: **LGT** ACTVT MIRL Rwy 02–20—CTAF.
AIRPORT REMARKS: Unattended. Wildlife invof arpt. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 940-779-2321
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 127.0
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MILLSAP (VH) (H) VORTACW 117.7 MQP Chan 124 N32°43.57′ W97°59.85′ 289° 25.2 NM to fld. 900/9E.
VOR unusable:
004°–009° byd 40 NM
010°–054° byd 40 NM blo 3,800′
010°–054° byd 46 NM blo 5,000′
010°–054° byd 56 NM
055°–066° byd 40 NM blo 3,800′
055°–066° byd 50 NM
230°–247° byd 40 NM
248°–258° byd 40 NM blo 3,700′
248°–258° byd 53 NM
259°–270° byd 40 NM blo 6,000′
259°–270° byd 63 NM
271°–285° byd 40 NM
312°–316° byd 40 NM
325°–340° byd 40 NM blo 3,000′
325°–340° byd 46 NM blo 5,000′
325°–340° byd 66 NM
353°–003° byd 40 NM blo 18,000′




GRAHAM MUNI (RPH)(KRPH) 2 E UTC–6(–5DT) N33°06.64′ W98°33.29′ **DALLAS–FT WORTH**
1123 B NOTAM FILE RPH **H–6H, L–17B**
RWY 03–21: H5001X75 (ASPH) S–25, D–75 PCN PCN/20/F/A/X/T **IAP**
MIRL
RWY 03: PAPI(P2L)—GA 3.0° TCH 40′. P–line.
RWY 21: PAPI(P2R)—GA 3.0° TCH 40′. Trees.
RWY 18–36: H3317X60 (ASPH) S–8 0.6% up S
RWY 18: Thld dsplcd 639′. Road.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 03–21 SS–SR preset to low, to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Widlife on and invof arpt. Call prior to arrival for hangar availability at 940–549–6150.
AIRPORT MANAGER: 940-456-5901
WEATHER DATA SOURCES: AWOS–3P 118.025 (940) 521–0685.
COMMUNICATIONS: CTAF/UNICOM 122.975
Ⓡ**FORT WORTH CENTER APP/DEP CON** 127.0
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MILLSAP (VH) (H) VORTACW 117.7 MQP Chan 124 N32°43.57′ W97°59.85′ 300° 36.4 NM to fld. 900/9E.
VOR unusable:
004°–009° byd 40 NM
010°–054° byd 40 NM blo 3,800′
010°–054° byd 46 NM blo 5,000′
010°–054° byd 56 NM
055°–066° byd 40 NM blo 3,800′
055°–066° byd 50 NM
230°–247° byd 40 NM
248°–258° byd 40 NM blo 3,700′
248°–258° byd 53 NM
259°–270° byd 40 NM blo 6,000′
259°–270° byd 63 NM
271°–285° byd 40 NM
312°–316° byd 40 NM
325°–340° byd 40 NM blo 3,000′
325°–340° byd 46 NM blo 5,000′
325°–340° byd 66 NM
353°–003° byd 40 NM blo 18,000′



GRANBURY RGNL (GDJ)(KGDJ) 2 W UTC–6(–5DT) N32°26.58′ W97°49.28′ **DALLAS–FT WORTH**
835 B NOTAM FILE GDJ **L–17C, A**
RWY 01–19: H5201X75 (CONC) MIRL 1.0% up S **IAP, AD**
RWY 01: PAPI(P2L)—GA 3.0° TCH 40′. Pole.
RWY 19: PAPI(P2L)—GA 3.0° TCH 40′. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 01–19 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1300–0100Z‡. Wildlife on and invof arpt. 100LL fuel 24 hr self serve. For Jet A+ aft hrs call 817–529–4913.
AIRPORT MANAGER: 817-579-8533
WEATHER DATA SOURCES: AWOS–3PT 118.925 (817) 573–7514.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ**FORT WORTH CENTER APP/DEP CON** 135.375
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
GLEN ROSE (L) TACAN Chan 97 JEN (115.0) N32°09.58′ W97°52.66′ 004° 17.2 NM to fld. 1300/6E.

GRAND PRAIRIE MUNI (GPM)(KGPM) 4 SW UTC–6(–5DT) N32°41.93′ W97°02.82′ **DALLAS–FT WORTH**
590 B TPA—See Remarks NOTAM FILE GPM **COPTER**
RWY 18–36: H4001X75 (CONC) S–30 MIRL **L–17C, A**
RWY 18: VASI(V4L)—GA 3.0° TCH 26′. Bldg. **IAP, AD**
RWY 36: REIL. VASI(V4L)—GA 4.0° TCH 37′. Road. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36 preset low intst; to incr intst and ACTVT REIL Rwy 36 aft ATCT clsd—CTAF.
AIRPORT REMARKS: Attended Mar–Oct Mon–Sat 1400–0200Z‡, Nov–Feb Mon–Sat 1400–0200Z‡, Sun 1400–0100Z‡. Extsv hel tfc west side of arpt. 165′ water twr, 1/4 mile west of Rwy 18–36. TPA—1400 (812) fixed wing, 1200 (612) rotary wing. West grass for rotary wing use only. No ADS–B billing or ldg fees. GA tsnt ramp free for short term only. Rwy 18–36 WIP Grass cutting adj orange robotic mowers.
AIRPORT MANAGER: 972-237-7591
WEATHER DATA SOURCES: AWOS–3P 118.475 (972) 606–1433.
COMMUNICATIONS: CTAF 128.55 **UNICOM** 123.075
Ⓡ **LONE STAR APP/DEP CON** 135.975
TOWER 128.55 (1200–0200Z dalgt time; 1400–0000Z standard time) **GND CON** 121.15
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc Lone Star Apch at 972-615-2799.
AIRSPACE: CLASS D svc 1200–0200Z dalgt time, 1400–0000Z standard time; other times CLASS G.



RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MAVERICK (VH) (H) VORW/DME 113.1 TTT Chan 78 N32°52.15′ W97°02.43′ 176° 10.2 NM to fld. 536/6E.
All acft arriving DFW are requested to turn DME off until departure due to traffic overload of Maverick DME.
DME unusable:
180°–190° byd 10 NM
240°–260° byd 20 NM blo 3,500′
VOR unusable:
105°–110° byd 40 NM

• • • • • • • • • • • • • • • • • • • •

HELIPAD H1: H50X50 (CONC) PERIMETER LGTS


GRANITE SHOALS/ BOB SYLVESTER AIRPARK (2G5) 1 E UTC–6(–5DT) N30°35.36′ W98°22.22′ **SAN ANTONIO**
860 NOTAM FILE 2G5
RWY 02–20: 2000X50 (TURF–DIRT)
RWY 02: Trees.
RWY 20: Road.
AIRPORT REMARKS: Unattended. Arpt is dalgt use only. Deer on and invof rwy. Acft not visible from opposite end. Rwy mkd w/ white plastic pipe. Last mkrs red.
AIRPORT MANAGER: 830-598-2424
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

GREATER MORRIS CO (See DAINGERFIELD on page 302)

GREEN ACRES AIRFIELD (See PAMPA on page 408)

GREENVILLE

MAJORS (GVT)(KGVT) P (AF) 4 SE UTC–6(–5DT) N33°04.07′ W96°03.92′ **DALLAS–FT WORTH**
535 B NOTAM FILE GVT **H–6H, L–17D**
RWY 17–35: H8030X150 (ASPH) S–26 MIRL **IAP, DIAP, AD**
RWY 17: MALS. PAPI(P4L)—GA 3.0° TCH 74′. Antenna. 0.4% up.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 66′. Fence. 0.3% up.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTVT MALS Rwy 17; REIL Rwy 35; MIRL Rwy 17–35—CTAF.
MLITARY—JASU 1(B–10) 1(B–10A) 1(MD–3) 1(MA–1) 1(MA–3) **FUEL** (NC–100LL, A)
AIRPORT REMARKS: Attended Sun–Thu 1330–2300Z‡, Fri–Sat 1330–0000Z‡. Parachute Jumping. When ATCT clsd and there is an emerg or incident on arpt, ctc 903–457–5333. 100LL self svc avbl 24 hours. PPR for PAJA onto Majors Field. 89 ft high intsty radio freq ant 3700 ft east of Rwy 35 at end of Twy K. Twy E lgts located 47 ft from pavement edge. Acft not vsb fm opposite end of rwy. Nmrs mil acft on fld for modification.
AIRPORT MANAGER: 903-457-3168
WEATHER DATA SOURCES: AWOS–3 133.425 (903) 455–7703.
COMMUNICATIONS: CTAF 118.65 **UNICOM** 122.95
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.025 317.75
TOWER 118.65 385.425 (1330–2200Z‡ Mon–Fri, irregular other hrs)
GND CON 121.7 335.8 **AFMCLO FLT** 349.6



CLEARANCE DELIVERY PHONE: When ATCT clsd, for CD ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS D svc 1330–2200Z‡ Mon–Fri; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
BONHAM (VH) (H) VORTACW 114.6 BYP Chan 93 N33°32.25′ W96°14.05′ 157° 29.4 NM to fld. 700/6E.
ARVILLA (T) TACAN Chan 33 MJF (109.6) N33°03.98′ W96°03.68′ at fld. 543/5E. NOTAM FILE GVT.
DME unusable:
024°–034° byd 16 NM blo 3,000′
080°–095° byd 5 NM
TACAN AZIMUTH unusable:
024°–034° byd 16 NM blo 3,000′
080°–095° byd 5 NM
212°–222° byd 12 NM blo 3,500′
SULPHUR SPRINGS (L) DME 109.0 SLR Chan 27 N33°11.92′ W95°32.57′ 254° 27.5 NM to fld. 476. NOTAM FILE SLR.
ILS/DME 110.5 I–GVT Chan 42 Rwy 17. Class IT. Glideslope unusable for cpd apch blw 900 MSL.

GREGORY M SIMMONS MEML (See CISCO on page 290)

GROESBECK N31°34.89′ W96°32.95′ NOTAM FILE FTW. **HOUSTON**
(L) DME 108.8 GNL Chan 25 026° 4.0 NM to Mexia–Limestone Co. 514. **L–19D, A**
DME unusable:
150°–205° byd 30 NM blo 2,500′
230°–310° byd 30 NM blo 2,400′
345°–035° byd 35 NM blo 2,500′

GROVETON/TRINITY CO (33R) 3 NW UTC–6(–5DT) N31°05.06′ W95°09.85′ **HOUSTON**
340 B NOTAM FILE CXO **L–19E, 21A**
RWY 16–34: H3500X60 (ASPH) S–8 LIRL
RWY 16: Trees.
RWY 34: Trees.
SERVICE: **LGT** ACTIVATE LIRL Rwy 16–34—CTAF.
AIRPORT REMARKS: Unattended. Deer and feral hogs on and invof arpt.
AIRPORT MANAGER: 936-642-1746
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.
LUFKIN (VH) (H) VORTACW 112.1 LFK Chan 58 N31°09.75′ W94°43.01′ 254° 23.5 NM to fld. 207/5E.
TACAN AZIMUTH unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
DME unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
VOR unusable:
305°–312° byd 40 NM
313°–323° byd 40 NM blo 2,300′
313°–323° byd 66 NM
324°–330° byd 40 NM

GRUVER MUNI (E19) 2 SW UTC–6(–5DT) N36°14.02′ W101°25.93′ **WICHITA**
3205 B NOTAM FILE FTW **L–15B**
RWY 02–20: H4698X60 (ASPH) S–12.5 MIRL 0.4% up SW **IAP**
RWY 02: Fence.
SERVICE: **LGT** ACTVT MIRL Rwy 02–20—CTAF.
AIRPORT REMARKS: Unattended. Extsv pavement cracking, potholes at Rwy 20 thr. Rwy 02 and Rwy 29 mkgs faded.
AIRPORT MANAGER: 806-733-2424
COMMUNICATIONS: CTAF 122.9
Ⓡ**ALBUQUERQUE CENTER APP/DEP CON** 127.85
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.
BORGER (L) TACAN Chan 23 BGD (108.6) N35°48.42′ W101°22.93′ 344° 25.7 NM to fld. 3130/11E.
TACAN AZIMUTH unusable:
220°–320° byd 10 NM blo 12,000′

GUADALUPE PASS N31°49.97′ W104°48.55′ **EL PASO**
RCO 122.5 (ALBUQUERQUE RADIO) **L–6G**

GUTHRIE VUF N33°38.23′ W100°20.86′/1787 **DALLAS–FT WORTH**
AWOS–3PT 120.20 (806) 596–4616 VUF AWOS–3PT is associated with 6666 Ranch airport 6TE6. **L–17B**

GUTHRIE N33°46.70′ W100°20.17′ NOTAM FILE FTW. **DALLAS–FT. WORTH**
(L) DME 114.5 GTH Chan 92 010° 15.2 NM to Dan E Richards Muni. 1941. **H–6G, L–17B**


H H COFFIELD RGNL (See ROCKDALE on page 422)

HALE CO (See PLAINVIEW on page 412)

HALL–MILLER MUNI (See ATLANTA on page 268)

HALLETTSVILLE MUNI (34R) 3 S UTC–6(–5DT) N29°23.40′ W96°57.36′ **HOUSTON**
278 B NOTAM FILE CXO **L–19D, 21A**
RWY 17–35: H3210X60 (ASPH) S–7 MIRL
RWY 17: Trees.
RWY 35: Trees.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Unattended. 100LL 24 hr self serve. Rwy 17 and Rwy 35 rwy mkgs discolored.
AIRPORT MANAGER: 361-798-2201
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE VCT.
VICTORIA (L) (L) VORW/DME 109.0 VCT Chan 27 N28°54.02′ W96°58.74′ 356° 29.3 NM to fld. 126/6E.
VOR unusable:
345°–355° byd 30.0 NM

HAMILTON MUNI (MNZ)(KMNZ) 2 S UTC–6(–5DT) N31°39.96′ W98°08.92′ **SAN ANTONIO**
1305 B NOTAM FILE FTW **H–6H, L–19C**
RWY 18–36: H5012X75 (ASPH) S–30 MIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 38′.
RWY 36: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36 SS–SR preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Intmt. 100LL fuel 24 hrs self–serve. For aft hrs atndnt 254–784–5923. Glider opns invof arpt. Glider tow avbl.
AIRPORT MANAGER: 254-386-3939
WEATHER DATA SOURCES: AWOS–3PT 118.525 (254) 386–8211.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **GRAY APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
GOOCH SPRINGS (H) (H) VORTACW 112.5 AGJ Chan 72
N31°11.13′ W98°08.51′ 354° 28.8 NM to fld. 1191/5E.




HARLINGEN

VALLEY INTL (HRL)(KHRL) 3 NE UTC–6(–5DT) N26°13.59′ W97°39.32′ **BROWNSVILLE**
36 B ARFF Index—See Remarks NOTAM FILE HRL **H–7C, L–20H, 21A**
RWY 18R–36L: H9400X150 (ASPH–GRVD) S–160, D–200, 2S–175, 2T–561, 2D–350, 2D/D1–593, 2D/2D2–700, C5–840 PCR 380 F/D/X/T HIRL **IAP, AD**
RWY 18R: MALSR. PAPI(P4L)—GA 3.0° TCH 71′. RVR–TMR Rgt tfc.
RWY 36L: MALSR. PAPI(P4R)—GA 3.0° TCH 74′. RVR–TMR
RWY 13–31: H7257X150 (ASPH–GRVD) S–160, D–200, 2S–175, 2D–350, 2D/2D2–700 PCR 310 F/D/X/T HIRL
RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 59′.
RWY 31: MALSR. PAPI(P4L)—GA 3.0° TCH 55′.
RWY 18L–36R: H5950X150 (ASPH) S–160, D–200, 2D–350 PCR 210 R/B/W/T MIRL
RWY 18L: REIL. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 36R: Thld dsplcd 190′. Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 13: TORA–7257 TODA–7257 ASDA–7257 LDA–7257
RWY 18L: TORA–5949 TODA–5949 ASDA–5949 LDA–5949
RWY 18R: TORA–9400 TODA–9400 ASDA–9400 LDA–9400
RWY 31: TORA–7257 TODA–7257 ASDA–7257 LDA–7257
RWY 36L: TORA–9400 TODA–9400 ASDA–9400 LDA–9400
RWY 36R: TORA–5949 TODA–5949 ASDA–5949 LDA–5759
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** Dusk–dawn. When ATCT clsd ACTVT MALSR Rwy 18R, Rwy 31, Rwy 36L—CTAF. Rwy 18L VGSI unusbl byd 7 degs right of cntrln.
AIRPORT REMARKS: Attended 1200–0600Z‡. Migratory birds on and in vicinity of arpt. Class I, ARFF Index B. ARFF Index C available. PPR for ACR acft greater than 126′ in length call 956–430–8605. When ATCT clsd req ARFF thru Corpus Approach or flt svc. User fee arpt.
AIRPORT MANAGER: 956-430-8605
WEATHER DATA SOURCES: ASOS 124.85 (956) 428–7297. LAWRS.
COMMUNICATIONS: CTAF 119.3 **ATIS** 124.85 **UNICOM** 122.95
Ⓡ **VALLEY APP/DEP CON** 120.7
HARLINGEN TOWER 119.3 (1200–0600Z‡) **GND CON** 121.7
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc crp Apch at 361-299-4230.
AIRSPACE: CLASS C svc ctc **APP CON** svc 1200–0600Z‡ other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE HRL.
HARLINGEN (VL) (DH) VORW/DME 113.65 HRL Chan 83(Y) N26°13.75′ W97°39.14′ at fld. 32/5E.
ILS/DME 111.5 I–HRL Chan 52 Rwy 18R. Class IIE. Unmonitored when ATCT closed.
ILS/DME 111.5 I–RVZ Chan 52 Rwy 36L. Class IIE.
COMM/NAV/WEATHER REMARKS: Emergency frequency 121.5 not available at tower.

HARRISON CO (See MARSHALL on page 386)

HARRISON FLD OF KNOX CITY (See KNOX CITY on page 370)

HASKELL MUNI (15F) 2 N UTC–6(–5DT) N33°11.49′ W99°43.07′ **DALLAS–FT WORTH**
1625 B NOTAM FILE FTW **L–17B**
RWY 18–36: H3420X50 (ASPH) S–13 MIRL 1.0% up S **IAP**
RWY 18: Thld dsplcd 206′. P–line.
RWY 36: Road.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 18–36—122.8. Nmrs lts out, obscured by vegetation.
AIRPORT REMARKS: Unattended. For 100LL fuel wkdays 1400–2300Z‡ call 940–207–1855; nights and weekends call 940–864–2345. No line of sight between rwy ends. Rwy 18–36 nmrs cracks, spalling, loose stones, vegetation growing. Rwy 18 and Rwy 36 mkg poor.
AIRPORT MANAGER: 940-864-2333
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.5
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE


RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.

ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 360° 43.2 NM to fld. 1809/10E.

VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′


HAWTHORNE FLD (See KOUNTZE/SILSBEE on page 370)

HEARNE MUNI (LHB)(KLHB) 1 SW UTC–6(–5DT) N30°52.33′ W96°37.33′ **HOUSTON**
285 B NOTAM FILE LHB **L–19D, 21A**
RWY 18–36: H4001X75 (ASPH) S–17 MIRL **IAP**
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 18–36 preset low intst; to incr intst ACTVT—123.3.
AIRPORT REMARKS: Unattended. Parachute Jumping. Rwy 18–36 mkgs faded. NOTE: See Special Notices–Hearne, TX–Model Aircraft Activity.
AIRPORT MANAGER: 979-279-3461
WEATHER DATA SOURCES: AWOS–3PT 118.675 (979) 280–5596.
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON APP/DEP CON** 134.3
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.
COLLEGE STATION (L) (L) VORTACW 113.3 CLL Chan 80
N30°36.30′ W96°25.24′ 319° 19.1 NM to fld. 264/8E.
TACAN unusable:
101°–130° byd 25 NM blo 2,500′
131°–148° byd 30 NM blo 2,500′
149°–160° byd 30 NM blo 2,000′
325°–349° byd 30 NM blo 2,500′
350°–100° byd 25 NM blo 3,500′
VOR unusable:
024°–034° blo 4,000′
024°–034° byd 20 NM
131°–142° blo 7,000′
142°–152° byd 30 NM
152°–189° blo 7,000′



HEBBRONVILLE


JIM HOGG CO (HBV)(KHBV) 3 NW UTC–6(–5DT) N27°20.97′ W98°44.22′ **BROWNSVILLE**
663 B NOTAM FILE HBV **H–7B, L–20H**
RWY 13–31: H5003X75 (ASPH) S–30, D–72, 2S–91 MIRL **IAP**
RWY 13: PAPI(P2L)—GA 3.0° TCH 39′. Trees.
RWY 31: PAPI(P2L)—GA 3.0° TCH 43′. Tree.
SERVICE: **FUEL** JET A **LGT** MIRL Rwy 13–31 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Unattended. Attendant on call. For jet A, call 361–850–3430. Rwy 13–31 gross weight pavement strength provided by arpt manager. Large acft exiting Rwy 31 should back taxi on rwy due to obstn on twy. No public facilities.
AIRPORT MANAGER: 956-693-7751
WEATHER DATA SOURCES: AWOS–3PT 118.075 (361) 235–4006.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 127.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LRD.
LAREDO (VH) (H) VORTACW 117.4 LRD Chan 121 N27°28.72′ W99°25.06′ 093° 37.2 NM to fld. 583/9E.
VOR unusable:
080°–126° byd 40 NM
127°–137° byd 40 NM blo 4,500′
127°–137° byd 56 NM
138°–148° byd 57 NM
190°–260° byd 40 NM




HEMPHILL CO (See CANADIAN on page 286)

HENDERSON

RUSK CO (RFI)(KRFI) 3 W UTC–6(–5DT) N32°08.50′ W94°51.10′ **MEMPHIS**
442 B NOTAM FILE FTW **L–17D**
RWY 17–35: H4005X75 (ASPH) S–22 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 12–30: H3002X75 (ASPH) S–22
RWY 12: Trees.
RWY 30: Trees.
SERVICE: **FUEL** 100LL
AIRPORT REMARKS: Attended 1400–2300Z‡. 100LL 24 hrs self serve.
Rwy 12–30 extensive cracking, mrkgs faded.
AIRPORT MANAGER: 903-657-7081
WEATHER DATA SOURCES: AWOS–3 119.375 (903) 657–0384.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**LONGVIEW APP/DEP CON** 124.275 (1200–0400Z‡)
Ⓡ**FORT WORTH CENTER APP/DEP CON** 135.25 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at
817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.
GREGG COUNTY (VL) (H) VORTACW 112.9 GGG Chan 76
N32°25.07′ W94°45.19′ 190° 17.3 NM to fld. 329/7E.
TACAN AZIMUTH unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′
DME unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′
VOR unusable:
138°–152° byd 40 NM
188°–192° byd 40 NM
210°–230° byd 40 NM



HEREFORD MUNI (HRX)(KHRX) 4 NE UTC–6(–5DT) N34°51.64′ W102°19.55′ **ALBUQUERQUE**
3788 B NOTAM FILE FTW **H–6G, L–6H**
RWY 02–20: H6100X100 (CONC–GRVD) MIRL **IAP**
RWY 02: PAPI(P4L)—GA 3.0° TCH 52′. P–line.
RWY 20: PAPI(P4L)—GA 3.0° TCH 48′.
RWY 14–32: 3807X135 (TURF)
RWY 14: P–line.
RWY 32: P–line.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 02–20 preset low intst SS–SR. To ACTVT MIRL Rwy 02–20 or incr intst–CTAF. PAPI Rwy 02 and 20 opr consly.
AIRPORT REMARKS: Attended 1400–2300Z‡. 100LL 24 hrs self–serve. Rwy 14 and Rwy 32 thr mkd with 10 x 60 ft concrete pad acrs end.
AIRPORT MANAGER: 806-344-7710
WEATHER DATA SOURCES: AWOS–3 118.05 (806) 258–7283.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **AMARILLO APP/DEP CON** 119.5 121.15 (1200–0600Z‡)
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85 (0600–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
TEXICO (VH) (H) VORTACW 112.2 TXO Chan 59 N34°29.71′ W102°50.38′ 038° 33.6 NM to fld. 4060/11E.
VOR unusable:
095°–100° byd 40 NM
120°–130° byd 40 NM
210°–272° byd 60 NM blo 10,000′
273°–283° byd 40 NM blo 6,000′
273°–283° byd 46 NM blo 7,000′
273°–283° byd 59 NM
284°–319° byd 40 NM
320°–035° byd 40 NM
TACAN AZIMUTH unusable:
222°–232°




HERITAGE CREEK AIRSTRIP (See DECATUR on page 310)

HICKS (See PONDER on page 413)


HICKS AIRFIELD (See FORT WORTH on page 329)

HIGGINS/LIPSCOMB CO (1X1) 1 S UTC–6(–5DT) N36°06.35′ W100°01.54′ **WICHITA**
2566 NOTAM FILE FTW **L–15C**
RWY 18–36: H3969X60 (ASPH) S–12.5 0.7% up N **IAP**
RWY 18: Thld dsplcd 196′. Trees.
AIRPORT REMARKS: Unattended. No line of sight btn rwy ends. 120 ft AGL water twr, 2000 ft NW of Rwy 18 end, unlgtd. Pea stone surface seal, loose stones on rwy.
AIRPORT MANAGER: 806-862-4131
COMMUNICATIONS: CTAF 122.9
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.
MITBEE (VH) (H) VORTACW 115.6 MMB Chan 103 N36°20.62′ W99°52.81′ 196° 15.9 NM to fld. 2426/10E.



HILLSBORO MUNI (INJ)(KINJ) 5 N UTC–6(–5DT) N32°05.02′ W97°05.84′ **DALLAS–FT WORTH**
686 B NOTAM FILE INJ **L–17C, A**
RWY 16–34: H3998X75 (ASPH) S–12.5 MIRL 0.3% up N **IAP**
RWY 16: PAPI(P2L)—GA 3.0° TCH 41′.
RWY 34: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: S4 **FUEL** 100LL, JET A1+ **LGT** MIRL Rwy 16–34 SS–SRpreset low intst; to incr intst—CTAF.
NOISE: Noise sensitive area: Extend pattern on tkof and lndg Rwy 16 to avoid flying over houses to the southeast and east of arpt.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. Skydiving actvty invof arpt. Fuel 100LL 24 hr self serve.
AIRPORT MANAGER: 254-582-3731
WEATHER DATA SOURCES: AWOS–3PT 118.725 (254) 582–0063.
COMMUNICATIONS: CTAF 122.9
Ⓡ **WACO APP/DEP CON** 127.65 (1200–0600Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.3 (0600–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.
WACO (VH) (H) VORTACW 115.3 ACT Chan 100 N31°39.73′ W97°16.14′ 010° 26.7 NM to fld. 507/9E.
VOR unusable:
125°–149° byd 40 NM
149°–159° byd 47 NM
159°–187° byd 40 NM
188°–198° byd 40 NM blo 12,000′
199°–234° byd 40 NM
235°–245° byd 50 NM
246°–256° byd 40 NM blo 18,000′
246°–256° byd 52 NM
257°–267° byd 58 NM
268°–282° byd 51 NM
270°–335° byd 35 NM blo 4,000′
283°–293° byd 40 NM blo 6,000′
283°–293° byd 58 NM
294°–330° byd 40 NM

HONDO RGNL (HDO)(KHDO) 2 NW UTC–6(–5DT) N29°21.55′ W99°10.65′ **SAN ANTONIO**
930 B TPA—1730(800) NOTAM FILE HDO **H–7B, L–19B**
RWY 17L–35R: H6002X100 (CONC) S–30, D–45, 2D–90 **IAP, DIAP**
PCN 103/R/C/W/T MIRL 0.3% up N
RWY 17L: PAPI(P4L)—GA 3.0° TCH 45′. Bldg.
RWY 35R: PAPI(P4L)—GA 3.0° TCH 45′. Rgt tfc.
RWY 13–31: H5545X150 (CONC) S–30, D–45, 2D–90 0.3% up NW
RWY 13: Thld dsplcd 98′. Rgt tfc.
RWY 08–26: H3451X75 (CONC) S–30, D–45, 2D–90
RWY 17R–35L: H3224X140 (ASPH) S–30, D–45, 2D–90 0.3% up N
RWY 17R: Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A
AIRPORT REMARKS: Attended Mon–Fri 1330–2300Z‡. Deer on and invof arpt. 100LL 24 hr self serve. Full serve Jet A and AVGAS on request, 830–426–3810. 2 hr prior notice, aft hrs. Rwy 08–26 width is 75′ unmarked, overall pavement width is 150′. Bring own ropes for tie down. NOTE: See Special Notices—Unmanned Aircraft System Activity.
AIRPORT MANAGER: 830-426-3810
WEATHER DATA SOURCES: ASOS 119.675 (830) 426–3060.
COMMUNICATIONS: CTAF/UNICOM 122.725
Ⓡ **HOUSTON CENTER APP/DEP CON** 134.95
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29°38.64′ W98°27.68′ 238° 41.2 NM to fld. 1159/8E.
VOR unusable:
018°–022° byd 40 NM
028°–032° byd 40 NM
342°–347° byd 40 NM
355°–002° byd 40 NM blo 18,000′




HORIZON (See SAN ANTONIO on page 427)

HORSESHOE BAY RESORT (DZB)(KDZB) 0 N UTC–6(–5DT) N30°31.62′ W98°21.53′ **SAN ANTONIO**
1093 B NOTAM FILE SJT **H–7B, L–19C**
RWY 17–35: H5977X100 (ASPH) D–100 HIRL
RWY 17: Thld dsplcd 300′.
RWY 35: Tree. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A+ **OX** 1, 2, 3, 4 **LGT** HIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF. Rotg bcn oprs 24/7.
AIRPORT REMARKS: Attended 1300—0100Z‡. Deer invof of rwy. Rwy 35 rgt tfc not mkd on gnd. Rwy 17 ft drop off. TGL and trng flights prohibited. Rwy 17 preferred for dep. Rwy 17 35 ft pline, 375 ft R of cntrln, parl to Rwy 17 end north 3600 ft.
AIRPORT MANAGER: 830-598-6386
WEATHER DATA SOURCES: AWOS–3 119.775 (830) 598–2059.
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE T82.
STONEWALL (VH) (H) VORTACW 113.8 STV Chan 85 N30°12.41′ W98°42.35′ 035° 26.3 NM to fld. 1530/8E.
TACAN AZIMUTH unusable:
056°–066° byd 30 NM blo 3,000′
067°–055° byd 30 NM blo 3,300′
DME unusable:
056°–066° byd 30 NM blo 3,000′
067°–055° byd 30 NM blo 3,300′
VOR unusable:
056°–066° byd 30 NM blo 3,000′
067°–055° byd 30 NM blo 3,300′
110°–122° byd 40 NM blo 5,500′
110°–122° byd 46 NM
123°–210° byd 40 NM
230°–240° byd 40 NM

HORSESHOE BEND (See WEATHERFORD on page 458)

HOUSTON

CONROE/NORTH HOUSTON RGNL (CXO)(KCXO) P (AR) 37 N UTC–6(–5DT) N30°21.20′ **HOUSTON**
W95°24.90′ **H–7C, L–19D, 21A, GOAW**
245 B NOTAM FILE CXO **IAP, AD**
RWY 14–32: H7501X150 (CONC) S–60, D–100 PCN /36/R/B/W/T HIRL
RWY 14: MALSR. PAPI(P4L)—GA 3.0° TCH 47′. Trees.
RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 50′.
RWY 01–19: H5000X100 (CONC) S–30, D–75, 2S–95 MIRL
RWY 01: PAPI(P2L)—GA 3.15° TCH 49′. Trees.
RWY 19: PAPI(P2L)—GA 3.0° TCH 49′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 01: TORA–5000 TODA–5000 ASDA–5000 LDA–5000
RWY 19: TORA–5000 TODA–5000 ASDA–5000 LDA–5000
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3, 4 **LGT** HIRL Rwy 14–32 preset low intst; to incr intst and ACTVT REIL Rwy 32—CTAF.
MILITARY— FUEL A+ (1200–0300Z‡, C936–494–4252)
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat–Sun 1400–2200Z‡. Extv mil hel actvty on arpt. Hels use right tfc. Extv stuident pilot trng SR–SS. User fee arpt: Intl arpt U.S. Cust user fee arpt. Call U.S. Cust 936–441–7750.
AIRPORT MANAGER: 936-788-8311
WEATHER DATA SOURCES: ASOS (936) 379–2019
COMMUNICATIONS: CTAF 124.125 **ATIS** 118.325
Ⓡ **HOUSTON APP/DEP CON** 119.7
TOWER 124.125 (1200–0300Z‡) **GND CON** 120.45
CLNC DEL 120.45 119.55 (when twr clsd)
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Houston Apch at 281-443-5844, to cnl IFR at 281-443-5888.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS D svc 1200–0300Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.
HUMBLE (H) (H) VORTACW 116.6 IAH Chan 113 N29º57.42´ W95º20.74´ 346º 24.0 NM to fld. 81/5E.
VORTAC monitored by ATCT
VOR portion unusable:
060º–070º byd 35 NM
175º–185º byd 20 NM blo 3,000´
Byd 30 NM blo 2,000´
DME unusable:
015º–090º byd 30 NM blo 2,000´
130º–320º byd 30 NM blo 2,000´
175º–185º byd 20 NM blo 3,000´
230º–250º
TACAN AZIMUTH unusable:
040º–055º blo 5,000´
150º–320º blo 4,500´
150º–320º byd 10 NM
ALIBI NDB (LOMW) 281 CX N30º25.92´ W95º28.58´ 141º 5.7 NM to fld. 371/5E. NOTAM FILE CXO.
ILS/DME 108.7 I–CXO Chan 24 Rwy 14. Class IA. LOM ALIBI NDB.

DAN JONES INTL (T51) 22 NW UTC–6(–5DT) N30º02.57´ W95º40.03´ **HOUSTON**
166 B NOTAM FILE CXO **COPTER**
RWY 17–35: H3440X50 (ASPH–TURF) LIRL(NSTD) **L–19D, 21A, GOAW**
RWY 17: Thld dsplcd 255´. Trees.
RWY 35: Thld dsplcd 380´. P–line.
SERVICE: S4 **FUEL** 100LL **LGT** SS–SR, ACTIVATE LIRL Rwy 17–35—CTAF. For rotating bcn call 936–521–9887. Rwy 17–35 NSTD LIRL, NSTD colors, single thr lgt each rwy end. 2240 ft of rwy usbl for ngt opns. Rwy 17 thr relctd 300 ft for ngt opns: Rwy 35 thr relctd 900´ ft for ngt ops.
AIRPORT REMARKS: Attended dawn to 0600Z‡. Arpt CLOSED midnight to dawn. Deer on rwys. Cattle invof rwy. PPR for rotor wing acft. Rwy 17 thr bar 2 ft wide. Rwy 17–35 north end 2365 ft X 30 ft asph. Rwy 35 south 1000 ft of rwy turf, no mkgs. Rwy 17 thr dsplcd 255 ft days only. Rwy 35 thr dsplcd 400 ft days only. Rwy 17–35 4 ft fence 53 ft east of cntrln. Left hand tfc 500´ and 1000´ MSL. North–South transitional acft west of fld. Ldg fee.
AIRPORT MANAGER: 936-521-9887
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
NAVASOTA (VH) (H) VORW/DME 115.9 TNV Chan 106 N30º17.31´ W96º03.49´ 118º 25.1 NM to fld. 247/8E.
DME unusable:
010º–095º byd 28 NM blo 3,000´
096º–106º byd 18 NM blo 3,000´
VOR unusable:
025º–085º byd 40 NM
025º–095º byd 28 NM blo 3,000´
096º–114º byd 19 NM blo 2,000´
115º–124º blo 5,000´
125º–131º byd 30 NM blo 3,000´
142º–145º byd 26 NM blo 5,000´
146º–359º byd 18 NM blo 2,000´
215º–230º byd 40 NM
240º–255º byd 40 NM blo 2,100´
240º–255º byd 52 NM
256º–260º byd 40 NM
261º–271º byd 39 NM blo 5,000´
261º–271º byd 59 NM blo 7,000´
261º–271º byd 82 NM
272º–328º byd 40 NM
329º–339º byd 40 NM blo 5,000´
329º–339º byd 61 NM blo 6,000´
329º–339º byd 83 NM
356º–005º byd 40 NM

DAVID WAYNE HOOKS MEML (DWH)(KDWH) 17 NW UTC–6(–5DT) N30º03.71´ W95º33.17´ **HOUSTON**
COPTER
152 B NOTAM FILE DWH **H–7C, L–19D, 21A, GOAW**
IAP, AD

RWY 17R–35L: H7009X100 (ASPH) S–30, D–85 HIRL
RWY 17R: REIL. PAPI(P4R)—GA 3.0º TCH 52´. Thld dsplcd 1007´. Road.
RWY 35L: REIL. PAPI(P4L)—GA 3.0º TCH 41´. Trees.
RWY 17L–35R: H3500X35 (ASPH) S–12.5
RWY 35R: Thld dsplcd 208´. Trees. Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 17R:TORA–7009 TODA–7009 ASDA–7009 LDA–6002
RWY 35L:TORA–6700 TODA–6700 ASDA–6700 LDA–6700
SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 2 **LGT** When ATCT clsd ACTVT REIL Rwys 17R and 35L; HIRL Rwy 17R–35L—CTAF. 17R REIL lctd 126 ft byd dsplcd thr. Twys unlgtd.
NOISE: Noise sensitive area SW of arpt. All mil acft departing Rwy 17R climb rwy hdg 650 ft MSL prior to turns or rejoin.
AIRPORT REMARKS: Attended continuously. Rpd rfl avbl hel durg FBO hrs, PPR 24 hrs. Ctc opns mgr 832–953–8572 or freq 122.95 prior to lndg. Wildlife on and invof arpt. Hel practice area west of ATCT at or blo 600 ft. Twys A and B clsd east of Rwy 17R. Acft 25000 lbs and ovr are rstrd to Twys C, P, E (btn Twys P and G), Twy G (north of Twy E), ramps A and C and the tomball jet cntr ramp. All other twys rstrd to acft below 25000 lbs. Twys D and K rstrd to acft 12500 lbs and blw. Twy K rstrd to piston acft only. Aft SS lrg acft use Twy P btn Twys E and Twy C.. Int where Twys Papa, Echo, Juliette and Kilo meet is referred to as "the Triangle". Four hel prkg pads lctd east of Twy K.
AIRPORT MANAGER: 281-376-5436
WEATHER DATA SOURCES: ASOS 128.375 (281) 251–7853.
COMMUNICATIONS: CTAF 118.4 **ATIS** 128.375 **UNICOM** 122.95
Ⓡ **HOUSTON APP/DEP CON** 119.7
HOOKS TOWER 118.4 (West) 127.4 (East) (1300–0400Z‡) **GND CON** 121.8 **CLNC DEL** 119.45
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd, ctc Houston Apch on CD freq or call 281-443-5844. For IFR cancellation when ATCT clsd, call 281-443-5888.
AIRSPACE: CLASS D svc 1300–0400Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.
HUMBLE (H) (H) VORTACW 116.6 IAH Chan 113 N29º57.42´ W95º20.74´ 295º 12.5 NM to fld. 81/5E.
VORTAC monitored by ATCT
VOR portion unusable:
060º–070º byd 35 NM
175º–185º byd 20 NM blo 3,000´
Byd 30 NM blo 2,000´
DME unusable:
015º–090º byd 30 NM blo 2,000´
130º–320º byd 30 NM blo 2,000´
175º–185º byd 20 NM blo 3,000´
230º–250º
TACAN AZIMUTH unusable:
040º–055º blo 5,000´
150º–320º blo 4,500´
150º–320º byd 10 NM
LOC/DME 110.5 I–HEW Chan 42 Rwy 17R. DME unmonitored.

• • • • • • • • • • • • • • • • • • • •

WATERWAY 17W–35W: 2530X100 (WATER)
WATERWAY 17W: Berm.
WATERWAY 35W: Berm. Rgt tfc.
SEAPLANE REMARKS: Rwy 17W marked by buoy. Rwy 35W marked by buoy.

• • • • • • • • • • • • • • • • • • • •

HELIPAD H1: H50X50 (ASPH)
HELIPAD H2: H50X50 (ASPH)
HELIPAD H3: H50X50 (ASPH)
HELIPAD H4: H50X50 (ASPH)


ELLINGTON (EFD)(KEFD) P (ANG CG NASA ARNG) 15 SE UTC–6(–5DT) N29°36.44´ W95°09.53´ **HOUSTON**
COPTER
H–7C, L–19E, 21A, GOAW
IAP, AD

33 B TPA—See Remarks LRA Class IV, ARFF Index A NOTAM FILE EFD

RWY 17R–35L: H9001X150 (CONC–GRVD) S–120, D–250, 2S–175, 2D–550, 2D/2D2–800 PCR 1914 R/C/W/T HIRL CL
RWY 17R: MALSF. TDZL. PAPI(P4L)—GA 3.0° TCH 48´. RVR–TR
RWY 35L: MALSF. TDZL. PAPI(P4L)—GA 3.0° TCH 32´. RVR–TR Rgt tfc.

RWY 04–22: H8001X150 (CONC–GRVD) S–120, D–250, 2S–175, 2D–404, 2D/2D2–668 PCR 902 R/D/W/T HIRL CL
RWY 04: PAPI(P4L)—GA 3.0° TCH 50´. RVR–TR Rgt tfc.
RWY 22: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 50´. RVR–TR

RWY 17L–35R: H4609X75 (CONC) S–49, D–60, 2S–80, 2D–107, 2D/2D2–300 PCR 166 R/D/W/T No Part 121/Part 380 Ops
RWY 35R: Rgt tfc.



RUNWAY DECLARED DISTANCE INFORMATION

RWY 04:	TORA–8001	TODA–8001	ASDA–8001	LDA–8001
RWY 17L:	TORA–4609	TODA–4609	ASDA–4609	LDA–4609
RWY 17R:	TORA–9001	TODA–9001	ASDA–9001	LDA–9001
RWY 22:	TORA–8001	TODA–8001	ASDA–8001	LDA–8001
RWY 35L:	TORA–9001	TODA–9001	ASDA–9001	LDA–9001
RWY 35R:	TORA–4609	TODA–4609	ASDA–4609	LDA–4609

ARRESTING GEAR/SYSTEM
RWY 17R BAK–14 BAK–12B(B) (1500'). BAK–14 BAK–12B(B) (1850'). **RWY 35L**
RWY 04 BAK–14 BAK–12B(B) (1563'). BAK–14 BAK–12B(B) (1496'). **RWY 22**

SERVICE: S4 **FUEL** 100LL, JET A **OX** 2, 4 **MILITARY—** **A–GEAR** Potential for tail hook skip on Rwy 17R–35L and Rwy 04–22 due to centerline lgt within 200´ of Rwy A–G. A–Gear lgtd mrk placement exceeds 75´ from rwy edge. **JASU** 1(–95) 1(–86) 1(JETEX5) **FUEL** A++(Mil), A, A+, J8 (C281–484–6551.) (NC–100LL) **FLUID** LHOX HPOX

NOISE: Noise sensitive areas S and E of fld. Jet acft rstd to str–in full stop ldg only btn 0400–1300Z‡ dly, 0400–1900Z‡ Sun. On dep jet acft min use of after burners and climb rwy hdg to 1000´ prior to turns or rejoin.

AIRPORT REMARKS: Attended continuously. Caution:nmrs small acft with extv trng in area of arpt. Nmrs birds on and invof arpt all quadrants. Be alert for mil acft at 1600´ MSL making overhead apchs. Arpt clsd to acft with wingspan 171´ or greater exc 24 hrs PPR 281–433–1612. 70´ AGL tanks lctd 1400´ northeast of Rwy 17R apch. Street lgts lctd 700´ east of Rwy 17R apch may be mistaken for apch lgts. TPA—VFR rectangular 1100(1067), overhead 1600(1567), lgt acft 600(567). Twy B east of Rwy 17R–35L not avbl for air carrier acft. Twy B unlgtd east of Rwy 17R–35L, dalgt use only. Rwy 17L–35R btn Twy C and Twy G dual purpose rwy/twy with twy lgts. Parking ramp capacity TDT–710. Rwy 17R arresting barriers 1500´ lctd in safety area 14" lip each side of rwy. Rwy 35L arresting barriers 1849´ lctd in safety area 14" lip each side of rwy. Rwy 04 arresting barriers 1563´ lctd in safety area 14" lip each side of rwy. Rwy 22 arresting barriers 1496´ lctd in safety area 14" lip each side of rwy. PPR for unscheduled air carrier ops, ctc 281–433–1612. Nstd afld mrk on ANG acft prk apn.

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. UAS ops within Ellington Class D airspace, opr hrs vary. **ANG** ANG ramp clsd to all acft exc Official Business only. 24 hrs PPR, ctc Base OPS 1200–2130Z‡ Tue–Fri, clsd wkend & hol. DSN 454–2142, C281–929–2142. Comd Post avbl 24 hr DSN 454–2716, C281–929–2716. All other tran acft ctc FBO 281–484–6551. BASH PHASE II cond Mar–Jun and Aug–Nov. **CG** Minimum 24 hr PPR exc CG msn, C713–578–3000.

AIRPORT MANAGER: 713-847-4200

WEATHER DATA SOURCES: AWOS–3 (713) 847–4430

COMMUNICATIONS: ATIS 135.575 269.9 (713) 847–4430 **UNICOM** 122.95
Ⓡ **HOUSTON APP/DEP CON** 134.45 284.0
TOWER 126.05 253.5 **GND CON** 121.6 275.8
ARNG OPS 41.00 (1230–2200Z‡ Mon–Fri, prior req only) 142.2 Call Texan ops.
LONE STAR COMD POST 142.2 **ANG OPS COMD POST** 288.5

AIRSPACE: CLASS D.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

TRINITY (VL) (DL) VORW/DME 114.75 MHF Chan 94(Y) N29º32.78´ W94º44.85´ 273º 21.8 NM to fld. 38/7E.

VOR unusable:
060º–079º byd 40 NM
080º–090º byd 40 NM blo 6,000´
080º–090º byd 50 NM blo 8,000´
091º–109º byd 40 NM
110º–190º blo 2,000´

(L) TACAN Chan 31 EFD (109.4) N29º36.36´ W95º09.58´ at fld. 29/5E. NOTAM FILE EFD.

DME unusable:
065º–090º byd 30 NM

TACAN AZIMUTH unusable:
065º–090º byd 30 NM
345º–355º byd 11 NM blo 2,500´

ILS 110.3 I–LPV Rwy 17R. Class IE.

ILS 110.1 I–FNF Rwy 22. Class IE.

ILS 111.1 I–EFD Rwy 35L. Class IT.

GEORGE BUSH INTCNTL/HOUSTON (IAH)(KIAH) 15 N UTC–6(–5DT) N29º59.07´ W95º20.49´ **HOUSTON**
COPTER
96 B LRA Class I, ARFF Index E NOTAM FILE IAH **H–7C, L–19E, 21A, GOAW**
IAP, AD

RWY 15L–33R: H12001X150 (CONC–GRVD) S–100, D–200, 2S–175, 2D–400, 2D/2D2–800 PCR 870 R/B/W/T HIRL CL
RWY 15L: PAPI(P4R)—GA 3.0º TCH 58´. RVR–TMR
RWY 33R: MALSR. RVR–TMR

RWY 09–27: H10000X150 (CONC–GRVD) D–210, 2S–175, 2D–560 PCR 690 R/A/W/T HIRL CL
RWY 09: MALSR. PAPI(P4R)—GA 3.0º TCH 71´. RVR–TMR
RWY 27: ALSF2. TDZL. PAPI(P4L)—GA 3.0º TCH 70´. RVR–TMR

RWY 15R–33L: H10000X150 (CONC–GRVD) S–75, D–200, 2S–175, 2D–400, 2D/2D2–873 PCR 980 R/A/W/T HIRL CL
RWY 15R: MALSR. TDZL. PAPI(P4L)—GA 3.0º TCH 71´. RVR–TMR
RWY 33L: TDZL. PAPI(P4R)—GA 3.0º TCH 59´. RVR–TMR

RWY 08R–26L: H9402X150 (CONC–GRVD) S–75, D–210, 2S–175, 2D–498, 2D/2D2–873 PCR 1090 R/A/W/T HIRL CL
RWY 08R: MALSR. TDZL. PAPI(P4L)—GA 3.0º TCH 72´. RVR–TMR
RWY 26L: ALSF2. TDZL. PAPI(P4R)—GA 3.0º TCH 71´. RVR–TMR

RWY 08L–26R: H9000X150 (CONC–GRVD) S–75, D–210, 2S–175, 2D–409, 2D/2D2–873 PCR 1100 R/A/W/T HIRL CL
RWY 08L: ALSF2. TDZL. RVR–TMR
RWY 26R: ALSF2. TDZL. RVR–TMR

LAND AND HOLD–SHORT OPERATIONS

LDG RWY	HOLD–SHORT POINT	AVBL LDG DIST
RWY 08R	TWY NP	9019
RWY 26L	TWY NE	9010

RUNWAY DECLARED DISTANCE INFORMATION

RWY 08L:	TORA–9000	TODA–9000	ASDA–9000	LDA–9000
RWY 08R:	TORA–9402	TODA–9402	ASDA–9402	LDA–9402
RWY 09:	TORA–10000	TODA–10000	ASDA–10000	LDA–10000
RWY 15L:	TORA–12001	TODA–12001	ASDA–12001	LDA–12001
RWY 15R:	TORA–10000	TODA–10000	ASDA–10000	LDA–10000
RWY 26L:	TORA–9402	TODA–9402	ASDA–9402	LDA–9402
RWY 26R:	TORA–9000	TODA–9000	ASDA–9000	LDA–9000
RWY 27:	TORA–10000	TODA–10000	ASDA–10000	LDA–10000
RWY 33L:	TORA–10000	TODA–10000	ASDA–10000	LDA–10000
RWY 33R:	TORA–12001	TODA–12001	ASDA–12001	LDA–12001

SERVICE: S4 **FUEL** 100LL, JET A **OX** 2
NOISE: Noise sensitive area north, east and west of arpt.
AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Wildlife haz bats invof IAH. Pilots conducting EFVS ops, be aware LED ALS in use Rwy 09, Rwy 15R and Rwy 33R. Rwy 09–27 clsed to acft with wingspan 215´ and above. ASDE–X in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. Acft equipped with dual antennas should use top antenna. GBAS apch svc vol 20 NM fr thld, all GLS apchs. Rwy status lgts are in opn. Rwy 15L–33R magnetic anomalies may affect compass hdg for tkof. Twy NR clsd to acft with wing spans greater than 135´ btn Twy WD and Twy WB. Txln NR btn Twy NB and Twy WD clsd to acft wingspan more than 214. Twy SF btn Rwy 09–27 up to and including the east bridge clsd to acft with wingspan 215´ and over. Twy WW run–up pad for Rwy 15L clsd acft with wingspan 135´ and over. Twy WW btn Twy NR and Twy WB clsd to acft wingspan more than 214´. Pilots and crews should be aware of dep turns on crs in excess of 180º. Pilot readback of direction of turns is highly encouraged. The flwg mov areas are not vsb fm the ATCT: portions of Twys WA and WB fm Twy WH to the AER 33R; Twys WA and WB fm Twy WD north for 400´; Twy WD fm Twy WA to Twy NR; Twy NR; Twy WL fm Rwy 15L to Twy WB and Twy WM. Taxilane RA, RB, RC, R2, and Twy SC north of Twy SB are designated non–movement areas operated by UAL ramp ctl. Twy SF btn Twy NB and Txl RA is dsgnd non–mov area. Dual twy ops Twy NK btn Twy NB and North Ramp, west cntrln rstd to acft max wing spans 125´ and east cntrln max wing spans 214´. Txln NR btn Twy NB and WB is designated non–movement area. Twy NK btn Twy NB and terminal D ramp simultaneous acft ops prohibited when middle taxilane in use. Twy WC west of Rwy 15R–33L rstrd to acft with 118´ wingspan and blw. Twy WA and Twy WB magnetic anomalies may affect compass hdg. Twy NA lgt all between Twy WP and Twy NP not standard. 9´ AGL unmarked security fence adjacent to FBO and corporate base operator ramps and non–movement area taxilanes. Ldg fee. Flight Notification Service (ADCUS) available. Apron terminal alpha north ramp north–south txl clsd to acft wingspan more 125 ft. Apron terminal alpha north ramp spot 5 clsd to acft wingspan more than 118 ft. Apron terminal alpha north ramp spot 6 clsd to acft wingspan more than 125 ft. Twy WD btn Twy WB and Twy NR clsd to acft wingspan more than 214´. Twy NJ btn Twy NB and Terminal C Ramp simultaneous acft ops prohibited when middle taxilane in use, middle taxilane clsd to acft wingspn more than 214´. Dual twy opns Twy NJ btn Twy NB and Terminal C ramp; west cntrln rstrd to acft max wing spans 118´ and east cntrln max wing spans 118´.

CONTINUED ON NEXT PAGE


CONTINUED FROM PRECEDING PAGE

AIRPORT MANAGER: 281-233-1131
WEATHER DATA SOURCES: ASOS (713) 338–9561 TDWR.
COMMUNICATIONS: D–ATIS 124.05 (281–209–8665) **UNICOM** 122.95
Ⓡ **HOUSTON APP CON** 124.35 (West) 120.05 (East)
Ⓡ **HOUSTON DEP CON** 123.8 (West) 119.7 (North) 127.125
TOWER 135.15 (Rwy 09 and Rwy 27) 127.3 (Rwy 15R–33L and Rwy 15L–33R) 125.35 (Rwy 08R and Rwy 26L) 120.725 (Rwy 08L and Rwy 26R) **GND CON** 121.7 (Rwy 15L–33R, and Rwy 15R–33L) 118.575 (Rwy 08L–26R, Rwy 08R–26L and Rwy 09–27)
GND METERING 119.95 **CLNC DEL** 128.1
CPDLC (LOGON KUSA)
PDC
AIRSPACE: CLASS B See VFR Terminal Area Chart.
RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.
HUMBLE (H) (H) VORTACW 116.6 IAH Chan 113 N29º57.42´ W95º20.74´ 003º 1.7 NM to fld. 81/5E.
VORTAC monitored by ATCT
VOR portion unusable:
060º–070º byd 35 NM
175º–185º byd 20 NM blo 3,000´
Byd 30 NM blo 2,000´
DME unusable:
015º–090º byd 30 NM blo 2,000´
130º–320º byd 30 NM blo 2,000´
175º–185º byd 20 NM blo 3,000´
230º–250º
TACAN AZIMUTH unusable:
040º–055º blo 5,000´
150º–320º blo 4,500´
150º–320º byd 10 NM
ILS/DME 111.55 I–BZU Chan 52(Y) Rwy 08L. Class IIIE.
ILS/DME 109.7 I–IAH Chan 34 Rwy 08R. Class IE. DME also serves Rwy 26.
ILS/DME 110.9 I–UYO Chan 46 Rwy 09. DME also serves Rwy 27. DME unusable byd 30º right of course.
ILS 111.15 I–LKM Rwy 15R. Class IE. LOC unusable byd 30º right of course. DME unusable byd 25º left of course.
ILS/DME 109.7 I–JYV Chan 34 Rwy 26L. Class IIIE. DME also serves Rwy 08.
ILS/DME 111.55 I–OND Chan 52(Y) Rwy 26R. Class IIIE.
ILS/DME 110.9 I–GHI Chan 46 Rwy 27. Class IIIE. DME also serves Rwy 09.
ILS 111.9 I–CDG Rwy 33R. Class IE.


HOUSTON EXEC (TME)(KTME) 28 W UTC–6(–5DT) N29º48.30´ W95º53.87´ **HOUSTON**
166 B NOTAM FILE CXO **H–7C, L–19D, 21A, GOAW**
RWY 18–36: H6610X100 (ASPH) D–101 MIRL **IAP, AD**
RWY 18: REIL. PAPI(P4L)—GA 3.0º TCH 40´. P–line.
RWY 36: REIL. PAPI(P4L)—GA 3.0º TCH 40´. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 3, 4 **LGT** ACTVT MIRL Rwys 18–36, REIL Rwy 18–36—CTAF.
NOISE: Noise sensitive area east of arpt in effect, avoid housing area.
AIRPORT REMARKS: Attended continuously. Birds on and invof arpt.
AIRPORT MANAGER: 281-945-5000
WEATHER DATA SOURCES: AWOS–3 119.525 (281) 574–7296.
COMMUNICATIONS: CTAF 126.975 **UNICOM** 122.975 **ATIS** 119.525 (24 hr 281–945–5451)
Ⓡ **HOUSTON APP/DEP CON** 123.8
TOWER 126.975 (1300–0300Z‡)
GND CON 132.075 **CLNC DEL** 132.075
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc Houston Apch at 281-443-5844 to cnl IFR at 281-443-5888.
AIRSPACE: CLASS D svc 1300–0300Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELA.
EAGLE LAKE (DH) DME 116.4 ELA Chan 111 N29º39.75´ W96º19.03´ 069º 23.5 NM to fld. 192.

HOUSTON FORT BEND (2H5) 33 SW UTC–6(–5DT) N29º29.95´ W95º53.90´ **HOUSTON**
105 NOTAM FILE CXO
RWY 17–35: 4400X100 (TURF)
RWY 17: Fence.
RWY 35: P–line.
AIRPORT REMARKS: Unattended. Arpt has perimeter fence, gates locked, ctc arpt manager for access. Rwy deliniated by mowing.
AIRPORT MANAGER: 713-725-3267
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.

HOUSTON/SOUTHWEST (AXH)(KAXH) 15 SW UTC–6(–5DT) N29°30.37′ W95°28.62′ **HOUSTON**
69 B NOTAM FILE CXO **COPTER**
RWY 09–27: H5002X100 (ASPH) S–60, D–75, 2D–100 MIRL **H–7C, L–19D, 21A, GOAW**
RWY 09: REIL. PAPI(P2L)—GA 3.5° TCH 50′. Road. **IAP**
RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 43′. Road.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 3 **LGT** MIRL Rwy 09–27 preset low intst SS–SR, to incr intst & ACTVT REIL Rwy 09 and Rwy 27—CTAF.
AIRPORT REMARKS: Attended continuously. Hel tfc invof arpt. Rwy 09 calm wind rwy.
AIRPORT MANAGER: 281-431-2581
WEATHER DATA SOURCES: AWOS–3 123.625 (281) 431–6572.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **APP/DEP CON** 123.8
CLNC DEL 120.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844. To cnl IFR ctc Houston Apch at 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
TRINITY (VL) (DL) VORW/DME 114.75 MHF Chan 94(Y)
N29°32.78′ W94°44.85′ 260° 38.3 NM to fld. 38/7E.
VOR unusable:
060°–079° byd 40 NM
080°–090° byd 40 NM blo 6,000′
080°–090° byd 50 NM blo 8,000′
091°–109° byd 40 NM
110°–190° blo 2,000′
LOC/DME 108.9 I–AXH Chan 26 Rwy 09.




PEARLAND RGNL (LVJ)(KLVJ) 17 S UTC–6(–5DT) N29°31.28′ W95°14.53′ **HOUSTON**
44 B NOTAM FILE LVJ **COPTER**
RWY 14–32: H4313X75 (CONC) S–30 MIRL **L–19E, 21A, GOAW**
RWY 14: Trees. **IAP, AD**
RWY 32: Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 14–32 SS–SR preset low intst; incr intst and ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–0100Z‡. Banner towing SR–SS. Hel traffic invof arpt. Rwy 14 and Rwy 32 hels use right–hand traffic. Rwy 14 calm wind rwy. Lgtd oil derrick 116′ AGL, 0.65 NM southeast of arpt. Rwy 14 25 ft lgtd poles in trees 520 ft fm thr. Rwy 14–32 safety area ireg sfc irrigation ditches E and W side adj 40′, 10′ drop.
AIRPORT MANAGER: 281-482-7551
WEATHER DATA SOURCES: ASOS 118.525 (281) 992–1853.
COMMUNICATIONS: CTAF/UNICOM 122.725
Ⓡ **HOUSTON APP/DEP CON** 134.45
CLNC DEL 124.0
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844. To cnl IFR ctc Houston Apch at 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE GLS.
SCHOLES (VH) (DH) VORW/DME 113.0 VUH Chan 77 N29°16.16′ W94°52.06′ 302° 24.7 NM to fld. 4/6E.
VOR unusable:
285°–295° byd 35 NM blo 2,500′



SUGAR LAND RGNL (SGR)(KSGR) P 17 SW UTC–6(–5DT) N29°37.33′ W95°39.39′ **HOUSTON**
81 B NOTAM FILE SGR **COPTER**
RWY 17–35: H8000X100 (CONC) S–80, D–120, 2S–152, 2D–200, 2D/2D2–600 HIRL **H–7C, L–19D, 21A, GOAW**
RWY 17: REIL. PAPI(P2R)—GA 3.5° TCH 52′. Thld dsplcd 380′. Trees. **IAP, AD**
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 56′. Thld dsplcd 1984′. P–line.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 2 **LGT** When ATCT clsd ACTVT REIL Rwy 17 and 35; HIRL Rwy 17–35–CTAF.
NOISE: Noise abatement proc: Noise sensitive areas—info avbl at trml.
AIRPORT REMARKS: Attended 1100–0500Z‡. Birds on and invof arpt. 100LL avbl 24 hrs self serve. For Jet A+ aft hrs call 281–275–2400 durg atndd hrs. Sfc conds not rprtd 0400–1600Z‡. Rwy 17–35 surface not grvd. Nitrogen avbl dur business hrs. No tgls aft twr closes. No int deps for multi–engine acft. Ramp fee for civ acft waived with fuel purchase. Mil and corporate gnd transportation prvdd. LRA M–F 1400–1800Z‡ & 1900–2300Z‡. Otr times by appt. Ldg fee.
AIRPORT MANAGER: 281-275-2100
WEATHER DATA SOURCES: ASOS (281) 242–7605
COMMUNICATIONS: CTAF 118.65 **D–ATIS** 118.125 **UNICOM** 122.95
Ⓡ **HOUSTON APP/DEP CON** 123.8
SUGAR LAND TOWER 118.65 (1200–0400Z‡)
GND CON 121.4 **CLNC DEL** 121.4 **CLNC DEL** 119.25 (When twr clsd)
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc Houston Apch at 281-443-5844 to cnl IFR at 281-443-5888.
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELA.
EAGLE LAKE (DH) DME 116.4 ELA Chan 111 N29°39.75′ W96°19.03′ 094° 34.6 NM to fld. 192.
ILS/DME 110.7 I–TXH Chan 44 Rwy 35. Class IT.

WEST HOUSTON (IWS)(KIWS) 13 W UTC–6(–5DT) N29°49.09′ W95°40.36′ **HOUSTON**
111 B NOTAM FILE CXO **COPTER**
RWY 15–33: H3953X75 (ASPH) S–18, D–44 HIRL **L–19D, 21A, GOAW**
RWY 15: REIL. PAPI(P2R)—GA 3.7° TCH 43′. Trees. **IAP**
RWY 33: REIL. PAPI(P2L)—GA 3.7° TCH 44′. Road.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 2, 3, 4 **LGT** HIRL Rwy 15–33 preset low intst; to incr intst and ACTVT REIL Rwy 15 and Rwy 33—CTAF.
AIRPORT REMARKS: Attended continuously. 20 ft deep, 25 ft wide ditch, 0–166 ft dstc acrs apch. No TGLs btn 0400–1200Z‡. No ngt hel trng. No mult trng flts by hels. Rwy 15 nstd NPI markings due to rwy len. No aiming point. Rwy 33 nstd MPI markings due to rwy len. No aiming point. Facility fee charged to non–patrons, waived with minimum purchase.
AIRPORT MANAGER: 281-492-2130
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **APP/DEP CON** 123.8
CLNC DEL 121.15
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844. To cnl IFR ctc Houston Apch at 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.
HUMBLE (H) (H) VORTACW 116.6 IAH Chan 113 N29°57.42′ W95°20.74′ 239° 19.0 NM to fld. 81/5E.
VORTAC monitored by ATCT
VOR portion unusable:
060°–070° byd 35 NM
175°–185° byd 20 NM blo 3,000′
Byd 30 NM blo 2,000′
DME unusable:
015°–090° byd 30 NM blo 2,000′
130°–320° byd 30 NM blo 2,000′
175°–185° byd 20 NM blo 3,000′
230°–250°
TACAN AZIMUTH unusable:
040°–055° blo 5,000′
150°–320° blo 4,500′
150°–320° byd 10 NM
COMM/NAV/WEATHER REMARKS: WX info avbl on 125.575, 281–579–9820. ASRI 129.875.



WILLIAM P HOBBY (HOU)(KHOU) 8 SE UTC–6(–5DT) N29°38.75′ W95°16.63′ **HOUSTON**
46 B LRA Class I, ARFF Index C NOTAM FILE HOU **COPTER**
RWY 04–22: H7602X150 (CONC–GRVD) S–75, D–200, 2S–168, 2T–461, 2D–400, 2D/D1–444, C5–717 PCR 620 R/C/W/T HIRL CL **H–7C, L–19E, 21A, GOAW**
RWY 04: ALSF2. TDZL. PAPI(P4R)—GA 3.0° TCH 58′. RVR–TMR **IAP, AD**
RWY 22: MALS. PAPI(P4L)—GA 3.0° TCH 49′. RVR–TMR Pole.
RWY 13R–31L: H7602X150 (ASPH–GRVD) S–75, D–195, 2S–168, 2T–461, 2D–220, 2D/D1–444, C5–717 PCR 670 R/B/W/T HIRL CL
RWY 13R: MALSR. TDZL. PAPI(P4R)—GA 3.0° TCH 52′. RVR–T Thld dsplcd 1034′. Pole.
RWY 31L: TDZL. REIL. PAPI(P4L)—GA 3.0° TCH 76′. RVR–T Road.
RWY 13L–31R: H5148X100 (CONC–GRVD) S–30, D–45, 2D–80 PCR 200 R/D/W/T MIRL
RWY 13L: PAPI(P4L)—GA 3.0° TCH 60′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 04: TORA–7602 TODA–7602 ASDA–7602 LDA–7602
RWY 13L:TORA–5148 TODA–5148 ASDA–5148 LDA–5148
RWY 13R:TORA–7602 TODA–7602 ASDA–7602 LDA–6568
RWY 22: TORA–7602 TODA–7602 ASDA–7602 LDA–7602
RWY 31L:TORA–7602 TODA–7602 ASDA–7602 LDA–7602
RWY 31R:TORA–5148 TODA–5148 ASDA–5148 LDA–5148
SERVICE: S2 **FUEL** 100LL, JET A, A1 **OX** 1, 2, 3, 4
AIRPORT REMARKS: Attended continuously. Numerous birds on and invof arpt. Pilots conducting EFVS Ops; be aware LED ALS in use Rwy 22. Arpt clsd to acft with wing span over 125 ft excp 24 hrs PPR call opns 713–417–5710. ASDE–X in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. Pilots/crew should be aware of dep turns in excess of 180 degs. Read back of drctn of turns is highly encouraged. Cust ramp has mult obstns; large acft will be asgnd an altn area by ATCT. Acft in tkof ptn on Rwy 22 be alert for poss radio intfc or null on freq 118.7. Use upper ant if so equipped. Twy G cntrln to parked acft on west side only 68′. Twy G cntrln to edge of adjacent svc veh road on west side only 48′. Due to complex rwy confign; when tax to thrs 13L and 13R check compass hdg bfr departing. Acft southbound on Twy C to Rwy 31L thr use extreme care; Twy C makes a 45 deg dogleg to the left xng Twy K.
AIRPORT MANAGER: 713-845-6555
WEATHER DATA SOURCES: ASOS (713) 847–1462 TDWR.
COMMUNICATIONS: D–ATIS 124.6 (713) 847–1491 **UNICOM** 122.95
HOBBY RCO 122.2 (MONTGOMERY COUNTY RADIO)
Ⓡ **HOUSTON APP CON** 119.175 119.625 134.45 (South) 124.35 (West) 120.05 (East)
Ⓡ **HOUSTON DEP CON** 134.45 (South) 123.8 (West) 119.7 (North)
HOBBY TOWER 118.7
HOUSTON GND CON 121.9 **CLNC DEL** 125.45 **PRE–TAXI CLNC** 125.45
CPDLC (LOGON KUSA)
PDC
AIRSPACE: CLASS B See VFR Terminal Area Chart.
VOR TEST FACILITY (VOT) 108.4
RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.
HUMBLE (H) (H) VORTACW 116.6 IAH Chan 113 N29°57.42′ W95°20.74′ 164° 19.0 NM to fld. 81/5E.
VORTAC monitored by ATCT
VOR portion unusable:
060°–070° byd 35 NM
175°–185° byd 20 NM blo 3,000′
Byd 30 NM blo 2,000′
DME unusable:
015°–090° byd 30 NM blo 2,000′
130°–320° byd 30 NM blo 2,000′
175°–185° byd 20 NM blo 3,000′
230°–250°
TACAN AZIMUTH unusable:
040°–055° blo 5,000′
150°–320° blo 4,500′
150°–320° byd 10 NM
ILS/DME 109.9 I–HUB Chan 36 Rwy 04. Class IIIE. DME also serves Rwy 22.
ILS/DME 111.3 I–PRQ Chan 50 Rwy 13R. Class IE. DME also serves Rwy 31L. LOC unusable byd 016° left of course.
LOC/DME 109.9 I–OIB Chan 36 Rwy 22. DME also serves Rwy 04. DME unusable byd 34° left of course.
ILS/DME 111.3 I–UPU Chan 50 Rwy 31L. Class IE. DME also serves Rwy 13R.

HOUSTON MCJ N29°42.83′ W95°23.80′/45 **HOUSTON**
AWOS–3PT 119.575 **H–7C, L–19E, 21A, GOMW**

HOUSTON HOU N29°38.73′ W95°16.73′/46 — HOUSTON
ASOS (713) 847–1462 — H–7C, L–19E, 21A, GOAW


HOUSTON CO (See CROCKETT on page 300)

HUDSPETH N31°34.12′ W105°22.58′ NOTAM FILE ABQ. — EL PASO
(VL) (H) VORTACW 115.0 HUP Chan 97 123° 43.2 NM to Culberson Co. 4390/12E. — H–4L, 6F, L–6F
VOR unusable:
025°–050° byd 40 NM
065°–075° byd 40 NM
076°–086° byd 40 NM blo 9,000′
076°–086° byd 51 NM blo 14,500′
085°–091° byd 40 NM
092°–102° byd 40 NM blo 11,000′
103°–118° byd 40 NM
119°–129° byd 40 NM blo 9,400′
119°–129° byd 58 NM
130°–140° byd 40 NM
270°–305° byd 40 NM
315°–345° byd 40 NM

HUMBLE N29°57.42′ W95°20.74′ NOTAM FILE IAH. — HOUSTON
(H) (H) VORTACW 116.6 IAH Chan 113 003° 1.7 NM to George Bush Intcntl/Houston. 81/5E. — COPTER
VORTAC monitored by ATCT — H–7C, L–19E, 21A, GOAW
VOR portion unusable:
060°–070° byd 35 NM
175°–185° byd 20 NM blo 3,000′
Byd 30 NM blo 2,000′
DME unusable:
015°–090° byd 30 NM blo 2,000′
130°–320° byd 30 NM blo 2,000′
175°–185° byd 20 NM blo 3,000′
230°–250°
TACAN AZIMUTH unusable:
040°–055° blo 5,000′
150°–320° blo 4,500′
150°–320° byd 10 NM

HUNT (See PORTLAND on page 415)

HUNTSVILLE MUNI (UTS)(KUTS) 2 NW UTC–6(–5DT) N30°44.81′ W95°35.23′ — HOUSTON
363 B NOTAM FILE UTS — H–7C, L–19D, 21A
RWY 18–36: H5005X100 (ASPH) S–30 MIRL 1.3% up S — IAP
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 26′. Trees.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Pole.
SERVICE: FUEL 100LL, JET A+ **LGT** MIRL Rwy 18–36 preset low intst; to incr intst and ACTVT REIL Rwy 18 and Rwy 36—CTAF.
AIRPORT REMARKS: Attended dawn–dusk.
AIRPORT MANAGER: 936-295-5782
WEATHER DATA SOURCES: ASOS 119.425 (936) 291–7997.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 134.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
LEONA (L) (L) VORTACW 110.8 LOA Chan 45 N31°07.44′ W95°58.08′ 131° 29.9 NM to fld. 346/8E.



HUTCHINSON CO (See BORGER on page 278)

INDUSTRY N29°57.34′ W96°33.72′ NOTAM FILE CXO. — HOUSTON
(L) TACAN 110.2 IDU Chan 39 165° 19.0 NM to Robert R Wells Jr. 419/8E. — H–7C, L–19D, 21A, GOAW

INGLESIDE RGNL (TFP)(KTFP) 2 N UTC–6(–5DT) N27°54.78′ W97°12.69′ **BROWNSVILLE**
18 B NOTAM FILE SJT **H–7C, L–20I, 21A, GOAW**
RWY 14–32: H4999X75 (ASPH) MIRL **IAP, AD**
RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 39′.
RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 33′.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 14–32 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–2230Z‡ Mon–Fri, 1400–2200Z‡ Sat–Sun. Fuel full serv & self serve. North end of Rwy 14 cntrln mkg poor.
AIRPORT MANAGER: 361-226-0112
WEATHER DATA SOURCES: AWOS–3 118.775 (361) 758–8961.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **CORPUS APP/DEP CON** 120.9
CLEARANCE DELIVERY PHONE: For CD ctc Corpus Christi Apch at 361-299-4230.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102 N27°54.23′ W97°26.69′ 078° 12.4 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024°–036° byd 35 NM blo 1,700′
037°–023° byd 35 NM blo 2,000′
265°–275°
VOR unusable:
340°–005° byd 40 NM blo 7,000′
340°–005° byd 84 NM
Byd 30 NM blo 1,500′
TACAN AZIMUTH unusable:
080°–085° byd 30 NM

IRAAN MUNI (2FØ) 1 SE UTC–6(–5DT) N30°54.37′ W101°53.39′ **SAN ANTONIO**
2200 B NOTAM FILE SJT **L–19A**
RWY 14–32: H4085X60 (ASPH) S–12.5 RWY LGTS(NSTD)
RWY 14: Thld dsplcd 500′. P–line.
RWY 32: Thld dsplcd 490′.
RWY 07–25: H2755X50 (ASPH) S–12.5 0.9% up E
RWY 07: P–line.
RWY 25: Brush.
SERVICE: **FUEL** 100LL **LGT** Rwy 14–32 LIRL out of svc. Rwy 14–32 NSTD dspld thld lgts. Rwy 14–32 NSTD fixtures, not frangible, NSTD layout, NSTD colors.
AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Rising trrn southwest and west of arpt. 110LL 24 hr self–serve. Rwy 32, 15 ft drop off at rwy end. Rwy 07 and Rwy 25 markings are faded. Rwy 07–25 loose, extsv cracking, pot holes on cl. Rwy 14 and Rwy 32 thrs dsplcd not lghtd, day opns only. Also 35 ft p–line, 530 ft dist, apch ratio 9:1. Mkd with orange balls.
AIRPORT MANAGER: 432-639-2841
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE FST.
FORT STOCKTON (VH) (H) VORTACW 116.9 FST Chan 116 N30°57.13′ W102°58.54′ 082° 56.1 NM to fld. 2893/11E.
VOR unusable:
020°–055° byd 20 NM blo 6,900′
070°–086° byd 35 NM blo 6,400′
106°–132° byd 30 NM blo 5,900′
125°–202° byd 40 NM
203°–213° byd 40 NM blo 18,000′
214°–230° byd 40 NM
245°–255° byd 40 NM
315°–330° byd 30 NM blo 5,400′

IRESH N31°01.45′ W97°42.49′ NOTAM FILE ILE. **SAN ANTONIO**
NDB (LOMW) 278 IL 012° 3.9 NM to Skylark Fld. 853/5E. **L–19C, 21A**
NDB unusable:
066°–294° byd 15 NM
295°–065° byd 5 NM due to military restricted area

IRONHEAD (See SANGER on page 433)


JACK BROOKS RGNL (See BEAUMONT/PORT ARTHUR on page 273)

JACKSBORO MUNI (21F) 1 NE UTC–6(–5DT) N33°13.67′ W98°08.79′ **DALLAS–FT WORTH L–17C**
1062 B NOTAM FILE FTW
RWY 18–36: H3220X75 (ASPH) S–4 MIRL 1.2% up S
RWY 18: Pole.
RWY 36: Trees.
SERVICE: **FUEL** 100LL
AIRPORT REMARKS: Unattended. Birds on and invof arpt. Arpt gate locked–combination 1581. Pilot lounge/restroom access 1200. 6 ft open drainage ditch near Rwy 18 thr, 81 ft east of cntrln on both sides of twy. 5 ft open drainage ditch 84 ft east of Rwy 18 cntrln on both sides of ramp south twy.
AIRPORT MANAGER: 940-507-3147
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
BOWIE (H) (H) VORTACW 117.15 UKW Chan 118(Y) N33°32.15′ W97°49.28′ 216° 24.6 NM to fld. 1102/6E.


JACKSON CO (See EDNA on page 321)

JACKSONVILLE

CHEROKEE CO (JSO)(KJSO) 6 SE UTC–6(–5DT) N31°52.16′ W95°13.04′ **HOUSTON H–6I, L–19E IAP**
678 B NOTAM FILE JSO
RWY 14–32: H5006X75 (ASPH) S–30 MIRL 0.4% up NW
RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 30′. Trees.
RWY 32: PAPI(P4L)—GA 3.0° TCH 28′. Tree.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Dusk–dawn, MIRL Rwy 14–32 preset low intst; to incr intst and to ACTVT REIL Rwy 14—CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. 100LL 24 hrs self–serve. Jet A full serve Mon–Sat 1400–2300Z‡. Self–serve 24/7.
AIRPORT MANAGER: 903-586-8219
WEATHER DATA SOURCES: AWOS–3PT 119.075 (903) 586–0124.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **LONGVIEW APP/DEP CON** 128.75 (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 135.25 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
FRANKSTON (L) (L) VORW/DME 111.4 FZT Chan 51 N32°04.48′ W95°31.85′ 121° 20.2 NM to fld. 305/6E.
VOR portion unusable:
270°–293° byd 5 NM blo 8,000′
293°–295° byd 25 NM blo 3,500′
295°–340° byd 20 NM



JASPER CO/BELL FLD (JAS)(KJAS) 4 SW UTC–6(–5DT) N30°53.14′ W94°02.10′ **HOUSTON**
213 B NOTAM FILE JAS **H–6I, L–19E, 21A**
RWY 18–36: H5500X70 (ASPH) S–21 MIRL 0.6% up N **IAP**
RWY 18: PAPI(P2L)—GA 3.5° TCH 41′. Trees.
RWY 36: PAPI(P2L)—GA 3.5° TCH 45′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. Emerg aft hrs 409–382–2835.
AIRPORT MANAGER: 409-384-5343
WEATHER DATA SOURCES: AWOS–3 118.375 (409) 489–1603.
COMMUNICATIONS: CTAF/UNICOM 122.8
RCO 122.5 (MONTGOMERY COUNTY RADIO)
Ⓡ **HOUSTON CENTER APP/DEP CON** 126.95
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.
LUFKIN (VH) (H) VORTACW 112.1 LFK Chan 58 N31°09.75′ W94°43.01′ 110° 38.9 NM to fld. 207/5E.
TACAN AZIMUTH unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
DME unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
VOR unusable:
305°–312° byd 40 NM
313°–323° byd 40 NM blo 2,300′
313°–323° byd 66 NM
324°–330° byd 40 NM




JAYTON

KENT CO (22F) 1 S UTC–6(–5DT) N33°13.75′ W100°34.15′ **DALLAS–FT WORTH**
2008 B NOTAM FILE FTW **L–17A**
RWY 17–35: H3300X50 (ASPH) S–12.5 LIRL 0.6% up N
RWY 17: Road.
RWY 35: Trees.
AIRPORT REMARKS: Unattended. Agricultural activity on arpt May–Sep.
AIRPORT MANAGER: 806-237-3373
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
GUTHRIE (L) DME 114.5 GTH Chan 92 N33°46.70′ W100°20.17′ 200° 34.9 NM to fld. 1941.

JEFFERSON

CYPRESS RIVER (24F) 3 E UTC–6(–5DT) N32°44.66′ W94°18.28′ **MEMPHIS**
222 B NOTAM FILE FTW **L–17E**
RWY 05–23: H3200X60 (ASPH) S–12.5 LIRL
RWY 05: PAPI(P2L)—GA 3.5° TCH 45′. Trees.
RWY 23: PAPI(P2L)—GA 3.5° TCH 45′. Trees.
SERVICE: **FUEL** 100LL **LGT** Rwy 05 unusbl byd 9 deg left of RCL. Rwy 23 unusbl byd 7 deg left of RCL.
AIRPORT REMARKS: Attended irregularly. Birds and deer on and invof arpt. 100LL 24 hour self svc.
AIRPORT MANAGER: 903-240-7707
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.
BELCHER (H) (H) VORTACW 117.4 EIC Chan 121 N32°46.28′ W93°48.60′ 259° 25.1 NM to fld. 190/7E.



MANNING FLD (6F7) 4 N UTC–6(–5DT) N32°49.62′ W94°21.27′ **MEMPHIS**
320 NOTAM FILE FTW
RWY 07–25: 3600X100 (TURF) 2.1% up W
RWY 07: Road.
RWY 25: Fence.
AIRPORT REMARKS: Attended continuously. Ultralight activity on and in vicinity of arpt. Rwy 07–25 rolling trrn. 84′ rise in rwy elev fm Rwy 25 to Rwy 07 end. No line of sight between rwy ends. Rwy 07–25 mowed 30′ wide. Rwy 25 10–60′ trees along edge of rwy, both sides.
AIRPORT MANAGER: 903-824-8536
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


JIM HOGG CO (See HEBBRONVILLE on page 347)

JOE VAUGHN SPRAYING (See KRESS on page 370)

JONES FLD (See BONHAM on page 277)

JUNCTION

KIMBLE CO (JCT)(KJCT) 1 NE UTC–6(–5DT) N30°30.67′ W99°45.77′ **SAN ANTONIO**
1754 B NOTAM FILE JCT **H–7B, L–19B**
RWY 17–35: H5004X75 (ASPH) S–30 MIRL 1.0% up N **IAP**
RWY 17: PAPI(P4L)—GA 3.5° TCH 50′. Hill.
RWY 35: PAPI(P4L)—GA 3.0° TCH 45′. Trees.
RWY 08–26: 2255X130 (TURF) 1.0% up W
RWY 26: Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** Dusk–dawn. MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF. Rwy 17 VGSI unusbl byd 5 deg left of CL.
AIRPORT REMARKS: Attended continuously. Rwy 08 and Rwy 26 thrs mkd with white tires. Fqt mil trng flts conducting low apchs to arpt.
AIRPORT MANAGER: 325-446-2820
WEATHER DATA SOURCES: ASOS 119.275 (325) 244–2722.
COMMUNICATIONS: CTAF/UNICOM 122.8
JUNCTION RCO 122.3 (SAN ANGELO RADIO)
Ⓡ**HOUSTON CENTER APP/DEP CON** 125.75
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE JCT.
JUNCTION (H) (H) VORTACW 116.0 JCT Chan 107 N30°35.88′ W99°49.05′ 143° 5.9 NM to fld. 2282/8E.
VOR unusable:
070°–101° byd 15 NM blo 4,900′
070°–101° byd 30 NM blo 6,900′



JUSTIN

CLARK (3T6) 3 N UTC–6(–5DT) N33°08.02′ W97°17.82′ **DALLAS–FT WORTH**
705 NOTAM FILE FTW **COPTER**
RWY 17–35: H1800X22 (ASPH) 0.3% up N
RWY 17: Bldg.
RWY 35: Tree.
AIRPORT REMARKS: Unattended. 5 ft fence 50–75 ft east of and parallel to rwy. Rwy 17–35 loose stones on rwy. Rwy 17–35 no cntrln stripe.
AIRPORT MANAGER: 972-741-4520
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

PROPWASH (16X) 3 W UTC–6(–5DT) N33°04.84′ W97°21.51′ **DALLAS–FT WORTH**
804 B NOTAM FILE FTW **COPTER**
RWY 17–35: H3000X60 (ASPH) S–6 LIRL **L–17C, A**
RWY 17: Tree. Rgt tfc.
RWY 35: Tree.
SERVICE: **LGT** ACTIVATE rotating bcn—CTAF. ACTIVATE LIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 713-542-9570
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
RANGER (VH) (H) VORTACW 115.7 FUZ Chan 104 N32°53.37′ W97°10.77′ 316° 14.6 NM to fld. 639/6E.
VOR unusable:
275°–290° byd 40 NM
317°–327° byd 40 NM

PROSE FLD (XAØ) 4 SSW UTC–6(–5DT) N33°08.89′ W97°16.80′ **DALLAS–FT WORTH**
685 NOTAM FILE FTW
RWY 18–36: 1660X60 (TURF)
RWY 18: Thld dsplcd 320′. Road.
RWY 36: Thld dsplcd 180′. Pole. Rgt tfc.
AIRPORT REMARKS: Unattended. Arpt CLOSED indefinitely.
AIRPORT MANAGER: 940-390-7855
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

KELLY FLD (See SAN ANTONIO on page 428)

KELLY N29°23.50′ W98°34.86′ NOTAM FILE SKF. **SAN ANTONIO**
(L) TACAN 112.0 KSY Chan 57 at Kelly Fld. 687/4E. TACAN unmonitored when ATCT clsd. **L–19C**
No NOTAM MP: 0600–1430Z‡ Wed
TACAN AZIMUTH unusable:
163°–188° byd 14 NM blo 2,700′
298°–318° byd 20 NM blo 4,600′
346°–356° byd 16 NM blo 3,400′
DME unusable:
163°–188° byd 14 NM blo 2,700′
298°–318° byd 20 NM blo 4,600′
346°–356° byd 16 NM blo 3,400′

KENEDY RGNL (2R9) 1 NW UTC–6(–5DT) N28°49.50′ W97°51.93′ **SAN ANTONIO**
289 B NOTAM FILE SJT **L–20H, 21A**
RWY 16–34: H3218X60 (ASPH) S–11 MIRL 0.5% up N **IAP**
RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 44′. Fence. Rgt tfc.
RWY 34: PAPI(P2L)—GA 3.6° TCH 48′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 16–34 and twy lgts preset low intst; to incr intst ACTVT—CTAF. Rwy 34 VGSI rstrd 7 degs left due to obsts.
AIRPORT REMARKS: Attended Mon–Fri dalgt hours. Deer on and invof arpt. Acft airframe and power plant repairs on call 830–299–2295.
AIRPORT MANAGER: 830-583-5930
WEATHER DATA SOURCES: AWOS–3PT 118.45 (830) 583–8080.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ**HOUSTON CENTER APP/DEP CON** 134.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.


KENNETH COPELAND (See FORT WORTH on page 330)

KENT CO (See JAYTON on page 364)

KENT N31°00.83′ W104°12.41′ NOTAM FILE SJT. **EL PASO**
NDB (MHW) 225 XAA 268° 29.9 NM to Culberson Co. 4357/7E. **L–6J**

KERRVILLE MUNI/LOUIS SCHREINER FLD (ERV)(KERV) 5 SE UTC–6(–5DT) N29°58.60′ W99°05.13′
1617 B NOTAM FILE ERV
RWY 12–30: H6004X100 (ASPH) S–22.4, D–73.7 PCN 23 F/C/W/T MIRL 0.3% up SE
RWY 12: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Thld dsplcd 687′.
RWY 30: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 03–21: H3597X58 (ASPH) S–15 MIRL 1.2% up NE
RWY 03: PAPI(P2L)—GA 3.5° TCH 25′. Tree.
RWY 21: PAPI(P2L)—GA 3.5° TCH 25′. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 12: TORA–6000 TODA–6000 ASDA–6000 LDA–5313
RWY 30: TORA–6000 TODA–6000 ASDA–5300 LDA–5300
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** Dusk–Dawn. MIRL Rwys 12–30 and 03–21 preset low intst; to incr intst and ACTVT REIL Rwy 12 and 30—CTAF.
AIRPORT REMARKS: Attended 1200–0400Z‡. FBO ph 830–257–8840, aft hrs attendant 830–496–0332. Deer on and invof arpt. Rwy 12 calm wind rwy.
AIRPORT MANAGER: 830-896-9399
WEATHER DATA SOURCES: AWOS–3 118.125 (830) 895–2204.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 134.95
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE ERV.
CENTER POINT (VH) (H) VORTACW 117.5 CSI Chan 122 N29°55.34′ W99°12.87′ 056° 7.5 NM to fld. 2079/8E.
LOC 109.1 I–ERV Rwy 30.

SAN ANTONIO
H–7B, L–19C
IAP




KESTREL AIRPARK (See SAN ANTONIO on page 429)

KICKAPOO DOWNTOWN (See WICHITA FALLS on page 461)

KILLEEN

SKYLARK FLD (ILE)(KILE) 3 E UTC–6(–5DT) N31°05.15′ W97°41.19′
848 B NOTAM FILE ILE
RWY 01–19: H5495X100 (ASPH–AFSC) S–17, D–50 MIRL
RWY 01: REIL. PAPI(P4L)—GA 3.0° TCH 72′. Thld dsplcd 854′. Road. Rgt tfc.
RWY 19: REIL. PAPI(P4L)—GA 3.0° TCH 45′. P–line.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 01: TORA–5495 TODA–5495 ASDA–5495 LDA–4651
RWY 19: TORA–5495 TODA–5495 ASDA–5295 LDA–5295
SERVICE: S2 **FUEL** 100LL, JET A **LGT** MIRL Rwy 01–19 SS–SR preset low intst; to incr intst and ACTVT twy lights—CTAF.
AIRPORT REMARKS: Attended 1400–0000Z‡. Parachute Jumping.
AIRPORT MANAGER: 254-501-8728
WEATHER DATA SOURCES: AWOS–3PT 128.575 (254) 892–3293.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **GRAY APP/DEP CON** 120.075
CLNC DEL 121.7
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE GRK.
GRAY (T) (T) VORW/DME 111.8 GRK Chan 55 N31°01.97′ W97°48.83′ 057° 7.3 NM to fld. 963/7E.
IRESH NDB (LOMW) 278 IL N31°01.45′ W97°42.49′ 012° 3.9 NM to fld. 853/5E. NOTAM FILE ILE.
NDB unusable:
066°–294° byd 15 NM
295°–065° byd 5 NM due to military restricted area
LOC 108.3 I–ILE Rwy 01. LOM IRESH NDB.


SAN ANTONIO
H–6H, L–19C, 21A
IAP



KIMBLE CO (See JUNCTION on page 365)

KINGSVILLE

KLEBERG CO (IKG)(KIKG) 9 W UTC–6(–5DT) N27°33.05′ W98°01.86′ **BROWNSVILLE**
130 B NOTAM FILE SJT **H–7B, L–20H**
RWY 13–31: H6000X75 (ASPH) S–35, D–47, 2D–70 MIRL **IAP**
RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 39′. Trees.
RWY 31: REIL. PAPI(P4L)—GA 3.0° TCH 41′. Tree.
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 3 **LGT** SS–SR MIRL Rwy 13–31 preset low intst; to incr intst and ACTVT REIL Rwys 13 and 31—CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡, Sat–Sun 1400–2100Z‡. Parachute Jumping. Birds on & invof arpt. Rwy 13 and Rwy 31 mkgs faded. Ldg fee for turbine & jet acft. Fee waived with mnm fuel purchase.
AIRPORT MANAGER: 361-592-1225
WEATHER DATA SOURCES: AWOS–3P 119.075 (361) 592–9152.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **KINGSVILLE APP/DEP CON** 119.9 (1345–0600Z‡ Mon–Thu; 1345–2345Z‡ Fri; clsd Sat, Sun and hol exc by NOTAM, hrs subj to chg)
Ⓡ **HOUSTON CENTER APP/DEP CON** 128.15 (0500–1300Z‡ Mon–Thu; 2200–1300Z‡ Fri; 24 Sat, Sun and hol by NOTAM)
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102
N27°54.23′ W97°26.69′ 227° 37.7 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024°–036° byd 35 NM blo 1,700′
037°–023° byd 35 NM blo 2,000′
265°–275°
VOR unusable:
340°–005° byd 40 NM blo 7,000′
340°–005° byd 84 NM
Byd 30 NM blo 1,500′
TACAN AZIMUTH unusable:
080°–085° byd 30 NM



KINGSVILLE NAS (NQI)(KNQI) NAS 3 E UTC–6(–5DT) N27°30.27′ W97°48.50′ **BROWNSVILLE**
50 B NOTAM FILE SJT Not insp. **H–7C, L–20H, 21A, GOAW**
RWY 13L–31R: H8000X198 (PEM) PCN 49 R/C/W/T HIRL **DIAP, AD**
RWY 13L: OLS. WAVE-OFF. REIL.
RWY 31R: OLS. WAVE-OFF. REIL. PAPI(P4L)—GA 3.0° TCH 52′.
RWY 13R–31L: H8000X198 (PEM) PCN 48 R/C/W/T HIRL
RWY 13R: OLS. WAVE-OFF. REIL. PAPI(P4L)—GA 3.0° TCH 35′.
RWY 31L: OLS. WAVE-OFF. REIL.
RWY 17L–35R: H8000X197 (PEM) PCN 60 R/C/W/T HIRL CL
RWY 17L: OLS. WAVE-OFF. REIL.
RWY 35R: ALSF1. OLS. WAVE-OFF. REIL. PAPI(P4L)—GA 3.0° TCH 52′.
RWY 17R–35L: H8000X198 (PEM) PCN 56 R/C/W/T HIRL
RWY 17R: OLS. WAVE-OFF. REIL. PAPI(P4L)—GA 3.0° TCH 52′.
RWY 35L: OLS. WAVE-OFF. REIL.
ARRESTING GEAR/SYSTEM
RWY 13L HOOK E28(B) (1050'). HOOK E28(B) (1500'). **RWY 31R**
RWY 13R HOOK E28(B) (1550'). HOOK E28(B) (1503'). **RWY 31L**
RWY 17L HOOK E28(B) (1675'). HOOK E28(B) (1516'). **RWY 35R**
RWY 17R HOOK E28(B) (1250'). HOOK E28(B) (1600'). **RWY 35L**
SERVICE: **OX** 2 **LGT** Avbl only durg hrs of opn. OLS GS 3.25°. **MILITARY—** **JASU** 1(NC–10) 1(GTC–85) **FUEL** JAA **FLUID** SP PRESAIR LOX **OIL** O–148–156 **TRAN ALERT** Exp svcg delays wkend. Svc not avbl Sun til 2300Z‡. Tran must supervise svcg. Drag chute repack unavbl.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

MILITARY REMARKS: Opr Mon–Thu 1345–0600Z‡, Fri 1345–2345Z‡. Clsd Sat, Sun and fed hol exc by NOTAM. Hrs subject to chg. Fld subj early/no notice closure. **RSTD** PPR for Non–CNATRA Acft ctc alfd mgr durg fld opr hr C361–516–4331. For CALP processing ctc afld mgr C361–516–4331. **CAUTION** Heavy jet inst trng dur fld opr hr. Bird and large wildlife haz. Avoid over flt of chemical plant 5 NM North. **TFC PAT** Arr tsnt acft exp enr descent. Use ldg/taxi lgt for final portion of inst apch dur VFR. **MISC** Durg FCLP periods or single rwy opns practice apchs for trans acft may be denied. Practice apchs for trans acft may be permitted at all other times but dlys or wave–offs should be anticipated. **TRAN ALERT** Expc svcg dlas wkend. Svc not avbl Sun til 2300Z‡. Tran crew is responsible for fueling acft. Drag chute repack unavbl. Tran acft ctc app con 25 nm out.

AIRPORT MANAGER: 361-516-4331

COMMUNICATIONS: SFA ATIS 276.2 (Avbl 20 mins prior to opr hrs til completion of opr hrs or closure)

Ⓡ **APP CON** 119.9 290.45 (1345–0600Z‡ Mon–Thu; 1345–2345Z‡ Fri; clsd Sat, Sun and hol exc by NOTAM, hrs subj to chg)

Ⓡ **HOUSTON CENTER APP CON** 128.15 350.3 (0500–1300Z‡ Mon–Thu; 2200–1300Z‡ Fri; 24 Sat, Sun and hol by NOTAM)

TOWER 124.1 377.05 (1345–0600Z‡ Mon–Thu; 1345–2345Z‡ Fri; clsd Sat; Sun and hol exc by NOTAM, hrs subj to chg)

GND CON 239.05 **CLNC DEL** 328.4

Ⓡ **DEP CON** 121.05 266.8 (1345–0600Z‡ Mon–Thu; 1345–2345Z‡ Fri; clsd Sat, Sun and hol exc by NOTAM, hrs subj to chg)

Ⓡ **HOUSTON CENTER DEP CON** 128.15 350.3 (0500–1300Z‡ Mon–Thu; 2200–1300Z‡ Fri; 24 Sat, Sun and hol by NOTAM)

PMSV METRO 225.6 (Mon–Thu 1345–0600Z‡; Fri 1345–2345Z‡; clsd Sat, Sun and hol exc by NOTAM. Also avbl 1 hr prior to and dur NOTAM afld hrs)

AIRSPACE: CLASS D airspace svc Mon–Thu 1345–0600Z‡, Fri 1345–2345Z‡, clsd Sat, Sun and hol exc by NOTAM, hrs subj to chg; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

(H) TACAN Chan 125 NQI (117.8) N27°29.95′ W97°48.34′ at fld. 45/4E.

ILS/DME 110.9 I–NQI Chan 46 Rwy 13R. Auto coupled apchs not authorized blw 439′ MSL. ILS performance CLASS IE.

ASR/PAR

COMM/NAV/WEATHER REMARKS: Tran acft ctc App Con 25 NM out. Radar see Terminal FLIP for Radar Minima.

KIRBYVILLE (T12) 2 SW UTC–6(–5DT) N30°38.79′ W93°54.89′ **HOUSTON**
121 NOTAM FILE CXO **L–19E, 21A**

RWY 13–31: H3746X50 (ASPH) S–8

RWY 13: Thld dsplcd 326′. Fence.

RWY 31: Thld dsplcd 226′. Trees.

RWY 04–22: H1983X45 (ASPH) S–8

RWY 04: Trees.

RWY 22: Trees.

AIRPORT REMARKS: Unattended. Deer on and invof arpt. PAEW during daylight. Rwy 04–22 CLOSED indefly. Rwy 04–21 mkd w/ large yellow X at each end. Rwy 04–22, not suitable for acft, rough and uneven, loose stones on rwy, vegetation growing. Dirt piles adjacent. Rwy 04, 8 ft dirt pile on rwy end.

AIRPORT MANAGER: 409-384-5343

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.


RADIO AIDS TO NAVIGATION: NOTAM FILE BPT.

BEAUMONT (L) DME 114.5 BPT Chan 92 N29°56.76′ W94°00.97′ 007° 42.3 NM to fld. 7.

KLEBERG CO (See KINGSVILLE on page 368)

KNOX CITY


HARRISON FLD OF KNOX CITY (F75) 1 N UTC–6(–5DT) N33°26.29′ W99°48.77′ **DALLAS–FT WORTH**
1500 B NOTAM FILE FTW **L–17B**
RWY 01–19: H3200X50 (ASPH) S–10 MIRL
RWY 01: Tree.
RWY 19: PAPI(P2L)—GA 3.75° TCH 27′. Trees.
SERVICE: **LGT** MIRL Rwy 01–19 preset low intst dusk–0500Z‡ to incr intst or aft 0500Z‡ ACTVT—CTAF.
AIRPORT REMARKS: Unattended. Rwy 19, 20 ft pumpjack 125 ft right of cntrln 40 ft south Rwy 19 thr. Rwy 19 +20 ft trees 105 ft right, 0–200 ft south of rwy thr.
AIRPORT MANAGER: 940-658-3313
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
GUTHRIE (L) DME 114.5 GTH Chan 92 N33°46.70′ W100°20.17′ 128° 33.2 NM to fld. 1941.



KOTTI N29°26.56′ W100°59.54′ NOTAM FILE DRT. **SAN ANTONIO**
NDB (LOMW) 335 DR 132° 5.3 NM to Del Rio Intl. 1148/8E. **L–19B**

KOUNTZE/SILSBEE

HAWTHORNE FLD (45R) 3 SE UTC–6(–5DT) N30°20.18′ W94°15.45′ **HOUSTON**
71 B NOTAM FILE CXO **L–19E, 21A, GOAW**
RWY 13–31: H4303X76 (ASPH) S–12.5 MIRL **IAP**
RWY 13: PAPI(P2L)—GA 3.0° TCH 29′. Trees.
RWY 31: PAPI(P2L)—GA 4.0° TCH 31′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL RWY 13–31 preset low ints dusk–dawn; to incr ints ACTIVATE—CTAF. Rwy 31 PAPI OTS.
AIRPORT REMARKS: Attended 1400–2330Z‡. 24 hr self serve fuel.
AIRPORT MANAGER: 409-782-7620
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**HOUSTON APP/DEP CON** 121.3
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
DAISETTA (H) (H) VORTACW 116.9 DAS Chan 116 N30°11.38′ W94°38.70′ 061° 22.0 NM to fld. 76/5E.
VOR unusable:
Byd 35 NM blo 1,600′
TACAN AZIMUTH unusable:
Byd 35 NM blo 1,600′
DME unusable:
Byd 35 NM blo 1,600′



KRESS

JOE VAUGHN SPRAYING (29F) 1 N UTC–6(–5DT) N34°23.57′ W101°45.60′ **DALLAS–FT WORTH**
3500 NOTAM FILE FTW
RWY 17–35: 3900X60 (DIRT)
RWY 17: Road.
RWY 35: Fence.
SERVICE: S4 **FUEL** 100LL, JET A
AIRPORT REMARKS: Attended Mon–Fri 1400–0000Z‡, Sat–Sun irregulary. Jet A for ag acft only. 5 ft fence 40 ft west of rwy cntrln, full len of rwy. Rwy 17 +30 ft pline 46 ft dstc 77 ft right cntrln. 25 ft bldgs 45 ft right of cntrln at Rwy 35 end. Rwy 17–35 sfc rough.
AIRPORT MANAGER: 806-684-2732
COMMUNICATIONS: CTAF/UNICOM 122.7
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


KRUM

BIRD DOG AIRFIELD (E58) 8 E UTC–6(–5DT) N33°18.39′ W97°20.83′ **DALLAS–FT WORTH**
895 NOTAM FILE FTW
RWY 18–36: 2830X250 (TURF)
RWY 18: Thld dsplcd 340′. Bldg.
RWY 36: Thld dsplcd 400′. Tree.
AIRPORT REMARKS: Unattended. Rwy 18–36 dspcld thlds not marked. $100 ldg fee all acft.
AIRPORT MANAGER: 940-367-1992
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.


LA FONDA RANCH N29°12.51′ W100°37.44′ NOTAM FILE SJT.
NDB (MHW) 269 BRX 1018/9E. (VFR only). NDB unmonitored.

LA GRANGE

FAYETTE RGNL AIR CENTER (3T5) 2 W UTC–6(–5DT) N29°54.48′ W96°57.00′ **HOUSTON**
324 B NOTAM FILE 3T5 **H–7C, L–19D, 21A**
RWY 16–34: H5000X75 (ASPH) S–30 MIRL 0.3% up SE **IAP, AD**
RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 42′.
RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 31′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–dawn. MIRL Rwy 16–34 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1500–2300Z‡. For arpt attendant after hrs call 979–966–9139. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 979-242-4056
WEATHER DATA SOURCES: AWOS–3 124.175 (979) 242–5777.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **AUSTIN APP/DEP CON** 120.875
GCO 121.725 (AUSTIN APCH CTL and FLIGHT SERVICES)
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
INDUSTRY (L) TACAN Chan 39 IDU (110.2) N29°57.34′ W96°33.72′ 254° 20.4 NM to fld. 419/8E.




LA PORTE MUNI (T41) 3 NW UTC–6(–5DT) N29°40.16′ W95°03.85′ **HOUSTON**
25 B NOTAM FILE CXO **COPTER**
RWY 12–30: H4165X75 (ASPH) S–23 MIRL **L–19E, 21A, GOAW**
RWY 12: REIL. PAPI(P4L)—GA 3.0° TCH 47′. Thld dsplcd 190′. Trees. **IAP**
RWY 30: Thld dsplcd 402′. Fence.
RWY 05–23: H2998X75 (ASPH) S–25 MIRL
RWY 05: Pole.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 12; PAPI Rwy 12; MIRL Rwys 05–23 and 12–30—CTAF. Rwy 12 PAPI unusbl byd 8 deg left of rwy cntrln.
AIRPORT REMARKS: Attended dalgt hours. Fuel 24 hr self serve.
AIRPORT MANAGER: 281-471-9650
WEATHER DATA SOURCES: AWOS–3PT 120.275 (281) 471–2206.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **HOUSTON APP/DEP CON** 134.45
CLNC DEL 125.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844. To cnl IFR ctc Houston Apch at 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
TRINITY (VL) (DL) VORW/DME 114.75 MHF Chan 94(Y) N29°32.78′ W94°44.85′ 287° 18.1 NM to fld. 38/7E.
VOR unusable:
060°–079° byd 40 NM
080°–090° byd 40 NM blo 6,000′
080°–090° byd 50 NM blo 8,000′
091°–109° byd 40 NM
110°–190° blo 2,000′



LA WARD

SHANK N BANK (TXØ) 7 SW UTC–6(–5DT) N28°44.40′ W96°28.09′ **HOUSTON**
29 NOTAM FILE TX0 **H–7C, L–20I, 21–A**
RWY 09–27: H5002X75 (ASPH) MIRL
RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 45′. Tree.
RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 45′. Tree. Rgt tfc.
SERVICE: **LGT** ACTVT REIL Rwy 09 and 27; PAPI Rwy 09 and 27; MIRL Rwy 09–27—CTAF.
AIRPORT REMARKS: Unattended. Arpt fenced. Gates locked. For access ctc amgr.
AIRPORT MANAGER: 361-408-0793
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

LAGO VISTA TX/RUSTY ALLEN (RYW)(KRYW) 2 NE UTC–6(–5DT) N30°29.92′ W97°58.17′ **SAN ANTONIO**
1230 B NOTAM FILE RYW **L–19C, 21A**
RWY 15–33: H3808X50 (ASPH) S–12.5 MIRL 0.6% up NW **IAP**
RWY 15: PAPI(P2L)—GA 4.0° TCH 56′. Trees.
RWY 33: PAPI(P2L)—GA 3.5° TCH 43′. P–line.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 15: TORA–3808 TODA–3808 ASDA–3808 LDA–3808
RWY 33: TORA–3808 TODA–3808 ASDA–3808 LDA–3808
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 15–33 preset low intst; to incr intst ACTVT—CTAF. PAPI Rwys 15 and 33 opr consly.
AIRPORT REMARKS: Attended Mon–Fri 1400–0000Z‡. Deer on and invof arpt. Rwy 15 calm wind rwy. Rwy 15–33 GWT per AMGR.
AIRPORT MANAGER: 737-202-4378
WEATHER DATA SOURCES: AWOS–3PT 119.375 (512) 267–1365.
COMMUNICATIONS: CTAF/UNICOM 122.725
Ⓡ **AUSTIN APP/DEP CON** 119.0
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71′ W97°31.79′ 282° 23.9 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM
COMM/NAV/WEATHER REMARKS: UNICOM not mnt.




LAJITAS INTL (T89) 4 E UTC–6(–5DT) N29°16.63′ W103°41.15′ **EL PASO**
2630 NOTAM FILE T89 **H–7A, L–6J**
RWY 07–25: H6501X100 (CONC) MIRL 0.3% up E **IAP**
RWY 25: Rgt tfc.
SERVICE: **FUEL** 100LL, JET A **LGT** For night ops call 432–424–5000. MIRL Rwy 07–25 CTAF. Txy lgts on req.
AIRPORT REMARKS: Attended 1400–2300Z‡. For svc call 432–424–5000. Notice rqrd for all incoming tfc. No TGLS. Ldg fee.
AIRPORT MANAGER: 432-424-3544
WEATHER DATA SOURCES: AWOS–3 119.275 (432) 424–3095.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE MRF.
MARFA (VL) (DH) VORW/DME 115.9 MRF Chan 106 N30°17.90′ W103°57.29′ 156° 62.7 NM to fld. 4834/11E.
DME unusable:
025°–035° byd 30 NM
VOR unusable:
220°–225° byd 40 NM
290°–309° byd 40 NM
310°–320° byd 40 NM blo 11,000′
310°–320° byd 58 NM
321°–333° byd 40 NM
334°–344°
345°–130° byd 40 NM

LAKE DALLAS

LAKEVIEW (3ØF) 1 NE UTC–6(–5DT) N33°07.88′ W97°00.85′ **DALLAS–FT WORTH COPTER**
535 NOTAM FILE FTW
RWY 18R–36L: H2815X30 (ASPH)
RWY 18R: Trees.
RWY 36L: Pole.
RWY 18L–36R: 2600X75 (TURF)
RWY 18L: Trees.
RWY 36R: Pole.
AIRPORT REMARKS: Unattended. Arpt CLOSED to tnst students. Birds on and invof arpt. Rwy 18L–36R lake 350 ft fm north end of rwy, 170 ft fm south end. Portions of rwy may be under water during heavy rains. Rwy 36 30–50 ft trees, 65 ft right, parallel to rwy. Gate locked 24 hrs. No touch and go landing permitted. Powered parachutes and balloons prohibited. Rwy 18R–36L boats and trailers parked along west edge of rwy. Rwy 18R–36L defined by mowing. Una to dtrm lctn of rwy, not inspd. Rwy pavement uneven with loose stones, vegetation, and pot holes.
AIRPORT MANAGER: 214-850-8180
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

LAKEVIEW (See LAKE DALLAS on page 373)


LAKEWAY AIRPARK (3R9) 2 SW UTC–6(–5DT) N30°21.45′ W97°59.67′ **SAN ANTONIO L–19C, 21A IAP**
909 TPA—See Remarks NOTAM FILE SJT
RWY 16–34: H3930X70 (ASPH) S–9 0.6% up S
RWY 16: Thld dsplcd 782′. Tree.
RWY 34: Thld dsplcd 624′. Trees.
SERVICE: **FUEL** 100LL
NOISE: Mntn rwy hdg til 1 mi and 400 ft AGL (1300 ft MSL) for noise abatement.
AIRPORT REMARKS: Unatndd. Aprt CLOSED SS–SR. No ngt opns per city ordinance. Deer on and in vicinity of arpt. 100LL fuel self–svc. Numerous objects in prim sfc. Rwy rises fm S to N to 32 ft. Acft not visible at opposite end. No TGLs. No low passes. Arpt opns ltd to acft with max gwt 12,500 lbs or less by city ordinance. Ultralight and glider opns prohibited. Bldgs, trees and parked acft near rwy. 3 ft non–frangible signs 10 ft fm edge at dsplcd thr, both sides. No coml opns per city ordinance. Rwy 34, 30 ft mkd pwr lines acrs apch 155′ dstc. Rwy 34, 30 ft mkd elec tmtn lines crs thru apch 200 ft dstc. All acft, inclg rotary wing, left tfc. TPA 1900 MSL. Lndg fee for turbines and jets. Ovngt tiedown fee.
AIRPORT MANAGER: 512-261-4385
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ**AUSTIN APP/DEP CON** 119.0
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.



Rwy 16-34: 3930 X 70

RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71′ W97°31.79′ 261° 24.1 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM
COMM/NAV/WEATHER REMARKS: 2–way radio coms rqrd on CTAF. Aprt wx SR–SS click mike 5X on CTAF.

LAMESA MUNI (LUV)(KLUV) 2 NE UTC–6(–5DT) N32°45.38′ W101°55.21′ **DALLAS–FT WORTH**
2999 B NOTAM FILE FTW **H–6G, L–6H**
RWY 16–34: H5002X75 (ASPH) S–20 MIRL **IAP**
RWY 16: PAPI(P2L)—GA 3.0° TCH 31′. Road.
RWY 34: PAPI(P2L)—GA 3.0° TCH 32′.
RWY 07–25: H4006X60 (ASPH) S–12 MIRL
RWY 07: PAPI(P2L)—GA 3.0° TCH 43′. Tree.
RWY 25: PAPI(P2L)—GA 3.0° TCH 44′. Road.
SERVICE: S4 **FUEL** 100LL, JET A1+ **LGT** SS–SR. **SVC** Pwr plant rprs: Acft maint 806–200–5108.
AIRPORT REMARKS: Unattended. For A1+ fuel svc call 806–759–9270, 806–759–7747 or 806–759–7250. Rwy 07–25, due to grade, acft on rwy end not vsb fm opposite end.
AIRPORT MANAGER: 806-759-7747
WEATHER DATA SOURCES: AWOS–3PT 124.175 (806) 872–0659.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.6
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE BPG.
BIG SPRING (VL) (H) VORTACW 117.2 BGS Chan 119 N32°23.14′ W101°29.02′ 304° 31.3 NM to fld. 2670/11E.



LAMPASAS (LZZ)(KLZZ) 3 N UTC–6(–5DT) N31°06.37′ W98°11.76′ **SAN ANTONIO**
1214 B NOTAM FILE SJT **L–19C**
RWY 16–34: H4202X75 (ASPH) S–12.5 MIRL 1.4% up NW **IAP**
RWY 16: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 34: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: **FUEL** 100LL **LGT** ACTVT PAPI Rwys 16 and 34; MIRL Rwy 16–34—CTAF.
AIRPORT REMARKS: Unattended. Deer on and invof arpt. For attendant aft hrs call amgr. Fuel 24 hr self svc.
AIRPORT MANAGER: 512-734-5634
WEATHER DATA SOURCES: AWOS–3 119.075 (512) 556–6392.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **GRAY APP/DEP CON** 120.075
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
GOOCH SPRINGS (H) (H) VORTACW 112.5 AGJ Chan 72 N31°11.13′ W98°08.51′ 205° 5.5 NM to fld. 1191/5E.

LANCASTER RGNL (LNC)(KLNC) 2 S UTC–6(–5DT) N32°34.66′ W96°43.05′ **DALLAS–FT WORTH**
501 B NOTAM FILE LNC **COPTER**
RWY 13–31: H6500X100 (ASPH) S–20, D–60 MIRL 0.4% up NW **H–6H, L–17C, A**
RWY 13: PAPI(P4L)—GA 3.0° TCH 45′. **IAP**
RWY 31: PAPI(P4L)—GA 3.0° TCH 50′. Trees. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT MIRL Rwy 13–31—CTAF.
AIRPORT REMARKS: Attended Mon–Thu 1300–0000Z‡, Fri–Sun 1300–0100Z‡. Arpt unatndd Thanksgiving, Christmas Eve 1800Z‡ thru Christmas. Wildlife on and invof arpt. Full on auto–rotations, sliding skid ldgs or tkfs by skid type helicopters on any paved sfc not authorized. N ramp hel prkg circles rotary wing use only, apch and dep NA.
AIRPORT MANAGER: 972-227-5721
WEATHER DATA SOURCES: AWOS–3PT 118.975 (972) 227–0471.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **LONE STAR APP/DEP CON** 118.1 125.025 125.2 125.27 125.9 135.975
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
COWBOY (VH) (DH) VORW/DME 116.2 CVE Chan 109 N32°53.42′ W96°54.24′ 147° 21.0 NM to fld. 443/6E.
VOR unusable:
055°–057° byd 57 NM blo 7,500′
131°–137° byd 38 NM



LANE AIRPARK (See ROSENBERG on page 424)

LAREDO INTL (LRD)(KLRD) 3 NE UTC–6(–5DT) N27°32.65′ W99°27.70′
508 B AOE Class I, ARFF Index B NOTAM FILE LRD
RWY 18R–36L: H8743X150 (CONC–GRVD) S–90, D–190, 2S–140, 2D–415, 2D/2D2–820 PCR 684 R/D/W/T HIRL
RWY 18R: MALSR. PAPI(P4L)—GA 3.0° TCH 50′.
RWY 36L: PAPI(P4L)—GA 3.0° TCH 50′. Thld dsplcd 120′. Rgt tfc. 0.4% up.
RWY 18L–36R: H8236X150 (CONC–GRVD) S–90, D–190, 2S–175, 2D–360 PCR 600 R/D/W/T HIRL
RWY 18L: PAPI(P4L)—GA 3.0° TCH 51′.
RWY 36R: Rgt tfc. 0.4% up.
RWY 14–32: H5927X150 (CONC) S–50, D–60, 2D–125 PCR 98 R/D/W/T MIRL 0.6% up NW No Part 121/Part 380 Ops
RWY 14: VASI(V4L)—GA 3.0° TCH 55′.
RWY 32: VASI(V4L)—GA 3.0° TCH 71′. Road. Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 14: TORA–5927 TODA–5927 ASDA–5927 LDA–5927
RWY 18L: TORA–8236 TODA–8236 ASDA–8236 LDA–8236
RWY 18R: TORA–8743 TODA–8743 ASDA–8743 LDA–8743
RWY 32: TORA–5927 TODA–5927 ASDA–5927 LDA–5927
RWY 36L: TORA–8743 TODA–8743 ASDA–8743 LDA–8623
RWY 36R: TORA–8236 TODA–8236 ASDA–8236 LDA–8236
ARRESTING GEAR/SYSTEM
RWY 18R: EMAS
SERVICE: S7 **FUEL** 100LL, JET A **OX** 2, 4 **LGT** When ATCT clsd ACTVT MALSR Rwy 18R—CTAF. MIRL Rwy 14–32; HIRL Rwys 18L–36R and Rwy 18R–36L preset med intst.
AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. JP4 fuel avbl. Rwy 14–32 rstrd to acft less than 60000 lbs DTW. Twy C clsd btn Rwy 18L–36R and Rwy 18R indefly. Federal Inspection Station fee. Federal Inspection Station is lctd on the West General Aviation/Cargo apron. Lndg fee assessed for all acft exc federal, mil and based acft.
AIRPORT MANAGER: 956-795-2000
WEATHER DATA SOURCES: AWOS–3PT (956) 712–8640 LAWRS SAWRS(WHEN ATCT CLSD).
COMMUNICATIONS: CTAF 120.1 **ATIS** 125.775 **UNICOM** 122.95
RCO 122.3 (SAN ANGELO RADIO)
Ⓡ**HOUSTON CENTER APP/DEP CON** 127.8
TOWER 120.1 (1200–0600Z‡) **GND CON** 121.8
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS D svc 1200–0600Z‡, other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE LRD.
(VH) (H) VORTACW 117.4 LRD Chan 121 N27°28.72′ W99°25.06′ 320° 4.6 NM to fld. 583/9E.
VOR unusable:
080°–126° byd 40 NM
127°–137° byd 40 NM blo 4,500′
127°–137° byd 56 NM
138°–148° byd 57 NM
190°–260° byd 40 NM
ILS/DME 111.9 I–LRD Chan 56 Rwy 18R. Class IE. Unmonitored when ATCT closed. Localizer backcourse unusable byd 20° left of course. DME unusable byd 20° left of localizer backcourse. Localizer backcourse unusable byd 25° right of course.
COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.

LAUGHLIN AFB (DLF)(KDLF) AF 5 E UTC–6(–5DT) N29°21.56′ W100°46.68′ **SAN ANTONIO**
1082 B NOTAM FILE DLF Not insp. **H–7B, L–19B**
RWY 13C–31C: H8852X150 (PEM) PCN 35 F/A/W/T HIRL **DIAP, AD**
RWY 13C: ALSF1. PAPI(P4L)—GA 3.0° TCH 38′.
RWY 31C: PAPI(P4L)—GA 3.0° TCH 55′.
RWY 13L–31R: H8316X150 (PEM) PCN 51 R/B/W/T HIRL
RWY 13L: PAPI(P4L)—GA 3.0° TCH 40′.
RWY 31R: PAPI(P4L)—GA 3.0° TCH 43′.
RWY 13R–31L: H6571X150 (ASPH) PCN 31 F/B/W/T MIRL
RWY 31L: Thld dsplcd 330′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 13C: TORA–8852 TODA–8852 ASDA–8852 LDA–8852
RWY 13L: TORA–8316 TODA–8316 ASDA–8316 LDA–8316
RWY 13R: TORA–6571 TODA–6571 ASDA–6571 LDA–6571
RWY 31C: TORA–8852 TODA–8852 ASDA–8852 LDA–8852
RWY 31L: TORA–6571 TODA–6241 ASDA–6241 LDA–6241
RWY 31R: TORA–8316 TODA–8316 ASDA–8316 LDA–8316
ARRESTING GEAR/SYSTEM
RWY 13C BAK–15 CHAG (151' OVRN). BAK–15 CHAG (155' OVRN). **RWY 31C**
RWY 13L BAK–15 CHAG (115' OVRN). BAK–15 CHAG (155' OVRN). **RWY 31R**
SERVICE: S4 **LGT** Rwy 13C–31C PAPI opr dur opr hr, GS 3.0°. Rwy 13C–31C PAPI/ILS RPI′s not coincidental. Rwy 31C apch lgt not avbl UFN. Three sets of missing twy end lgt – int of Twy G and D, Twy G and E, Twy G and F. 4 missing rwy edge lgt on Rwy 13C–31C opposite int with Twy J and Twy D. 3 groups twy lgts instl greater than 10′ from twy edges: Twy B and Twy G both sides of int, Twy C and Twy G both sides of int. East side Twy G adj apn. Doubleblue twy entrance/exit lgt missing; Twy A and Rwy 13L/31R north side, Twy A and Rwy 13R/31L south side, Twy H and Rwy 13C/31C southwest side, Twy E and Rwy 13R–31L southwest side. **MILITARY— A–GEAR** BAK–15 on dep end Rwy 13C–31C and Rwy 13L–31R. Opposite end apch over raised barrier is proh. **JASU** 1(MD–3M) 1(MA–1A) 1(MC–1A) 1(MC–11) 1(A/M32A–86) **FUEL** A++, A++100 **FLUID** SP PRESAIR LHOX LOX **OIL** O–156 for T–6 **TRAN ALERT** Opr dur afld hr.
NOISE: Noise Abatement: AETC quiet hr policy in effect daily 0400–1200Z‡dly, no tkof, low apch or touch and go ldg.
MILITARY REMARKS: Opr weekdays Mon–Fri 1300–0100Z‡, Sun 2000–2300Z‡, Clsd to all acft exc emerg OT, Sat and hol; OT by NOTAM. **RSTD** All acft cross departure end of all rwys at or blo 1600′ MSL for VMC departure. Rwy 13R–31L for lcl use only. T–6 and smaller acft only on Twys B, C, D, E and H. Rwy 13R—Do not use opposite end dsplcd thld for takeoff computations or takeoff roll. Twy G1 for use by T6 acft only. Overhead apch not auth for tran acft dur stu trng opr. Exp radar vectors for ILS, LOC or straight–in apch and full stop ldg dur stu trng. PPR, ctc Base OPS DSN 732–5308, C830–298–5308. All acft with wingspan larger than C–130 rstd. **CAUTION** Twenty–seven security lgt poles along edge of prk apron have no obst lgts. All departing acft cross 2 DME at or blo 3000′ to ensure separation from civ corridor. Rwy Supervisor Units lctd 230′ west of Rwy 13C abeam the 7000′ remaining marker, 236′ west of Rwy 31C abeam the 7000′ remaining marker and 221′ east of Rwy 31R abeam 5500′ remaining marker. Twy J VFR daytime only, no edge lgts installed. Lgtd wind cone 249′ west of Rwy 13C cntrln, south of Twy A. Lgtd wind cone 211′ west of Rwy 13C cntrln, north of Twy E. Potential transit/divert UAS ops within lcl terminal area. N gnd Navaid ck point unusbl. **TFC PAT** Due to close proximity of rwys, once established on final apch, tran acft will remain aligned with Rwy 13C–31C to avoid T–6 tfc ldg Rwy 13R–31L at 2100′ and tfc ldg Rwy 13L–31R at 2100′–2600′. **MISC** All acft dep VFR shall ctc clnc del 335.8 for Class C Airspace climb out inst prior to taxi. Acft opr within the Rwy Supervisory Unit practice area are not Class C participants. Rwy Supervisory Unit practice area defined in AP/1. Airfield opns does not have ability to store comsec. Command post has ltd avbl storage. Ctc command post DSN 732–5167, c830–298–5167. Airfield opns does not have ability to store comsec. Command post has ltd avbl storage. Ctc command post DSN 732–5167, C830–298–5167. Fire fighting capabilities max 2300 gal. Wide–body acft (C17/C5) exp 30 min or longer svc time due to the use of 1.5 hose. **RWY** First 300′ Rwy 13C–31C is grvd conc, middle 8252′ is grvd asph. First 1000′ Rwy 13L–31R grvd conc, middle 6315′ grvd asph. Rwy Cond Reading (RCR) unavbl. Rwy Cond Code (RwyCC) not rptd. No rwy sfc cond avbl when twr clsd. Rwy 13R–31L, Rwy 13C–31C, and Rwy 13L–31R contain nstd afld mrkgs, ctc AFM.
AIRPORT MANAGER: 830-298-5308
COMMUNICATIONS: SFA (Tfc permitting.) **ATIS** 114.4 269.9 (Mon–Fri 1300–0100Z‡, Sun 2000–2300Z‡ exc hol) **PTD** 372.2
Ⓡ **DEL RIO APP CON** 119.6 259.1 (Mon–Fri 1300–0100Z‡, clsd Sat, Sun 2100–2359Z‡ exc hol), other times ctc
Ⓡ **HOUSTON CENTER APP CON** 125.75 346.4 (Mon–Fri 0100–1300Z‡, Sat 24, Sun 2359–2100Z‡ exc hol)
TOWER 125.2 307.375 (Mon–Fri 1300–0100Z‡, Sun 2100–2359Z‡ exc hol)
GND CON 275.8 **CLNC DEL** 120.5 335.8
Ⓡ **DEL RIO DEP CON** 119.6 296.7 (Mon–Fri 1300–0100Z‡, clsd Sat, Sun 2100–2359Z‡ exc hol), other times ctc
Ⓡ **HOUSTON CENTER DEP CON** 125.75 346.4
COMD POST 372.2 (Call BIG RANCH) **PMSV METRO** 354.6 Wx HS. Afld wx maintained by AN/FMQ–19 and augmented by observer as req. Backup wx obsn view ltd, rstd from 120°–320° by flt line fac.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS C svc ctc **APP CON** svc 1300–0100Z‡ Mon–Fri, 2100–2359Z‡ Sun exc hol; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE DLF.
(H) (H) VORTAC 114.4 DLF Chan 91 N29º21.65´ W100º46.30´ at fld. 1071/7E. VORTAC unmonitored when Del Rio apch ctl clsd.
TACAN AZIMUTH unusable:
161º–285º byd 15 NM
No NOTAM MP: 0800–1200Z‡ Tue–Thu
VOR unusable:
045º–050º blo 3,000´
161º–285º byd 15 NM
286º–330º byd 25 NM blo 4,500´
331º–359º byd 25 NM
360º–160º byd 25 NM blo 4,500´
DME unusable:
161º–285º byd 15 NM
ILS 110.3 I–DLF Rwy 13C. Unavbl when app clsd. No NOTAM MP: 0800–1200Z‡ Mon–Fri. Wheel crossing height (WCH) GROUP 1: 29´; GROUP 2: 24´; GROUP 3: 19´; GROUP 4: 14´.
ILS 108.9 I–ILH Rwy 31C. No NOTAM MP: 1000–1200Z‡ Tue–Thu. Unmonitored when app clsd.

LAZY G BAR RANCH (See DECATUR on page 310)

LEAGUE CITY


BAY ELECTRIC SUPPLY HELIPORT (T95) 3 SW UTC–6(–5DT) N29º29.30´ W95º06.45´ **HOUSTON COPTER**
26 NOTAM FILE CXO
HELIPAD H1: H90X90 (CONC) PERIMETER LGTS
HELIPORT REMARKS: Unattended. 197 ft electric transmission lines and electric power lines north of landing pad, clockwise from 270 deg to 085 deg, not marked or lighted.
AIRPORT MANAGER: 281-332-3466
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.

LEAKEY


REAL CO (49R) 1 N UTC–6(–5DT) N29º44.73´ W99º45.65´ **SAN ANTONIO L–19B**
1640 NOTAM FILE SJT
RWY 15–33: H3975X50 (ASPH) S–11
RWY 15: Thld dsplcd 240´. Trees.
RWY 33: Thld dsplcd 270´. Trees.
AIRPORT REMARKS: Unattended. Ultralight act adj to rwy. Fence, beam and tress in primary sfc parallel to rwy.
AIRPORT MANAGER: 830-232-5304
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Laughlin Apch at 830-298-5192, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE ERV.
CENTER POINT (VH) (H) VORTACW 117.5 CSI Chan 122 N29º55.34´ W99º12.87´ 242º 30.4 NM to fld. 2079/8E.

LEONA N31º07.44´ W95º58.08´ NOTAM FILE CXO. **HOUSTON H–6I, L–19D, 21A**
(L) (L) VORTACW 110.8 LOA Chan 45 168º 12.7 NM to Madisonville Muni. 346/8E.

LEVELLAND MUNI (LLN)(KLLN) 2 S UTC–6(–5DT) N33°33.15′ W102°22.35′ **ALBUQUERQUE**
3514 B NOTAM FILE FTW **H–6G, L–6H**
RWY 17–35: H6110X75 (ASPH) S–30 MIRL **IAP**
RWY 17: PAPI(P4L)—GA 3.0° TCH 47′. Tree.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 39′. Rgt tfc.
RWY 08–26: H2072X55 (ASPH)
RWY 08: Road. Rgt tfc.
RWY 26: Road.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2200Z‡. 100LL fuel self–svc. Acft not visible from opposite rwy end.
AIRPORT MANAGER: 806-470-8768
WEATHER DATA SOURCES: AWOS–3PT 121.125 (806) 897–4770.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LUBBOCK APP/DEP CON** 119.2 119.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
LUBBOCK (L) (L) VORTACW 109.2 LBB Chan 29 N33°42.30′ W101°54.84′ 237° 24.7 NM to fld. 3310/11E.
VOR unusable:
040°–050° byd 38 NM blo 5,300′
210°–260° byd 25 NM blo 6,000′




LIBERTY MUNI (T78) 5 E UTC–6(–5DT) N30°04.67′ W94°41.91′ **HOUSTON**
70 B NOTAM FILE CXO **L–19E, 21A, GOAW**
RWY 16–34: H3801X75 (ASPH) S–10 MIRL **IAP**
RWY 16: PAPI(P2L)—GA 3.0° TCH 23′. Trees.
RWY 34: Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTIVATE MIRL Rwy 16–34—CTAF.
AIRPORT REMARKS: Attended 1400–2200Z‡ Mon–Fri. 100LL 24 hr self–svc fuel.
AIRPORT MANAGER: 936-352-1048
WEATHER DATA SOURCES: AWOS–3PT 120.775 (936) 587–4150.
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON APP/DEP CON** 119.7
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
DAISETTA (H) (H) VORTACW 116.9 DAS Chan 116 N30°11.38′ W94°38.70′ 198° 7.3 NM to fld. 76/5E.
VOR unusable:
Byd 35 NM blo 1,600′
TACAN AZIMUTH unusable:
Byd 35 NM blo 1,600′
DME unusable:
Byd 35 NM blo 1,600′



LINDSAY

FREEDOM FLD (7TØ) 3 S UTC–6(–5DT) N33°35.62′ W97°13.13′ **DALLAS–FT WORTH**
885 NOTAM FILE FTW
RWY 17–35: 2400X60 (TURF)
RWY 17: Road. Rgt tfc.
RWY 35: Road.
AIRPORT REMARKS: Unattended. Ocnl livestock on rwy. No student tfc, no hels. Rwy 35, 34 ft pole, 20 ft dstc, 230 ft L, 130 R. Lines buried under apch. Rwy 17, 40 ft pole, 55 ft dstc, 90 ft L, 200 ft R. lines buried under apch. Rwy soft aft rain. Call to confirm cond.
AIRPORT MANAGER: 940-736-6464
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


LITTLEFIELD TAYLOR BROWN MUNI (LIU)(KLIU) 3 W UTC–6(–5DT) N33°55.44′ W102°23.20′ **ALBUQUERQUE**
3616 B NOTAM FILE FTW **L–6H**
RWY 01–19: H4021X60 (ASPH) S–12 MIRL **IAP**
RWY 01: PAPI(P2L)—GA 3.0° TCH 40′. Tree.
RWY 19: PAPI(P2L)—GA 3.0° TCH 40′. Tree.
RWY 13–31: H2513X40 (ASPH) S–5 0.4% up NW
RWY 13: Road.
RWY 31: P–line.
SERVICE: S2 **FUEL** 100LL **LGT** SS–SR
AIRPORT REMARKS: Attended 1400–2300Z‡. For fuel after hrs call 806–777–5030, 806–778–1418 or 806–241–0761. Glider operations sunrise to sunset weekends. Hangars obstruct transitional surface Rwy 13–31.
AIRPORT MANAGER: 806-777-5030
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LUBBOCK APP/DEP CON** 119.2 119.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
LUBBOCK (L) (L) VORTACW 109.2 LBB Chan 29 N33°42.30′ W101°54.84′ 288° 27.0 NM to fld. 3310/11E.
VOR unusable:
040°–050° byd 38 NM blo 5,300′
210°–260° byd 25 NM blo 6,000′



LIVE OAK CO (See GEORGE WEST on page 335)


LIVINGSTON MUNI (ØØR) 5 SW UTC–6(–5DT) N30°41.15′ W95°01.08′ **HOUSTON**
151 B NOTAM FILE CXO **L–19E, 21A**
RWY 12–30: H3704X60 (ASPH) S–11 MIRL **IAP**
RWY 12: Trees.
RWY 30: Trees.
SERVICE: S4 **FUEL** 100LL
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat–Sun 1800–2300Z‡.
AIRPORT MANAGER: 936-327-4311
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **HOUSTON CENTER APP/DEP CON** 125.175
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.
LUFKIN (VH) (H) VORTACW 112.1 LFK Chan 58 N31°09.75′ W94°43.01′ 204° 32.5 NM to fld. 207/5E.
TACAN AZIMUTH unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
DME unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
VOR unusable:
305°–312° byd 40 NM
313°–323° byd 40 NM blo 2,300′
313°–323° byd 66 NM
324°–330° byd 40 NM

LLANO MUNI (AQO)(KAQO) 2 NE UTC–6(–5DT) N30°47.05′ W98°39.59′ **SAN ANTONIO**
1102 B NOTAM FILE AQO **L–19C**
RWY 17–35: H4202X75 (ASPH) S–20 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 2.75° TCH 40′. Trees. Rgt tfc.
RWY 35: PAPI(P2L)—GA 2.75° TCH 40′. Brush.
RWY 13–31: 3209X150 (TURF) 0.6% up NW
RWY 31: Trees. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Tue–Thu 1300–2300Z‡, Fri–Mon 1400–2300Z‡. Deer on and invof arpt. 100LL self svc. Rwy 13–31 thr mkd with white tires.
AIRPORT MANAGER: 325-247-5635
WEATHER DATA SOURCES: AWOS–3 119.425 (325) 247–2189.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **HOUSTON CENTER APP/DEP CON** 132.35
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE AQO.
(L) TACAN Chan 19 LLO (108.2) N30°47.78′ W98°47.24′ 088° 6.6 NM to fld. 1207/8E.



LLANO N30°47.78′ W98°47.24′ NOTAM FILE AQO. **SAN ANTONIO**
(L) TACAN 108.2 LLO Chan 19 088° 6.6 NM to Llano Muni. 1207/8E. **L–19C**

LOCKHART MUNI (5ØR) 2 S UTC–6(–5DT) N29°51.02′ W97°40.35′ **SAN ANTONIO**
532 B NOTAM FILE SJT **L–19C, 21A**
RWY 18–36: H4001X75 (ASPH) S–12.5 MIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.5° TCH 24′. Tree.
RWY 36: PAPI(P2L)—GA 3.0° TCH 25′. Tree.
SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 18–36 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. Wildlife invof arpt.
AIRPORT MANAGER: 512-398-6452
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **AUSTIN APP/DEP CON** 120.875
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71′ W97°31.79′ 187° 32.5 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM



LONGVIEW

EAST TEXAS RGNL (GGG)(KGGG) 8 S UTC–6(–5DT) N32°23.04′ W94°42.69′ **MEMPHIS**
366 B ARFF Index—See Remarks NOTAM FILE GGG **H–6I, L–17D**
RWY 13–31: H10000X150 (ASPH–GRVD) S–95, D–155, 2S–175, 2D–288 PCR 503 F/B/X/T HIRL **IAP, AD**
RWY 13: MALSR. RVR–T Thld dsplcd 800′.
RWY 31: PAPI(P4L)—GA 3.0° TCH 50′. RVR–R
RWY 18–36: H6110X150 (ASPH–GRVD) S–95, D–155, 2S–175, 2D–280 PCR 311 F/D/X/T MIRL
RWY 18: PAPI(P4L)—GA 3.0° TCH 59′. Tree.
RWY 36: PAPI(P4R)—GA 3.0° TCH 50′. Tree.
LAND AND HOLD–SHORT OPERATIONS

LDG RWY	HOLD–SHORT POINT	AVBL LDG DIST
RWY 31	18–36	8100
RWY 36	13–31	4080

RUNWAY DECLARED DISTANCE INFORMATION
RWY 13: TORA–10000 TODA–10000 ASDA–10000 LDA–9200
RWY 18: TORA–6109 TODA–6109 ASDA–6109 LDA–6109
RWY 31: TORA–10000 TODA–10000 ASDA–9200 LDA–9200
RWY 36: TORA–6109 TODA–6109 ASDA–6109 LDA–6109
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3, 4 **LGT** HIRL Rwy 13–31 preset med intst; to incr intst ACTVT—CTAF. When ATCT clsd ACTVT MALSR Rwy 13—CTAF. MIRL Rwy 18–36 not avbl when ATCT clsd. Rwy 36 PAPI unsbl byd 8° right of rwy centerline.
AIRPORT REMARKS: Attended 1200–0300Z‡. Birds on and invof arpt (seasonal). For fuel after hrs call 903–643–8748. Class I, ARFF Index A. PPR for unscheduled ACR opns with over 30 psgr seats. Index B avbl on request. See Special Notices—Extensive Flight Training Advisory.
AIRPORT MANAGER: 903-234-3194
WEATHER DATA SOURCES: ASOS (903) 643–4029 LAWRS.
COMMUNICATIONS: CTAF 119.2 **ATIS** 119.65 **UNICOM** 122.95
GREGG RCO 122.2 (FORT WORTH RADIO)
Ⓡ **LONGVIEW APP/DEP CON** 128.75 (West, 7000 and blw) 124.675 (West, 5000 and blw) 124.275 (East 4000 ft and blw) 127.325 (At or blw 4000 ft) (East 4500–12000 ft) (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.325 (0400–1200Z‡)
EASTEX TOWER 119.2 (1200–0400Z‡) **GND CON** 121.6
AIRSPACE: CLASS D svc 1200–0400Z‡; other times CLASS G.
TRSA ctc **APP CON** within 30 NM
RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.
GREGG COUNTY (VL) (H) VORTACW 112.9 GGG Chan 76 N32°25.07′ W94°45.19′ 127° 2.9 NM to fld. 329/7E.
TACAN AZIMUTH unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′
DME unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′
VOR unusable:
138°–152° byd 40 NM
188°–192° byd 40 NM
210°–230° byd 40 NM
ILS 109.5 I–GGG Rwy 13. Class IA. Unmonitored when ATCT closed.


LOUISE

FLYING V RANCH (T26) 1 SE UTC–6(–5DT) N29°06.50′ W96°23.93′ **HOUSTON**
60 NOTAM FILE CXO
RWY 14–32: 2990X80 (TURF)
RWY 14: Trees.
RWY 32: Trees. Rgt tfc.
SERVICE: S4
AIRPORT REMARKS: Attended continuously. Rwy edge mkd with white tires. Rwy 14 0–15 ft drop–off at thld east side of cntrln. Rwy 32 has 4 ft berm, 60 ft dstc acrs apch.
AIRPORT MANAGER: 979-541-3321
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

LUBBOCK

LUBBOCK EXEC AIRPARK (F82) 5 S UTC–6(–5DT) N33°29.03′ W101°48.78′ **DALLAS–FT WORTH**
3176 B NOTAM FILE FTW **H–6G, L–6H**
RWY 17–35: H5144X70 (CONC–TRTD) S–13 HIRL **IAP**
RWY 17: Thld dsplcd 58′.
RWY 35: Thld dsplcd 385′.
RWY 07–25: 1524X110 (TURF) 0.5% up W
RWY 07: P–line.
SERVICE: S4 **FUEL** 100LL, JET A1+
AIRPORT REMARKS: Attended 1300–0300Z‡, after hrs 806–440–6210. 100LL and Jet A1+ full serv durg atndd hrs; self–serve 24 hrs. Farm equip oprs AER 17, 25, 35. Rwy 07–25 35 ft trees alg N rwy edge. Rwy 07–25 rwy rough with bare spots. Rwy defined by mowing. No txy mkgs.
AIRPORT MANAGER: 806-745-4967
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **APP/DEP CON** 119.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
(L) (L) VORTACW 109.2 LBB Chan 29 N33°42.30′ W101°54.84′ 148° 14.2 NM to fld. 3310/11E.
VOR unusable:
040°–050° byd 38 NM blo 5,300′
210°–260° byd 25 NM blo 6,000′


LUBBOCK PRESTON SMITH INTL (LBB)(KLBB) 4 N UTC–6(–5DT) N33°39.82′ W101°49.23′ **DALLAS–FT WORTH**
3282 B LRA Class I, ARFF Index C NOTAM FILE LBB MON Airport **H–6G, L–6H**
RWY 17R–35L: H11500X150 (CONC–GRVD) S–100, D–170, 2S–175, **IAP, AD**
2D–350 PCR 965 R/B/W/T HIRL
RWY 17R: MALSR. PAPI(P4R)—GA 3.0° TCH 69′. RVR–T Rgt tfc. 0.4% down.
RWY 35L: VASI(V4L)—GA 3.0° TCH 54′. RVR–R 0.3% up.
RWY 08–26: H8003X150 (CONC–GRVD) S–100, D–170, 2S–175, 2D–350 PCR 1073 R/B/W/T HIRL
RWY 08: REIL. PAPI(P4L)—GA 3.0° TCH 50′. RVR–R Rgt tfc.
RWY 26: MALSR. PAPI(P4L)—GA 3.0° TCH 50′. RVR–T
RWY 17L–35R: H2891X74 (ASPH) S–12.5 No Part 121/Part 380 Ops
RWY 35R: Road. Rgt tfc.



RUNWAY DECLARED DISTANCE INFORMATION
RWY 08: TORA–8003 TODA–8003 ASDA–8003 LDA–8003
RWY 17L: TORA–2891 TODA–2891 ASDA–2891 LDA–2891
RWY 17R: TORA–11500 TODA–11500 ASDA–11500 LDA–11500
RWY 26: TORA–8003 TODA–8003 ASDA–8003 LDA–8003
RWY 35L: TORA–11500 TODA–11500 ASDA–11500 LDA–11500
RWY 35R: TORA–2891 TODA–2891 ASDA–2891 LDA–2891
SERVICE: S4 **FUEL** 100LL, JET A, A1+ **OX** 1, 2, 3, 4
AIRPORT REMARKS: Attended continuously. Nmrs birds on & invof arpt. PAEW adj Rwy 08–26 and Rwy 17R–35L. Psgr trml ramp aces rstd to ACR & otr with prior pmsn, call 806–775–2044. Rwy 17L–35R rstd to gen avn acft 12,500 lbs or less. Rwy 17L–35R; Twy B and Twy D; Txl E and Txl E1 not avbl for ACR acft with over 9 psgr seats. Twy B and Twy D; Txl E and Txl E1 rstd to acft weighing less than 50,000 lbs. Twys B & D, Txls E & E1 not avbl for Part 121/Part 380 ops with sked pax carrying ops more than 9 pax seats and non sked pax carrying ops more than 30 pax seats. Twy L between Twy F and Twy J clsd to more than 120,001 lbs. East ramp delineated txl & apron area rstd to 120,000 lbs dual tand acft; 89,000 lbs dual sngl wheel acft; 60,000 lbs sngl wheel acft. All otr east ramp pavements rstd to acft less than 12,500 lbs sngl wheel acft. Flight Notification Service (ADCUS) available.
AIRPORT MANAGER: 806-775-3126
WEATHER DATA SOURCES: ASOS (806) 766–6432 WSP.
COMMUNICATIONS: ATIS 125.3 (806) 766–6404 **UNICOM** 122.95
RCO 122.2 (FORT WORTH RADIO)
Ⓡ **APP/DEP CON** 119.2 119.9
TOWER 120.5 **GND CON** 121.9 **CLNC DEL** 125.8
AIRSPACE: CLASS C svc ctc **APP CON**.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
(L) (L) VORTACW 109.2 LBB Chan 29 N33°42.30′ W101°54.84′ 107° 5.3 NM to fld. 3310/11E.
VOR unusable:
040°–050° byd 38 NM blo 5,300′
210°–260° byd 25 NM blo 6,000′
ILS/DME 111.7 I–LBB Chan 54 Rwy 17R. Class IA.
ILS 111.9 I–LDT Rwy 26. Class IA. Autopilot cpd apch NA blw 3,493′ MSL.

LUFKIN


ANGELINA CO (LFK)(KLFK) 7 SW UTC–6(–5DT) N31°14.04′ W94°45.00′ **HOUSTON**
296 B NOTAM FILE LFK MON Airport **H–6I, L–19E, 21A**
RWY 07–25: H5400X100 (ASPH) S–60, D–90 MIRL **IAP**
RWY 07: MALSR. Tree.
RWY 25: PAPI(P4L)—GA 3.0° TCH 45′. Trees.
RWY 16–34: H4311X100 (ASPH) S–30 MIRL 0.4% up NW
RWY 16: VASI(V4L)—GA 3.0° TCH 48′. Tree.
RWY 34: VASI(V4L)—GA 3.0° TCH 55′. Thld dsplcd 107′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** Dusk–dawn. MIRL Rwy 07–25 & Rwy 16–34 preset med intst; to incr intst and ACTVT MALSR Rwy 07—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–0100Z‡, Sat–Sun 1500–0100Z‡. 100LL svc fee chrgd for fuel aft 0100Z‡; call 936–635–1542. Rwy 16–34 296 ft paved stopway NW end. Rwy 34: 100 ft x 199 ft paved safety area. NOTE: See Special Notice–Houston ARTCC.
AIRPORT MANAGER: 936-634-7511
WEATHER DATA SOURCES: ASOS 120.625 (936) 308–0974.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **HOUSTON CENTER APP/DEP CON** 125.175
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS E.



RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.
LUFKIN (VH) (H) VORTACW 112.1 LFK Chan 58 N31°09.75′ W94°43.01′ 333° 4.6 NM to fld. 207/5E.
TACAN AZIMUTH unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
DME unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
VOR unusable:
305°–312° byd 40 NM
313°–323° byd 40 NM blo 2,300′
313°–323° byd 66 NM
324°–330° byd 40 NM
FLUFY NDB (LOMW) 350 LF N31°13.13′ W94°49.51′ 075° 4.0 NM to fld. 205/2E. NDB unmonitored.
ILS 111.3 I–LFK Rwy 07. Class IB. LOM FLUFY NDB. Unmonitored.
COMM/NAV/WEATHER REMARKS: UNICOM mnt fm 1300–0100Z‡.

LUFKIN N31°09.75′ W94°43.01′ NOTAM FILE LFK. **HOUSTON**
(VH) (H) VORTACW 112.1 LFK Chan 58 333° 4.6 NM to Angelina Co. 207/5E. **H–6I, L–19E, 21A**
TACAN AZIMUTH unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
DME unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
VOR unusable:
305°–312° byd 40 NM
313°–323° byd 40 NM blo 2,300′
313°–323° byd 66 NM
324°–330° byd 40 NM

MADISONVILLE MUNI (51R) 3 SW UTC–6(–5DT) N30°54.77′ W95°57.12′ **HOUSTON**
286 B NOTAM FILE CXO **L–19D, 21A**
RWY 01–19: H3205X60 (ASPH) S–4 MIRL 0.8% up N **IAP**
RWY 01: Trees.
RWY 19: Trees.
SERVICE: **FUEL** 100LL
AIRPORT REMARKS: Unattended. Parachute Jumping. Arpt gate locked from 0400–1200Z‡ call 936–348–2748.
AIRPORT MANAGER: 936-307-3997
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON APP/DEP CON** 134.8
CLNC DEL Ctc Houston APP CON at 281–230–5553
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
LEONA (L) (L) VORTACW 110.8 LOA Chan 45 N31°07.44′ W95°58.08′ 168° 12.7 NM to fld. 346/8E.



MAJOR SAMUEL B CORNELIUS FLD (See SPEARMAN on page 442)

MAJORS (See GREENVILLE on page 343)


MANNING FLD (See JEFFERSON on page 365)

MANVEL

WOLFE AIR PARK (3T2) 2 NE UTC–6(–5DT) N29°28.75′ W95°19.59′ **HOUSTON**
55 NOTAM FILE CXO **COPTER**
RWY 02–20: 2910X80 (TURF) RWY LGTS(NSTD)
RWY 02: Trees.
RWY 20: Road.
SERVICE: **LGT** Solar lights.
AIRPORT REMARKS: Attended dalgt hours. First 400 ft of each end of rwy unusbl when wet. Ditch xng Rwy 20 thr. No tsnt tgls. Rwy 20 end mkd with white ′L′ markers.
AIRPORT MANAGER: 915-449-9100
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.

MARFA MUNI (MRF)(KMRF) 3 N UTC–6(–5DT) N30°22.27′ W104°01.05′
4849 B NOTAM FILE MRF MON Airport
RWY 13–31: H6203X75 (ASPH) S–18 MIRL
RWY 13: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 31: PAPI(P2L)—GA 3.0° TCH 40′. Tree.
RWY 04–22: H5309X75 (ASPH) S–18 0.4% up NE
RWY 09–27: 2825X60 (DIRT)
RWY 09: Fence.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 13–31 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–2200Z‡. Wildlife on and invof arpt. Glider opns on and invof arpt. 100LL, Jet–A, self serve avbl 24 hrs. Parallel twy adjacent Rwy 04–22 clsd exc btn Twy A and Rwy 13–31. Rwy 09 thld mkd w/3 white tires each side of rwy cntrln. 105 ft AGL lgtd water twr 1168 ft SW of AER 31. Twy A northwest of Rwy 04–22 clsd to acft more than 18000 lb. Ldg fee waived with min fuel purchase.
AIRPORT MANAGER: 432-295-3906
WEATHER DATA SOURCES: AWOS–3PT 134.025 (432) 729–3364.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4561.

EL PASO
H–7A, L–6J
IAP




RADIO AIDS TO NAVIGATION: NOTAM FILE MRF.
(VL) (DH) VORW/DME 115.9 MRF Chan 106 N30°17.90′ W103°57.29′ 312° 5.4 NM to fld. 4834/11E.
DME unusable:
025°–035° byd 30 NM
VOR unusable:
220°–225° byd 40 NM
290°–309° byd 40 NM
310°–320° byd 40 NM blo 11,000′
310°–320° byd 58 NM
321°–333° byd 40 NM
334°–344°
345°–130° byd 40 NM

MARIAN AIRPARK (See WELLINGTON on page 459)

MARLIN (T15) 3 NE UTC–6(–5DT) N31°20.44′ W96°51.12′
411 NOTAM FILE FTW
RWY 17–35: H3021X50 (ASPH) S–4
RWY 17: Trees.
RWY 35: Thld dsplcd 90′. Fence.
AIRPORT REMARKS: Unattended. Arpt day VFR only. No lights. Windsock may be unrel due to trees in proximity and mast not ver.
AIRPORT MANAGER: 254-275-0051
COMMUNICATIONS: CTAF 122.9
Ⓡ **WACO APP/DEP CON** 127.65 (1200–0600Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.3 (0600–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

HOUSTON
L–19D, 21A
IAP



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE


RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.

WACO (VH) (H) VORTACW 115.3 ACT Chan 100 N31°39.73′ W97°16.14′ 123° 28.8 NM to fld. 507/9E.

VOR unusable:
125°–149° byd 40 NM
149°–159° byd 47 NM
159°–187° byd 40 NM
188°–198° byd 40 NM blo 12,000′
199°–234° byd 40 NM
235°–245° byd 50 NM
246°–256° byd 40 NM blo 18,000′
246°–256° byd 52 NM
257°–267° byd 58 NM
268°–282° byd 51 NM
270°–335° byd 35 NM blo 4,000′
283°–293° byd 40 NM blo 6,000′
283°–293° byd 58 NM
294°–330° byd 40 NM

MARSHALL

HARRISON CO (ASL)(KASL) 3 SE UTC–6(–5DT) N32°31.23′ W94°18.47′ **MEMPHIS**
357 B NOTAM FILE FTW **H–6I, L–17E**
RWY 15–33: H5002X100 (ASPH) S–20 MIRL 0.7% up NW **IAP**
RWY 15: REIL. Fence.
RWY 33: REIL. Trees.
RWY 02–20: H3304X60 (ASPH) S–20
RWY 02: Trees.
RWY 20: Trees.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2, 3, 4 **LGT** MIRL Rwy 15–33 preset low intst; to incr intst and ACTVT REIL Rwy 15 and Rwy 33—CTAF.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡, Sun irregular. For arpt attendant on Sun call 903–938–1394.
AIRPORT MANAGER: 903-938-1394
WEATHER DATA SOURCES: AWOS–3PT 118.675 (903) 938–2060.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **SHREVEPORT APP/DEP CON** 119.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.



RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.


GREGG COUNTY (VL) (H) VORTACW 112.9 GGG Chan 76
N32°25.07′ W94°45.19′ 068° 23.4 NM to fld. 329/7E.

TACAN AZIMUTH unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′

DME unusable:
045°–070° byd 25 NM blo 2,500′
180°–225° byd 33 NM blo 3,500′
248°–258° byd 34 NM blo 8,100′
258°–268° byd 26 NM blo 4,500′
325°–340° byd 37 NM blo 2,500′

VOR unusable:
138°–152° byd 40 NM
188°–192° byd 40 NM
210°–230° byd 40 NM


MASON CO (T92) 3 SE UTC–6(–5DT) N30°43.93′ W99°11.04′ **SAN ANTONIO**
1514 B NOTAM FILE SJT **L–19C**
RWY 18–36: H3716X50 (ASPH) LIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.25° TCH 48′. Trees.
RWY 36: PAPI(P2L)—GA 3.0° TCH 44′.
SERVICE: **FUEL** 100LL
AIRPORT REMARKS: Unattended. Deer on and invof rwy. 100LL 24 hrs self serve. For assistance call 325–347–5252 (County Sheriff). Hvy tsnt tfc Nov–Jan.
AIRPORT MANAGER: 325-347-5556
COMMUNICATIONS: **CTAF** 122.9
Ⓡ **HOUSTON CENTER APP/DEP CON** 132.35
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE AQO.
LLANO (L) TACAN Chan 19 LLO (108.2) N30°47.78′ W98°47.24′ 251° 20.9 NM to fld. 1207/8E.



MAVERICK CO MEML INTL (See EAGLE PASS on page 319)

MAVERICK N32°52.15′ W97°02.43′ NOTAM FILE FTW. **DALLAS–FT. WORTH**
(VH) (H) VORW/DME 113.1 TTT Chan 78 359° 1.7 NM to Dallas–Fort Worth Intl. 536/6E. **COPTER**
All acft arriving DFW are requested to turn DME off until departure due to traffic overload of Maverick DME **H–6H, L–17C, A**
DME unusable:
180°–190° byd 10 NM
240°–260° byd 20 NM blo 3,500′
VOR unusable:
105°–110° byd 40 NM

MC ALLEN INTL (MFE)(KMFE) 2 S UTC–6(–5DT) N26°10.55′ W98°14.32′ **BROWNSVILLE**
107 B AOE Class I, ARFF Index C NOTAM FILE MFE **H–7B, L–20H**
RWY 14–32: H7120X150 (ASPH–GRVD) S–90, D–190, 2D–280 **IAP, AD**
PCR 880 F/A/X/T HIRL
RWY 14: MALSR. Thld dsplcd 137′. Road.
RWY 32: REIL. VASI(V2L)—GA 3.0° TCH 53′.
RWY 18–36: H2639X60 (ASPH) S–12.5 PCR 330 F/C/X/T MIRL
0.3% up N No Part 121/Part 380 Ops
RWY 18: PAPI(P2L)—GA 4.0° TCH 35′. Pole.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 14: TORA–7120 TODA–7120 ASDA–7120 LDA–6983
RWY 18: TORA–2638 TODA–2638 ASDA–2638 LDA–2638
RWY 32: TORA–7120 TODA–7120 ASDA–7120 LDA–7120
RWY 36: TORA–2638 TODA–2638 ASDA–2638 LDA–2638
ARRESTING GEAR/SYSTEM
RWY 32: EMAS
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** When ATCT clsd ACTVT MALSR Rwy 14; HIRL Rwy 14–32; MIRL Rwy 18–36—CTAF. PAPI Rwy 18 OTS indefly.
NOISE: Jet or large propeller acft training prohibited (including practice apchs; touch and go landings and practice instrument apch procedures) due to noise abatement procedures effective 0500–1200Z‡. When departing arpt fly rwy heading until reaching 1000′ AGL before making procedure turn.



AIRPORT REMARKS: Attended 1200–0601Z‡. For svcs after hrs call 956–686–1774. Birds on and invof airport (seasonal). For ARFF when ATCT clsd ctc McAllen arpt ops 956–681–1500. No 180° locked wheel turns on Rwy 14–32. Twy C btn Twy C2 and the apch end of Rwy 18 not vsb fm ATCT. No acft eng run–ups on trml apn.
AIRPORT MANAGER: 956-681-1500
WEATHER DATA SOURCES: ASOS (956) 664–8212
COMMUNICATIONS: CTAF 118.5 **ATIS** 128.5 **UNICOM** 122.95
RCO 122.2 (SAN ANGELO RADIO)
Ⓡ**VALLEY APP/DEP CON** 126.55
TOWER 118.5 (1200–0600Z‡) **GND CON** 121.8
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc crp Apch at 361-299-4230.
AIRSPACE: CLASS D svc 1200–0600Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE MFE.
(H) (DH) VORW/DME 117.2 MFE Chan 119 N26°10.43′ W98°14.45′ at fld. 95/9E.
MISSI NDB (LOMW) 330 MF N26°15.23′ W98°18.63′ 136° 6.1 NM to fld. 160/4E.
ILS/DME 111.7 I–MFE Chan 54 Rwy 14. Class IE. LOM MISSI NDB. Unmonitored. DME also shared with Rwy 32.
ILS/DME 111.7 I–LLM Chan 54 Rwy 32. Class IE. DME also shared with Rwy 14.

MC CAMEY


UPTON CO (E48) 1 SW UTC–6(–5DT) N31°07.51′ W102°13.52′ **SAN ANTONIO**
2433 B NOTAM FILE SJT **L–19A**
RWY 10–28: H4100X75 (ASPH) S–30 MIRL
RWY 10: PAPI(P2L). P–line. Rgt tfc.
RWY 28: PAPI(P2L). P–line.
SERVICE: **LGT** MIRL Rwy 10–28 preset to low, to incr intst—CTAF.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 432-813-7597
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE FST.
FORT STOCKTON (VH) (H) VORTACW 116.9 FST Chan 116 N30°57.13′ W102°58.54′ 064° 40.0 NM to fld. 2893/11E.
VOR unusable:
020°–055° byd 20 NM blo 6,900′
070°–086° byd 35 NM blo 6,400′
106°–132° byd 30 NM blo 5,900′
125°–202° byd 40 NM
203°–213° byd 40 NM blo 18,000′
214°–230° byd 40 NM
245°–255° byd 40 NM
315°–330° byd 30 NM blo 5,400′

MC GREGOR EXEC (See WACO on page 455)

MC KINLEY FLD (See PEARSALL on page 410)

MC KINNEY

AERO COUNTRY (T31) 4 W UTC–6(–5DT) N33°12.51′ W96°44.52′ **DALLAS–FT WORTH COPTER**
765 B TPA—1800(1035) NOTAM FILE FTW
RWY 17–35: H4352X60 (ASPH–TURF) S–6.5 MIRL(NSTD)
RWY 17: Thld dsplcd 300′. Tree.
RWY 35: Thld dsplcd 245′. Hill.
SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 17–35 SS–SR preset low intst; to incr intst ACTVT—CTAF. Rwy 17–35 nstd MIRL; south 3000′ lighted, north 1500′ unlighted.
NOISE: Noise sensitive areas around arpt. Tkf and landing only on designated runway recommended.
AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. Watch for autos, pedestrians, signs and trash cans on twy. Arpt CLOSED to tnst flt trng, no tnst TGL. 100LL 24 hrs self–serve. Alpha twy 20′ wide, twy to fuel system 18′ wide. Steep downslope 50′ east of cntrln, south end. Rwy hold short lines 75′ from rwy centerline. 50′ trees 125′ east of rwy cntrln, north 1500′. Residential airpark, vehicles on twys. Tkof and lndg only on rwy. Other areas not maintained for acft opns. Rwy 17–35, south 3000′ asph, north 1500′ turf. Rwy 17–35 acft over 6,500 lbs prohibited. Rwy 17 dthr mrkd with white tires each side. Calm wind rwy is Rwy 17. No tnst prkg area. Due to rwy slope, acft not vsb fm opposite end of rwy. Rwy 17–35 no aiming point.
AIRPORT MANAGER: 972-346-8109
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.




MC LEAN/GRAY CO (2E7) 3 E UTC–6(–5DT) N35°14.81′ W100°32.81′ **DALLAS–FT WORTH L–15C**
2835 B NOTAM FILE FTW
RWY 17–35: H3225X50 (ASPH) S–12.5 RWY LGTS(NSTD)
RWY 17: Tree.
RWY 35: Road.
SERVICE: **LGT** Rotating bcn OTS indefly. Rwy 17–35 Nonstd fruit jar lgts on non–frangible metal conduit. Nonstd colors.
AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. No line of sight between rwy ends.
AIRPORT MANAGER: 806-662-7331
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

MCKINNEY NTL (See DALLAS on page 306)


MEMPHIS MUNI (F21) 1 NE UTC–6(–5DT) N34°44.38′ W100°31.78′ **DALLAS–FT WORTH L–17A**
2102 B NOTAM FILE FTW
RWY 17–35: H4670X75 (ASPH) S–10 MIRL
RWY 35: Trees.
RWY 08–26: 2750X70 (TURF)
RWY 08: Road.
RWY 26: Trees.
SERVICE: **LGT** ACTIVATE MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Rwy 08 and Rwy 26 thrs mrkd with red and white metal markers. Acft ldg Rwy 08, plan touchdown byd paved rwy. Rwy 08–26 trsn acrs paved Rwy 17–35 rough.
AIRPORT MANAGER: 806-259-3001
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.
CHILDRESS (VL) (H) VORTACW 117.0 CDS Chan 117 N34°22.14′ W100°17.34′ 322° 25.2 NM to fld. 1920/10E.
VOR unusable:
215°–225°

MENARD CO (T5Ø) 3 NW UTC–6(–5DT) N30°55.95′ W99°48.55′ **SAN ANTONIO**
1933 B NOTAM FILE SJT **L–19B**
RWY 15–33: H4100X60 (ASPH) S–12.5 MIRL
RWY 15: PAPI(P2L)—GA 3.0° TCH 33′. Thld dsplcd 480′. Trees.
RWY 33: PAPI(P2L)—GA 3.0° TCH 33′. Road.
SERVICE: **LGT** MIRL Rwy 15–33 preset low intst, to incr intst ACTVT CTAF. PAPI Rwys 15 and 33 oprs consly. Rwy 15 and 33 PAPI OTS.
AIRPORT REMARKS: Unattended. Birds on and invof arpt. Rwy 15 and Rwy 33 markings faded–barely visible.
AIRPORT MANAGER: 325-396-4789
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE JCT.
JUNCTION (H) (H) VORTACW 116.0 JCT Chan 107 N30°35.88′ W99°49.05′ 353° 20.0 NM to fld. 2282/8E.
VOR unusable:
070°–101° byd 15 NM blo 4,900′
070°–101° byd 30 NM blo 6,900′

MESQUITE METRO (HQZ)(KHQZ) 3 E UTC–6(–5DT) N32°44.82′ W96°31.83′ **DALLAS–FT WORTH**
447 B NOTAM FILE HQZ **COPTER**
RWY 18–36: H6000X100 (CONC) S–70, D–100, 2D–100 MIRL **H–6H, L–17C, A**
RWY 18: RLLS. REIL. PAPI(P4L)—GA 3.0° TCH 55′. Tree. **IAP, AD**
RWY 36: RLLS. REIL. PAPI(P4L)—GA 3.0° TCH 42′. Fence.
SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 1 **LGT** MIRL Rwy 18–36 preset low intst, to incr intst and to ACTVT RLLS Rwy 18 and 36; REIL Rwy 18 and 36; PAPI Rwy 18 and 36—CTAF.
AIRPORT REMARKS: Attended 1400–0200Z‡. Birds, coyotes, and wild hogs on and invof arpt. For attendant after hrs call 214–244–1959. 100LL self–serve avbl 24 hrs. Full serve durg atndd hrs. Also avbl after hrs call 214–244–1959. Call in fee.
AIRPORT MANAGER: 972-216-4130
WEATHER DATA SOURCES: AWOS–3 118.175 (972) 222–7631.
COMMUNICATIONS: CTAF 120.3 **UNICOM** 123.05
Ⓡ**Lone Star APP/DEP CON** 125.2
TOWER 120.3 (1300–0300Z‡) **GND CON** 118.85
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc Lone Star Apch at 972-615-2799.
AIRSPACE: CLASS D svc 1300–0300Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
COWBOY (VH) (DH) VORW/DME 116.2 CVE Chan 109 N32°53.42′ W96°54.24′ 108° 20.7 NM to fld. 443/6E.
VOR unusable:
055°–057° byd 57 NM blo 7,500′
131°–137° byd 38 NM



MEXIA–LIMESTONE CO (LXY)(KLXY) 3 SW UTC–6(–5DT) N31°38.47′ W96°30.87′ **HOUSTON**
545 B NOTAM FILE LXY **H–6H, L–19D, A**
RWY 18–36: H5000X75 (ASPH) S–30 MIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 25′.
RWY 36: PAPI(P2L)—GA 3.0° TCH 24′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 1, 2 **LGT** ACTVT MIRL Rwy 18–36 SS–SR—CTAF. Rwy 18 PAPI OTS. Rwy 36 PAPI OTS.
AIRPORT REMARKS: Attended Mon–Fri 1400–0000Z‡. Exc hols 1500–2100Z‡. Otr times on call. For aftr hrs atndt, call amgr during atndd hrs. 100LL self–serve fuel avbl 24 hrs.
AIRPORT MANAGER: 254-562-2857
WEATHER DATA SOURCES: AWOS–3 127.275 (254) 472–9370.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**WACO APP/DEP CON** 127.65
Ⓡ**FORT WORTH CENTER APP/DEP CON** 133.3
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
GROESBECK (L) DME 108.8 GNL Chan 25 N31°34.89′ W96°32.95′ 026° 4.0 NM to fld. 514.
DME unusable:
150°–205° byd 30 NM blo 2,500′
230°–310° byd 30 NM blo 2,400′
345°–035° byd 35 NM blo 2,500′


MIAMI–ROBERTS CO (3EØ) 3 NE UTC–6(–5DT) N35°42.84′ W100°36.19′ **DALLAS–FT WORTH**
2720 NOTAM FILE FTW **L–15C**
RWY 02–20: H4060X50 (ASPH) S–12.5 LIRL
RWY 02: Trees.
RWY 20: Thld dsplcd 390′. Hill. Rgt tfc.
SERVICE: **LGT** ACTVT LIRL Rwy 02–20—CTAF. Rwy 20, 3 red lgts outboard each side of rwy edge, 188 ft fm N end of rwy.
AIRPORT REMARKS: Unattended. Rwy has 25 ft drop off at S end.
AIRPORT MANAGER: 806-868-3721
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.
BORGER (L) TACAN Chan 23 BGD (108.6) N35°48.42′ W101°22.93′ 087° 38.4 NM to fld. 3130/11E.
TACAN AZIMUTH unusable:
220°–320° byd 10 NM blo 12,000′

MID VALLEY INTL (See WESLACO on page 459)

MID–WAY RGNL (See MIDLOTHIAN/WAXAHACHIE on page 394)

MIDLAND

MIDLAND AIRPARK (MDD)(KMDD) 3 N UTC–6(–5DT) N32°02.19′ W102°06.09′ **ALBUQUERQUE**
2805 B NOTAM FILE MDD **H–6G, L–6H**
RWY 07–25: H5571X75 (ASPH–RFSC) S–18.5 MIRL 0.3% up W **IAP**
RWY 07: PAPI(P2L)—GA 3.0° TCH 40′. Thld dsplcd 550′. Pole.
RWY 25: VASI(V4L)—GA 3.0° TCH 53′. Pole. Rgt tfc.
RWY 16–34: H3839X75 (ASPH) S–18.5 MIRL
RWY 16: PAPI(P2L)—GA 3.0° TCH 40′. Road.
RWY 34: PAPI(P2L)—GA 3.0° TCH 40′. Trees. Rgt tfc.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 07: TORA–5571 TODA–5571 ASDA–5571 LDA–5022
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3 **LGT** MIRL Rwys 07–25 and 16–34 preset low intst; to incr intst and ACTVT VASI Rwy 25; PAPI Rwy 07, 16 and 34—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1200–0200Z‡, Sat–Sun 1300–0200Z‡. Birds invof arpt (seasonal). 100LL: for fuel aft hrs call 432–685–7000. Oprs on non–paved sfcs are prohibited without 24 hr PPR.
AIRPORT MANAGER: 432-560-2200
WEATHER DATA SOURCES: AWOS–3 118.125 (432) 687–4605.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **MIDLAND APP/DEP CON** 124.6 (1200–0600Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.1 (0600–1200Z‡)
CLNC DEL 121.8
CLEARANCE DELIVERY PHONE: For CD when 121.8 is ots ctc Midland Apch at 432-563-2123. When Apch clsd ctc Fort Worth ARTCC at 817-858-7584.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.
(VL) (H) VORTACW 112.6 MAF Chan 73 N32°00.56′ W102°11.42′ 059° 4.8 NM to fld. 2860/11E.
VOR unusable:
010°–020° byd 8 NM blo 8,000′
207°–262° byd 40 NM
263°–273° byd 53 NM
274°–322° byd 40 NM
343°–349° byd 40 NM
TACAN AZIMUTH unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM
DME unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM

MIDLAND INTL AIR AND SPACE PORT (MAF)(KMAF) 8 SW UTC–6(–5DT) N31°56.55′ W102°01.12′

SAN ANTONIO
H–6G, L–6H
IAP, AD

2872 B ARFF Index—See Remarks NOTAM FILE MAF MON Airport

RWY 16R–34L: H9501X150 (ASPH–GRVD) S–160, D–200, 2S–175, 2D–350, 2D/2D2–700 PCR 730 F/B/X/T HIRL
RWY 16R: PAPI(P4L)—GA 3.0° TCH 50′.
RWY 34L: REIL. PAPI(P4L)—GA 3.0° TCH 50′. Pole.

RWY 10–28: H8302X150 (ASPH–GRVD) S–160, D–200, 2S–175, 2D–350, 2D/2D2–700 PCR 660 F/B/X/T HIRL
RWY 10: MALSR. PAPI(P4L)—GA 3.0° TCH 54′. RVR–T
RWY 28: MALS. PAPI(P4R)—GA 3.0° TCH 53′. RVR–R Thld dsplcd 691′.

RWY 04–22: H4605X75 (ASPH) S–30, D–60 PCN 19 F/B/X/T MIRL No Part 121/Part 380 Ops
RWY 04: Pole.
RWY 22: Road.

RWY 16L–34R: H4247X100 (ASPH) S–30, D–60 PCN 19 F/B/X/T MIRL 0.4% up N No Part 121/Part 380 Ops
RWY 16L: Fence.
RWY 34R: Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04:	TORA–4605	TODA–4605	ASDA–4605	LDA–4605
RWY 10:	TORA–8302	TODA–8302	ASDA–8177	LDA–8177
RWY 16L:	TORA–4247	TODA–4247	ASDA–4247	LDA–4247
RWY 16R:	TORA–9501	TODA–9501	ASDA–9501	LDA–9501
RWY 22:	TORA–4605	TODA–4605	ASDA–4605	LDA–4605
RWY 28:	TORA–8302	TODA–8302	ASDA–8302	LDA–7610
RWY 34L:	TORA–9501	TODA–9501	ASDA–9501	LDA–9501
RWY 34R:	TORA–4247	TODA–4247	ASDA–4247	LDA–4247

SERVICE: S4 **FUEL** 100LL, JET A, A1 **OX** 2, 4 **LGT** ATC ctl. When ATCT clsd HIRL Rwys 10–28 and 16R–34L preset on low intst. When ATCT clsd ACTVT MALSR Rwy 10; MALS Rwy 28; MIRL Rwys 04–22 and 16L–34R—CTAF.
AIRPORT REMARKS: Attended continuously. Bird activity on and invof arpt. Rwys 04–22 and 16L–34R clsd to acft over 60,000 lbs. Rwy 10–28 E 692′ CLOSED to acft over 60,000 lbs. Rwy 16R–34L 180° turn prohibited to acft 60,000 lbs and abv. Rwy 10–28 180° turn prohibited to acft 60,000 lbs or abv. Taxiways B and F north Rwy 10–28 clsd to acft over 60,000 lbs. Nmrs oil rigs invof arpt at or blw 200′ AGL. Class I, ARFF Index C. For ARFF svc btn 0600–1200Z‡ dly ctc FSS at 800–992–7433. All runup pads are ltd usage to acft 60000 lbs or blw. Rwys 04–22 and 16L–35R are CLOSED to acft over 60,000 lbs. Oprs on non paved sfc are prohibited wo 24 hr PPR. Ldg fee. User Fee arpt.
AIRPORT MANAGER: 432-560-2200
WEATHER DATA SOURCES: ASOS (432) 201–2813 LLWAS.
COMMUNICATIONS: CTAF 118.7 **ATIS** 126.8 **UNICOM** 122.95
RCO 122.6 (SAN ANGELO RADIO)
Ⓡ **APP/DEP CON** 124.6 (241°–136°) 121.1 (137°–240°) (1200–0600Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.1 (0600–1200Z‡)
TOWER 118.7 (1200–0600Z‡) **GND CON** 121.9 **CLNC DEL** 118.05
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS C svc ctc **APP CON** svc (per TWR/NOTAM 1200–0600Z‡); other times CLASS E.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

VOR TEST FACILITY (VOT) 108.2
RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.
(VL) (H) VORTACW 112.6 MAF Chan 73 N32°00.56′ W102°11.42′ 177° 4.0 NM to fld. 2860/11E.
VOR unusable:
010°–020° byd 8 NM blo 8,000′
207°–262° byd 40 NM
263°–273° byd 53 NM
274°–322° byd 40 NM
343°–349° byd 40 NM
TACAN AZIMUTH unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM
DME unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM
FARLY NDB (HW/LOM) 326 MA N31°59.29′ W102°19.51′ 104° 6.9 NM to fld. 2957/9E. NDB unmonitored when ATCT clsd.
ILS/DME 110.3 I–MAF Chan 40 Rwy 10. Class IE. LOM FARLY NDB. ILS/DME unmonitored when ATCT clsd.


SKYWEST INC (7T7) 9 S UTC–6(–5DT) N31°51.31′ W102°04.44′ **SAN ANTONIO**
2805 NOTAM FILE SJT **H–6G, L–6H**
RWY 16–34: H5000X42 (ASPH) S–12.5 RWY LGTS(NSTD) 0.5% up S
RWY 16: Fence.
RWY 34: Fence.
RWY 06–24: H2800X45 (ASPH)
RWY 06: Brush.
RWY 24: Brush.
SERVICE: S6 **FUEL** 100LL, MOGAS **LGT** Rwy 16–34 NSTD solar rwy lgts, 4 clear lgts each end.
AIRPORT REMARKS: Attended dawn–dusk. Fuel is self serve. Deer on and invof arpt. Rwy 06 and Rwy 24 mrkgs NSTD due to incor size. Rwy 16 and Rwy 34 mrkgs NSTD due to incor size. Edge reflectors entr len.
AIRPORT MANAGER: 432-682-5055
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Midland Apch at 432-563-2123. When Apch clsd ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.
MIDLAND (VL) (H) VORTACW 112.6 MAF Chan 73 N32°00.56′ W102°11.42′ 136° 11.0 NM to fld. 2860/11E.
VOR unusable:
010°–020° byd 8 NM blo 8,000′
207°–262° byd 40 NM
263°–273° byd 53 NM
274°–322° byd 40 NM
343°–349° byd 40 NM
TACAN AZIMUTH unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM
DME unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM

MIDLOTHIAN

EAGLE'S NEST ESTATES (T56) 4 NE UTC–6(–5DT) N32°30.77′ W96°55.61′ — DALLAS–FT WORTH, COPTER
780 B NOTAM FILE FTW — L–17C, A
RWY 17–35: H3216X36 (CONC) MIRL 1.0% up N
RWY 17: REIL. TRCV(TRIL)—GA 5.0°. Thld dsplcd 332′. Trees.
RWY 35: REIL. TRCV(TRIL)—GA 5.0°. Thld dsplcd 272′. Road. Rgt tfc.
SERVICE: **LGT** ACTVT MIRL Rwy 17–35, REILs Rwy 17 and 35, TRIL Rwy 17 and 35—122.975. ACTVT rwy lgts for all operations due to line of sight limitations.
AIRPORT REMARKS: Unattended. Arpt name and CTAF mkd on rwy. Rwy 17–35 strobes mark thrs. Rwy 17 has 37 ft poles 401 ft fm dsplcd thr, 125 ft L and R of cntrln. No line of sight between rwy ends. Rwy 35 rises 12 ft fm pavement end to dsplcd thld.
AIRPORT MANAGER: 972-775-6403
COMMUNICATIONS: CTAF 122.975
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC 817-858-7584.


MIDLOTHIAN/WAXAHACHIE

MID–WAY RGNL (JWY)(KJWY) 5 SE UTC–6(–5DT) N32°27.50′ W96°54.75′ — DALLAS–FT WORTH, COPTER
727 B NOTAM FILE JWY — H–6H L–17C, A, IAP
RWY 18–36: H6500X100 (ASPH) S–30, D–90 MIRL 0.6% up N
RWY 18: REIL. PAPI(P4R)—GA 3.0° TCH 40′. Trees.
RWY 36: PAPI(P4L)—GA 3.0° TCH 40′. P–line.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 18; MIRL Rwy 18–36—CTAF.
AIRPORT REMARKS: Attended Mar–Oct Mon–Sat 1400–0100Z‡, Sun 1500–0100Z‡. Attended Nov–Feb Mon–Sat 1400–0000Z‡, Sun 1500–0000Z‡. For fuel and services after hrs call 214–762–8286 or 972–979–5723. Glider ops on arpt.
AIRPORT MANAGER: 972-923-0080
WEATHER DATA SOURCES: AWOS–3P 119.575 (972) 227–0471.
COMMUNICATIONS: CTAF/UNICOM 122.975
Ⓡ **Lone Star APP/DEP CON** 125.2
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MAVERICK (VH) (H) VORW/DME 113.1 TTT Chan 78 N32°52.15′ W97°02.43′ 159° 25.4 NM to fld. 536/6E.
All acft arriving DFW are requested to turn DME off until departure due to traffic overload of Maverick DME.
DME unusable:
180°–190° byd 10 NM
240°–260° byd 20 NM blo 3,500′
VOR unusable:
105°–110° byd 40 NM



MILLSAP N32°43.57′ W97°59.85′ NOTAM FILE FTW. — DALLAS–FT WORTH, H–6H, L–17C, A
(VH) (H) VORTACW 117.7 MQP Chan 124 307° 4.6 NM to Mineral Wells Rgnl. 900/9E.
VOR unusable:
004°–009° byd 40 NM
010°–054° byd 40 NM blo 3,800′
010°–054° byd 46 NM blo 5,000′
010°–054° byd 56 NM
055°–066° byd 40 NM blo 3,800′
055°–066° byd 50 NM
230°–247° byd 40 NM
248°–258° byd 40 NM blo 3,700′
248°–258° byd 53 NM
259°–270° byd 40 NM blo 6,000′
259°–270° byd 63 NM
271°–285° byd 40 NM
312°–316° byd 40 NM
325°–340° byd 40 NM blo 3,000′
325°–340° byd 46 NM blo 5,000′
325°–340° byd 66 NM
353°–003° byd 40 NM blo 18,000′

MINEOLA WISENER FLD (3F9) 1 W UTC–6(–5DT) N32°40.60′ W95°30.66′ **DALLAS–FT WORTH**
430 B NOTAM FILE FTW **L–17D**
RWY 18R–36L: 3234X60 (TURF) **IAP**
RWY 18R: Trees.
RWY 36L: Trees.
RWY 18L–36R: H3203X40 (ASPH) S–10 LIRL 0.8% up N
RWY 18L: Trees.
RWY 36R: Trees.
SERVICE: S4 **FUEL** 100LL **LGT** ACTVT LIRL Rwy 18L/36R—CTAF. Rwy 18L–36R thr at both rwy ends mkd by three red lgts each side.
AIRPORT REMARKS: Attended continuously. 100LL fuel self–svc. Rwys 18L–36R thrs dplcd 140 ft. Rwy 36R mkd thr dsplcd 140 ft. Rwy 18L–36R rwy sfc loose stones and rough patches at thrs. Rwy sked to be resurfaced mid 2025 – mid 2026. Exp arpt closure.
AIRPORT MANAGER: 903-569-1929
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LONGVIEW APP/DEP CON** 128.75 (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.025 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
QUITMAN (L) DME 114.0 UIM Chan 87 N32°52.83′ W95°22.01′ 211° 14.2 NM to fld. 517.




MINEOLA/QUITMAN

WOOD CO/COLLINS FLD (JDD)(KJDD) 5 N UTC–6(–5DT) N32°44.53′ W95°29.79′ **DALLAS–FT WORTH**
433 B NOTAM FILE JDD **L–17D**
RWY 18–36: H4002X60 (ASPH) S–12.5 MIRL 0.8% up S **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 30′. Trees.
RWY 36: PAPI(P2L)—GA 3.0° TCH 42′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Rwy 36 PAPI unusbl 6 degs left of cntrln. MIRL Rwy 18–36 SS–SR photocell. PAPI Rwy 18 and Rwy 36 opr consly.
AIRPORT REMARKS: Attended Mon–Fri 1500–2300Z‡. Wildlife invof arpt. 100LL self serve fuel.
AIRPORT MANAGER: 903-768-2100
WEATHER DATA SOURCES: AWOS–3PT 118.9 (903) 768–3065.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **LONGVIEW APP/DEP CON** 128.75 (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.025 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
QUITMAN (L) DME 114.0 UIM Chan 87 N32°52.83′ W95°22.01′ 218° 10.6 NM to fld. 517.

MINERAL WELLS RGNL (MWL)(KMWL) 3 SE UTC–6(–5DT) N32°46.90′ W98°03.61′ **DALLAS–FT WORTH**
974 B NOTAM FILE MWL MON Airport **H–6H, L–17C, A**
IAP

RWY 13–31: H5996X100 (ASPH) S–50, D–145, 2S–175 MIRL 0.9% up SE
RWY 13: PAPI(P4L)—GA 3.0° TCH 40′. Thld dsplcd 300′. Fence.
RWY 31: PAPI(P4L)—GA 3.0° TCH 53′. Thld dsplcd 400′. Trees.
RWY 17–35: H4188X100 (ASPH) S–50, D–145, 2S–175 MIRL 1.0% up S
RWY 17: PAPI(P2R)—GA 3.0° TCH 43′. Trees.
RWY 35: PAPI(P2L)—GA 4.0° TCH 46′. Thld dsplcd 286′. Trees.




SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 13–31 and Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF. Rwy 35 PAPI unusable byd 3° left of centerline.
AIRPORT REMARKS: Attended 1200–0000Z‡. For 100LL fuel aft hrs call 940–328–0458. Rwy 13–31 rwy ends not visible from opposite end. Rwy 13, ditch 6 ft deep, 8 ft wide, 50 ft long, btwn rwy thr and Twy A.
AIRPORT MANAGER: 940-328-7810
WEATHER DATA SOURCES: ASOS 135.075 (940) 325–2457.
COMMUNICATIONS: CTAF/UNICOM 122.725
Ⓡ **FORT WORTH CENTER APP/DEP CON** 127.0
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MILLSAP (VH) (H) VORTACW 117.7 MQP Chan 124 N32°43.57′ W97°59.85′ 307° 4.6 NM to fld. 900/9E.
VOR unusable:
004°–009° byd 40 NM
010°–054° byd 40 NM blo 3,800′
010°–054° byd 46 NM blo 5,000′
010°–054° byd 56 NM
055°–066° byd 40 NM blo 3,800′
055°–066° byd 50 NM
230°–247° byd 40 NM
248°–258° byd 40 NM blo 3,700′
248°–258° byd 53 NM
259°–270° byd 40 NM blo 6,000′
259°–270° byd 63 NM
271°–285° byd 40 NM
312°–316° byd 40 NM
325°–340° byd 40 NM blo 3,000′
325°–340° byd 46 NM blo 5,000′
325°–340° byd 66 NM
353°–003° byd 40 NM blo 18,000′
ILS/DME 109.55 I–VMH Chan 32(Y) Rwy 31. Class IE. Unmonitored.

MISSI N26°15.23′ W98°18.63′ NOTAM FILE MFE. **BROWNSVILLE**
NDB (LOMW) 330 MF 136° 6.1 NM to Mc Allen Intl. 160/4E.

MONAHANS

ROY HURD MEML (EØ1) 1 SW UTC–6(–5DT) N31°34.95′ W102°54.54′ **SAN ANTONIO**
2615 B NOTAM FILE SJT **L–19A**
RWY 12–30: H4268X75 (ASPH) S–15 MIRL **IAP**
RWY 12: PAPI(P2L)—GA 3.0° TCH 24′. Pole.
RWY 30: Tree.
RWY 01–19: H2922X75 (ASPH) S–15 MIRL
RWY 01: Tank.
RWY 19: Tree.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** ACTVT PAPI Rwy 12; MIRL Rwy 01–19 and 12–30—CTAF. Nmrs rwy lgts out.
AIRPORT REMARKS: Attended 1300–2300Z‡. Wildlife and birds on and invof arpt. Down slope off end of Rwy 30. Rwy 19 apch, 325 ft AGL 2953 MSL ant, 1.45 NM NE of arpt. Hold line signs faded white, rwy nrs not vsb. Rwy 01–19 nmrs lrg cracks. Rwy 12 apch slpoe 23:1 to dsplcd thr ovr 60 ft mkd/ltg pline, 1425 ft dstc, 135 ft R.
AIRPORT MANAGER: 432-940-2633
WEATHER DATA SOURCES: AWOS–3PT 118.225 (432) 943–2457.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.1
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE INK.
WINK (VH) (H) VORTACW 112.1 INK Chan 58 N31°52.49′ W103°14.63′ 125° 24.5 NM to fld. 2860/11E.
VOR unusable:
165°–265°
300°–320°
335°–340°




MOORE CO (See DUMAS on page 317)

MORTON

COCHRAN CO (F85) 2 E UTC–6(–5DT) N33°43.88′ W102°44.10′ **ALBUQUERQUE**
3747 B NOTAM FILE FTW
RWY 04–22: H2710X60 (ASPH) S–12 MIRL
RWY 04: Thld dsplcd 160′. Road.
RWY 22: VASI(V2L)—GA 3.0° TCH 11′. Road.
RWY 17–35: H1775X39 (ASPH) S–12
RWY 35: Road.
SERVICE: **LGT** Rwy 04–22 MIRL OTS indfly.
AIRPORT REMARKS: Unattended. Rwy 17–35 clsd night. Rwy 17–35 extsv cracking, vegetation growing through. 4171 ft MSL, 399 ft AGL twr, 1.5 NM SW.
AIRPORT MANAGER: 806-266-5508
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

MOUNT PLEASANT RGNL (OSA)(KOSA) 3 S UTC–6(–5DT) N33º05.81´ W94º57.71´ **MEMPHIS**
364 B NOTAM FILE OSA **H–6I, L–17D**
RWY 17–35: H6004X100 (ASPH) S–30 MIRL 0.4% up N **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.0º TCH 40´.
RWY 35: REIL. PAPI(P4L)—GA 3.0º TCH 45´. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** REIL Rwy 17 and 35, MIRL Rwy 17–35 pre–set on low SS–SR. To ACTVT daytime and incr intst—CTAF. PAPI Rwy 17 and 35 opr consly.
AIRPORT REMARKS: Attended 1300–0000Z‡. Deer and wildlife on and invof arpt. For Jet A aft hrs call 903–575–4004. 100LL avbl 24 hrs self serv. No line of sight between rwy ends. Rwy 17 and Rwy 35 mkgs discolored.
AIRPORT MANAGER: 903-575-4020
WEATHER DATA SOURCES: AWOS–3 119.775 (903) 575–4027.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.025
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
QUITMAN (L) DME 114.0 UIM Chan 87 N32º52.83´ W95º22.01´ 058º 24.2 NM to fld. 517.



HELIPAD H1: H44X44 (CONC)
HELIPORT REMARKS: H1 mkgs discolored.

MOUNT SELMAN

TARRANT FLD (6XØ) 2 N UTC–6(–5DT) N32º05.85´ W95º17.69´ **DALLAS–FT WORTH**
590 NOTAM FILE FTW
RWY 12–30: 2700X30 (TURF) 1.8% up SE
RWY 12: Trees.
RWY 30: Trees.
AIRPORT REMARKS: Unattended. Feral hogs on arpt, rwy sfc may be damaged. Rwy cond not reg mon. RC model acft ops on rwy near windsock and twy. 2059´ MSL lgtd antenna 2.75 miles SW of arpt. Rwy 30 has 25´ mkd p–line acrs apch at thr. Rwy 12–30 NE end of rwy rough.
AIRPORT MANAGER: 903-574-1760
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.


MOUNT VERNON

FRANKLIN CO (F53) 2 NW UTC–6(–5DT) N33º12.92´ W95º14.23´ **DALLAS–FT WORTH**
412 B NOTAM FILE FTW **L–17D**
RWY 13–31: H3900X60 (ASPH) S–12.5 MIRL 0.4% up SE **IAP**
RWY 13: PAPI(P2L)—GA 3.0º TCH 37´. Trees.
RWY 31: PAPI(P2L)—GA 3.0º TCH 38´. Trees.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 903-588-2643
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.025
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
QUITMAN (L) DME 114.0 UIM Chan 87 N32º52.83´ W95º22.01´ 018º 21.1 NM to fld. 517.

MUFIN N32º53.59´ W97º22.40´ NOTAM FILE FTW. **DALLAS–FT WORTH**
NDB (LOMW) 365 FT 165º 4.4 NM to Fort Worth Meacham Intl. 744/8E. **COPTER**

MULESHOE MUNI (2T1) 4 SE UTC–6(–5DT) N34°11.11′ W102°38.47′ **ALBUQUERQUE**
3779 B NOTAM FILE FTW **H–6G, L–6H**
IAP

RWY 07–25: H5100X60 (ASPH) S–12.5 MIRL
RWY 07: PAPI(P2L)—GA 3.0° TCH 40′. Pole.
RWY 25: PAPI(P2L)—GA 3.0° TCH 40′.




SERVICE: **FUEL** 100LL **LGT** ACTVT PAPI Rwy 07 and 25; MIRL Rwy 07–25–122.8.
AIRPORT REMARKS: Unattended. Deer on and invof arpt. 100LL fuel 24 hr self serve. For emergency fuel call Central Dispatch 806–272–4569.
AIRPORT MANAGER: 806-272-4528
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.45
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
TEXICO (VH) (H) VORTACW 112.2 TXO Chan 59 N34°29.71′ W102°50.38′ 141° 21.0 NM to fld. 4060/11E.
VOR unusable:
095°–100° byd 40 NM
120°–130° byd 40 NM
210°–272° byd 60 NM blo 10,000′
273°–283° byd 40 NM blo 6,000′
273°–283° byd 46 NM blo 7,000′
273°–283° byd 59 NM
284°–319° byd 40 NM
320°–035° byd 40 NM
TACAN AZIMUTH unusable:
222°–232°

MUNDAY MUNI (37F) 3 E UTC–6(–5DT) N33°28.12′ W99°35.17′ **DALLAS–FT WORTH**
1474 B NOTAM FILE FTW **L–17B**
RWY 17–35: H3200X50 (ASPH) S–4 LIRL
RWY 35: P–line.
SERVICE: **LGT** ACTVT LIRL 17–35—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2200Z‡.
AIRPORT MANAGER: 940-422-4331
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
GUTHRIE (L) DME 114.5 GTH Chan 92 N33°46.70′ W100°20.17′ 116° 41.9 NM to fld. 1941.

MUSTANG BEACH (See PORT ARANSAS on page 413)

NACOGDOCHES A L MANGHAM JR RGNL (OCH)(KOCH) 3 SW UTC–6(–5DT) N31°34.67´ W94°42.61´
343 B NOTAM FILE OCH
RWY 18–36: H5001X75 (ASPH) S–23.6 MIRL
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 37´. Trees.
RWY 36: MALSR. PAPI(P2L)—GA 3.0° TCH 53´. Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** Dusk–dawn, MIRL Rwy 18–36 preset low intst. To incr intst & ACTVT MALSR Rwy 36; REIL Rwy 18—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡ Mon–Fri, 1400–2200Z‡ Sat–Sun. Birds on and invof arpt. 24 hr self serve 100LL and Jet A+; also avbl full svc drg atndd hrs. For aftr hrs serv call 936–560–9567. Call–out fee. 35 ft AGL AWOS ant 400 ft west of Rwy 18–36 cntrln. Rwy 18–36 no line of sight btn rwy ends. High intst student pilot trng on and invof arpt. Mnt 122.75 for student areas of actvty. NOTE: See Special Notices—Model Aircraft Activity.
AIRPORT MANAGER: 936-560-9567
WEATHER DATA SOURCES: AWOS–3PT 135.625 (936) 564–5074.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **HOUSTON CENTER APP/DEP CON** 125.175
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.




HOUSTON
H–6I, L–19E
IAP

LUFKIN (VH) (H) VORTACW 112.1 LFK Chan 58 N31°09.75´ W94°43.01´ 356° 24.9 NM to fld. 207/5E.
TACAN AZIMUTH unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500´
DME unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500´
VOR unusable:
305°–312° byd 40 NM
313°–323° byd 40 NM blo 2,300´
313°–323° byd 66 NM
324°–330° byd 40 NM
ILS/DME 111.5 I–OCH Chan 52 Rwy 36. Class IA. DME unmonitored. Glideslope unusable byd 5° left of course. LOC unusable inside 0.3 NM fm thr.

NAS JRB FORT WORTH N32°46.28´ W97°26.36´ NOTAM FILE NFW.
(L) TACAN 108.7 NFW Chan 24 at Fort Worth NAS JRB (Carswell Fld). 631/4E.
TACAN unavbl 0500–1300Z‡
No NOTAM MP: 1330–1530Z‡ Wed
TACAN AZIMUTH unusable:
180°–320° byd 20 NM blo 4,000´
DME unusable:
180°–320° byd 20 NM blo 4,000´


DALLAS–FT WORTH
H–6H, L–17C, A

NAVASOTA MUNI (6ØR) 2 SW UTC–6(–5DT) N30°22.03′ W96°06.78′ **HOUSTON**
229 B NOTAM FILE CXO **H–7C, L–19D, 21A**
RWY 17–35: H5003X75 (ASPH) S–30 MIRL 0.7% up N **IAP**
RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 45′. Tree.
RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 46′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT PAPI Rwy 17 and Rwy 35; MIRL Rwy 17–35—123.3.
AIRPORT REMARKS: Unattended. 16 ft mkd pwr line Rwy 17, 1300 ft dstc; 50 ft pwr line, 2500 ft dstc.
AIRPORT MANAGER: 936-825-6450
WEATHER DATA SOURCES: AWOS–3PT 120.925 (936) 825–0798.
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON APP/DEP CON** 134.3
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
(VH) (H) VORW/DME 115.9 TNV Chan 106 N30°17.31′ W96°03.49′ 321° 5.5 NM to fld. 247/8E.
DME unusable:
010°–095° byd 28 NM blo 3,000′
096°–106° byd 18 NM blo 3,000′
VOR unusable:
025°–085° byd 40 NM
025°–095° byd 28 NM blo 3,000′
096°–114° byd 19 NM blo 2,000′
115°–124° blo 5,000′
125°–131° byd 30 NM blo 3,000′
142°–145° byd 26 NM blo 5,000′
146°–359° byd 18 NM blo 2,000′
215°–230° byd 40 NM
240°–255° byd 40 NM blo 2,100′
240°–255° byd 52 NM
256°–260° byd 40 NM
261°–271° byd 39 NM blo 5,000′
261°–271° byd 59 NM blo 7,000′
261°–271° byd 82 NM
272°–328° byd 40 NM
329°–339° byd 40 NM blo 5,000′
329°–339° byd 61 NM blo 6,000′
329°–339° byd 83 NM
356°–005° byd 40 NM



NAVASOTA N30°17.31′ W96°03.49′ NOTAM FILE CXO. **HOUSTON**
(VH) (H) VORW/DME 115.9 TNV Chan 106 321° 5.5 NM to Navasota Muni. 247/8E. **H–7C, L–19D, 21A, GOAW**
DME unusable:
010°–095° byd 28 NM blo 3,000′
096°–106° byd 18 NM blo 3,000′
VOR unusable:
025°–085° byd 40 NM
025°–095° byd 28 NM blo 3,000′
096°–114° byd 19 NM blo 2,000′
115°–124° blo 5,000′
125°–131° byd 30 NM blo 3,000′
142°–145° byd 26 NM blo 5,000′
146°–359° byd 18 NM blo 2,000′
215°–230° byd 40 NM
240°–255° byd 40 NM blo 2,100′
240°–255° byd 52 NM
256°–260° byd 40 NM
261°–271° byd 39 NM blo 5,000′
261°–271° byd 59 NM blo 7,000′
261°–271° byd 82 NM
272°–328° byd 40 NM
329°–339° byd 40 NM blo 5,000′
329°–339° byd 61 NM blo 6,000′
329°–339° byd 83 NM
356°–005° byd 40 NM


NEW BRAUNFELS NTL (BAZ)(KBAZ) 4 E UTC–6(–5DT) N29º42.35´ W98º02.59´ **SAN ANTONIO**
658 B NOTAM FILE BAZ **H–7B, L–19C**
RWY 13–31: H6503X100 (ASPH–GRVD) S–30, D–60 MIRL **IAP, AD**
RWY 13: MALS. REIL. PAPI(P4L)—GA 3.0º TCH 50´.
RWY 31: PAPI(P4L)—GA 3.0º TCH 50´.
RWY 17–35: H5364X100 (ASPH) S–25 MIRL
RWY 17: Thld dsplcd 522´.
RWY 35: P–line.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT MIRL Rwy 13–31, Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended 1300–0100Z‡. Birds invof arpt. 100LL fuel 24 hr self svc. For full serve fuel call 830–221–4290; aft hrs call 830–221–4100. Call–in fee. High per mil acft oprg at Randolph AFB AUX (Seguin).
AIRPORT MANAGER: 830-221-4290
WEATHER DATA SOURCES: ASOS 119.325 (830) 629–7979.
COMMUNICATIONS: CTAF 127.05 **ATIS** 119.325 **UNICOM** 122.7
Ⓡ **SAN ANTONIO APP CON** 124.45
Ⓡ **SAN ANTONIO DEP CON** 128.05
TOWER 127.05 (1300–0100Z‡) **GND CON** 120.175
CLNC DEL 134.75 When BAZ twr clsd.
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc SAT Apch at 210-805-5516.



AIRSPACE: CLASS D svc 1300–0100Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29º38.64´ W98º27.68´ 072º 22.2 NM to fld. 1159/8E.
VOR unusable:
018º–022º byd 40 NM
028º–032º byd 40 NM
342º–347º byd 40 NM
355º–002º byd 40 NM blo 18,000´

NEWMAN N31º57.11´ W106º16.35´ NOTAM FILE ABQ. **EL PASO**
(VL) (H) VORTACW 112.4 EWM Chan 71 210º 8.2 NM to Biggs AAF (Fort Bliss). 4041/12E. **H–4L, L–6F**
TACAN AZIMUTH unusable:
220º–255º byd 25 NM blo 12,000´
DME unusable:
220º–255º byd 25 NM blo 12,000´
VOR unusable:
001º–005º byd 40 NM
030º–034º byd 40 NM
042º–065º byd 40 NM
066º–084º byd 40 NM blo 18,000´
085º–130º byd 40 NM
243º–260º byd 40 NM
261º–279º byd 40 NM blo 18,000´
280º–290º byd 40 NM
304º–332º byd 40 NM


NEWTON MUNI (61R) 3 NE UTC–6(–5DT) N30°53.04′ W93°44.55′ **HOUSTON**
322 B NOTAM FILE CXO **L–19E, 21B**
RWY 14–32: H4000X60 (ASPH) S–12.5 LIRL 0.9% up NW
RWY 14: Trees.
RWY 32: Trees.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 409-379-5691
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Maks Apch at 726-780-0456.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.
LUFKIN (VH) (H) VORTACW 112.1 LFK Chan 58 N31°09.75′ W94°43.01′ 103° 52.9 NM to fld. 207/5E.
TACAN AZIMUTH unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
DME unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
VOR unusable:
305°–312° byd 40 NM
313°–323° byd 40 NM blo 2,300′
313°–323° byd 66 NM
324°–330° byd 40 NM



NORTH TEXAS RGNL/PERRIN FLD (See SHERMAN/DENISON on page 438)

NUECES CO (See ROBSTOWN on page 422)

ODESSA–SCHLEMEYER FLD (ODO)(KODO) 5 NE UTC–6(–5DT) N31°55.28′ W102°23.23′ **SAN ANTONIO**
3004 B NOTAM FILE ODO **H–6G, L–6H**
RWY 11–29: H6200X100 (ASPH) S–30 MIRL **IAP**
RWY 11: MALS. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 29: MALS. PAPI(P4L)—GA 3.0° TCH 40′. P–line.
RWY 02–20: H5703X75 (ASPH) S–14 MIRL 0.9% up NE
RWY 02: PAPI(P2L)—GA 3.0° TCH 40′. Road.
RWY 20: PAPI(P2L)—GA 3.0° TCH 40′. P–line.
RWY 16–34: H5003X75 (ASPH) S–14 MIRL 0.6% up N
RWY 16: PAPI(P2L)—GA 4.0° TCH 49′. Antenna.
RWY 34: PAPI(P2L)—GA 4.0° TCH 39′. P–line.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 4 **LGT** MIRL Rwys 02–20, 11–29, 16–34 preset low; to incr intst—CTAF.
AIRPORT REMARKS: Attended 1200–0200Z‡. Wildlife actvy on and invof arpt. 100LL: for fuel aft hrs call 432–367–5881 or self serve. Rwy 11, 170 ft lgtd twr, 2500 ft NW of Rwy 11 end.
AIRPORT MANAGER: 432-367-5881
WEATHER DATA SOURCES: ASOS 119.275 (432) 363–9719.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **MIDLAND APP/DEP CON** 124.6 (1200–0600Z‡) **CLNC DEL** 121.7
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.1 (0600–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD when 121.7 is ots ctc Midland Apch at 432-563-2123. When Apch clsd ctc Fort Worth ARTCC at 817-858-7584.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.

MIDLAND (VL) (H) VORTACW 112.6 MAF Chan 73 N32°00.56′ W102°11.42′ 231° 11.3 NM to fld. 2860/11E.

VOR unusable:
010°–020° byd 8 NM blo 8,000′
207°–262° byd 40 NM
263°–273° byd 53 NM
274°–322° byd 40 NM
343°–349° byd 40 NM

TACAN AZIMUTH unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM

DME unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM

OLD HOPPE PLACE (See AGUA DULCE on page 258)

OLDHAM CO (See VEGA on page 453)

OLNEY MUNI (ONY)(KONY) 3 SW UTC–6(–5DT) N33°21.05′ W98°49.15′

1275 B NOTAM FILE FTW

DALLAS–FT WORTH
H–6H, L–17B
IAP

RWY 17–35: H5101X75 (ASPH–RFSC) S–43, D–50, 2D–84 MIRL 0.3% up N

RWY 17: VASI(V2L)—GA 3.0° TCH 29′. Trees.

RWY 35: VASI(V2R)—GA 3.0° TCH 37′. Road.

RWY 04–22: H5100X75 (ASPH–RFSC) S–43, D–50, 2D–84

RWY 04: Trees.

RWY 22: P–line.

RWY 13–31: H5099X75 (ASPH) S–43, D–50, 2D–84 0.6% up NW

RWY 13: Road.

RWY 31: Road.

SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 17–35 preset to low intst, to incr intst ACTVT—CTAF.


AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Ocnl aerial ag opns. Self svc fuel avbl. Rwy 13–31 cntr 1600 ft by 75 ft overlaid with no grass encroachment. Rwy 13–31 first third and last third of rwy extsv cracks w/vegetation growing through. Loose stones.

AIRPORT MANAGER: 940-564-5616

COMMUNICATIONS: **CTAF/UNICOM** 122.8

Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.5


CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.



RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33°59.24′ W98°35.61′ 187° 39.8 NM to fld. 1133/10E.

ORANGE CO (ORG)(KORG) 3 SW UTC–6(–5DT) N30°04.11′ W93°48.24′ **HOUSTON**
13 B NOTAM FILE ORG **H–7D, L–19E, 21B, GOAW**
RWY 04–22: H5500X75 (ASPH) S–27 MIRL **IAP**
RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 22′. Trees.
RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 21′. Trees.
RWY 13–31: 3000X50 (TURF)
RWY 13: Tree.
RWY 31: Trees.




SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 04–22 preset low intst; to incr intst and ACTVT REIL Rwy 04 and 22—CTAF.
AIRPORT REMARKS: Attended 1300–2300Z‡. Rwy 13–31 CLOSED perm.
AIRPORT MANAGER: 409-882-7861
WEATHER DATA SOURCES: AWOS–3 118.975 (409) 670–9591.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON APP/DEP CON** 121.3
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE BPT.
BEAUMONT (L) DME 114.5 BPT Chan 92 N29°56.76′ W94°00.97′ 056° 13.3 NM to fld. 7.

ORANGE GROVE NALF (NOG)(KNOG) NAF 8 N UTC–6(–5DT) N27°53.81′ W98°02.61′ **BROWNSVILLE**
257 B TPA—See Remarks NOTAM FILE SJT Not insp. **H–7B, L–20H**
RWY 13–31: H8001X198 (PEM) PCN 19 R/C/W/T MIRL **DIAP, AD**
RWY 01–19: H8000X198 (PEM) PCN 25 R/C/W/T MIRL
ARRESTING GEAR/SYSTEM
RWY 13 HOOK E28(B) (1500'). HOOK E28(B) (1501'). **RWY 31**
RWY 01 HOOK E28(B) (1500'). HOOK E28(B) (1500'). **RWY 19**
SERVICE: **LGT** OLS GS 3.25°. **MILITARY—** **FUEL** J8, JAA **FLUID** SP PRESAIR **OIL** O–156 **TRAN ALERT** No tran maint or svc avbl. Refuel CNATRA acft only.
MILITARY REMARKS: Attended continuously. Opr hrs by NOTAM in support of TRAWING–2 flt opr. **RSTD** CNATRA use only exc in emerg, NALF admin DSN 876–6140. **CAUTION** Student jet training in vicinity during opr hr. Bird and large wildlife hazard. **TFC PAT** TPA—Jet break altitude 1300(1043). Use ldg/taxi lgt on final apch during VFR condition.
COMMUNICATIONS: ATIS 254.35 (Mon–Thu 1330–2130Z‡. Fri 1330–1930Z‡)
Ⓡ **KINGSVILLE APP/DEP CON** 119.9 300.4 (1345–0600Z‡ Mon–Thu; 1345–2345Z‡ Fri; clsd Sat, Sun and hol exc by NOTAM, hrs subj to chg)
Ⓡ **HOUSTON CENTER APP/DEP CON** 128.15 350.3 (0500–1300Z‡ Mon–Thu; 2200–1300Z‡ Fri; 24 Sat, Sun and hol by NOTAM)
TOWER 128.4 318.85 281.425 (318.85 Ldg Signal Officer) (Mon–Fri 1330–2130Z‡, clsd Sat, Sun and hol by NOTAM; hrs subject to change in support of TRAWING–2 flt opr.) **GND CON** 229.4 **CLNC DEL** 229.4
PMSV METRO 225.6 (At Kingsville NAS)
AIRSPACE: CLASS D svc 1330–2130Z‡ Mon–Fri, clsd Sat, Sun and hol by NOTAM; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
(T) TACAN Chan 63 NOG (133.6) N27°53.72′ W98°02.56′ at fld. 236/5E.
TACAN opers 1300–2130Z‡ Mon–Fri
KINGSVILLE (H) TACAN Chan 125 NQI (117.8) N27°29.95′ W97°48.34′ 328° 27.0 NM to fld. 45/4E.
ILS/DME 110.5 I–NOG Chan 42 Rwy 13. Class IE. ILS scheduled for maintenance 3rd Tue each Month.
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

OX RANCH (See UVALDE on page 452)

OZONA MUNI (OZA)(KOZA) 1 N UTC–6(–5DT) N30°44.11′ W101°12.13′ **SAN ANTONIO**
2377 B NOTAM FILE SJT **H–6G, L–19A**
RWY 16–34: H6003X75 (ASH) S–30 MIRL 0.4% up N **IAP**
RWY 16: PAPI(P4L)—GA 3.0° TCH 39′. Trees.
RWY 34: PAPI(P4L)—GA 3.0° TCH 35′. Pole.
SERVICE: **FUEL** 100LL, JET A **LGT** Rwy 16–34 MIRL preset med intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. 100LL aft hrs call 325–226–2628.
AIRPORT MANAGER: 325-392-2030
WEATHER DATA SOURCES: AWOS–3PT 118.425 (325) 392–2051.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **HOUSTON CENTER APP/DEP CON** 125.75
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
SAN ANGELO (VH) (H) VORTACW 115.1 SJT Chan 98 N31°22.50′ W100°27.29′ 215° 54.3 NM to fld. 1886/10E.
VOR unusable:
111°–190° byd 40 NM
120°–178° byd 24 NM blo 4,500′
191°–201° byd 49 NM
202°–218° byd 40 NM
219°–245° byd 40 NM blo 12,000′
246°–267° byd 40 NM
268°–289° byd 7 NM
290°–314° byd 46 NM
315°–352° byd 40 NM
TACAN AZIMUTH unusable:
120°–178° byd 18 NM



PADUCAH


DAN E RICHARDS MUNI (3F6) 1 E UTC–6(–5DT) N34°01.66′ W100°16.92′ **DALLAS–FT WORTH**
1860 B NOTAM FILE FTW **L–17B**
RWY 18–36: H3186X50 (ASH) S–8.5 MIRL 0.3% up N **IAP**
RWY 36: Berm.
SERVICE: **LGT** MIRL Rwy 18–36 preset low ints; to increase ints ACTVT—CTAF.
AIRPORT REMARKS: Unattended. Rwy 18, 10 ft drop off 60 ft dstc. Rwy 18–36 marked as 17–35.
AIRPORT MANAGER: 806-492-3613
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.5
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
GUTHRIE (L) DME 114.5 GTH Chan 92 N33°46.70′ W100°20.17′ 010° 15.2 NM to fld. 1941.

• • • • • • • • • • • • • • • • • • •

HELIPAD H1: H25X25 (ASPH)
HELIPORT REMARKS: H1 not maintained. Loose gravel and grass encroachment on surface.

PALACIOS MUNI (PSX)(KPSX) 3 NW UTC–6(–5DT) N28°43.65′ W96°15.06′ **HOUSTON**
14 B NOTAM FILE PSX **H–7C, L–20I, 21A, GOAW**
RWY 08–26: H5001X150 (CONC) S–46, D–58, 2D–105 **IAP**
RWY 08: Trees.
RWY 26: Tower.
RWY 13–31: H5001X150 (CONC) S–46, D–58, 2D–105 MIRL
RWY 13: REIL.
RWY 31: REIL. Tree.
RWY 18–36: H5001X75 (CONC) S–46, D–58, 2D–105
SERVICE: **LGT** MIRL Rwy 13–31 preset on low intst, to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Unattended. Twys, Rwys 08–26, Rwy 18–36 unmkd. Rwy 08–26 and Rwy 18–36 tall vegetation on rwy. Vegetation on twy. Courtesy car avbl.
AIRPORT MANAGER: 361-404-9909
WEATHER DATA SOURCES: ASOS 118.025 (361) 972–0101.
COMMUNICATIONS: CTAF/UNICOM 122.8
RCO 122.2 (MONTGOMERY COUNTY RADIO)
Ⓡ **HOUSTON CENTER APP/DEP CON** 135.05
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE PSX.
(VH) (H) VORTACW 117.3 PSX Chan 120 N28°45.87′ W96°18.37′ 119° 3.7 NM to fld. 16/8E.

PALESTINE MUNI (PSN)(KPSN) 4 NW UTC–6(–5DT) N31°46.78′ W95°42.38′ **HOUSTON**
423 B NOTAM FILE PSN **H–6I, L–19D**
RWY 18–36: H5005X100 (ASPH) S–45, D–70, 2D–135 MIRL **IAP**
RWY 18: PAPI(P4L)—GA 3.0° TCH 45′. Tree.
RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 35′. Trees.
RWY 09–27: H4002X75 (ASPH) S–45, D–70, 2D–135 MIRL
0.9% up W
RWY 09: Trees.
RWY 27: Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36 preset low intst dusk–dawn; to incr intst ACTVT—CTAF. Rwy 36 REIL OTS indefly.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. For svc aft hrs call 903–724–2225. Call–in fee. Rwy 09–27 clsd daily SS–SR, perm.
AIRPORT MANAGER: 903-731-8415
WEATHER DATA SOURCES: AWOS–3PT 118.025 (903) 729–3641.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **FORT WORTH CENTER APP/DEP CON** 135.25
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
FRANKSTON (L) (L) VORW/DME 111.4 FZT Chan 51 N32°04.48′ W95°31.85′ 201° 19.8 NM to fld. 305/6E.
VOR portion unusable:
270°–293° byd 5 NM blo 8,000′
293°–295° byd 25 NM blo 3,500′
295°–340° byd 20 NM



PALMER

DALLAS SOUTH PORT (T13) 3 N UTC–6(–5DT) N32°28.64′ W96°41.13′ **DALLAS–FT WORTH**
474 NOTAM FILE FTW
RWY 17–35: 3800X100 (TURF)
RWY 17: Fence.
RWY 35: Trees.
SERVICE: **FUEL** 100LL
AIRPORT REMARKS: Unattended. 100LL self–serve fuel. Full published rwy length not available. Mowed length 3535 ft. Length between 3 white tires on each side of rwy, both ends 3190 ft.
AIRPORT MANAGER: 214-926-3457
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

PALO DURO (See AMARILLO on page 262)

PAMPA

GREEN ACRES AIRFIELD (28X) 5 SW UTC–6(–5DT) N35°27.25′ W100°59.63′ **DALLAS–FT WORTH**

3245 NOTAM FILE Not insp.

RWY 18–36: 3294X50 (TURF)

RWY 04–22: 1390X50 (TURF)

AIRPORT REMARKS: Unatndd. Active pasture, livestock mat be on rwy. Call for field conds.

AIRPORT MANAGER: 806-662-2582

CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

PERRY LEFORS FLD (PPA)(KPPA) 5 NW UTC–6(–5DT) N35°36.78′ W100°59.78′ **DALLAS–FT WORTH**

H–6G, L–15B

3245 B NOTAM FILE PPA **IAP**

RWY 17–35: H5862X100 (ASPH) S–16 MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 45′. Road.

RWY 35: PAPI(P2L)—GA 3.0° TCH 45′.

RWY 05–23: H4500X75 (ASPH) S–17 MIRL

RWY 23: P–line.

SERVICE: S4 **FUEL** 100LL, JET A1+ **LGT** Dusk–Dawn. MIRL Rwy 05–23 and 17–35 preset low intst; to incr intst ACTVT—CTAF.

AIRPORT REMARKS: Attended 1400–2300Z‡. Antelope on and invof rwys. For fuel aft hrs call 806–395–1117. No line of sight btn both rwy ends.

AIRPORT MANAGER: 806-669-8007

WEATHER DATA SOURCES: AWOS–3 118.725 (806) 669–1333.

COMMUNICATIONS: CTAF/UNICOM 122.7


Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85

CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.

BORGER (L) TACAN Chan 23 BGD (108.6) N35°48.42′ W101°22.93′ 111° 22.2 NM to fld. 3130/11E.

TACAN AZIMUTH unusable:
220°–320° byd 10 NM blo 12,000′



PAMPA BPC N35°53.36′ W101°01.81′/2772 **DALLAS–FT WORTH**

L–15B

AWOS–3PT 118.1 (806) 665–5504 AWOS–3PT associated with Mesa Vista Ranch airport TX13.

PANDE N35°08.79′ W101°48.33′ NOTAM FILE AMA. **DALLAS–FT. WORTH**

L–15B

NDB (LOMW) 251 AM 040° 6.6 NM to Rick Husband Amarillo Intl. 3609/8E. NDB unmonitored when ATCT clsd.

PANHANDLE–CARSON CO (T45) 1 NE UTC–6(–5DT) N35°21.70′ W101°21.91′ **DALLAS–FT WORTH**

L–15B

3454 B NOTAM FILE FTW **IAP**

RWY 17–35: H4404X60 (ASPH) S–12.5 MIRL

RWY 35: Road. Rgt tfc.

SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 17–35 preset low intst; to incr intst ACTVT–123.5.

AIRPORT REMARKS: Unattended.

AIRPORT MANAGER: 806-537-3517

COMMUNICATIONS: CTAF/UNICOM 122.7


Ⓡ **AMARILLO APP/DEP CON** 119.5 (1200–0600Z‡)

Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85 (0600–1200Z‡)

CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

(H) (H) VORTACW 116.6 PNH Chan 113 N35°14.10′ W101°41.94′ 057° 18.1 NM to fld. 3595/8E.



PANHANDLE N35°14.10′ W101°41.94′ NOTAM FILE FTW. **DALLAS–FT WORTH**

H–6G, L–15B

(H) (H) VORTACW 116.6 PNH Chan 113 at Rick Husband Amarillo Intl. 3595/8E.

PANOLA CO–SHARPE FLD (See CARTHAGE on page 287)

PARIS

COX FLD (PRX)(KPRX) 6 E UTC–6(–5DT) N33°38.20′ W95°27.05′ **DALLAS–FT WORTH**
548 B NOTAM FILE PRX **H–6I, L–17D**
RWY 17–35: H6002X100 (ASPH) S–30 MIRL **IAP, AD**
RWY 17: PAPI(P4L)—GA 3.0° TCH 40′.
RWY 35: PAPI(P4L)—GA 3.0° TCH 40′. Trees.
RWY 03–21: H4624X150 (CONC) S–26 0.3% up NE
RWY 03: Trees.
RWY 21: Trees.
RWY 14–32: H4624X150 (CONC) S–26
RWY 14: Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 03: TORA–4624 TODA–4624 ASDA–4624 LDA–4624
RWY 14: TORA–4624 TODA–4624 ASDA–4624 LDA–4624
RWY 17: TORA–6002 TODA–6002 ASDA–6002 LDA–6002
RWY 21: TORA–4624 TODA–4624 ASDA–4624 LDA–4624
RWY 32: TORA–4624 TODA–4624 ASDA–4624 LDA–4624
RWY 35: TORA–6002 TODA–6002 ASDA–6002 LDA–6002
SERVICE: S2 **FUEL** 100LL, JET A **LGT** MIRL Rwy 17–35 preset low intst dusk–dawn; to incr intst ACTVT—CTAF. PAPI Rwy 17 and 35 oprs consly.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. 100LL fuel avbl 24 hr self serve. For jet aft hrs hrs, call 903–784–4648. Rwy 03–21 and 14–32 not avbl for ACR opns with more than 30 psgr seats. Rwy 14–32 no line of sight btn rwy ends. Twy lgts from trml apron to Rwy 17–35 on midfield twy only. Rwy 03–21 rwy cond not mntnd. Vegetation growing through cracks. Rwy 03 and Rwy 21, mkgs faded.
AIRPORT MANAGER: 903-784-4648
WEATHER DATA SOURCES: AWOS–3PT 119.675 (903) 737–8784.
COMMUNICATIONS: CTAF/UNICOM 122.975
PARIS RCO 122.2 (FORT WORTH RADIO)
Ⓡ**FORT WORTH CENTER APP/DEP CON** 124.875
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE PRX.
PARIS (L) (L) VORW/DME 113.6 PRX Chan 83 N33°32.54′ W95°26.90′ 352° 5.6 NM to fld. 510/7E.
HELIPAD H1: H40X40 (CONC)

PARKER CO (See WEATHERFORD on page 458)


PEARLAND

SKYWAY MANOR (T79) 3 W UTC–6(–5DT) N29°33.34′ W95°19.63′ **HOUSTON**
55 NOTAM FILE CXO **COPTER**
RWY 17–35: 2525X70 (TURF)
RWY 17: Road.
RWY 35: Trees.
AIRPORT REMARKS: Attended irregularly. Nmrs objects in prim sfc entr rwy len—bldgs, fences, trees and brush. No tgls. Rwy 17–35 soft when wet.
AIRPORT MANAGER: 281-723-8403
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.


PEARLAND RGNL (See HOUSTON on page 358)

PEARSALL

MC KINLEY FLD (T3Ø) 4 S UTC–6(–5DT) N28º49.34´ W99º06.54´ **SAN ANTONIO**
586 NOTAM FILE SJT **H–7B, L–20H**
RWY 13–31: H5027X60 (ASPH) S–15 LIRL(NSTD) 0.6% up NW **IAP**
RWY 13: Thld dsplcd 168´. Road.
RWY 31: Thld dsplcd 154´. P–line.
SERVICE: **FUEL** JET A **LGT** Rwy 13–31 NSTD LIRL; spacing 20 ft fm edge and 300 ft btn lgts.
AIRPORT REMARKS: Attended continuously. Rwy 13–31 markings faded. Dsplcd thrs not lgtd, 4705 ft avbl ngt. Lndg fee.
AIRPORT MANAGER: 830-334-7306
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**HOUSTON CENTER APP/DEP CON** 134.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE COT.
COTULLA (VL) (H) VORTACW 115.8 COT Chan 105 N28º27.72´ W99º07.11´ 352º 21.6 NM to fld. 522/9E.



PECOS MUNI (PEQ)(KPEQ) 2 SW UTC–6(–5DT) N31º22.94´ W103º30.64´ **EL PASO**
2613 B NOTAM FILE PEQ **H–6G, L–6J**
RWY 14–32: H6236X80 (ASPH) S–25, D–37 MIRL(NSTD) **IAP**
RWY 14: PAPI(P2L)—GA 3.0º TCH 40´. Sign.
RWY 32: PAPI(P2L)—GA 3.0º TCH 40´.
RWY 09–27: H5953X80 (ASPH) S–25, D–37 MIRL 0.3% up W
RWY 27: P–line.
SERVICE: S4 **FUEL** 100LL, JET A1+ **LGT** MIRL Rwy 14–32 preset low intst; to incr intst and ACTVT MIRL Rwy 09–27—CTAF. PAPI Rwy 14 and 32 operates continuously. Rwy 14 PAPI OTS. MIRLs nstd 20 ft from pvmnt edge.
AIRPORT REMARKS: Attended continuously. For fuel after hours contact UNICOM 122.8 or call 432–447–2488.
AIRPORT MANAGER: 512-422-6396
WEATHER DATA SOURCES: AWOS–3 118.175 (432) 445–3867.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**ALBUQUERQUE CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4561.
RADIO AIDS TO NAVIGATION: NOTAM FILE PEQ.
(VL) (L) VORW/DME 116.5 PEQ Chan 112 N31º28.16´ W103º34.49´ 137º 6.2 NM to fld. 2650/11E.
VOR unusable:
254º–260º byd 40 NM




PEROT FLD/FORT WORTH ALLIANCE (See FORT WORTH on page 330)

PERRY LEFORS FLD (See PAMPA on page 408)

PERRYTON OCHILTREE CO (PYX)(KPYX) 3 E UTC–6(–5DT) N36°24.78′ W100°45.09′ **WICHITA**
2918 B NOTAM FILE PYX **H–6G, L–15C**
IAP

RWY 17–35: H5701X75 (ASPH) S–12.5 MIRL
RWY 17: PAPI(P4L)—GA 3.0° TCH 45′. Pole.
RWY 35: PAPI(P4L)—GA 3.0° TCH 40′. Road.
RWY 04–22: 3280X144 (TURF)
RWY 04: Road.
RWY 22: P–line.



SERVICE: S4 **FUEL** 100LL, JET A1+ **LGT** Dusk–dawn. MIRL Rwy 17–35 preset low intst; to incr intst—CTAF. PAPI Rwy 17 and Rwy 35 opr consly.
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡, Sun 1900–2300Z‡. For 100LL fuel aft hrs call 806–435–4226 or 806–228–5573. Rwy 04–22 rwy ends indef, mkd by mowing. Sfc rough with large animal holes. Rwy 04–22 south 1000 ft clsd indefly. 2280 ft avbl.
AIRPORT MANAGER: 806-435-4226
WEATHER DATA SOURCES: AWOS–3 118.175 (806) 435–9963.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95
CLEARANCE DELIVERY PHONE: For CD ctc Kansas City ARTCC at 913-254-8508.
RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.
MITBEE (VH) (H) VORTACW 115.6 MMB Chan 103 N36°20.62′ W99°52.81′ 266° 42.4 NM to fld. 2426/10E.

PINCK N33°16.99′ W97°11.78′ NOTAM FILE DTO. **DALLAS–FT WORTH**
NDB (LOMW) 257 DT 178° 4.9 NM to Denton Enterprise. 739/4E.


PINELAND MUNI (T24) 1 SW UTC–6(–5DT) N31°14.01′ W93°58.91′ **HOUSTON**
260 B NOTAM FILE CXO **L–19E, 21A**
RWY 17–35: H3700X75 (ASPH) S–14 MIRL
RWY 17: Trees.
RWY 35: Trees.
SERVICE: **LGT** ACTVT MIRL Rwy 17–35—CTAF. Nmrs lgts out. Call to vfy cond.
AIRPORT REMARKS: Unattended. Extensive pavement cracking with vegetation growing thru. Loose aggregate on rwy. Rwy 17 and Rwy 35, no markings.
AIRPORT MANAGER: 409-584-2390
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.
LUFKIN (VH) (H) VORTACW 112.1 LFK Chan 58 N31°09.75′ W94°43.01′ 078° 38.1 NM to fld. 207/5E.
TACAN AZIMUTH unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
DME unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
VOR unusable:
305°–312° byd 40 NM
313°–323° byd 40 NM blo 2,300′
313°–323° byd 66 NM
324°–330° byd 40 NM

PLAINS

YOAKUM CO (F98) 1 NW UTC–6(–5DT) N33°13.03′ W102°49.81′ **ALBUQUERQUE**
3705 B NOTAM FILE FTW **H–6G, L–6H**
RWY 03–21: H5001X75 (ASPH) MIRL 0.6% up NE **IAP**
RWY 21: Pole.
RWY 17–35: H3924X60 (ASPH) S–12.5 MIRL
RWY 17: Pole.
RWY 35: Pole.
SERVICE: **FUEL** 100LL **LGT** Dusk–Dawn. MIRL Rwy 03–21 and 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended irregularly. 100LL fuel self serve.
AIRPORT MANAGER: 806-592-1267
COMMUNICATIONS: CTAF 122.9
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.6
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE HOB.
HOBBS (L) (L) VORTACW 111.0 HOB Chan 47 N32°38.29′ W103°16.16′ 021° 41.2 NM to fld. 3664/11E.

PLAINVIEW

HALE CO (PVW)(KPVW) 1 S UTC–6(–5DT) N34°10.09′ W101°43.04′ **DALLAS–FT WORTH**
3374 B NOTAM FILE PVW **H–6G, L–6H**
RWY 04–22: H5997X100 (ASPH) S–27 MIRL **IAP**
RWY 04: REIL. VASI(V4L)—GA 3.5° TCH 51′. Pole.
RWY 22: REIL. VASI(V4L)—GA 3.5° TCH 54′. Bldg.
RWY 13–31: H4000X100 (ASPH) S–27 MIRL
RWY 13: P–line.
RWY 31: Road.
SERVICE: **FUEL** 100LL, JET A1+ **LGT** MIRLRwy 04–22, Rwy 13–31 SS–SR, preset low intst. To incr intst and ACTVT REIL Rwy 4; VASI Rwy 22—CTAF. VASI Rwy 04 opr consly. Rwy 04 VGSI unusbl byd 7 deg left of rwy cntrln.
AIRPORT REMARKS: Attended 1400–0000Z‡. Unatndd Thanksgiving and Christmas. No line of sight to Rwy 13–31 fm rwy end 22. Transverse and longl cracks up to 4 in wid, full len.
AIRPORT MANAGER: 806-293-4121
WEATHER DATA SOURCES: AWOS–3PT 119.675 (806) 291–8679.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **LUBBOCK APP/DEP CON** 119.2
CLNC DEL 118.4
CLEARANCE DELIVERY PHONE: For CD ctc lubbock Apch on freq. If una, ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE PVW.
PLAINVIEW (VL) (L) VORW/DME 112.9 PVW Chan 76 N34°05.17′ W101°47.41′ 025° 6.1 NM to fld. 3400/11E.
COMM/NAV/WEATHER REMARKS: IFR departures ctc Lubbock Clnc Del on the ramp at Hale Co via freq 121.7.



PLEASANTON MUNI (PEZ)(KPEZ) 3 W UTC–6(–5DT) N28°57.25′ W98°31.20′ **SAN ANTONIO**
430 B NOTAM FILE SJT **L–19C**
RWY 16–34: H4000X75 (ASPH) S–4 MIRL 0.8% up NW **IAP**
RWY 16: PAPI(P2L)—GA 4.0° TCH 25′. Thld dsplcd 405′. Road.
RWY 34: PAPI(P2L)—GA 3.0° TCH 35′. Fence.
SERVICE: **FUEL** 100LL, JET A, A+ **LGT** MIRL Rwy 16–34 preset low intst, to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. For services call 830–569–3155. 100LL and Jet A self serve. Jet A avbl full serve during attnd hrs and on call after hrs.
AIRPORT MANAGER: 830-569-3155
WEATHER DATA SOURCES: AWOS–3 118.575 (830) 569–5749.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **SAN ANTONIO APP CON** 118.05
Ⓡ **SAN ANTONIO DEP CON** 125.7 **CLNC DEL** 121.375
CLEARANCE DELIVERY PHONE: For CD if una to ctc via freq, ctc San Antonio Apch at 210-805-5516.

POETRY FLYING RANCH (See ROCKWALL on page 424)

PONDER

HICKS (74T) 2 E UTC–6(–5DT) N33°10.98′ W97°15.28′ **DALLAS–FT WORTH**
725 NOTAM FILE FTW **H–6H, L–17C**
RWY 17–35: 2364X90 (TURF)
RWY 17: Bldg. Rgt tfc.
RWY 35: Fence.
AIRPORT REMARKS: Unattended. Tfc in the pat shall remain at or below 1300 ft MSL. Rwy defined by mowing. 30 ft trees, 40 ft R and L of rwy cntrln. 6 ft washout along W side of rwy. Rwy soft when wet. Rwy rough and uneven. Arpt fenced. Gates locked. No public ingress or egress.
AIRPORT MANAGER: 940-479-2114
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

PORT ARANSAS


MUSTANG BEACH (RAS)(KRAS) 2 SW UTC–6(–5DT) N27°48.71′ W97°05.33′ **BROWNSVILLE**
5 B NOTAM FILE RAS **L–20I, 21A, GOAW**
RWY 12–30: H3482X70 (ASPH) MIRL **IAP**
RWY 12: PAPI(P2L)—GA 3.0° TCH 20′.
RWY 30: PAPI(P2L)—GA 3.2° TCH 22′. P–line.
SERVICE: FUEL 100LL
AIRPORT REMARKS: Attended irregularly. Parachute Jumping. 100LL 24 hr self serv. Rwy 12, 3 ft drop off 40 fm rwy end. Rwy 30, 36 ft pline 1135 ft dstc. 50 ft pline 1770 ft dstc.
AIRPORT MANAGER: 361-749-4008
WEATHER DATA SOURCES: AWOS–3 118.425 (361) 749–0537.
COMMUNICATIONS: CTAF 122.9
Ⓡ**CORPUS APP/DEP CON** 125.4
CLEARANCE DELIVERY PHONE: For CD ctc Corpus Christi Apch at 361-299-4230.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102 N27°54.23′ W97°26.69′ 097° 19.7 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024°–036° byd 35 NM blo 1,700′
037°–023° byd 35 NM blo 2,000′
265°–275°
VOR unusable:
340°–005° byd 40 NM blo 7,000′
340°–005° byd 84 NM
Byd 30 NM blo 1,500′
TACAN AZIMUTH unusable:
080°–085° byd 30 NM

PORT ISABEL

CAMERON CO (PIL)(KPIL) 10 NW UTC–6(–5DT) N26°09.97′ W97°20.75′ **BROWNSVILLE**
19 B NOTAM FILE PIL **H–7C, L–20H, 21A**
RWY 13–31: H8001X200 (ASPH–CONC) S–105, D–135, 2D–230 MIRL **IAP**
RWY 13: REIL. PAPI(P2L)—GA 2.0° TCH 27′.
RWY 31: REIL. PAPI(P2L)—GA 3.0° TCH 41′.
RWY 08–26: H5317X150 (CONC) S–50, D–60, 2D–110
RWY 08: Fence.
RWY 26: Trees.
RWY 03–21: H5000X150 (ASPH–CONC) S–30, D–45, 2D–90
RWY 17–35: H4200X75 (ASPH–CONC) S–30, D–45, 2D–90
RWY 35: Tower.
SERVICE: S2 **FUEL** 100LL, JET A **OX** 2
AIRPORT REMARKS: Attended 1400–2300Z‡. Parachute Jumping. 100LL & Jet A avbl self serve & full serv. No hold line mkgs. Rwy 03–21 vegetation growing through pavement.
AIRPORT MANAGER: 956-761-3700
WEATHER DATA SOURCES: ASOS 118.525 (956) 233–1954.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**VALLEY APP/DEP CON** 119.5
CLNC DEL 119.2
CLEARANCE DELIVERY PHONE: For CD ctc Corpus Christi Apch at 361-299-4230.
RADIO AIDS TO NAVIGATION: NOTAM FILE BRO.
BROWNSVILLE (H) (H) VORTACW 116.3 BRO Chan 110 N25°55.44′ W97°22.52′ 357° 14.6 NM to fld. 10/9E.
TACAN AZIMUTH unusable:
006°–290° byd 24 NM
355°–005° byd 9 NM
DME unusable:
006°–290° byd 24 NM
355°–005° byd 9 NM
360°–005° byd 24 NM
VOR unusable:
271°–290° byd 20 NM
320°–335°
360°–270° byd 24 NM

PORT LAVACA

CALHOUN CO (PKV)(KPKV) 3 NW UTC–6(–5DT) N28°39.20′ W96°40.96′ **HOUSTON**
32 B NOTAM FILE PKV **H–7C, L–20I, 21A, GOAW**
RWY 14–32: H5004X75 (ASPH) S–26 MIRL **IAP**
RWY 14: PAPI(P2L)—GA 3.0° TCH 45′. Road.
RWY 32: PAPI(P2L)—GA 3.0° TCH 45′. Road. Rgt tfc.
RWY 05–23: 2432X60 (TURF)
RWY 05: Tree.
RWY 23: Thld dsplcd 428′.
SERVICE: S4 **FUEL** 100LL, JET A++ **OX** 1, 2 **LGT** ACTVT MIRL Rwy 14–32—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. 100LL and Jet A avbl 24 hrs self serve. Jet A also avbl by truck. RC model acft opr at Rwy 05 end.
AIRPORT MANAGER: 361-552-1228
WEATHER DATA SOURCES: AWOS–3PT 118.275 (361) 552–3060.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**HOUSTON CENTER APP/DEP CON** 135.05
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE PSX.
PALACIOS (VH) (H) VORTACW 117.3 PSX Chan 120 N28°45.87′ W96°18.37′ 244° 20.9 NM to fld. 16/8E.



PORT MANSFIELD

CHARLES R JOHNSON (TØ5) 1 NW UTC–6(–5DT) N26º33.61´ W97º26.36´ **BROWNSVILLE**
10 B NOTAM FILE SJT **L–20H, 21A**
RWY 12–30: H3200X50 (ASPH) S–21 MIRL
RWY 12: P–line.
RWY 30: P–line.
SERVICE: **LGT** SS–SR MIRL Rwy 12–30 preset low intst; to incr intst—CTAF.
AIRPORT REMARKS: Unattended. Harbor superintendent´s ofc attended 1400–2250Z‡. Deer & birds on & invof arpt. Rwy 12 and Rwy 30 rwy mkgs discolored. No public facilities, no restrooms. Fee for ovnght tie down.
AIRPORT MANAGER: 956-944-2325
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Corpus Christi Apch at 361-299-4230.
RADIO AIDS TO NAVIGATION: NOTAM FILE HRL.
HARLINGEN (VL) (DH) VORW/DME 113.65 HRL Chan 83(Y) N26º13.75´ W97º39.14´ 025º 22.9 NM to fld. 32/5E.

PORTLAND

HUNT (9R5) 2 NW UTC–6(–5DT) N27º53.18´ W97º20.97´ **BROWNSVILLE**
38 NOTAM FILE SJT
RWY 14L–32R: H2350X20 (ASPH–DIRT) S–9 0.7% up NW
RWY 14L: Road. Rgt tfc.
RWY 32R: Brush.
RWY 14R–32L: 1400X60 (TURF–GRVL)
RWY 14R: Rgt tfc.
NOISE: Noise abatement procedures in effect. Call arpt manager at 361–643–3950.
AIRPORT REMARKS: Unattended. Rwy 14R–32L CLOSED indef. Crops on both sides of rwy. Wind turbines N of arpt. Rwy 14L–32R has severe grass encroachment, pot holes, and loose gravel on rwy. Rwy 32R, first 200 ft turf. Rwy 14R–32L heavy rutting along entire rwy length. Rwy 14L–32R limited line of sight btn thrs; southern 600´ of rwy drops off approxly 8 ft. Rwy 32R ground drops off approx 10 ft at thld. Rwy 14L nstd thr bar 183 ft fm rwy end.
AIRPORT MANAGER: 361-643-3950
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Corpus Christi Apch at 361-299-4230.


POSSUM KINGDOM (See GRAFORD on page 340)

POST–GARZA CO MUNI (5F1) 2 E UTC–6(–5DT) N33º12.20´ W101º20.29´ **DALLAS–FT WORTH**
2545 B NOTAM FILE FTW **L–6H**
RWY 17–35: H4200X60 (ASPH) S–16 MIRL
RWY 17: PAPI(P2L)—GA 3.0º TCH 20´.
RWY 35: Road.
RWY 06–24: H2210X60 (ASPH) S–16 MIRL 1.0% up SW
RWY 06: Trees.
RWY 24: Fence.
AIRPORT REMARKS: Attended intmnt. Deer and feral hogs on and invof arpt. Rwy 06–24 and Rwy 17 pavement poor, seal coat spalling, loose stones and asphalt.
AIRPORT MANAGER: 806-759-7561
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
LUBBOCK (L) (L) VORTACW 109.2 LBB Chan 29 N33º42.30´ W101º54.84´ 125º 41.7 NM to fld. 3310/11E.
VOR unusable:
040º–050º byd 38 NM blo 5,300´
210º–260º byd 25 NM blo 6,000´

PRESIDIO

BIG BEND RANCH STATE PARK (3T9) 23 E UTC–6(–5DT) N29º28.27´ W103º56.19´ **EL PASO**
4250 NOTAM FILE SJT **H–7A, L–6J**
RWY 08–26: H5500X80 (ASPH/GRVL)
RWY 08: Brush.
RWY 26: Brush.
AIRPORT REMARKS: Unattended. Arpt located 26 miles from ranch gate, road very rough. Upon arrival, check in at ranger station, 1 mile from arpt. Remote area, no cell phone coverage. Rwy 08–26 loose stones on rwy.
AIRPORT MANAGER: 432-358-4444
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

PRESIDIO LELY INTL (PRS)(KPRS) 5 N UTC–6(–5DT) N29°38.05′ W104°21.69′ **EL PASO**
2938 B LRA NOTAM FILE PRS **H–7A, L–6J**
RWY 17–35: H5200X75 (ASPH) S–30 MIRL 0.9% up N **IAP**
RWY 17: PVASI(PSIL)—GA 3.0° TCH 19′.
RWY 35: PVASI(PSIL)—GA 3.0° TCH 37′. Tree.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF. Rwy 17 and Rwy 35 PVASI unusable byd 7° left and right of final course.
AIRPORT REMARKS: Attended Mon–Fri 1400–2200Z‡. 100LL, Jet A, self serve abvl 24 hrs. Acft lndg fm Mexico notify Cust and Img Presidio TX ETA at arpt 30 min prior to arr.
AIRPORT MANAGER: 361-480-6933
WEATHER DATA SOURCES: AWOS–3PT 118.0 (432) 229–4805.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE MRF.
MARFA (VL) (DH) VORW/DME 115.9 MRF Chan 106 N30°17.90′ W103°57.29′ 197° 45.1 NM to fld. 4834/11E.
DME unusable:
025°–035° byd 30 NM
VOR unusable:
220°–225° byd 40 NM
290°–309° byd 40 NM
310°–320° byd 40 NM blo 11,000′
310°–320° byd 58 NM
321°–333° byd 40 NM
334°–344°
345°–130° byd 40 NM



PROPWASH (See JUSTIN on page 366)

PROSE FLD (See JUSTIN on page 366)

QUANAH MUNI (FØ1) 2 SW UTC–6(–5DT) N34°16.63′ W99°45.58′ **DALLAS–FT WORTH**
1603 B NOTAM FILE FTW **L–17B**
RWY 18–36: H4452X60 (ASPH) S–12.5 MIRL
RWY 18: Road.
RWY 36: PAPI(P2L)—GA 3.0° TCH 44′.
RWY 11–29: 2270X70 (TURF)
RWY 29: Thld dsplcd 360′. Road.
RWY 06–24: 2268X70 (TURF) 0.4% up SW
RWY 24: Thld dsplcd 500′. Pole.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 18–36 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Unatndd. For fuel or maint call 940–839–7257. Rwy 24 dsplcd thr unmarked. Rwy 29 dsplcd thr unmarked. Width of turf rwys based on the area mowed.
AIRPORT MANAGER: 940-663-5336
COMMUNICATIONS: CTAF/UNICOM 122.7
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.
CHILDRESS (VL) (H) VORTACW 117.0 CDS Chan 117 N34°22.14′ W100°17.34′ 092° 26.9 NM to fld. 1920/10E.
VOR unusable:
215°–225°

QUINLAN

ROCKIN M (T14) 3 NE UTC–6(–5DT) N32°57.15′ W96°05.75′ **DALLAS–FT WORTH**
473 B NOTAM FILE FTW
RWY 18–36: 3120X60 (TURF) LIRL
RWY 18: Trees.
RWY 36: Brush.
SERVICE: **LGT** Rwy 18–36 solar powered LIRL.
AIRPORT REMARKS: Attended intermittently. Rwy 18 mkd with yellow cones. Rwy soft when wet, call to confirm cond. Rwy soft 10 ft alg both edges, full len. 12 ft brush, 90 ft each side of rwy cntrln. Storage containers along rwy edge, north end, west side.
AIRPORT MANAGER: 214-335-4768
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

QUITMAN N32°52.83′ W95°22.01′ NOTAM FILE FTW. **DALLAS–FT WORTH**
(L) DME 114.0 UIM Chan 87 052° 5.7 NM to Winnsboro Muni. 517. **H–6I, L–17D**

RALPH M HALL/ROCKWALL MUNI (See ROCKWALL on page 424)

RANDOLPH AFB (RND)(KRND) AF 13 NE UTC–6(–5DT) N29°31.73′ W98°16.68′ **SAN ANTONIO**
761 B TPA—See Remarks NOTAM FILE RND Not insp. **H–7B, L–19C**
RWY 15R–33L: H8352X200 (PEM) PCN 30 R/A/W/T HIRL **DIAP, AD**
RWY 15R: PAPI(P4L)—GA 3.0° TCH 46′.
RWY 33L: PAPI(P4L)—GA 3.0° TCH 50′. Thld dsplcd 3702′.
RWY 15L–33R: H8351X200 (CONC) PCN 54 R/A/W/T HIRL
RWY 15L: ALSF1. PAPI(P4L)—GA 3.0° TCH 46′. RVR–T
RWY 33R: ALSF1. PAPI(P4L)—GA 3.0° TCH 43′. RVR–T
ARRESTING GEAR/SYSTEM
RWY 15R BAK–15 CHAG (250' OVRN). BAK–15 CHAG (250' OVRN). **RWY 33L**
RWY 15L BAK–15 CHAG (250' OVRN). BAK–15 CHAG (250' OVRN). **RWY 33R**
SERVICE: S1 **OX** 1, 2 **LGT** ALS Rwy 15L nstd len 2100′. Rwy 15L and 33R ILS and PAPI GS are not coincidental.
MILITARY— JASU 3(MC–2A) (GTC–85) 9(ESSEX B809) 6(SGNC) **FUEL** A++ **FLUID** SP PRESAIR LHOX LOX **OIL** O–133–148–156 SOAP–Not avbl wkend. **TRAN ALERT** De–icing unavailable, tran aircraft must use follow–me to park.
NOISE: Departing and arr acft will use min pwr settings consistent with acft flt manuals and comply with all ATC instr.
MILITARY REMARKS: Attended Mon–Fri 1300–0100Z‡, clsd wkend and Federal hol. BASH Phase II in effect 1 Mar–30 Nov, exp heavy migration. Yr round bird activity highest in early to mid morning and after 2230Z‡ dly. **RSTD** PPR 48 hr PN rqr, ctc Base OPS DSN 487–2943, C210–652–2943, Afld Mgr DSN 487–8160/8166, C210–652–8160/8166, PAX Terminal, DSN 487–5287, C210–652–5287. Acft must adhere to PPR arr block +/– 30 min of scheduled ldg. Exp radar vector for ILS for VFR straight in apch and full stop ldg dur stu trng. Recommend all wide body acft taxi with inboard eng only on Twys A, D and G. ARFF, USAF Core Set 1, NFPA Cat 1–4. **CAUTION** Dur VMC dep acft must remain blw 1300′ Rwy 15R–33L, 2100′ Rwy 15L–33R until past departure end to ensure separation from VFR overhead tfc pat unless otherwise cleared by ATC. **TFC PAT** TPA—Overhead Rwy 15L–33R 2600 (1839), Rwy 15R–33L 1800 (1039). **MISC** Fleet svc unavbl. No glycol avbl. Acft with Code 7 and abv ctc PTD with block time 60 miles prior ldg. First 1000 ft Rwy 15R and first 2500 ft Rwy 33L conc, middle 4852 ft asph. Rwy Cond Code (RwyCC) not rptd. Airfield mgmt does not have the ability to store comsec. JBSA comd post at Ft. Sam Houston (FSH) is designated as the storage depository POC for tsnt classified dcmts/mtrl up to and inclg Secret. Must be small enough to fit thru 2 in slot. For trnspn to JBSA Comd Post, bldg 143, FSH, ctc Randolph Veh Dispatch at DSN 487–3477 or C210–652–3477. For adnl info on storage fac, ctc JBSA Comd Post at DSN 473–9363 or C210–221–9363.
COMMUNICATIONS: ATIS 290.525 **HANGOVER ATIS** 327.8 (Mon–Fri 1300–0000Z‡, clsd weekend and Federal holiday **PTD** 372.2
Ⓡ **SAN ANTONIO APP CON** 124.45 335.625
Ⓡ **SAN ANTONIO DEP CON** 127.1 290.225
TOWER 128.25 294.7 (Mon–Fri 1300–0100Z‡, clsd wkend and Federal hol) **GND CON** 119.65 275.8 **CLNC DEL** 338.35 (Rwy 15L–33R)
PMSV METRO 239.8 (Full svc avbl 0500–0200Z‡ Mon–Fri, 1700–2200Z Sun, as rqr, clsd Sat and federal hol at DSN 487–2992, C210–652–2992. AN/FMQ–19 ASOS in use, augmented by human observer as nec dur afld op hr. Backup wx obsn view ltd, rstd fr S–NW by flightline fac and trees. Ctc 26 OWS DSN 331–2616/2690/2603, C318–529–2616/2690/2603 dur wx flt closure or evac. When possible, provide 2 hr PN for all rqr briefs.)
HANGOVER TWR 120.5 291.1 **HANGOVER GND** 124.75 353.75
AIRSPACE: CLASS D svc 1300–0100Z‡ Mon–Fri, clsd Sat–Sun and fed hol; other times CLASS E.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE RND.

(T) (T) VORTACW 112.3 RND Chan 70 N29°31.15′ W98°17.11′ at fld. 735/5E.

No NOTAM MP: 0430–1230Z‡ Tue and Thu (1500/5+1)

VOR unusable:

190°–270° blo 4,000′

190°–270° byd 6 NM blo 9,000′

270°–360°

360°–100° blo 4,000′

360°–100° byd 14 NM

(L) TACAN Chan 36 DHK (109.9) N29°32.22′ W98°16.07′ at fld. 728/5E.

No NOTAM MP: 0430–1230Z‡ Tue and Thu (1500/5+1)

DME unusable:

225°–260° byd 35 NM blo 2,900′

ILS 109.9 I–TRT Rwy 15L. No NOTAM MP: 0430–1230Z‡ Mon and Wed (1,500/5+1). Glideslope critical areas unprotected.

ILS 111.3 I–UNY Rwy 15R. No NOTAM MP: 0430–1230Z‡ Mon and Wed (1,500/5+1).

ILS 111.1 I–VQE Rwy 33L. Class IT. Coupled apch unusable blo 953′. No NOTAM MP: 0430–1230Z‡ Mon and Wed (1,500/5+1).

ILS 109.3 I–RND Rwy 33R. No NOTAM MP: 0430–1230Z‡ Mon and Wed (1,500/5+1).

COMM/NAV/WEATHER REMARKS: Freqs 128.25/294.7 and 120.5/291.1 for tfc ctl Rwy 15R–33L when student trng in progress.

RANGER MUNI (F23) 2 S UTC–6(–5DT) N32°27.09′ W98°40.89′ **DALLAS–FT WORTH**

1470 NOTAM FILE FTW

RWY 01–19: 3415X75 (TURF) 0.4% up N

RWY 01: Trees.

RWY 19: Trees.

RWY 18–36: 1850X80 (TURF)

RWY 18: Bldg.

RWY 36: Tree.

AIRPORT REMARKS: Attended dalgt hours. Deer on and invof arpt. Pedestrian tfc on fld at times. Rwy 01 and Rwy 19 thr mkd by white tires.

AIRPORT MANAGER: 254-433-1267

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

RANGER N32°53.37′ W97°10.77′ NOTAM FILE FTW. **DALLAS–FT WORTH**

(VH) (H) VORTACW 115.7 FUZ Chan 104 305° 9.3 NM to Perot Fld/Fort Worth Alliance. 639/6E. **COPTER**

H–6H, L–17C, A

VOR unusable:

275°–290° byd 40 NM

317°–327° byd 40 NM

RANKIN (49F) 1 W UTC–6(–5DT) N31°13.62′ W101°57.18′ **SAN ANTONIO**

2543 NOTAM FILE SJT

RWY 17–35: 3000X35 (GRVL–DIRT) 1.1% up N

RWY 17: Hill.

RWY 35: Trees.

AIRPORT REMARKS: Unattended. Arpt gate locked. For aces call Sheriff′s ofc 432–693–2411. Rwy not mkd, dfclt to dtrm lctn of rwy in fld. Ditch acrs N end of rwy hidden by vegetation. Rwy 17–35 rwy rough and uneven, overgrown w/vegetation, thorns.

AIRPORT MANAGER: 432-693-2321

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

REAGAN CO (See BIG LAKE on page 275)

REAL CO (See LEAKEY on page 377)

REFUGIO

ROOKE FLD (RFG)(KRFG) 3 W UTC–6(–5DT) N28º17.75´ W97º19.56´ **SAN ANTONIO**
54 B TPA—854(800) NOTAM FILE SJT **L–20H, 21A**
RWY 14–32: H4361X60 (ASPH) S–9 MIRL
RWY 14: PAPI(P2L)—GA 3.0º TCH 35´.
RWY 32: Thld dsplcd 166´. Rgt tfc.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 14–32 SS–SR preset low. To incr intst—CTAF. Rwy 14 PAPI opr consly.
AIRPORT REMARKS: Attended 1400–0200Z‡. Wildlife on and invof arpt. Glider actvty on and invof arpt. 100LL fuel avbl 24 hrs self svc. No line of sight, ltd btn Rwy 14–32 ends.
AIRPORT MANAGER: 252-665-3509
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102 N27º54.23´ W97º26.69´ 006º 24.3 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024º–036º byd 35 NM blo 1,700´
037º–023º byd 35 NM blo 2,000´
265º–275º
VOR unusable:
340º–005º byd 40 NM blo 7,000´
340º–005º byd 84 NM
Byd 30 NM blo 1,500´
TACAN AZIMUTH unusable:
080º–085º byd 30 NM

RHOME

FAIRVIEW (7ØT) 3 NE N33º05.67´ W97º25.63´ **DALLAS–FT WORTH**
915 NOTAM FILE FTW
RWY 17–35: 2861X60 (TURF)
RWY 17: Thld dsplcd 300´. Road. Rgt tfc.
RWY 35: Thld dsplcd 300´. Road.
AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. VFR day only use for tsnt acft. Rwy 17 and Rwy 35 dsplcd thr mkd with white L shape markers. Tsnt acft tgls prohibited. Ditches both sides of rwy; possible flooding after rain. For ficons call 757–777–8728.
AIRPORT MANAGER: 757-777-8728
COMMUNICATIONS: CTAF 122.9

RHOME MEADOWS (T76) 6 N UTC–6(–5DT) N33º08.96´ W97º29.77´ **DALLAS–FT WORTH**
900 NOTAM FILE FTW **COPTER**
RWY 13–31: 3700X60 (TURF)
RWY 13: Thld dsplcd 260´. Fence. Rgt tfc.
RWY 31: Fence. Rgt tfc.
NOISE: No repetitive tkofs and ldgs. No repetitive TGLs.
AIRPORT REMARKS: Unattended. Monitor CTAF due to Heritage Creek airstrip 1.5 mi NE. 248 ft cell tower 1/4 mile west of rwy. Rwy 13–31 soft when wet. Rwy defined by mowing, may not be mowed full length and width. Rwy 13 dsplcd thld marked with white tire each side of rwy. Rgt tfc: Rwy 13 right traffic for fixed wing acft only; remain west of the rwy. Rgt tfc: Rwy 31 left traffic for fixed wing acft only; remain west of the rwy.
AIRPORT MANAGER: 817-320-2024
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

RICK HUSBAND AMARILLO INTL (See AMARILLO on page 262)

RIO GRANDE CITY MUNI (67R) 3 NW UTC–6(–5DT) N26°25.46′ W98°50.76′ **BROWNSVILLE**
290 B NOTAM FILE SJT **L–20H**
RWY 16–34: H4000X75 (ASPH) S–12.5 MIRL
SERVICE: **LGT** MIRL Rwy 16–34 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Unattended. Arpt gate clsd and locked call 956–487–5312 for access. No public phone avbl. Terminal bldg locked.
AIRPORT MANAGER: 956-487-5312
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LRD.
LAREDO (VH) (H) VORTACW 117.4 LRD Chan 121 N27°28.72′ W99°25.06′ 145° 70.1 NM to fld. 583/9E.
VOR unusable:
080°–126° byd 40 NM
127°–137° byd 40 NM blo 4,500′
127°–137° byd 56 NM
138°–148° byd 57 NM
190°–260° byd 40 NM

RIVER FALLS (See AMARILLO on page 263)

ROANOKE

AERO VALLEY (52F) 3 NW UTC–6(–5DT) N33°02.99′ W97°13.93′ **DALLAS–FT WORTH**
643 B NOTAM FILE FTW **COPTER**
RWY 17–35: H3500X40 (ASPH) S–8 LIRL **L–17C, A**
RWY 17: Thld dsplcd 400′. Tree.
RWY 35: Thld dsplcd 320′. Trees.
SERVICE: S4 **FUEL** 100LL **LGT** Rwy mkgs, lighting do not coincide with published values.
AIRPORT REMARKS: Attended Mon–Sat 1500–2300Z‡. Turf area btw rwy and twys unsafe for acft. Full rwy avbl for tkof. Rwy 17, 18 ft rd crosses through apch 40 ft from rwy end, 125 ft L/R vehicles xng. The following operations are prohibited: ultralights, powered parachutes, sailplanes, gliders, auto–gyros, skydiving, AG–operations, and airships. Uncontrolled vehicle traffic invof hangars and twys. Non–based flt schools rqr prior written pmsn. Rwy 17–35 extensive cracking.
AIRPORT MANAGER: 682-237-9039
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
RANGER (VH) (H) VORTACW 115.7 FUZ Chan 104 N32°53.37′ W97°10.77′ 339° 10.0 NM to fld. 639/6E.
VOR unusable:
275°–290° byd 40 NM
317°–327° byd 40 NM

ROBERT GRAY AAF (GRK)(KGRK) MIL/CIV A 6 SW UTC–6(–5DT) N31°04.04′ W97°49.74′ **SAN ANTONIO**
1015 B TPA—See Remarks Class I, ARFF Index E NOTAM FILE GRK **H–6H, L–19C, 21A**
RWY 15–33: H9997X200 (ASPH–CONC) PCN 59 R/B/W/T HIRL **IAP, DIAP, AD**
RWY 15: MALSR. PAPI(P4L)—GA 3.0° TCH 53′. RVR–T 0.3% down.
RWY 33: MALSR. PAPI(P4L)—GA 3.0° TCH 50′. RVR–R Thld dsplcd 194′. 0.5% up.
SERVICE: FUEL JET A **MILITARY— JASU** 1(AM32–95) LASS 1(TUG TMD–250) 1(ESSEX B809) **FUEL** A++ PPR only. (A, 1000–0230Z‡, OT C254–501–8750).
AIRPORT REMARKS: Attended continuously. PPR all civil acft, ctc arpt manager.
MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. PPR all civil acft ctc arpt manager at 254–501–8704 or OPS 254–501–8750. **RSTD** PPR mil ramp DSN 738–9200/9209, C254–288–9200/9209 civ ramp (KFHRA) C254–501–8750. Twy D and Twy B from Twy C to AER 33 not authorized for DoD acft that rqr Class B rwy. Twy B from Twy C to Twy E rstd to acft with wingspan 200′ or less. Twy B from Twy C to AER 15 RSTD to acft with an ACN of 24 of less. **CAUTION** Extv copter opr vcnty Fort Hood, some wo conspicuous mrk and blend with terrain. Extensive helicopter SOD ops. Extensive UAS acft within Class D airspace and btn Class D airspace and R6302. **TFC PAT** Tfc pat altitude left and rgt. TPA—Rotary Wing 1500 (485), UAS 2000 (985) west tfc only, Fixed Wing 2500 (1485), pure jet/overhead 3000 (1985). **CSTMS/AG/IMG** CSTMS avbl. 72hr prior notice rqr. During normal duty hr ctc Provost Marshal′s office CSTMS DSN 737–3535/3508, C254–287–3535/3508, other times ctc base ops DSN 738–9200, C254–288–9200. USDA AG inspection not avbl. **MISC** 50′ fuel svc safety zone enforced during all refuel ops. Ltd parking. Base OPS approval for ramp access. Clsd circuit TV opr. No de–ice capability. All inbound PPR acft ctc PTD 20 min prior ldg. Base OPS fax DSN 738–1930, C254–288–1930. Rwy 33 first 1000′ PEM remaining 8997′ GRVD. Wx visibility obstruction rstd S through NW. Precision approach radar not avbl (Exc emergency) from 0500–1300Z‡. 24 hr notice rqr for lavatory and water svc. Space A passenger ops prohibited, inbound and outbound. No off afld tran aircrew transportation avbl. Wide body acft 180° turns allowed only on conc areas at each EOR Rwy 15–33. Wide body acft movement on the south ramp auth only under control of follow–me and ground marshal personnel. Water twr 1182′ east side of afld.
AIRPORT MANAGER: 254-501-8701
COMMUNICATIONS: CTAF 120.75 **ATIS** 124.9 **UNICOM (CIV)** 122.825 **PTD** 125.05 305.15
Ⓡ **GRAY APP/DEP CON** 120.075 323.15
TOWER 120.75 285.5 **GRAY GND CON** 121.8 279.5 **CLNC DEL** 126.2 251.1
PMSV GRAY METRO 41.2 306.5 (3 CWS, Robert Gray AAF, DSN 738–9400/9620 C254–288–9400/9620. Full svc avbl H24 or remote briefing svc avbl 26 OWS Barksdale AFB, DSN 331–2651, C318–529–2651) **RANGE CTL** 30.45 38.3 **FT HOOD FLT FLW** 141.175 357.5
AIRSPACE: CLASS D svc continuous.
RADIO AIDS TO NAVIGATION: NOTAM FILE GRK.
GRAY (T) (T) VORW/DME 111.8 GRK Chan 55 N31°01.97′ W97°48.83′ 332° 2.2 NM to fld. 963/7E.
GOOCH SPRINGS (H) (H) VORTACW 112.5 AGJ Chan 72 N31°11.13′ W98°08.51′ 109° 17.6 NM to fld. 1191/5E. NOTAM FILE SJT.
ILS 111.1 I–GRK Rwy 15. Class IT.
ILS/DME 109.35 I–BTJ Chan 30(Y) Rwy 33. Class IE.
ASR/PAR
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

• • • • • • • • • • • • • • • • • •

HELIPAD H1: H100X100 (CONC)
HELIPAD H2: H75X75 (ASPH)
HELIPAD H3: H75X75 (ASPH)

ROBERT R WELLS JR (See COLUMBUS on page 295)

ROBSTOWN

NUECES CO (RBO)(KRBO) 2 SW UTC–6(–5DT) N27°46.69′ W97°41.41′ **BROWNSVILLE**
80 B NOTAM FILE RBO **L–20H, 21A, GOAW**
RWY 13–31: H3700X75 (ASPH) S–11 MIRL **IAP**
RWY 13: Road.
RWY 31: Trees.
SERVICE: S2 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 13–31 preset low intst; to incr intst ACTVT—122.8.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. 100LL and Jet A avbl 24 hrs self–serve only. 1049 ft MSL twrs 3 NM east of arpt.
AIRPORT MANAGER: 361-387-1700
WEATHER DATA SOURCES: AWOS–3 118.175 (361) 767–1982.
COMMUNICATIONS: CTAF 122.9
Ⓡ **CORPUS DEP CON** 120.9
CLEARANCE DELIVERY PHONE: For CD ctc Corpus Christi Apch at 361-299-4230.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102 N27°54.23′ W97°26.69′ 231° 15.1 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024°–036° byd 35 NM blo 1,700′
037°–023° byd 35 NM blo 2,000′
265°–275°
VOR unusable:
340°–005° byd 40 NM blo 7,000′
340°–005° byd 84 NM
Byd 30 NM blo 1,500′
TACAN AZIMUTH unusable:
080°–085° byd 30 NM

ROCKDALE

H H COFFIELD RGNL (RCK)(KRCK) 2 SE UTC–6(–5DT) N30°37.88′ W96°59.37′ **HOUSTON**
474 B NOTAM FILE CXO
RWY 17–35: H2962X50 (ASPH) LIRL(NSTD) 0.7% up S
RWY 17: Road.
RWY 35: Trees.
SERVICE: **FUEL** 100LL **LGT** Rwy 17–35 NSTD LIRL–household type fixtures, oprg status of lgt unkn. NSTD spacing. Rotating bcn OTS indef.
AIRPORT REMARKS: Unattended. +40 ft ant on hgr E side of rwy.
AIRPORT MANAGER: 512-760-6991
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.


ROCKIN M (See QUINLAN on page 417)

ROCKING L (See SONORA on page 441)

ROCKPORT

ARANSAS CO (RKP)(KRKP) 4 N UTC–6(–5DT) N28º05.17´ W97º02.62´
24 B NOTAM FILE RKP
RWY 14–32: H5608X100 (ASPH) S–45, D–80, 2S–101, 2D–140 MIRL
RWY 14: REIL. PAPI(P4L)—GA 3.0º TCH 40´. Brush.
RWY 32: PAPI(P4L)—GA 3.0º TCH 40´. Thld dsplcd 565´. P–line. Rgt tfc.
RWY 18–36: H4498X100 (ASPH) S–45, D–80, 2S–101, 2D–140 MIRL
RWY 18: PAPI(P2L)—GA 3.0º TCH 40´. Trees. Rgt tfc.
RWY 36: PAPI(P2L)—GA 3.0º TCH 40´. P–line.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 14–32 and Rwy 18–36 preset low intst. To incr intst and ACTVT REIL Rwy 14—CTAF.
AIRPORT REMARKS: Attended 1330–2330Z‡.
AIRPORT MANAGER: 361-790-0141
WEATHER DATA SOURCES: ASOS 119.275 (361) 729–2372.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **CORPUS APP/DEP CON** 120.9
CLNC DEL 121.7
AIRSPACE: CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102
N27º54.23´ W97º26.69´ 054º 23.9 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024º–036º byd 35 NM blo 1,700´
037º–023º byd 35 NM blo 2,000´
265º–275º
VOR unusable:
340º–005º byd 40 NM blo 7,000´
340º–005º byd 84 NM
Byd 30 NM blo 1,500´
TACAN AZIMUTH unusable:
080º–085º byd 30 NM


SAN ANTONIO
H–7C, L–20I, 21A, GOAW
IAP



ROCKSPRINGS

EDWARDS CO (ECU)(KECU) 4 SE UTC–6(–5DT) N29º56.82´ W100º10.43´
2372 B NOTAM FILE ECU MON Airport
RWY 14–32: H4050X50 (ASPH) S–13 MIRL
RWY 14: Thld dsplcd 278´. Trees.
RWY 32: Trees.
AIRPORT REMARKS: Unattended. Rwy 14 ngt opn dsplcd thr lgts are 288 ft fm rwy CL. Gate aces use field elev. Gravel pit adj to rwy W side, 12 ft dirt piles 156 ft fm rwy CL. Rwy 14 and Rwy 32 mrkgs faded.
AIRPORT MANAGER: 830-683-7193
WEATHER DATA SOURCES: AWOS–3 118.175 (830) 683–2425.
COMMUNICATIONS: CTAF 122.9
Ⓡ **DEL RIO APP/DEP CON** 119.6 (Mon–Fri 1300–0100Z‡, clsd Sat, Sun 2100–2359Z‡, except holidays). Other hrs ctc
Ⓡ **HOUSTON CENTER APP/DEP CON** 125.75 (Mon–Fri 0100–1300Z‡, Sat 24, Sun 2359–2100Z‡ except holidays.)
CLEARANCE DELIVERY PHONE: For CD ctc Laughlin Apch at 830-298-5192, when Apch clsd ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE ECU.
ROCKSPRINGS (VL) (H) VORTACW 114.55 RSG Chan 92(Y)
N30º00.88´ W100º17.99´ 112º 7.7 NM to fld. 2310/10E.
VOR unusable:
000º–010º byd 40 NM
015º–035º byd 40 NM
065º–095º byd 40 NM
250º–280º byd 40 NM
315º–322º byd 40 NM blo 6,000´
315º–322º byd 56 NM
323º–359º byd 40 NM

SAN ANTONIO
L–19B
IAP




ROCKSPRINGS N30°00.88′ W100°17.99′ NOTAM FILE ECU. SAN ANTONIO
(VL) (H) VORTACW 114.55 RSG Chan 92(Y) 112° 7.7 NM to Edwards Co. 2310/10E. H–7B, L–19B
VOR unusable:
000°–010° byd 40 NM
015°–035° byd 40 NM
065°–095° byd 40 NM
250°–280° byd 40 NM
315°–322° byd 40 NM blo 6,000′
315°–322° byd 56 NM
323°–359° byd 40 NM

ROCKWALL

POETRY FLYING RANCH (T48) 15 SE UTC–6(–5DT) N32°52.09′ W96°13.15′ DALLAS–FT WORTH
500 NOTAM FILE FTW
RWY 13–31: 3344X50 (TURF)
RWY 13: Thld dsplcd 335′. Trees.
RWY 31: Thld dsplcd 336′. Fence.
AIRPORT REMARKS: Unattended. Wildlife on and invof rwy.
AIRPORT MANAGER: 214-704-1593
COMMUNICATIONS: CTAF/UNICOM 123.0
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

RALPH M HALL/ROCKWALL MUNI (F46) 2 E UTC–6(–5DT) N32°55.84′ W96°26.13′ DALLAS–FT WORTH
574 B NOTAM FILE F46 COPTER
RWY 17–35: H3373X45 (ASPH) S–12 LIRL L–17C, A
RWY 17: Thld dsplcd 470′. P–line. IAP
RWY 35: Thld dsplcd 289′. Trees. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT LIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended 1400–dusk. 100LL self–svc fuel. No line of sight between rwy ends. Several areas rwy and txy pavement lip greater than 3 inches at edge. Rwy 17 50′ drop off at apch end of pavement; steep down slope all sides of dsplcmt.
AIRPORT MANAGER: 972-771-0151
WEATHER DATA SOURCES: AWOS–3PT 121.25 (469) 991–7392.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **Lone Star APP/DEP CON** 124.3
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
COWBOY (VH) (DH) VORW/DME 116.2 CVE Chan 109 N32°53.42′ W96°54.24′ 078° 23.8 NM to fld. 443/6E.
VOR unusable:
055°–057° byd 57 NM blo 7,500′
131°–137° byd 38 NM



ROGER M DREYER MEML (See GONZALES on page 339)

ROOKE FLD (See REFUGIO on page 419)

ROSENBERG

LANE AIRPARK (T54) 3 SE UTC–6(–5DT) N29°31.40′ W95°46.79′ HOUSTON
94 NOTAM FILE CXO L–19D, 21A
RWY 13–31: H3013X35 (ASPH)
RWY 13: Thld dsplcd 135′. Hangar.
RWY 31: Tree.
SERVICE: S2 **FUEL** 100LL, JET A+
AIRPORT REMARKS: Attended 1400–2200Z‡ Mon–Fri. Fuel avbl 1400–2200Z‡ Mon–Fri. Aces gates locked ngts and wkends. Agricultural aerial application opn. 3′ white line 130′ fm Rwy 13 end.
AIRPORT MANAGER: 281-342-5451
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844 to cnl IFR call 281-443-5888.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELA.
EAGLE LAKE (DH) DME 116.4 ELA Chan 111 N29°39.75′ W96°19.03′ 106° 29.3 NM to fld. 192.

ROTAN/ROBY

FISHER CO (56F) 3 SE UTC–6(–5DT) N32°49.46′ W100°24.77′ **DALLAS–FT WORTH**
1941 B NOTAM FILE FTW **L–17A**
RWY 16–34: H3300X60 (ASPH) S–12.5 MIRL
RWY 16: Trees.
RWY 34: Road.
RWY 07–25: 2800X50 (TURF)
RWY 07: Thld dsplcd 200′. P–line.
RWY 25: Trees.
AIRPORT REMARKS: Unattended. Agricultural acft act invof arpt.
AIRPORT MANAGER: 325-776-2151
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 297° 34.6 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′

ROWDY N30°29.63′ W96°20.27′ NOTAM FILE CLL. **HOUSTON**
NDB (LOMW) 260 CL 344° 5.8 NM to Easterwood Fld. 230/3E. **L–19D, 21A**

ROY HURD MEML (See MONAHANS on page 397)

RUSK CO (See HENDERSON on page 348)

RWJ AIRPARK (See BAYTOWN on page 272)


SABINE PASS N29°41.20′ W94°02.28′ NOTAM FILE CXO. **HOUSTON**
(VL) (L) VORW/DME 115.4 SBI Chan 101 356° 15.8 NM to Jack Brooks Rgnl. 10/7E. **H–7D, L–19E, 21A, GOAW**

SALADO (2TX) 2 S UTC–6(–5DT) N30°55.23′ W97°32.41′ **SAN ANTONIO**
689 NOTAM FILE SJT
RWY 02–20: H3494X40 (ASPH)
RWY 02: P–line.
RWY 20: Trees.
AIRPORT REMARKS: Unattended. Two antennas 150′ AGL and 250′ AGL, 1/2 to 3/4 miles NE of apch end Rwy 20.
AIRPORT MANAGER: 512-222-8893
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

SALT FLAT N31°44.89′ W105°05.21′ NOTAM FILE ABQ. **EL PASO**
(VL) (H) VORTACW 113.5 SFL Chan 82 324° 13.1 NM to Dell City Muni. 3730/12E. **L–6F**
VOR unusable:
020°–044° byd 27 NM blo 15,000′
045°–067° byd 40 NM
068°–078° byd 47 NM blo 10,000′
079°–095° byd 40 NM
096°–106° byd 57 NM blo 9,000′
129°–139° byd 58 NM blo 11,000′
140°–150° byd 40 NM
151°–160° byd 61 NM blo 15,000′
260°–300° byd 40 NM
345°–019° byd 40 NM
TACAN AZIMUTH unusable:
020°–080° byd 25 NM blo 16,000′
065°–075° byd 25 NM
180°–190° byd 31 NM blo 9,500′
285°–290° byd 39 NM
DME unusable:
020°–080° byd 25 NM blo 16,000′
065°–075° byd 25 NM
180°–190° byd 31 NM blo 9,500′
285°–290° byd 39 NM

SAN ANGELO RGNL/MATHIS FLD (SJT)(KSJT) 7 SW UTC–6(–5DT) N31°21.46′ W100°29.78′ **SAN ANTONIO**
1919 B Class I, ARFF Index B NOTAM FILE SJT **H–6G, L–19B**
IAP, AD

RWY 18–36: H8054X150 (ASPH–GRVD) S–70, D–100, 2S–127
PCR 490 F/C/X/T MIRL
RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 45′. Thld dsplcd 902′. Road.
RWY 36: PAPI(P4L)—GA 3.0° TCH 48′.
RWY 03–21: H5940X150 (ASPH–GRVD) S–70, D–100, 2S–127
PCR 450 F/B/X/T HIRL 0.4% up SW
RWY 03: MALSR. RVR–T
RWY 21: VASI(V4L)—GA 3.0° TCH 52′. RVR–R
RWY 09–27: H4406X75 (ASPH) S–70, D–100, 2S–127
PCR 170 F/C/X/T MIRL
RWY 09: Road.
RWY 27: Road.



RUNWAY DECLARED DISTANCE INFORMATION

RWY 03:	TORA–5940	TODA–5940	ASDA–5940	LDA–5940
RWY 09:	TORA–4406	TODA–4406	ASDA–4406	LDA–4406
RWY 18:	TORA–8054	TODA–8054	ASDA–8054	LDA–7152
RWY 21:	TORA–5940	TODA–5940	ASDA–5940	LDA–5940
RWY 27:	TORA–4406	TODA–4406	ASDA–4406	LDA–4406
RWY 36:	TORA–7152	TODA–7152	ASDA–7152	LDA–7152

SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2, 4 **LGT** Dusk–dawn. When ATCT clsd MIRL Rwy 18–36 preset low intst. To incr intst and ACTVT MALSR Rwy 03; REIL Rwy 18; PAPI Rwys 18 and 36; HIRL Rwy 03–21; MIRL Rwy 09–27—CTAF.
AIRPORT REMARKS: Attended 1200–0400Z‡. Fee for fuel after hrs call 325–656–1836/1837. PPR 12 hrs for unsked ACR opns with over 30 psgr seats call AMGR 325–659–6409. Ldg fee.
AIRPORT MANAGER: 325-659-6409
WEATHER DATA SOURCES: ASOS 128.45 (325) 255–3637.
COMMUNICATIONS: CTAF 118.3 **ATIS** 128.45 **UNICOM** 122.95
RCO 122.2 (SAN ANGELO RADIO)
Ⓡ **APP/DEP CON** 125.35 (1200–0300Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 126.15 (0300–1200Z‡)
TOWER 118.3 (1300–0300Z‡) **GND CON** 121.9
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS D svc 1300–0300Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.
(VH) (H) VORTACW 115.1 SJT Chan 98 N31°22.50′ W100°27.29′ 234° 2.4 NM to fld. 1886/10E.
VOR unusable:
111°–190° byd 40 NM
120°–178° byd 24 NM blo 4,500′
191°–201° byd 49 NM
202°–218° byd 40 NM
219°–245° byd 40 NM blo 12,000′
246°–267° byd 40 NM
268°–289° byd 7 NM
290°–314° byd 46 NM
315°–352° byd 40 NM
TACAN AZIMUTH unusable:
120°–178° byd 18 NM
ILS/DME 109.7 I–SJT Chan 34 Rwy 03. Class IE. ILS/DME unmonitored when ATCT clsd. Glideslope unusable for coupled apch blw 2,685′ MSL.

SAN ANTONIO

BOERNE STAGE AIRFIELD (5C1) 20 NW UTC–6(–5DT) N29°43.39′ W98°41.67′ **SAN ANTONIO**
1384 B NOTAM FILE SJT **L–19C**
RWY 17–35: H5006X60 (ASPH) LIRL **IAP, AD**
RWY 17: PAPI(P2R)—GA 3.0° TCH 48′. Thld dsplcd 629′. Fence. Rgt tfc.
RWY 35: PAPI(P2L)—GA 3.0° TCH 48′. Thld dsplcd 1086′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 4 **LGT** ACTVT PAPI Rwy 17 and Rwy 35—CTAF.
NOISE: Noise abatement procedures in effect ctc AMGR. All ldg turbine acft must be stage 3 or better. No tgls, stop and go or low apchs.
AIRPORT REMARKS: Attended 1400–2300Z‡. Glider act on and invof arpt. Rwy 35, 35 ft lgtd pwr poles acrs apch. Use EXTREME CAUTION when oprg into and out of 5C1 for over flight tfc ldg San Antonio Intl (KSAT) at 3000 ft MSL and abv. See LTA–SAT–32. Landing fees in effect.
AIRPORT MANAGER: 337-258-8387
WEATHER DATA SOURCES: AWOS–3 118.725 (830) 755–9099.
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **SAN ANTONIO APP/DEP CON** 125.1
CLEARANCE DELIVERY PHONE: For CD ctc San Antonio Apch at 210-805-5516.
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29°38.64′ W98°27.68′ 283° 13.1 NM to fld. 1159/8E.
VOR unusable:
018°–022° byd 40 NM
028°–032° byd 40 NM
342°–347° byd 40 NM
355°–002° byd 40 NM blo 18,000′
COMM/NAV/WEATHER REMARKS: UNICOM unmnt.

BULVERDE AIRPARK (1T8) 16 N UTC–6(–5DT) N29°44.36′ W98°27.08′ **SAN ANTONIO**
1088 B NOTAM FILE SJT **L–19C**
RWY 17–35: H2783X40 (ASPH) LIRL(NSTD)
RWY 17: Thld dsplcd 490′. P–line. Rgt tfc.
RWY 35: Thld dsplcd 200′. Trees.
SERVICE: S4 **FUEL** 100LL **LGT** SS–SR ACTVT LIRL Rwy 17–35—CTAF. Rwy 17–35 nstd LIRL; only cntr 2600 ft lgtd. Rwy 17 dsplcd thr not lighted. Rwy 35 dsplcd thr not lighted. Arpt beacon dusk–0400Z‡.
NOISE: Noise abatement procs in efct ctc AMGR 830–438–4359 or 210–240–1365.
AIRPORT REMARKS: Attended 1500–2300Z‡. Deer on or invof arpt. 24 hr self serve fuel. Rwy 17 and Rwy 35 mkd with 20 ft high nrs; no cntrln stripes. Touch and go, stop and go, or low approaches prohibited. Rwy 17 all tfc right hand. Use extreme ctn for high per mil acft from Randolph AFB at or abv 3000 ft MSL Mon–Fri 1400–0400Z‡ and when twr hrs extd by NOTAM, ocnl Sat and Sun. Rwy 17–35 no displaced threshold markings. Hel experts adj ctc at 210–930–0125 or 210–501–3111. Hel skid ldg prohibited on pavement.
AIRPORT MANAGER: 210-275-4970
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc San Antonio Apch at 210-805-5516.
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29°38.64′ W98°27.68′ 357° 5.7 NM to fld. 1159/8E.
VOR unusable:
018°–022° byd 40 NM
028°–032° byd 40 NM
342°–347° byd 40 NM
355°–002° byd 40 NM blo 18,000′

HORIZON (74R) 9 S UTC–6(–5DT) N29°17.08′ W98°29.90′ **SAN ANTONIO**
551 NOTAM FILE SJT
RWY 11–29: 2360X80 (TURF) 0.5% up W
RWY 11: Trees.
RWY 29: Trees.
RWY 16–34: 2250X100 (TURF) 1.0% up N
RWY 16: Trees.
RWY 34: Trees.
AIRPORT REMARKS: Unattended. Wild hogs on or invof arpt. Active shooting range adjacent. No buildings, no facilities, no services. No line of sight btn Rwy 34 and Rwy 29. Rwy 11–29 rough and uneven, not mntnd. Not suitable for acft. Rwy 16–34 rough and uneven, not mntnd. Not suitable for acft.
AIRPORT MANAGER: 210-748-8672
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc San Antonio Apch at 210-805-5516.

KELLY FLD (SKF)(KSKF) CIV/MIL AF (ANG AFRC) 4 SW UTC–6(–5DT) N29º23.05´ W98º34.87´ **SAN ANTONIO**
691 B NOTAM FILE SKF **H–7B, L–19C**
RWY 16–34: H11550X150 (CONC–GRVD) PCN 58 R/B/W/T HIRL **IAP, DIAP, AD**
RWY 16: ALSF1. PAPI(P4L)—GA 3.0º TCH 89´. RVR–TR
RWY 34: ALSF1. PAPI(P4R)—GA 3.0º TCH 93´. RVR–TR
ARRESTING GEAR/SYSTEM
RWY 16 BAK–14 BAK–12A(B) (1853'). BAK–14 BAK–12A(B) (1677') HOOK MB100 (60' OVRN). **RWY 34**
SERVICE: S4 **FUEL** 100LL, JET A+ **OX** 1, 2 **LGT** Rwy 34 PAPI (nstd), located on right (east) side of Rwy 34. Twy F: No twy end lgts. Bcn lgts OTS. **MILITARY— A–GEAR** BAK–12A(B) cables raised by BAK–14 device O/R to ctl twr. Potential for hook skip at BAK–12 cable sys due to irreg edges and uneven depths within 200´ of arresting sys. **JASU** (A/M32A–86D, A/M32A–95 LASS) **FUEL** A++, A+, J8, (J8 1200–0600Z‡, call out fee $50, 2 hr prior notice for defueling and reservice) Mil fuel unavbl Sat 0400–1200Z‡. (Mil) **FLUID** SP PRESAIR LHOX LOX LHNIT **OIL** O–133–148–156 SOAP – Avbl 2000–0600Z‡ Mon, 1230–0600Z‡ Tue–Thu, 1230–2230Z‡ Fri **TRAN ALERT** Opr 1130–0430Z‡ Mon–Fri, 1330–0230Z‡ Sat–Sun, clsd Federal hol; OT 2 hr PN rqr ctc AMOPS. 1 hr PN for all acft svc; ctc AMOPS DSN 945–6803, C210–925–6803 or PTD to avoid delays. Una to support tran acft lcl sorties.
NOISE: Quiet hrs 0500–1200Z‡ dly departure and full–stop ldg only. Acft arr btn 0500–1200Z‡ exp full stop ldg. No after burner tkof during these times without prior coord and apvl.
AIRPORT REMARKS: Aerodrome clsd dly fm 2300L–0700L. Only pre–apvd acft with 24–48 hrs notice are pmtd to arr/dep durg closure hrs. Ctc arpt mgmt for pre–apvl cdn at comm/DSN 210–925–6803/945–6803. Probability of hydroplaning at all speeds entire rwy. Acft with wingspan larger than 93´ not authorized in Arm/DeArm Pads. Civ ramp lctd northeast of rwy. Twy G west of Twy H is for 149FW use. Ctc FBO 210–921–6100 for svc, JET A+, 100LL full service ARINC 129.725, 1200–0600Z‡, 2 hrs pn rqrd outside nml hrs. Acft using Avgas self–serve: do not deviate fm tax lns to/fm avgas self–serve to ensure safe dstc fm otr opns. 100LL fuel is full service at FBO. Apn PSA Ramp clsd in both drctns at Twy B at apn entrance to Twy C to all acft unless under tow. User fee arpt. Customs/AG/IMG rqr 72 hrs PN ctc FBO 1200–0600Z‡. 2 hr PN for defueling and reservice. For civilian operations, contact Port Operations 210–362–7875, PTD Airband 122.95. User fees applicable to civ acft. Lndg fee: landing fee for all acft excluding U.S. Mil and acft less than 12,500 lbs. Invoiced by PSA airport department, IAW JUA.
MILITARY REMARKS: Attended continuously. **RSTD** Tran acft exp delays and may be ltd to one apch to a full stop for home stn formal trng unit ops and tactical arr and dep trng 1500–0400Z‡, Mon–Fri. Warning: Large successive flocks of cattle egrets, 5 to 50 in nr have been observed flying blw 300´ AGL across N end of rwy every morning at SR for up to 2 hrs, returning within 2 hrs of SS. BASH Phase II in eff 1 Mar–30 Nov. Req for PPR will be taken no earlier than 7 days prior to planned mission. At least 24 hr pn rqr for PPR, exc medevac, dv and other acft on a case by case basis apvd by DO. Ctc base ops DSN 945–6803, C210–924–6803. PPR good for +1/–1 hr PPR block time. Coord of PPR outside of block time by fone is rqrd. **CAUTION** North end underrun/ovrn 147´ paved, 853´ unpaved. Rwy and majority of twy pavement shoulders exceed standard dimensions and are not marked with yellow chevron, deceptive surface markings to indicate unusable. Heavy rubber deposits obscuring rwy markings at TDZS. Inst hold line mrk faded on Twy F.First 960´ x 150´ Rwy 16, First 1022´ x 150´ Rwy 34 grooved conc. Rwy 16–34 mid rollout 9568´ x 75´ grooved conc. Mid rollout 37.5´ inward fm rwy side stripe/edge mrkgs ungrooved. Friction inadequate due to rubber buildup at rwy TD zones. Conds worsen when RSC wet. **TFC PAT** Rectangular 1700 ft MSL, convl 2200 ft MSL, ftr type/overhead 2700 ft MSL. AETC acft exp reduced rwy separation day/VFR. Tran ftr acft must notify twr on initial ctc of reduced separation is not desired. **CSTMS/AG/IMG** rqr 72 hrs PN ctc FBO. User fee arpt: Cstms; plant quarantine and IMG svc avbl ctc Base Opns 2 hrs PN. All psnl must clear IMG inbd. **MISC** USAF Tran Acft will use tran alert svc and park on mil ramp. Non–USAF Tran Acft may prk at mil ramp or FBO on civ ramp; for qns ctc afld mgmt opns C210–925–6803. Acft with Code 6 and abv ctc AMOPS phone patch/PTD with block time at least 1 hr before ldg. User fees applicable to civ acft. Official point of obsn does not allow a clear unobstructed view of rwy. WX technician view from North to SE is partially obstructed by trees, bldgs, and hangars. Technician relies on cooperative wx Watch with twr. High ints security lgts hinder ability to determine sky cond at ngt. AFRC PPR for use of AFRC ramp, DSN 945–4330, C210–925–4330.Rwy cond code (RWYCC) not rprtd. Ltd classified mtrls storage: excess and ts mtrls must go to 433 AW/CP. TACAN ck point /altm sign on Twy F and B sited opposite drctn of TACAN. **ANG** Opr Tue–Sat 1345–2230Z‡. PPR for use of ANG ramp, DSN 945–5934, C210–925–5934.
AIRPORT MANAGER: 210-925-5879
COMMUNICATIONS: ATIS 120.45 273.5 (24 hrs) **PTD** 126.2 372.2 **PTD AIRBAND** 122.95
Ⓡ **SAN ANTONIO APP CON** 118.05 125.1 127.1 289.2 307.0 353.5
KELLY TOWER 124.3 322.35
GND CON 121.8 289.4
Ⓡ **SAN ANTONIO DEP CO**N 125.7 290.225
AFRC COMD POST 138.6 252.1 (502 ABW DSN 471–9363 C210–221–9363) **PMSV METRO** 239.8 (Full svc 24 hr, unless afld clsd by AMOPS via NOTAM. Wx DSN 945–5709 C210–925–5709. Afld wx is monitored by AN/FMQ–19 ASOS. Remote briefing svc avbl 26 OWS, Barksdale AFB DSN 331–2651, C318–529–2651.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS D.

RADIO AIDS TO NAVIGATION: NOTAM FILE SKF.

(L) TACAN Chan 57 KSY (112.0) N29°23.50′ W98°34.86′ at fld. 687/4E. TACAN unmonitored when ATCT clsd.

No NOTAM MP: 0600–1430Z‡ Wed

TACAN AZIMUTH unusable:

163°–188° byd 14 NM blo 2,700′

298°–318° byd 20 NM blo 4,600′

346°–356° byd 16 NM blo 3,400′

DME unusable:

163°–188° byd 14 NM blo 2,700′

298°–318° byd 20 NM blo 4,600′

346°–356° byd 16 NM blo 3,400′

ILS 110.1 I–SKF Rwy 16. Class IT. No NOTAM MP: 0600–1430Z‡ Mon and Tue.

ILS 110.7 I–OSQ Rwy 34. Class IT. No NOTAM MP: 0600–1430Z‡ Mon and Tue.

KESTREL AIRPARK (1T7) 23 N UTC—6(—5DT) N29°48.71′ W98°25.56′ SAN ANTONIO

1261 NOTAM FILE SJT L–19C

RWY 12–30: H3000X40 (ASPH) LIRL 1.4% up NW

RWY 12: Trees.

RWY 30: Road. Rgt tfc.

SERVICE: S4 **FUEL** 100LL **OX** 1

AIRPORT REMARKS: Attended continuously. Self serv fuel. For assistance call 830–522–1885. Deer on and invof rwy. Rwy 30 rises rapidly at north end. Rwy 12 end 49 ft higher than Rwy 30 end. TGL and low apchs prohibited for tran and coml acft. Tkofs rstrd btn 0400–1200Z‡. Hel trng ops prohibited. Use extreme ctn for mil acft from Randolph AFB at or abv 3000 ft MSL Mon–Fri 1600–0600Z‡ and when twr hrs extd by NOTAM, ocnl Sat and Sun. Rwy 12 120 ft rising trrn 0.4 mi NW of rwy end. Nstd aiming point markings at 500 ft, 2490 ft remaining. Rwy 12 calm wind rwy. Rwy 12–30 now marked as 13–31. Rwy 30 nstd aiming point mkgs at 300 ft.

AIRPORT MANAGER: 210-504-8992

COMMUNICATIONS: CTAF/UNICOM 122.975

CLEARANCE DELIVERY PHONE: For CD ctc San Antonio Apch at 210-805-5516.

RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.

SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29°38.64′ W98°27.68′ 002° 10.2 NM to fld. 1159/8E.

VOR unusable:

018°–022° byd 40 NM

028°–032° byd 40 NM


342°–347° byd 40 NM

355°–002° byd 40 NM blo 18,000′

SAN ANTONIO INTL (SAT)(KSAT) 7 N UTC–6(–5DT) N29°32.04′ W98°28.14′ **SAN ANTONIO**
809 B LRA ARFF Index—See Remarks NOTAM FILE SAT **H–7B, L–19C**
RWY 04–22: H8505X150 (CONC–GRVD) S–95, D–190, 2S–175, 2D–270 PCR 950 R/B/W/T HIRL CL **IAP, AD**
RWY 04: MALS. PAPI(P4R)—GA 3.0° TCH 79′. RVR–T Pole. 0.3% down.
RWY 22: REIL. PAPI(P4L)—GA 3.0° TCH 85′. RVR–R 0.5% up.
RWY 13R–31L: H8502X150 (CONC–GRVD) S–95, D–190, 2D–270 PCR 810 R/B/W/T HIRL CL
RWY 13R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 75′. RVR–TMR
RWY 31L: MALSR. PAPI(P4L)—GA 3.0° TCH 82′. RVR–TMR Bldg.
RWY 13L–31R: H5519X100 (ASPH) S–59, D–120 PCR 570 F/C/X/T MIRL No Part 121/Part 380 Ops
RWY 13L: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 31R: REIL. PAPI(P4L)—GA 3.0° TCH 60′.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 04: TORA–8505 TODA–8505 ASDA–8505 LDA–8505
RWY 13L:TORA–5519 TODA–5519 ASDA–5519 LDA–5519
RWY 13R:TORA–8502 TODA–8502 ASDA–8502 LDA–8502
RWY 22: TORA–8505 TODA–8505 ASDA–8505 LDA–8505
RWY 31L:TORA–8502 TODA–8502 ASDA–8502 LDA–8502
RWY 31R:TORA–5519 TODA–5519 ASDA–5519 LDA–5519
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2, 3, 4
NOISE: Noise sensitive areas exist on all sides of arpt, at pilots discretion climb as quickly and quietly as safely possible on departure and use consideration when flying over populated areas by minimizing flt and high pwr settings. Military aircraft: Departing and arriving aircraft will use minimum power settings consistent with aircraft flight manuals, afterburner takeoff is prohibited unless required for safety of flight. Engine run–ups are permitted btn 1200–0500Z‡.
AIRPORT REMARKS: Attended continuously. Numerous flocks of birds invof arpt. Glider/soaring ops aprx 17 miles northwest of arpt dur VFR. Class I, ARFF Index C. SAT is ARFF Index C; ARFF Index D avbl with PPR. SAID in use. Operate transponders with altitude reporting mode and ADS–B (if equipped) enabled on all airport surfaces. Foreign mil acft with wingspans less than 100′ must report to general aviation ramp federal inspection station for cstms processing, ctc arpt mgmt at 210–207–3433. Arpt restricted to acft with wingspan greater than 171′, PPR with 24hr Ops 210–207–3433. Rqrd for auth. PPR with arpt ops for acft powering back from terminal gates. Acft taxiing on Rwy 04 northeast bound look for hold short to Rwy 31L. Acft taxiing on Twy N southwest bound look for hold short to Rwy 31R. Apron East Cargo Ramp intersection of Rwy 04–22 and Twy D aircraft are requested to apply the minimum thrust when crossing the rwy to avoid damage due to jet blast. The following twys are not avbl for acft 59000 lbs or over: Twy A, Twy M, Twy H northwest of Twy Z and Twy E east of Rwy 04–22. Inner ramp taxilane north of Terminal A and B is clsd to acft with wingspan greater than 135′. Acft at Terminal A and B advise gnd ctl prior to push. Twy L clsd northbound. Twys L and B clsd to acft with wingspans greater than 118′ exiting Rwy 31L. Twy Z clsd to acft with wingspan greater than 118′. Gnd run–up enclosure avbl 24 hrs. Terminal Gates A2, A6, A7, A8, use only with PPR call opns 210–413–4928. C130 and C17 type acft must park on west ramp to clear cstms. All intl general aviation clear U.S. Cstms at North Fixed Base Operator Ramp east side, call U.S. Cstms 210–821–6965 upon arr. Ldg fee. Flight Notification Service (ADCUS) available.
AIRPORT MANAGER: 210-207-3444
WEATHER DATA SOURCES: ASOS (726) 265–1382 WSP.
COMMUNICATIONS: D–ATIS 118.9 (210–805–5515) **UNICOM** 122.95
RCO 122.3 (SAN ANGELO RADIO)
Ⓡ **APP CON** 128.05 (091–140 SAT) 125.1 (271–359 SAT) 124.45 (360–090 SAT) 118.05 (141–270 SAT) 121.375
TOWER 119.8 **GND CON** 121.9 **CLNC DEL** 126.7
Ⓡ **DEP CON** 128.05 (091–140 SAT) 125.1 (271–359 SAT) 124.45 (360–090 SAT) 118.05 (141–270 SAT)
CPDLC (LOGON KUSA)
PDC
AIRSPACE: CLASS C svc ctc **APP CON**.
VOR TEST FACILITY (VOT) 110.4
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
(VH) (H) VORTACW 116.8 SAT Chan 115 N29°38.64′ W98°27.68′ 176° 6.6 NM to fld. 1159/8E.
VOR unusable:
018°–022° byd 40 NM
028°–032° byd 40 NM
342°–347° byd 40 NM
355°–002° byd 40 NM blo 18,000′
ILS/DME 109.7 I–SAT Chan 34 Rwy 04. Class IE. Unmonitored.
ILS/DME 110.9 I–ANT Chan 46 Rwy 13R. Class IIE. DME also serves Rwy 31L.
ILS/DME 110.9 I–IZR Chan 46 Rwy 31L. Class IE. DME also serves Rwy 13R.

SAN GERONIMO AIRPARK (8T8) 10 W UTC–6(–5DT) N29°30.61´ W98°47.91´ **SAN ANTONIO**
1040 NOTAM FILE SJT **L–19C**
RWY 17–35: H3000X40 (ASPH) 1.1% up N
RWY 17: Trees.
RWY 35: Trees.
AIRPORT REMARKS: Unattended. Rwy 17–35 shoulders soft and muddy when wet. Wildlife on and invof arpt. Limit 3 TGLs durg daytime. Powered parachutes prohibited. +15 ft hgrs 112 ft west along Rwy 17–35.
AIRPORT MANAGER: 210-488-5088
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc San Antonio Apch at 210-805-5516.
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29°38.64´ W98°27.68´ 238° 19.4 NM to fld. 1159/8E.
VOR unusable:
018°–022° byd 40 NM
028°–032° byd 40 NM
342°–347° byd 40 NM
355°–002° byd 40 NM blo 18,000´

STINSON MUNI (SSF)(KSSF) 6 S UTC–6(–5DT) N29°20.22´ W98°28.26´ **SAN ANTONIO**
578 B NOTAM FILE SSF MON Airport **H–7B, L–19C**
RWY 10–28: H5000X100 (ASPH) S–30, D–75 MIRL **IAP, AD**
RWY 10: REIL. PAPI(P4L)—GA 3.0° TCH 40´. Thld dsplcd 450´. Trees.
RWY 28: REIL. PAPI(P4L)—GA 3.0° TCH 40´. Trees.
RWY 14–32: H4128X100 (ASPH) S–12, D–20 MIRL 0.5% up NW
RWY 14: REIL. PAPI(P4R)—GA 3.0° TCH 35´. Thld dsplcd 583´. Trees.
RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 40´. Thld dsplcd 372´. Trees.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 10: TORA–5000 TODA–5000 ASDA–5000 LDA–4550
RWY 14: TORA–4128 TODA–4128 ASDA–3881 LDA–3297
RWY 28: TORA–5000 TODA–5000 ASDA–4677 LDA–4677
RWY 32: TORA–4128 TODA–4128 ASDA–3902 LDA–3530
SERVICE: S4 **FUEL** 100LL, JET A **LGT** Dusk–Dawn.MIRL Rwy 10–28 and Rwy 14–32 preset med ints when ATCT clsd.
AIRPORT REMARKS: Attended 1300–0200Z‡. Numerous acft opr at or abv 2,500´ MSL in the Stinson Arpt traffic area under the ctl of San Antonio Apch. PAEW adjacent all twys and ramp areas Mon–Fri 1300–2359Z‡.
AIRPORT MANAGER: 210-207-1800
WEATHER DATA SOURCES: ASOS (210) 927–9391 LAWRS.
COMMUNICATIONS: CTAF 118.2 **ATIS** 128.8 **UNICOM** 122.95
Ⓡ **SAN ANTONIO APP/DEP CON** 125.7
TOWER 118.2 (1300–0400Z‡) **GND CON** 121.7 **CLNC DEL** 121.7
CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc SAT Apch at 210-805-5516.
AIRSPACE: CLASS D svc 1300–0400Z‡; other times CLASS G.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.

SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29º38.64´ W98º27.68´ 174º 18.4 NM to fld. 1159/8E.

VOR unusable:
018º–022º byd 40 NM
028º–032º byd 40 NM
342º–347º byd 40 NM
355º–002º byd 40 NM blo 18,000´

(VL) VORW 108.4 SSF N29º15.50´ W98º26.61´ 340º 4.9 NM to fld. 541/3E. NOTAM FILE SSF.
occasional fm broadcast interference occurs on freq 108.4

VOR unusable:
011º–025º byd 40 NM
026º–081º byd 15 NM
096º–111º byd 20 NM
131º–140º byd 40 NM
141º–191º byd 10 NM
192º–196º byd 40 NM
201º–225º byd 9 NM
226º–256º
257º–266º byd 40 NM
286º–301º byd 40 NM
316º–330º byd 40 NM
331º–356º byd 25 NM
357º–005º byd 40 NM

TWIN–OAKS (T94) 3 N UTC–6(–5DT) N29º34.21´ W98º28.10´ **SAN ANTONIO**
873 NOTAM FILE SJT

RWY 12–30: H2225X30 (ASPH) S–4
RWY 12: Trees.
RWY 30: Tree.

AIRPORT REMARKS: Unattended. Arpt clsd at ngt to tsnt acft. Houses, hngrs & trees in prim sfc. 6 ft fence lctd aprxly 70 ft E of rwy entr len. Rwy slopes up east to west. Rwy 12 end 41 ft higher than Rwy 30 end. No trml. Arpt fenced, gate locked. Public restrooms avbl 3rd bldg fm NW end, W side. Rwy 12 and Rwy 30 rwy markings NSTD due to size.

AIRPORT MANAGER: 210-494-3928

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc San Antonio Apch at 210-805-5516.

COMM/NAV/WEATHER REMARKS: Aprt inside San Antonio Class C sfc area. Ctc San Antonio ATCT, 119.8.

SAN AUGUSTINE CO (78R) 3 W UTC–6(–5DT) N31º32.43´ W94º10.20´ **HOUSTON**
443 B NOTAM FILE CXO **L–19E, 21A**

RWY 17–35: H3800X50 (ASPH) S–12 MIRL 1.3% up N
RWY 17: Thld dsplcd 124´. Trees.
RWY 35: Fence.

SERVICE: **LGT** MIRL Rwy 17–35 preset low ints, to incr ints ACTVT—CTAF. ACTVT rotating bcn—CTAF.

AIRPORT REMARKS: Unattended. No line of sight between rwy ends. Rwy 17–35 cracking, potholes and loose stones.

AIRPORT MANAGER: 936-275-2762

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.

LUFKIN (VH) (H) VORTACW 112.1 LFK Chan 58 N31º09.75´ W94º43.01´ 046º 36.1 NM to fld. 207/5E.

TACAN AZIMUTH unusable:
260º–275º byd 30 NM
275º–260º byd 30 NM blo 2,500´

DME unusable:
260º–275º byd 30 NM
275º–260º byd 30 NM blo 2,500´

VOR unusable:
305º–312º byd 40 NM
313º–323º byd 40 NM blo 2,300´
313º–323º byd 66 NM
324º–330º byd 40 NM

SAN GERONIMO AIRPARK (See SAN ANTONIO on page 431)

SAN MARCOS RGNL (See AUSTIN on page 270)

SAN SABA CO MUNI (81R) 3 N UTC–6(–5DT) N31°14.14′ W98°43.06′ — SAN ANTONIO
1255 B NOTAM FILE SJT — L–19C
RWY 13–31: H4206X60 (ASPH) S–12.5 MIRL 0.3% up NW — IAP
RWY 13: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 31: PAPI(P2L)—GA 3.0° TCH 40′. Road.
SERVICE: **FUEL** 100LL **LGT** ACTVT MIRL Rwy 13–31—CTAF. PAPI Rwy 13–31 oper consly.
AIRPORT REMARKS: Unattended. Deer on and invof arpt. 325–372–3380 unatnd arpt ph. Rwy 13, 10 ft ditch 30–180 ft dstc.
AIRPORT MANAGER: 512-940-4132
WEATHER DATA SOURCES: AWOS–3P 120.525 (325) 372–6027.
COMMUNICATIONS: CTAF/UNICOM 122.8
HOUSTON CENTER APP/DEP CON 132.35
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE AQO.
LLANO (L) TACAN Chan 19 LLO (108.2) N30°47.78′ W98°47.24′ 360° 26.5 NM to fld. 1207/8E.

SANGER

FLYING C (T87) 5 SW UTC–6(–5DT) N33°20.53′ W97°16.20′ — DALLAS–FT WORTH
775 NOTAM FILE FTW
RWY 09–27: 1650X90 (TURF)
RWY 09: Fence.
RWY 27: Trees.
RWY 17–35: 1400X140 (TURF)
RWY 17: Trees.
RWY 35: Trees.
AIRPORT REMARKS: Unattended. For fld condition call arpt manager. Occasional livestock on fld.
AIRPORT MANAGER: 972-978-7127
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

IRONHEAD (T58) 3 SW UTC–6(–5DT) N33°19.91′ W97°13.82′ — DALLAS–FT WORTH
715 NOTAM FILE FTW
RWY 18–36: 2500X200 (TURF)
RWY 18: Fence.
RWY 36: Tree.
AIRPORT REMARKS: Unattended. Wildlife on and invof of arpt. Rwy 18–36 soft when wet, call for fld cond. Rwy 18–36 thld and edges marked with white tires. Arpt CLOSED to helicopter training. North 700′ Rwy 18–36 slopes down 25′, rwy ends not visible from opposite end.
AIRPORT MANAGER: 940-458-7348
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

VULTURES ROW (6X8) 7 E UTC–6(–5DT) N33°20.40′ W97°06.18′ — DALLAS–FT WORTH
710 NOTAM FILE FTW
RWY 18–36: 2700X50 (TURF)
RWY 18: Tree.
RWY 36: Trees.
AIRPORT REMARKS: Unattended. Rwy 18–36 soft when wet, call for FICONS. Rwy 18–36 width mowed to 15 ft wide drg hay season. Rwy 18 +37 ft powerlines mkd 110 ft fm thr xng cntrln. Helicopter operations prohibited. No student pilots. Do not overfly house drctly N of rwy.
AIRPORT MANAGER: 940-453-8126
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.


SANTA ELENA U38 N26°49.26′ W98°29.10′/313 — BROWNSVILLE
AWOS–3T 135.975 U38 AWOS is associated with airport 38XS. — L–20H

SCHOLES INTL AT GALVESTON (See GALVESTON on page 334)

SEGUIN AIRPORT (E7Ø) 2 NW UTC–6(–5DT) N29°36.14′ W97°59.43′ **SAN ANTONIO**
556 B NOTAM FILE SJT **L–19C**
RWY 18–36: H3415X50 (ASPH) LIRL
SERVICE: **FUEL** 100LL **LGT** ACTVT LIRL Rwy 18–36—CTAF. Rwy 18–36 only cntr 3285 lgtd.
AIRPORT REMARKS: Mon–Fri 1400–2300Z‡. 100LL self–serve. 10′ ditch parallel to rwy full length, 125′ E of rwy CL and across Rwy 36 end, 140′ dstc, 125′. L/R acrs apch.
AIRPORT MANAGER: 830-379-9800
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc San Antonio Apch at 210-805-5516.
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
SAN ANTONIO (VH) (H) VORTACW 116.8 SAT Chan 115 N29°38.64′ W98°27.68′ 088° 24.7 NM to fld. 1159/8E.
VOR unusable:
018°–022° byd 40 NM
028°–032° byd 40 NM
342°–347° byd 40 NM
355°–002° byd 40 NM blo 18,000′

SEMINOLE

GAINES CO (GNC)(KGNC) 3 S UTC–6(–5DT) N32°40.52′ W102°39.16′ **ALBUQUERQUE**
3315 B NOTAM FILE GNC **H–6G, L–6H**
RWY 08–26: H5381X75 (ASPH) S–12.5 MIRL 0.6% up W **IAP**
RWY 08: PAPI(P2L)—GA 3.0° TCH 24′.
RWY 26: PAPI(P2L)—GA 3.0° TCH 20′. P–line.
RWY 17–35: H5002X75 (ASPH) S–12.5 MIRL 0.4% up N
RWY 17: PAPI(P2L)—GA 3.0° TCH 23′. P–line.
RWY 35: PAPI(P2L)—GA 3.0° TCH 37′.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3 **LGT** MIRL Rwys 08–26 and Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–0000Z‡, Sat 1400–1800Z‡. Parachute Jumping. Aft hrs svc: email or call 432–955–7672. Rwy 08 and Rwy 26 mrkgs faded.
AIRPORT MANAGER: 432-788-7657
WEATHER DATA SOURCES: AWOS–3 118.075 (432) 758–3102.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**FORT WORTH CENTER APP/DEP CON** 132.6
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE HOB.
HOBBS (L) (L) VORTACW 111.0 HOB Chan 47 N32°38.29′ W103°16.16′ 075° 31.3 NM to fld. 3664/11E.



SEYMOUR MUNI (6ØF) 3 N UTC–6(–5DT) N33°38.91′ W99°15.68′ **DALLAS–FT WORTH**
1344 B NOTAM FILE FTW **L–17B**
RWY 17–35: H4300X60 (ASPH) S–4 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Fence.
RWY 35: Hangar.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 940-889-0025
COMMUNICATIONS: CTAF 122.9
Ⓡ**FORT WORTH CENTER APP/DEP CON** 133.5
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33°59.24′ W98°35.61′ 229° 39.1 NM to fld. 1133/10E.

SHAMROCK MUNI (2F1) 3 NE UTC–6(–5DT) N35°14.08′ W100°11.12′ **DALLAS–FT WORTH L–15C**
2369 B NOTAM FILE FTW
RWY 17–35: H3600X60 (ASPH) S–15 MIRL
RWY 17: Berm.
RWY 35: Trees.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 17–35 dusk–0600Z‡. Aft 0600Z‡ ACTVT—CTAF. Nmrs rwy lts out.
AIRPORT REMARKS: Unattended. Fuel self svc. Rwy 17–35, loose aggregate on rwy. Rwy 17 and Rwy 35 rwy mrkgs faded, barely vsbl. Rwy 17–35, severe cracking. No twy mrkgs or hold lines.
AIRPORT MANAGER: 806-256-3281
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

SHANK N BANK (See LA WARD on page 372)

SHEPPARD AFB/WICHITA FALLS MUNI (SPS)(KSPS) MIL/CIV AF 5 N UTC–6(–5DT) **DALLAS–FT WORTH**
N33°59.33′ W98°29.51′ **H–6H, L–17B**
1019 B TPA—See Remarks Class I, ARFF Index B NOTAM FILE SPS **IAP, DIAP, AD**

RWY 15R–33L: H13100X300 (CONC) PCN 75 R/C/W/T HIRL
RWY 15R: MALSR. PAPI(P4L)—GA 3.0° TCH 55′. Rgt tfc.
RWY 33L: MALSR. PAPI(P4L)—GA 3.0° TCH 56′.
RWY 15C–33C: H10003X150 (ASPH–CONC–GRVD) PCN 27 F/B/W/T HIRL
RWY 15C: ALSF1. PAPI(P4L)—GA 3.0° TCH 46′.
RWY 33C: ALSF1. PAPI(P4L)—GA 3.0° TCH 48′.
RWY 18–36: H7021X150 (ASPH–GRVD) PCN 33 F/A/W/T HIRL
RWY 18: Rgt tfc.
RWY 36: REIL.
RWY 15L–33R: H6000X150 (ASPH–CONC–GRVD) PCN 27 R/C/W/T HIRL 0.3% up NW
RWY 15L: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
RWY 33R: REIL. PAPI(P4L)—GA 3.0° TCH 40′.
ARRESTING GEAR/SYSTEM
RWY 15R MA–1A CHAG (145 FT OVRN). MA–1A CHAG (145 FT OVRN). **RWY 33L**
RWY 15C BAK 15 (175 FT OVRN). BAK 15 (175 FT OVRN). **RWY 33C**

SERVICE: S2 **FUEL** 100LL, JET A **LGT** When ATCT clsd ACTVT MALSR Rwy 33L—CTAF. Rwy 15R–33L PAPI Rwy Reference Point and ILS Rwy Point of Intercept not coincidental. Rwy 15C–33C PAPI GS and ILS GS not coincidental. Rwy 15C SFL OTS UFN. Rwy 15R RAIL OTS UFN. Rwy 33C SFL OTS UFN. **MILITARY— A–GEAR** MA–1A Rwy 15R–33L not raised, unless 80th FTW is flying, rqr 30 min PN when twr opr. Rwy 15C BAK–15 (175′ into ovrn). Rwy 33C BAK–15 (175′ into ovrn). Rwy 15R MA–1A CHAG (145′ ovrn). Rwy 33L MA–1A CHAG (145′ ovrn). **JASU** 3(AM32–95) 1(MC–1) 3(AM/32A–86D) **FUEL** A++ **FLUID** SP PRESAIR LOX **OIL** O–148. JOAP Results avbl 1345–2100Z‡ wkd exc hol. **TRAN ALERT** Opr 1200–0200Z‡ wkd, 1800–2300Z‡ Sun, clsd Sat and hol. Qualified weapons/munitions pers not avbl to safe ftr type acft.

AIRPORT REMARKS: Attended continuously. Migratory bird activity on and invof arpt from Oct–Apr. Mil arpt conducts high performance jet trng in a high density environment Mon–Fri 1300–0300Z‡ and when twr hrs extdd by NOTAM, ocnl Sat and Sun. Rwy 15C–33C CLOSED. Rwy 15L/33R for 80 ftw T–6 acft use only. Rwy 15C first 2000 ft, last 1000 ft conc, mid zone asph. Rwy 15L–33R first and last 1000 ft conc; mid zone asph. Due to close proximity of Rwys 33L and 33C use vigilance with monitor gnd track for the Hi–TACAN Rwy 33C apch. Solo students not authorized. Wx obsn ltd to west due to hangar rstd view. TPA—lgt acft 1819(800), conventional and jet acft 2319(1300). Overhead Rwy 15R–33L 2819(1800).


MILITARY REMARKS: RSTD PPR, 24 hr PN rqr, ctc afld OPS DSN 736–2180/6474, C940–676–2180/6474. All tran acft must be chocked 30 minutes prior to tran alert closing, PPR expires 30 minutes prior to afld closing. All trans acft required to arrive with crew orders for security forces. Tran acft ltd to one apch to a full stop ldg and must taxi to prkg durg stu trng. Rwy 15C–33C CLOSED. Rwy 15C–33C clsd exc xng at Twy G for 80 ftw acft. Twy K and Twy G east of Rwy 15R–33L clsd exc for 80 ftw acft. Twy L and Twy F btwn Rwy 15R–33L and apch end Rwy 33C clsd. **CAUTION** Do not confuse parallel twy with Rwy 15R–33L. Dur periods when ctl twr is clsd, exer caution when taxiing, the civ arpt is lctd to the S and the mil ramp is lctd to the W of the rwys. Fld Cond NOTAM (FICON) (RSC/RCR) not rprtd when twr clsd. ATC personnel in accordance with the cooperative wx Watch (CWW) will alert WX personnel on any unreported wx cond that could affect flt safety. Mil arpt conducts hi per jet trng in a hi density environment 1400–0400Z‡ Mon–Fri and when twr hr extn by NOTAM, ocnly Sat. Trans mil acft not auzd to arr/dep outside of publ hr. **MISC** Base Ops 1200–0200Z‡ wkd; 1800–2300Z‡ Sun; clsd Sat and hol. AETC fgtr acft exp reduced rwy separation. Day/VFR, similar type acft 3000′, dissimilar type acft 6000′, ngt 6000′ all AETC acft. For arr/dep req outside of published hrs ctc the Afld Ops Flt/Command Post at C940–676–2616, DSN 736–2616. For information about the Wichita Falls Muni arr procs visit: www.Sheppard.AF.mil/contact/Share–The–Air. Tran Mil acft will not receive support from Sheppard AFB outside of published hr. Expect no AF svc while prk at the rgn arpt. Tran AETC acft notify twr on initial ctc if reduced rwy separation is not desired. Ctc Base Taxi DSN 736–1843 C940–676–1843, or U–Drive DSN 736–6813 C940–676–6813 prior to arr. Mil wx advsy/warning avbl on req METRO. Wx obsv ltd to west due to rstd view. NOTE: See Special Notices—Aerobatic Practice Area.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRPORT MANAGER: 940-761-4306
WEATHER DATA SOURCES: ASOS (940) 208–0073 Obsn augmented dur afld opr hr.
COMMUNICATIONS: CTAF 119.75 279.525 **ATIS** 132.05 269.9 (Opr 1200–0200Z‡) **UNICOM** 122.95 **PTD** Mnt 1200–0200Z‡ Mon–Fri, 1800–2300Z‡ Sun, exc hol.
WICHITA FALLS RCO 122.3 (FORT WORTH RADIO)
Ⓡ **SHEPPARD APP CON** 118.2 269.025 (Mon–Fri 1200–0200Z‡, Sun 1800–2300Z‡; clsd Sat and hol, OT ctc FORT WORTH CENTER 133.5 350.35)
Ⓡ **SHEPPARD DEP CON** 118.2 120.4 269.025 316.075(Mon–Fri 1200–0200Z‡, Sun 1800–2300Z‡, exc hol, OT ctc FORT WORTH CENTER 133.5 350.35)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.5 350.35 (Mon–Fri 0200–1200Z‡, Sun 2300–1800Z‡, Sat and hol 24 hrs)
SHEPPARD TOWER 119.75 279.525 (Mon–Fri 1200–0200Z‡, Sun 1800–2300Z‡, clsd Sat and hol, OT use CTAF 119.75 279.525) **GND CON** 125.5 289.4 **CLNC DEL** 121.2 282.225
PMSV METRO 339.65 Wx opr hr 0500Z‡ Mon thru 0100Z‡ Sat, 1300–2200Z‡ Sun, clsd Sat and hol; opr hr may vary by lcl flying sked. Ctc C940–676–2730. KSPS ASOS remains opnl. Winds issued by twr are offl afld winds fm the cntr rwy.
CLEARANCE DELIVERY PHONE: For CD if una to ctc on FSS freq, ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS D svc 1200–0200Z‡ Mon–Fri, 1800–2300Z‡ Sun, clsd Sat & hol; other times use CTAF 119.75 279.525; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33º59.24´ W98º35.61´ 079º 5.1 NM to fld. 1133/10E.
(L) TACAN Chan 45 SHP (110.8) N33º58.96´ W98º29.26´ at fld. 992/5E.
No NOTAM MP 0500–1200Z‡ Wed
DME unusable:
240º–260º byd 35 NM blo 3,500´
261º–280º byd 30 NM blo 5,000´
AZIMUTH unusable:
261º–280º byd 30 NM blo 5,000´
ILS 110.5 I–SHP Rwy 15C. Class IT. ILS unmntrd 0200–1100Z‡. ILS apch not radar mnt wkend and hol. Mp 0500–1200Z‡ dly.
ILS/DME 109.7 I–SPS Chan 34 Rwy 33L. Class IE. ILS unmntrd 0200–1100Z‡. ILS apch not radar mnt wkend and hol. Mp 0600–1100Z‡ Mon, Tue.
ASR (1200–0200Z‡)
COMM/NAV/WEATHER REMARKS: ASOS obsn augmented dur afld opr hr. ASOS is fixed sensor lctd near south end Rwy 15R–33L, measures clouds up to max hgt 12,000´. ILS or LOC/DME—ILS 15C not avbl. Radar see Terminal FLIP for Radar Minima.


SHERMAN MUNI (SWI)(KSWI) 1 SE UTC–6(–5DT) N33º37.45´ W96º35.17´ **DALLAS–FT WORTH**
746 B NOTAM FILE FTW **L–17C, A**
RWY 16–34: H4000X75 (ASPH) S–19 MIRL 0.9% up NW **IAP**
RWY 16: Trees.
RWY 34: P–line.
SERVICE: S4 **FUEL** 100LL **LGT** MIRL Rwy 16–34 preset low intst; to increase intst and ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡. Fuel: 100LL self serve. City ordinance mandates all tkfs on Rwy 34 commence at thld markings. High speed, low level passes are prohibited. Rwy 16–34 has extsv cracking. Rwy 16 mkgs discolored. Rwy 34 mkgs discolored.
AIRPORT MANAGER: 903-868-4412
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.75
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
BONHAM (VH) (H) VORTACW 114.6 BYP Chan 93 N33º32.25´ W96º14.05´ 280º 18.4 NM to fld. 700/6E.



SHERMAN/DENISON

NORTH TEXAS RGNL/PERRIN FLD (GYI)(KGYI) 4 W UTC–6(–5DT) N33°42.85′ W96°40.44′ **DALLAS–FT WORTH H–6H, L–17C, A IAP, AD**
749 B NOTAM FILE GYI
RWY 18L–36R: H9000X150 (ASPH–CONC) S–125, D–189, 2D–326 PCN 54 R/B/W/T MIRL
RWY 18L: MALSR. VASI(V4L)—GA 3.0° TCH 48′. Trees.
RWY 36R: MALS. VASI(V4L)—GA 3.0° TCH 51′.
RWY 18R–36L: H4008X100 (ASPH–CONC)
SERVICE: S4 **FUEL** 100LL, JET A **OX** 3 **LGT** Dusk–Dawn. MIRL Rwy 18L–36R preset low intst, to incr intst and ACTVT MALSR Rwy 18L and MALS Rwy 36R—CTAF.
AIRPORT REMARKS: Attended 1300–0100Z‡. 100LL self serve. For fuel after hours call 903–786–2666; call–in fee. Rwy 18R–36L extensive sfc cracking. Txy mkgs and hold lines faded. Rwy 18L dsgnd calm wind rwy. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 903-786-2904
WEATHER DATA SOURCES: AWOS–3PT 118.775 (903) 786–7790.
COMMUNICATIONS: CTAF 120.575 **ATIS** 118.775
Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.75
TOWER 120.575 (1300–0100Z‡) **GND CON** 124.125
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS D svc 1300–0100Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
BONHAM (VH) (H) VORTACW 114.6 BYP Chan 93 N33°32.25′ W96°14.05′ 290° 24.4 NM to fld. 700/6E.
DENISON NDB (MHW) 341 DNI N33°49.59′ W96°40.13′ 179° 6.7 NM to fld. 642/3E. NOTAM FILE GYI.
ILS 111.7 I–GYI Rwy 18L. Class IT. LOC unusable byd 25° right of course. Glideslope autocoupled approaches NA blw 1,900′ MSL.

SINTON (T69) 2 W UTC–6(–5DT) N28°02.31′ W97°32.55′ **SAN ANTONIO L–20H, 21A, GOAW IAP**
48 B NOTAM FILE SJT
RWY 14–32: H4323X55 (ASPH) S–8 MIRL
RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 19′. Thld dsplcd 250′. Road.
RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 21′. Thld dsplcd 400′. Road.
RWY 03–21: 3100X50 (TURF)
RWY 03: Road.
RWY 21: P–line.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** ACTVT REIL Rwy 14 and Rwy 32; MIRL Rwy 14–32—CTAF.
AIRPORT REMARKS: Attended 1330–2300Z‡. Rwy 03–21 CLOSED indefly. Rwy 03–21 not mntnd, not insp. Una to determine exact lctn of rwy.
AIRPORT MANAGER: 361-226-0112
WEATHER DATA SOURCES: AWOS–3 118.25 (361) 364–1844.
COMMUNICATIONS: CTAF/UNICOM 122.8
CORPUS CHRISTI RCO 122.2 (SAN ANGELO RADIO)
Ⓡ **CORPUS APP/DEP CON** 120.9
CLEARANCE DELIVERY PHONE: For CD ctc Corpus Christi Apch at 361-299-4230.
RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.
CORPUS CHRISTI (VH) (H) VORTACW 115.5 CRP Chan 102
N27°54.23′ W97°26.69′ 318° 9.6 NM to fld. 60/9E.
TACAN AZIMUTH & DME unusable:
024°–036° byd 35 NM blo 1,700′
037°–023° byd 35 NM blo 2,000′
265°–275°
VOR unusable:
340°–005° byd 40 NM blo 7,000′
340°–005° byd 84 NM
Byd 30 NM blo 1,500′
TACAN AZIMUTH unusable:
080°–085° byd 30 NM




SKYLARK FLD (See KILLEEN on page 367)

SKYWAY MANOR (See PEARLAND on page 409)

SKYWEST INC (See MIDLAND on page 393)

SLATON

CITY OF SLATON/LARRY T NEAL MEML (F49) 2 N UTC–6(–5DT) N33°29.11′ W101°39.70′ **DALLAS–FT WORTH**
3127 B NOTAM FILE FTW **L–6H**
RWY 18–36: H4244X75 (ASPH) S–20 MIRL **IAP**
RWY 18: PAPI(P2L)—GA 3.0° TCH 40′. Pole.
RWY 36: PAPI(P2L)—GA 3.0° TCH 40′.
RWY 08–26: 1720X65 (TURF)
RWY 08: Brush.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** MIRL Rwy 18–36 nonstd PCL: 3–X on, 5–X off—CTAF. PAPI Rwy 18 OTS indefly. PAPI Rwy 36 OTS indefly.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. Rwy 08–26 CLSD permly. Aerobic ACTVT SR–SS, mod use on wkends. Acft not vsb fm oppsite ends of rwy. Rwy 08–26 sfc rough. 3457 ft MSL, 348 ft AGL twr, 1.75 NM SW of arpt.
AIRPORT MANAGER: 806-828-5892
COMMUNICATIONS: CTAF/UNICOM 123.0
Ⓡ **LUBBOCK APP/DEP CON** 119.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
LUBBOCK (L) (L) VORTACW 109.2 LBB Chan 29 N33°42.30′ W101°54.84′ 125° 18.3 NM to fld. 3310/11E.
VOR unusable:
040°–050° byd 38 NM blo 5,300′
210°–260° byd 25 NM blo 6,000′




SLIDELL

AKROVILLE (3TX) 3 NE UTC–6(–5DT) N33°23.57′ W97°21.23′ **DALLAS–FT WORTH**
895 NOTAM FILE 3TX
RWY 18–36: 3001X60 (TURF)
RWY 18: Fence.
RWY 36: Road.
RWY 05–23: 1600X60 (TURF)
RWY 05: Fence.
RWY 23: Fence.
AIRPORT REMARKS: Attended irregularly. Birds, cows and wildlife invof rwys. APA acrobatic practice area co–lctd with arpt. Intsv aerobatic trng. PPR. Ctc amgr 24 hrs prior to arr, 817–658–7479. Arpt fenced and gate locked. For ingress and egress, call 817–658–7479 PPR ctc amgr 24 hrs prior to arr, 817–658–7479 for fld conds. Loose rocks on rwy. Call for ficons. Radio ctc recommended prior to ldg for adzy. Rwy 05–23 corners mkd with white barrels. Rwy 18–36 corners mkd with white barrels. Arpt rolling trrn. Acft not vsb at opposite rwy ends.
AIRPORT MANAGER: 817-658-4569
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.

CAIN (T28) 4 W UTC–6(–5DT) N33°21.27′ W97°26.35′ **DALLAS–FT WORTH**
917 NOTAM FILE FTW
RWY 18–36: 1200X50 (TURF) 2.8% up N
RWY 18: Fence.
RWY 36: Brush.
AIRPORT REMARKS: Attended continuously. Deer and feral hogs on and invof arpt. Recommend STOL acft ops only. Rwy 18–36 rough, some portions gravel; call prior to use for rwy cond. Rwy 18–36 8–10 ft rising terrain east of rwy. Rolling terrain, rwy ends not visible from opposite end.
AIRPORT MANAGER: 972-241-7076
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.


SMILEY JOHNSON MUNI/BASS FLD (See CLARENDON on page 291)

SMITHVILLE CRAWFORD MUNI (84R) 2 N UTC–6(–5DT) N30°01.69′ W97°10.02′ **SAN ANTONIO**
323 B NOTAM FILE SJT **L–19D, 21A**
RWY 17–35: H4000X75 (ASPH) S–12.5 MIRL **IAP**
RWY 17: PAPI(P2L)—GA 4.0° TCH 40′. Trees.
RWY 35: PAPI(P2L)—GA 3.0° TCH 40′. P–line.
SERVICE: S4 **FUEL** 100LL **LGT** SS–SR ACTVT MIRL Rwy 17–35 123.3.
AIRPORT REMARKS: Attended Mon–Sat 1500–2300Z‡. Aftr hrs atndt 979–224–6304. Wildlife and livestock invof arpt.
AIRPORT MANAGER: 512-237-3282
COMMUNICATIONS: CTAF 122.9
Ⓡ **AUSTIN APP/DEP CON** 120.875 270.25
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71′ W97°31.79′ 132° 28.2 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM



SNYDER

WINSTON FLD (SNK)(KSNK) 2 SW UTC–6(–5DT) N32°41.60′ W100°57.03′ **DALLAS–FT WORTH**
2430 B NOTAM FILE SNK **H–6G, L–17A**
RWY 17–35: H5599X100 (ASPH) S–24 MIRL **IAP**
RWY 17: REIL. PAPI(P4R)—GA 3.0° TCH 33′. Rgt tfc.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 30′.
RWY 08–26: H4200X75 (ASPH) S–24 1.3% up E
RWY 08: Trees. Rgt tfc.
SERVICE: **FUEL** 100LL, JET A1 **LGT** Dusk–Dawn. MIRL Rwy 17–35 preset low intst; to incr intst and ACTVT PAPI Rwys 17 and 35—CTAF. Rwy 35 PAPI unusbl byd 9 degs left and right of rwy cntrln.
AIRPORT REMARKS: Attended 1400–0000Z‡. Arpt unattended Thanksgiving, Christmas, and Easter. For atndt aft hrs call 325–573–3551, call–in fee. Rwy 08–26 acft not vsb at opposite rwy end.
AIRPORT MANAGER: 325-573-1122
WEATHER DATA SOURCES: AWOS–3 119.925 (325) 573–5724.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 127.45
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE BPG.
BIG SPRING (VL) (H) VORTACW 117.2 BGS Chan 119 N32°23.14′ W101°29.02′ 045° 32.7 NM to fld. 2670/11E.



SOMERSET

CANNON FLD (53T) 6 E UTC–6(–5DT) N29°12.93′ W98°32.98′ **SAN ANTONIO**
610 NOTAM FILE SJT
RWY 17–35: 2790X100 (TURF)
RWY 17: Thld dsplcd 50′. Fence.
RWY 35: Thld dsplcd 20′. Tree.
AIRPORT REMARKS: Attended continuously. Wildlife on and invof arpt. Rwy soft when wet, call for FICONs. 30 ft mkd powerline 380 ft N of Rwy 17 end. Rwys 17 and Rwy 35 dthr mkd with white painted barrels. Rwy17–35 rolling trrn full len of rwy. Rwy 17–35 S half rough edges. Mole hills thrut.
AIRPORT MANAGER: 210-332-7377
COMMUNICATIONS: CTAF/UNICOM 123.0
CLEARANCE DELIVERY PHONE: For CD ctc San Antonio Apch at 210-805-5516.

SONORA

ROCKING L (11T) 26 ESE UTC–6(–5DT) N30°22.40′ W100°11.41′ **SAN ANTONIO**

2339 NOTAM FILE SJT Not insp.

RWY 18–36: 2432X50 (GRVL)

RWY 18: Rgt tfc.

AIRPORT REMARKS: Unattended. Wildlife and or livestock may be present on or near the rwy. Use caution, physical barrier/fencing may not prevent entry. Rwy sfc may be uneven and have small mesquite.

AIRPORT MANAGER: 325-226-3445

COMMUNICATIONS: CTAF 122.9


SONORA MUNI (SOA)(KSOA) 1 N UTC–6(–5DT) N30°35.14′ W100°38.91′ **SAN ANTONIO**

2140 B NOTAM FILE SOA **L–19B**

RWY 18–36: H4037X60 (ASPH) S–12.5 MIRL **IAP**

RWY 18: REIL. PVASI(PSIL)—GA 3.0° TCH 25′. Thld dsplcd 93′. Trees.

RWY 36: REIL. PVASI(PSIL)—GA 3.0° TCH 26′. Thld dsplcd 601′. P–line.



SERVICE: **LGT** NSTD solar lights Rwy 18–36 dusk–dawn. ACTVT REIL Rwy 18 and 36; PVASI Rwys 18 and 36—CTAF. Rwy 18–36 edge intensity solar lights.

AIRPORT REMARKS: Unattended. Rwy 18 and Rwy 36 mrkgs faded. Cable tiedowns–pilots bring own ropes.

AIRPORT MANAGER: 325-387-2558

WEATHER DATA SOURCES: AWOS–3 118.075 (325) 387–3801.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **HOUSTON CENTER APP/DEP CON** 125.75

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

RADIO AIDS TO NAVIGATION: NOTAM FILE ECU.

ROCKSPRINGS (VL) (H) VORTACW 114.55 RSG Chan 92(Y)
N30°00.88′ W100°17.99′ 322° 38.7 NM to fld. 2310/10E.

VOR unusable:
000°–010° byd 40 NM
015°–035° byd 40 NM
065°–095° byd 40 NM
250°–280° byd 40 NM
315°–322° byd 40 NM blo 6,000′
315°–322° byd 56 NM
323°–359° byd 40 NM


NDB (MHW) 371 SOA N30°34.91′ W100°38.82′ at fld. 2139/8E. NOTAM FILE SOA. NDB unmonitored.

SOUTH TEXAS INTL AT EDINBURG (See EDINBURG on page 320)

SOUTHWEST LUBBOCK (See WOLFFORTH on page 463)

SPEARMAN


MAJOR SAMUEL B CORNELIUS FLD (E42) 1 N UTC–6(–5DT) N36°13.26′ W101°11.67′ **WICHITA**
3090 B NOTAM FILE FTW **H–6G, L–15B**
RWY 02–20: H5022X75 (ASPH) S–12.5 MIRL **IAP**
RWY 02: PAPI(P2L)—GA 3.0° TCH 39′.
RWY 20: PAPI(P2L)—GA 3.0° TCH 40′.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 02–20 preset low intst; to incr intst and ACTVT PAPI Rwys 02 and 20—122.9. Nmrs lgts out, knocked over, missing, incorrect colors, out of alignment. Rwy 02 PAPI OTS.
AIRPORT REMARKS: Unattended. For fuel call 806–659–2422 and hangar space 806–659–2524 Mon–Sat 1330–0100Z‡. No line of sight between rwy ends. Rwy 02–20 nmrs cracks in pavement. Rwy 02 and 20 mkgs faded.
AIRPORT MANAGER: 806-659-2524
WEATHER DATA SOURCES: AWOS–3P 118.925 (806) 644–6824.
COMMUNICATIONS: CTAF 122.9
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.
BORGER (L) TACAN Chan 23 BGD (108.6) N35°48.42′ W101°22.93′ 009° 26.4 NM to fld. 3130/11E.
TACAN AZIMUTH unusable:
220°–320° byd 10 NM blo 12,000′



SPICEWOOD (88R) 2 E UTC–6(–5DT) N30°28.43′ W98°07.29′ **SAN ANTONIO**
830 NOTAM FILE SJT **L–19C**
RWY 17–35: H4185X38 (ASPH) S–12.5
RWY 17: Thld dsplcd 464′. Tree.
RWY 35: Trees.
SERVICE: **FUEL** 100LL, JET A
AIRPORT REMARKS: Unatndd. Deer on and invof arpt. Arpt clsd at night exc for hel, medevac and mil flts. Arpt clsd to jet and turbo jet acft, exc for very light jets. Arpt clsd to TGL, ultralights and hang gldrs. No line of sight btn rwy ends. Rwy 17 calm wind rwy. Rotocraft remain abv 500 AGL N of Rwy 17 to avoid residential area. Rotocraft practice or autorotation prohibited. Rotocraft arr and dep fly dctly to and fm prkg to avoid unec low–level txg.
AIRPORT MANAGER: 830-201-3111
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71′ W97°31.79′ 275° 31.2 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM

STAMFORD

ARLEDGE FLD (F56) 4 SE UTC–6(–5DT) N32°54.63′ W99°44.05′ **DALLAS–FT WORTH**
1561 B NOTAM FILE FTW **L–17B**
RWY 17–35: H3707X60 (ASPH) S–4 MIRL **IAP**
RWY 17: Road.
RWY 08–26: 2211X50 (TURF)
RWY 13–31: 1702X50 (TURF–GRVL) 0.3% up NW
RWY 13: Road.
RWY 31: Road.
SERVICE: S4 **FUEL** 100LL **LGT** ACTVT MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Farm equipment invof arpt. Rwys 08–26 and 13–31 have rough sfc.
AIRPORT MANAGER: 325-773-2591
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ**ABILENE APP/DEP CON** 127.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 004° 26.5 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′



STANTON MUNI (63F) 3 NW UTC–6(–5DT) N32°10.41′ W101°49.35′ **DALLAS–FT WORTH**
2731 B NOTAM FILE SJT **L–6H**
RWY 16–34: H4240X60 (ASPH) S–14 MIRL
RWY 16: Road. Rgt tfc.
RWY 34: Road.
SERVICE: **LGT** ACTVT MIRL Rwy 16–34—CTAF.
AIRPORT REMARKS: Unattended. Nmrs 389 ft wind turbines srndg the arpt as close 3/4 mile.
AIRPORT MANAGER: 432-756-3301
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Midland Apch at 432-563-2123. When Apch clsd ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.
MIDLAND (VL) (H) VORTACW 112.6 MAF Chan 73 N32°00.56′ W102°11.42′ 051° 21.2 NM to fld. 2860/11E.
VOR unusable:
010°–020° byd 8 NM blo 8,000′
207°–262° byd 40 NM
263°–273° byd 53 NM
274°–322° byd 40 NM
343°–349° byd 40 NM
TACAN AZIMUTH unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM
DME unusable:
167°–169° byd 10 NM
200°–294° byd 14 NM
295°–305° byd 14 NM blo 12,000′
295°–305° byd 18 NM
306°–335° byd 14 NM

STEPHENS CO (See BRECKENRIDGE on page 279)


STEPHENVILLE CLARK RGNL (SEP)(KSEP) 1 E UTC–6(–5DT) N32°12.92′ W98°10.66′ **DALLAS–FT WORTH**
1321 B NOTAM FILE SEP **L–17C**
RWY 14–32: H4209X75 (ASPH) MIRL 0.8% up NW **IAP, AD**
RWY 14: PAPI(P2L). Tree.
RWY 32: PAPI(P2L). Road.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** Rwy 14 PAPI OTS indefly. Rwy 32 PAPI OTS indefly.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡, Sat 1500–1930Z‡. Parachute Jumping. Skydiving and parachute actvty on and invof arpt. Deer invof arpt. 100LL self–serve only. Prkg at self–svc fuel pumps for rflg acft only. Unatndd acft at self–svc fuel pumps prohibited. Rwy 14 calm wind rwy. Acft not vsb fm opposite end of rwy.
AIRPORT MANAGER: 254-552-1224
WEATHER DATA SOURCES: AWOS–3PT 118.075 (254) 965–8672.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **FORT WORTH CENTER APP/DEP CON** 135.375
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
GLEN ROSE (L) TACAN Chan 97 JEN (115.0) N32°09.58′ W97°52.66′ 276° 15.6 NM to fld. 1300/6E.

STINSON MUNI (See SAN ANTONIO on page 431)

STONEWALL CO (See ASPERMONT on page 267)

STONEWALL N30°12.41′ W98°42.35′ NOTAM FILE T82. **SAN ANTONIO**
(VH) (H) VORTACW 113.8 STV Chan 85 274° 10.8 NM to Gillespie Co. 1530/8E. **H–7B, L–19C**
TACAN AZIMUTH unusable:
056°–066° byd 30 NM blo 3,000′
067°–055° byd 30 NM blo 3,300′
DME unusable:
056°–066° byd 30 NM blo 3,000′
067°–055° byd 30 NM blo 3,300′
VOR unusable:
056°–066° byd 30 NM blo 3,000′
067°–055° byd 30 NM blo 3,300′
110°–122° byd 40 NM blo 5,500′
110°–122° byd 46 NM
123°–210° byd 40 NM
230°–240° byd 40 NM

STRATFORD FLD (H7Ø) 1 NE UTC–6(–5DT) N36°20.74′ W102°02.96′ **WICHITA**
3668 NOTAM FILE FTW **L–15B**
RWY 04–22: H3023X32 (ASPH) S–9 RWY LGTS(NSTD) 0.5% up SW
RWY 04: Road.
RWY 22: Road.
SERVICE: **LGT** ACTVT LIRL Rwy 04–22 5 times—CTAF. Rwy 04–22 LIRL lctd 33 ft fm edge of pavement. Nonstd solar thr lgts.
AIRPORT REMARKS: Unattended. Emergency fuel 100LL only. Sewage treatment plant located south of rwy. Rwy 04 and Rwy 22 rwy not marked. Rwy 04 end, broken asph and loose stones.
AIRPORT MANAGER: 806-753-7866
COMMUNICATIONS: CTAF 122.9
DALHART RCO 122.2 (FORT WORTH RADIO)
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.
DALHART (L) (L) VORTACW 112.0 DHT Chan 57 N36°05.49′ W102°32.68′ 046° 28.5 NM to fld. 4020/12E.
TAC AZM unusable:
240°–255° byd 15 NM
320°–350° byd 15 NM



SUDDEN STOP (See COLLINSVILLE on page 294)

SUGAR LAND RGNL (See HOUSTON on page 359)

SULPHUR SPRINGS MUNI (SLR)(KSLR) 2 NW UTC–6(–5DT) N33°09.59′ W95°37.27′ **DALLAS–FT WORTH**
489 B NOTAM FILE SLR **H–6I, L–17D**
IAP

RWY 01–19: H5001X75 (CONC) S–30, D–50 MIRL 0.4% up S
RWY 01: REIL. PAPI(P4L)—GA 3.0° TCH 56′. Fence.
RWY 19: REIL. PAPI(P4L)—GA 3.0° TCH 40′.

SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 01–19 preset low dusk–dawn. To incr intst and ACTVT REIL Rwys 01 and 19—CTAF. PAPI Rwys 01 and 19 opr consly. Rwy 19 PAPI unusbl byd 8 degs right of RCL.

AIRPORT REMARKS: Attended Mon–Sat 1400–0000Z‡. For attendant on Sun call 903–885–49111 durg attended hrs. For attendant after hrs call police dispatch 903–885–7602. 100LL avbl 24 hrs self–serve. Birds on and invof arpt. Lgt sport acft oprg on west side of rwy. Rwy 01 45 ft bldg 1,820 dstc. Rwy 01, 44 ft unmkd p–line, 1530 ft dstc, 30:1; 58 ft tank, 1820 ft dstc, 30 ft L, 27:1; 125 ft antenna, 1515 ft east of Rwy 01 end.


AIRPORT MANAGER: 903-885-4911

WEATHER DATA SOURCES: AWOS–3 118.35 (903) 885–9605.

COMMUNICATIONS: CTAF/UNICOM 123.075
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.025

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

RADIO AIDS TO NAVIGATION: NOTAM FILE SLR.
(L) DME 109.0 SLR Chan 27 N33°11.92′ W95°32.57′ 240° 4.6 NM to fld. 476.



SUNRAY (X43) 1 NW UTC–6(–5DT) N36°01.75′ W101°49.73′ **WICHITA**
3507 NOTAM FILE FTW **L–15B**

RWY 02–20: 3760X50 (GRVL–DIRT)
RWY 02: P–line.
RWY 20: Road.

RWY 17–35: H3250X50 (ASPH) S–13 RWY LGTS(NSTD)
RWY 17: Road.
RWY 35: P–line.

SERVICE: **LGT** Rwy 17–35 low intst solar lgts.

AIRPORT REMARKS: Attended irregularly. 10 ft AGL gas well located 375 ft east of south end Rwy 02–20. Rwy 35 also 40 ft pline, 220 ft dstc, 150 ft L/ R; 25 ft RR 265 ft dstc, 155 L/R. Rwy 35 also 40 ft pline, 219 ft dstc, 155 ft L, 118 ft R; 25 ft RR, 265 ft dstc, 0 ft B. Rwy 17–35 hngrs, parked vehicles, pipe supplies, gravel piles, and acft obst prim sfc. Rwy 02–20 rwy sfc rough, crops at rwy edge. Rwy 17–35 ends mkd with 5 ft "L" shaped concrete curbs.

AIRPORT MANAGER: 806-948-4111

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.

RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.
BORGER (L) TACAN Chan 23 BGD (108.6) N35°48.42′ W101°22.93′ 291° 25.5 NM to fld. 3130/11E.
TACAN AZIMUTH unusable:
220°–320° byd 10 NM blo 12,000′

SUNRISE BEACH (2KL) 1 NE UTC–6(–5DT) N30°35.95′ W98°24.55′ **SAN ANTONIO**
854 NOTAM FILE SJT

RWY 12–30: 2649X110 (TURF) LIRL
RWY 12: Tree.
RWY 30: Tree. Rgt tfc.

SERVICE: S4 **LGT** Arpt lgts ops dusk–0430Z‡.

AIRPORT REMARKS: Unattended. Nmrs deer on and invof rwy. Ngt opns not rcmdd. No touch and go ldg ops. For acft svc call 512–755–0399. Transient prkg west end of rwy by open hgr. Pkg lmtd to 72 hrs. Emerg helipad lctd east of wind sock and segmented crc. Rwy 12–30 irrigated aft 0430Z‡ ngtly. Trees in apch area and hngrs wi 60 ft of rwy. 20–30 ft trees alg both sides of rwy 75 ft each side of rwy cntrln. Rwy 12 thr mkd with white tires. Rwy 30 thr mkd with red lgts.


AIRPORT MANAGER: 408-564-9954

COMMUNICATIONS: CTAF 122.9

CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

SWEETWATER

AVENGER FLD (SWW)(KSWW) 3 W UTC–6(–5DT) N32°28.04′ W100°27.99′ **DALLAS–FT WORTH**
2380 B NOTAM FILE SWW **H–6G, L–17A**
RWY 17–35: H5840X100 (ASPH) S–30 MIRL 0.5% up S **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Trees.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 40′. Pole.
RWY 04–22: H5658X75 (ASPH) S–30 MIRL 0.8% up SW
RWY 04: PAPI(P2L)—GA 3.0° TCH 40′. Trees.
RWY 22: PAPI(P2L)—GA 3.0° TCH 40′. Pole.
SERVICE: **FUEL** 100LL, JET A1+
AIRPORT REMARKS: Attended Mon–Thu 1330–2330Z‡, Fri 1400–1800Z‡. Fuel 24 hr self serve. Rwy 04–22 and 17–35, acft not vsb fm opposite end of rwy.
AIRPORT MANAGER: 325-235-8478
WEATHER DATA SOURCES: AWOS–3 119.025 (325) 236–9652.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **ABILENE APP/DEP CON** 127.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 259° 30.6 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′



SYCAMORE STRIP (See FORT WORTH on page 331)

T–BAR (See TAHOKA on page 446)

TAHOKA

T–BAR (2F4) 1 NW UTC–6(–5DT) N33°10.86′ W101°49.16′ **DALLAS–FT WORTH**
3126 B NOTAM FILE FTW **L–6H**
RWY 17–35: H3278X50 (ASPH) S–12.5 MIRL
RWY 17: Rgt tfc.
RWY 35: Road.
RWY 08–26: 2543X33 (GRVL–DIRT) S–10
RWY 08: Road.
RWY 26: Road. Rgt tfc.
SERVICE: **LGT** SS—SR.
AIRPORT REMARKS: Unattended. Attendant on call 806–759–1455. 20′ AGL irrigation equip 400′ north AER 35. Rwy 08–26 thrs and rwy edges not defined. Rwy 08–26 5 ft drop off each end.
AIRPORT MANAGER: 806-759-1455
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
LUBBOCK (L) (L) VORTACW 109.2 LBB Chan 29 N33°42.30′ W101°54.84′ 160° 31.7 NM to fld. 3310/11E.
VOR unusable:
040°–050° byd 38 NM blo 5,300′
210°–260° byd 25 NM blo 6,000′
COMM/NAV/WEATHER REMARKS: UNICOM OTS indefly.


TAILWHEEL ACRES (See VALLEY VIEW on page 452)

TALON AIR HELIPORT (See DICKINSON on page 314)

TARRANT FLD (See MOUNT SELMAN on page 398)

TAYLOR MUNI (T74) 2 W UTC–6(–5DT) N30°34.36′ W97°26.59′
600 B NOTAM FILE SJT
RWY 17–35: H4000X75 (ASPH) S–12.5 MIRL 1.3% up N
RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Trees. Rgt tfc.
RWY 35: PAPI(P2L)—GA 3.0° TCH 57′. Thld dsplcd 249′. Trees.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** MIRLS Rwy 17–35 preset low SS–SR. To ACTVT and incr intst—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. 100LL and Jet A self serve only. Heli svcs also avbl. Intsv hel actvty on and invof arpt. 200 ft AGL twr, 1000 ft east of rey centerline, apx mid point of rwy.
AIRPORT MANAGER: 512-352-5747
WEATHER DATA SOURCES: AWOS–3PT 119.75 (512) 352–4995.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **AUSTIN APP/DEP CON** 127.225
CLEARANCE DELIVERY PHONE: For CD ctc Austin Apch at 512-369-7865.
RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.
CENTEX (VH) (H) VORTACW 112.8 CWK Chan 75 N30°22.71′ W97°31.79′ 015° 12.5 NM to fld. 593/6E.
VOR unusable:
180°–190° byd 40 NM
200°–210° byd 40 NM

SAN ANTONIO
L–19C, 21A
IAP



TEAGUE MUNI (68F) 3 NW UTC–6(–5DT) N31°39.71′ W96°18.63′
525 B NOTAM FILE FTW
RWY 15–33: H3300X50 (ASPH) S–16 MIRL
RWY 15: Trees.
RWY 33: Tree.
SERVICE: **LGT** Beacon OTS. Rwy 15–33 nmrs rwy lgts OTS.
AIRPORT REMARKS: Unattended. For access gate call City Hall 254–739–2547, 1400–2300Z‡, after hrs call police 254–739–2553 or 903–389–3236. Mowing ops on arpt summer months. Radio control acft opr on ramp east of Rwy 15–33. Rwy 15 mkgs faded. Rwy 33 no rwy number.
AIRPORT MANAGER: 254-739-5327
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
CEDAR CREEK (L) (L) VORTACW 114.8 CQY Chan 95 N32°11.14′ W96°13.09′ 183° 31.7 NM to fld. 400/6E.

HOUSTON
L–19D, A

TEMPLE

DRAUGHON–MILLER CENTRAL TEXAS RGNL (TPL)(KTPL) 5 NW UTC–6(–5DT) N31°09.11´ W97°24.46´ SAN ANTONIO H–6H, L–19C, 21A IAP

682 B NOTAM FILE TPL

RWY 16–34: H7000X150 (ASPH–GRVD) S–55, D–70, 2D–110 MIRL

RWY 16: MALSR.

RWY 34: PAPI(P4L)—GA 3.0° TCH 34´.

RWY 03–21: H4740X100 (ASPH) S–31, D–37 MIRL

RWY 21: PAPI(P4L)—GA 3.0° TCH 47´.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 03: TORA–4740 TODA–4740 ASDA–4740 LDA–4740

RWY 16: TORA–7000 TODA–7000 ASDA–7000 LDA–7000

RWY 21: TORA–4740 TODA–4740 ASDA–4740 LDA–4740

RWY 34: TORA–7000 TODA–7000 ASDA–7000 LDA–7000

SERVICE: S4 **FUEL** 100LL, JET A, A1+ **LGT** Dusk–0400Z‡. ACTVT PAPI Rwy 21—CTAF. Aft 0400Z‡ MIRL Rwy 16–34 preset low intst; to incr intst and ACTVT MALSR Rwy 16—CTAF. MIRL Rwy 03–21 not avbl aft 0400Z‡.

AIRPORT REMARKS: Attended 1300–0200Z For aft hrs atndt 254–493–8530. Gldr ops 1.5 miles north of Rwy 16 thr. ARFF not avbl 0200–1300Z‡. ARFF protection meets Index B. 100LL and all fuels full and self svc. Military contract fuel avbl.

AIRPORT MANAGER: 254-298-5770

WEATHER DATA SOURCES: AWOS–3PT 134.975 (254) 774–8337.

COMMUNICATIONS: CTAF/UNICOM 123.0


Ⓡ **GRAY APP/DEP CON** 120.075 **CLNC DEL** 125.9

AIRSPACE: CLASS E svc 1200–0500Z‡; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE TPL.

TEMPLE (L) DME 116.35 TPL Chan 110(Y) N31°12.56´ W97°25.50´ 165° 3.6 NM to fld. 710.

ILS/DME 111.5 I–TPL Chan 52 Rwy 16. Class IE. LOC unusable byd 20° right of course, Fort Hood MOA. Unmonitored.



TERLINGUA RANCH (See ALPINE on page 261)

TERRELL CO (See DRYDEN on page 316)

TERRELL MUNI (TRL)(KTRL) 1 SE UTC–6(–5DT) N32°42.51´ W96°16.03´ DALLAS–FT WORTH H–6H, L–17D, A IAP

474 B NOTAM FILE TRL

RWY 18–36: H5006X75 (ASPH) S–30 MIRL

RWY 18: RLLS. REIL. PAPI(P4L)—GA 3.0° TCH 32´. Trees.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 32´. Trees.

SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 18–36 preset low intst; to incr intst and ACTVT RLLS Rwy 18—CTAF.

AIRPORT REMARKS: Attended 1400–0200Z‡. Birds on and invof arpt. For attendant aft hrs call 972–835–5395. Call in fee.

AIRPORT MANAGER: 972-551-6614

WEATHER DATA SOURCES: ASOS 119.275 (972) 551–1334.


COMMUNICATIONS: CTAF/UNICOM 123.075

Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.025

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) (L) VORTACW 114.8 CQY Chan 95 N32°11.14´ W96°13.09´ 349° 31.4 NM to fld. 400/6E.



TERRY CO (See BROWNFIELD on page 281)

TEXAS GULF COAST RGNL (See ANGLETON/LAKE JACKSON on page 266)

TEXICO N34°29.71′ W102°50.38′ NOTAM FILE FTW. **ALBUQUERQUE**
H–6G, L–6H
(VH) (H) VORTACW 112.2 TXO Chan 59 240° 12.5 NM to Clovis Rgnl. 4060/11E.
VOR unusable:
095°–100° byd 40 NM
120°–130° byd 40 NM
210°–272° byd 60 NM blo 10,000′
273°–283° byd 40 NM blo 6,000′
273°–283° byd 46 NM blo 7,000′
273°–283° byd 59 NM
284°–319° byd 40 NM
320°–035° byd 40 NM
TACAN AZIMUTH unusable:
222°–232°

THREE RIVERS N28°30.30′ W98°09.03′ NOTAM FILE SJT. **SAN ANTONIO**
H–7B, L–20H
(L) TACAN 111.4 THX Chan 51 160° 8.7 NM to Live Oak Co. 266/8E.

THROCKMORTON MUNI (72F) 1 NE UTC–6(–5DT) N33°10.80′ W99°08.99′ **DALLAS–FT WORTH**
L–17B
1273 B NOTAM FILE FTW
RWY 17–35: H3723X60 (ASPH) S–12 LIRL
RWY 17: Road.
RWY 35: Trees.
SERVICE: **LGT** Rwy 17 has nonstd dsplcd thr lgts. Rwy 35 does not have dsplcd thr lights. Rwy lts obscured by vegetation. Opr sts unkn.
AIRPORT REMARKS: Unattended. Rwy 17–35 Nmrs conc & asph patches with cracks and loose grvl. Rwy uneven due to extsv patching. Rwy 17 and Rwy 35 rwy mkg poor.
AIRPORT MANAGER: 940-849-4411
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33°59.24′ W98°35.61′ 200° 55.8 NM to fld. 1133/10E.

TRADEWIND (See AMARILLO on page 263)

TRINITY N29°32.78′ W94°44.85′ NOTAM FILE CXO. **HOUSTON**
H–7C, L–19E, 21A, GOAW
(VL) (DL) VORW/DME 114.75 MHF Chan 94(Y) 011° 14.1 NM to Chambers Co. 38/7E.
VOR unusable:
060°–079° byd 40 NM
080°–090° byd 40 NM blo 6,000′
080°–090° byd 50 NM blo 8,000′
091°–109° byd 40 NM
110°–190° blo 2,000′


TRIPLE–ACE FLD (See DECATUR on page 310)

TRUAX N27°41.18′ W97°17.68′ NOTAM FILE NGP. **BROWNSVILLE**
L–20H, 21A, GOAW
(L) TACAN 114.0 NGP Chan 87 at Corpus Christi Nas (Truax Fld). 17/3E.
No NOTAM MP: 1500–1800Z‡ 2nd Wed ea Month
DME unusable:
190°–305° byd 20 NM blo 2,000′
333°–343° byd 10 NM blo 8,000′

TSTC WACO (See WACO on page 456)

TULIA

CITY OF TULIA/SWISHER CO MUNI (IØ6) 2 NW UTC–6(–5DT) N34°34.01´ W101°46.89´ **DALLAS–FT WORTH L–6H**
3503 B NOTAM FILE FTW
RWY 01–19: H4876X60 (ASPH) S–12.5 MIRL 0.3% up S
RWY 01: Road.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 01–19 preset low intst, to incr intst ACTVT—122.8.
AIRPORT REMARKS: Attended intmnt. Livestock invof arpt. 100LL fuel self serve. For assistance call 806–995–3504 during reg bus hrs.
AIRPORT MANAGER: 806-786-2773
COMMUNICATIONS: CTAF/UNICOM 122.7
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
PANHANDLE (H) (H) VORTACW 116.6 PNH Chan 113 N35°14.10´ W101°41.94´ 178° 40.2 NM to fld. 3595/8E.



TUSCOLA N32°14.14´ W99°49.01´ NOTAM FILE FTW. **DALLAS–FT. WORTH H–6H, L–17B**
(L) (L) VORW/DME 114.85 TQA Chan 95(Y) 340° 11.1 NM to Dyess AFB. 2058/10E.


TWIN–OAKS (See SAN ANTONIO on page 432)

TXAEROSPORT AERODROME (See DORCHESTER on page 315)

TYLER CO (See WOODVILLE on page 464)

TYLER POUNDS RGNL (TYR)(KTYR) 3 W UTC–6(–5DT) N32°21.21′ W95°24.18′ **DALLAS–FT WORTH**
544 B Class I, ARFF Index B NOTAM FILE TYR **H–6I, L–17D**
IAP, AD

RWY 04–22: H8334X150 (CONC–GRVD) S–120, D–222, 2S–84, 2T–223, 2D–357, 2D/D1–212, C5–342 PCR 640 R/B/W/T HIRL
RWY 04: MALSR. PAPI(P4L)—GA 3.0° TCH 55′.
RWY 22: REIL. PAPI(P4L)—GA 3.0° TCH 54′. Thld dsplcd 600′. Tree.
RWY 13–31: H5198X150 (ASPH–GRVD) S–25, D–40
PCR 150 F/D/X/T HIRL 0.5% up SE
RWY 13: Pole.
RWY 31: VASI(V4L)—GA 3.0° TCH 54′. Road.
RWY 18–36: H4832X150 (ASPH–GRVD) S–109, D–172, 2D–289
PCR 670 F/C/X/T MIRL 0.6% up S
RWY 18: Tree.
RWY 36: Tree.



RUNWAY DECLARED DISTANCE INFORMATION
RWY 04: TORA–8334 TODA–8334 ASDA–7734 LDA–7734
RWY 13: TORA–5198 TODA–5198 ASDA–5198 LDA–5198
RWY 18: TORA–4832 TODA–4832 ASDA–4832 LDA–4832
RWY 22: TORA–8334 TODA–8334 ASDA–8334 LDA–7734
RWY 31: TORA–5198 TODA–5198 ASDA–5198 LDA–5198
RWY 36: TORA–4832 TODA–4832 ASDA–4832 LDA–4832

SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 3 **LGT** When ATCT clsd ACTVT MALSR Rwy 04; REIL Rwy 22; HIRL Rwy 04–22; MIRL Rwy 18–36; twy lgts—CTAF. HIRL Rwy 13–31 preset med intst, to incr intst ACTVT—CTAF. PAPI Rwy 04 and 22, VASI Rwy 31 oprn consly. Rwy 22 VGSI unusbl byd 9 deg left and right of cntrln.
NOISE: Noise abatement procedures in effect Call 903–590–3048.
AIRPORT REMARKS: Attended 1100–0400Z‡. West side passenger terminal ramp access rstd to air carrier. Conditions not monitored btn the hrs of 9:30 PM and 6:30 AM local.
AIRPORT MANAGER: 903-531-2343
WEATHER DATA SOURCES: ASOS (903) 535–9105 LAWRS.
COMMUNICATIONS: CTAF 120.1 **ATIS** 126.25 **UNICOM** 122.95
Ⓡ **LONGVIEW APP/DEP CON** 128.75 (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 135.25 (0400–1200Z‡)
TOWER 120.1 (1230–0330Z‡) **GND CON** 121.9
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS D svc 1230–0330Z‡; other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE TYR.
(VL) (L) VORW/DME 114.2 TYR Chan 89 N32°21.35′ W95°24.21′ at fld. 537/6E.
DME unusable:
062°–092° byd 35 NM blo 2,200′
VOR unusable:
100°–105° byd 40 NM
227°–232° byd 40 NM
ILS/DME 111.95 I–TYR Chan 56(Y) Rwy 04. Class IE. Unmonitored when ATCT clsd. DME unusable byd 20° left of course.
COMM/NAV/WEATHER REMARKS: Helicopters operating inbound or outbound to/from the downtown hospitals state intention on 123.075.

UPTON CO (See MC CAMEY on page 388)

UTOPIA U66 N29°33.04′ W99°31.03′/1278 **SAN ANTONIO**
AWOS–3T 121.125 (210) 384–5834 AWOS–3T ident associated with arpt Rancho Sabino Grande 6TX2. **L–19B**

UVALDE

GARNER FLD (UVA)(KUVA) 3 E UTC–6(–5DT) N29º12.68´ W99º44.62´ **SAN ANTONIO**
942 B NOTAM FILE UVA **H–7B, L–19B**
RWY 15–33: H5256X100 (ASPH) S–30, D–40, 2D–40 MIRL 0.3% up NW **IAP**
RWY 15: REIL. PAPI(P4L)—GA 3.0º TCH 36´. Trees.
RWY 33: REIL. PAPI(P4L)—GA 3.0º TCH 35´.
SERVICE: S4 **FUEL** 100LL, JET A **OX** 1, 2, 3, 4 **LGT** ACTVT REIL Rwy 15 and 33; MIRL Rwy 15–33—CTAF.
AIRPORT REMARKS: Attended 1300–0100Z‡. Self svc 100LL. Turf strip 3300 ft X 75 ft parl to and east of Rwy 15–33 used by crop dusters only.
AIRPORT MANAGER: 830-278-3315
WEATHER DATA SOURCES: **AWOS–3PT** 124.175 (830) 278–8862.
COMMUNICATIONS: **CTAF/UNICOM** 122.8
®**HOUSTON CENTER APP/DEP CON** 134.95
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE ERV.
CENTER POINT (VH) (H) VORTACW 117.5 CSI Chan 122 N29º55.34´ W99º12.87´ 205º 50.8 NM to fld. 2079/8E.

OX RANCH (1ØX) 23 NW UTC–6(–5DT) N29º27.69´ W100º06.86´ **SAN ANTONIO**
1305 NOTAM FILE **H–7B, L–19B**
RWY 17–35: H5744X70 (CONC) MIRL
RWY 17: REIL. PAPI(P2L)—GA 3.75º TCH 52´.
RWY 35: REIL. PAPI(P2L)—GA 3.3º TCH 60´. Fence. Rgt tfc.
SERVICE: **FUEL** JET A1+ **LGT** ACTVT PAPI Rwy 17 and 35; MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Acft wingspan rstrd to 70 ft. Trng TGL prohibited. Hel trng prohibited. Ovngt prkg ltd due to ltd ramp space. Cdn prior to ldg, 830–275–4962, info@oxranch airport.com. Coml and student trng opns by pmt only. PPR for acft certd for 90500 TOG. 15 ft. brush, 6 ft berm, 8 ft fence in pri sfc.
AIRPORT MANAGER: 830-275-4962
COMMUNICATIONS: **CTAF** 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Del Rio Apch at 830-298-5192, when Apch clsd ctc Houston ARTCC at 281-230-5622.


VALLEY INTL (See HARLINGEN on page 346)

VALLEY VIEW

TAILWHEEL ACRES (X16) 3 E UTC–6(–5DT) N33º28.42´ W97º07.35´ **DALLAS–FT WORTH**
679 NOTAM FILE FTW
RWY 18–36: 2450X125 (TURF)
RWY 18: Road.
RWY 36: Fence.
AIRPORT REMARKS: Attended dawn–dusk. Rwy mkd with 3 ft dia white cones alg both sides.
AIRPORT MANAGER: 817-217-3489
COMMUNICATIONS: **CTAF** 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

VAN HORN

CULBERSON CO (VHN)(KVHN) 3 NE UTC–6(–5DT) N31°03.47′ W104°47.03′ **EL PASO**
3957 B NOTAM FILE ABQ **H–6F, L–6J**
RWY 03–21: H6005X76 (ASPH) S–15 MIRL 0.6% up SW **IAP**
RWY 03: PAPI(P2L)—GA 3.0° TCH 45′. Brush.
RWY 21: PAPI(P2L)—GA 3.0° TCH 44′. Brush.
RWY 07–25: H5353X75 (ASPH) S–15 MIRL 0.9% up W
RWY 07: Brush.
SERVICE: **FUEL** 100LL, JET A1+ **LGT** ACTVT PAPI Rwy 03 and 21; MIRL Rwy 03–21 and Rwy 07–25—CTAF.
AIRPORT REMARKS: Attended 1500–0000Z‡. For fuel call 432–283–2237 or 432–284–1418.
AIRPORT MANAGER: 432-283-2059
WEATHER DATA SOURCES: AWOS–3PT 119.925 (432) 283–2418.
COMMUNICATIONS: CTAF 122.9
ALBUQUERQUE CENTER APP/DEP CON 135.875
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ.
HUDSPETH (VL) (H) VORTACW 115.0 HUP Chan 97 N31°34.12′ W105°22.58′ 123° 43.2 NM to fld. 4390/12E.
VOR unusable:
025°–050° byd 40 NM
065°–075° byd 40 NM
076°–086° byd 40 NM blo 9,000′
076°–086° byd 51 NM blo 14,500′
085°–091° byd 40 NM
092°–102° byd 40 NM blo 11,000′
103°–118° byd 40 NM
119°–129° byd 40 NM blo 9,400′
119°–129° byd 58 NM
130°–140° byd 40 NM
270°–305° byd 40 NM
315°–345° byd 40 NM



VAN ZANDT CO RGNL (See WILLS POINT on page 462)


VEGA

OLDHAM CO (E52) 2 SE UTC–6(–5DT) N35°13.84′ W102°23.93′ **ALBUQUERQUE**
3995 B NOTAM FILE FTW **L–15B**
RWY 17–35: H4200X60 (ASPH) S–20 MIRL
RWY 17: PAPI(P2L). P–line.
RWY 35: Fence.
SERVICE: **FUEL** 100LL **LGT** ACTVT PAPI Rwy 17; MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Unattended. 100LL Fuel 24 hr self serve.
AIRPORT MANAGER: 806-639-2145
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
PANHANDLE (H) (H) VORTACW 116.6 PNH Chan 113 N35°14.10′ W101°41.94′ 262° 34.4 NM to fld. 3595/8E.

VERNON

WILBARGER CO (FØ5) 4 N UTC–6(–5DT) N34°13.54′ W99°17.03′
1265 B NOTAM FILE F05
RWY 02–20: H5099X100 (ASPH) S–30, D–40, 2D–60 MIRL
RWY 02: Road.
RWY 20: VASI(V4L)—GA 3.0° TCH 25′. Road.
RWY 16–34: H4304X80 (ASPH) S–10 MIRL
RWY 16: Road.
SERVICE: **FUEL** 100LL, JET A+
AIRPORT REMARKS: Attended Mon–Sat 1400–2300Z‡. Seasonal extsv aerial ag ops.100LL self–serve. 100LL, Jet A+ full serve; aft hrs svc call 940–839–6365. Rwy 02–20 grass encroaching 13 ft each side.
AIRPORT MANAGER: 940-552-2182
WEATHER DATA SOURCES: AWOS–3 118.525 (940) 552–8600.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **ALTUS APP/DEP CON** 125.1 (Mon–Fri 1500–0830Z‡ clsd weekends and holidays)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 128.4 133.5 (Mon–Fri 0830–1500Z‡, 24 hrs weekends and holidays)
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74
N33°59.24′ W98°35.61′ 283° 37.2 NM to fld. 1133/10E.


DALLAS–FT WORTH
H–6H, L–17B
IAP



VICTORIA RGNL (VCT)(KVCT) 5 NE UTC–6(–5DT) N28°51.25′ W96°55.12′
115 B TPA—See Remarks Class I, ARFF Index A NOTAM FILE VCT
RWY 13–31: H9111X150 (ASPH–GRVD) S–28, D–49, 2D–87
PCR 610 F/D/X/T HIRL
RWY 13: MALSR.
RWY 31: PAPI(P4L)—GA 3.0° TCH 55′. Rgt tfc.
RWY 18–36: H4908X75 (ASPH–GRVD) S–28, D–49, 2D–87
PCR 130 R/A/W/T MIRL
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Fence.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 40′. Pole.
RUNWAY DECLARED DISTANCE INFORMATION
RWY 13: TORA–9111 TODA–9111 ASDA–9111 LDA–9111
RWY 18: TORA–4908 TODA–4908 ASDA–4908 LDA–4908
RWY 31: TORA–9111 TODA–9111 ASDA–9111 LDA–9111
RWY 36: TORA–4908 TODA–4908 ASDA–4908 LDA–4908
SERVICE: S2 **FUEL** 100LL, JET A **LGT** HIRL Rwy 13–31 preset low intst, to incr intst and ACTVT MALSR Rwy 13—CTAF. MIRL Rwy 18–36 preset med intst only. PAPI Rwys 31, 18 and 36 opr consly.
AIRPORT REMARKS: Attended Mon–Fri 1200–0300Z‡. Ad ap bird act. Between 0400–1300Z‡ all unscheduled air carrier ops with more than 9 passenger seats contact ARFF 361–582–5889. TPA for jets 1715(1600); for turbo prop, light aircraft, rotorcraft 1215(1100).
AIRPORT MANAGER: 361-578-2704
WEATHER DATA SOURCES: ASOS (361) 433–5979
COMMUNICATIONS: CTAF 126.075 **ATIS** 119.025 **UNICOM** 122.7
Ⓡ **HOUSTON CENTER APP/DEP CON** 135.05
TOWER 126.075 (1300–0400Z‡) **GND CON** 120.525
CLEARANCE DELIVERY PHONE: For CD when ATCT clsd ctc Houston ARTCC at 281-230-5622.
AIRSPACE: CLASS D svc 1300–0400Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE VCT.
(L) (L) VORW/DME 109.0 VCT Chan 27 N28°54.02′ W96°58.74′ 125° 4.2 NM to fld. 126/6E.
VOR unusable:
345°–355° byd 30.0 NM
ILS/DME 111.5 I–VCT Chan 52 Rwy 13. Class IE. Unmonitored when ATCT clsd.

HELIPAD H1: H60X60 (ASPH)

HOUSTON
H–7C, L–20I, 21A
IAP, AD




VULTURES ROW (See SANGER on page 433)

WACO


MC GREGOR EXEC (PWG)(KPWG) 4 W UTC–6(–5DT) N31°29.10′ W97°18.99′ **SAN ANTONIO**
592 B NOTAM FILE PWG **H–6H, L–19D, 21A**
RWY 17–35: H5501X75 (ASPH) S–30, D–50 MIRL 0.4% up N **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 36′. Trees.
RWY 35: PAPI(P4L)—GA 3.0° TCH 46′. Trees.
RWY 04–22: H3484X55 (ASPH) S–12
RWY 04: Trees.
SERVICE: S4 **FUEL** 100LL, JET A1+ **OX** 1, 2, 3, 4 **LGT** ACTVT REIL Rwy 17—CTAF.MIRL Rwy 17–35 preset low intst; to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended 1300–2200Z‡. Aft hrs fuel call 254–379–8204. Call–in fee. Military fuel contract. Calm wind less than 5 knots use Rwy 17. 2550′ MSL twrs, 8 miles south Rwy 35 end.
AIRPORT MANAGER: 254-848-5477
WEATHER DATA SOURCES: AWOS–3PT 135.525 (254) 451–5891.
COMMUNICATIONS: CTAF/UNICOM 123.05
Ⓡ **WACO APP CON** 127.65 **DEP CON** 126.125 (1200–0600Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.3 (0600–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD if una via GCO ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.
WACO (VH) (H) VORTACW 115.3 ACT Chan 100 N31°39.73′ W97°16.14′ 184° 10.9 NM to fld. 507/9E.
VOR unusable:
125°–149° byd 40 NM
149°–159° byd 47 NM
159°–187° byd 40 NM
188°–198° byd 40 NM blo 12,000′
199°–234° byd 40 NM
235°–245° byd 50 NM
246°–256° byd 40 NM blo 18,000′
246°–256° byd 52 NM
257°–267° byd 58 NM
268°–282° byd 51 NM
270°–335° byd 35 NM blo 4,000′
283°–293° byd 40 NM blo 6,000′
283°–293° byd 58 NM
294°–330° byd 40 NM
ASR (1200–0600Z‡)

TSTC WACO (CNW)(KCNW) 8 NE UTC–6(–5DT) N31°38.27′ W97°04.45′ **SAN ANTONIO**
470 B NOTAM FILE FTW MON Airport **H–6H, L–19D, A**
RWY 17L–35R: H8600X150 (ASPH) S–50, D–200, 2S–175, 2D–450 **IAP, AD**
MIRL
RWY 17L: MALSR. PAPI(P4R)—GA 3.0° TCH 52′. Trees.
RWY 35R: PAPI(P4L)—GA 3.0° TCH 41′. Trees. Rgt tfc.
RWY 17R–35L: H6291X75 (CONC) S–25, D–76, 2S–96, 2D–140
RWY 17R: Rgt tfc.
RWY 35L: Trees.
SERVICE: S2 **FUEL** 100LL, JET A **LGT** When ATCT clsd MIRL Rwy 17L–35R preset low intst; to incr intst and ACTVT MALSR Rwy 17L and PAPI Rwy 17L and Rwy 35R—121.7.
AIRPORT REMARKS: Attended Mon–Fri 1200–0000Z‡. Extv flt trng in Class D airspace sfc to 3000 ft AGL. APU avbl for jet acft. Rwy 17R–35L not lgtd. May be used for taxi and hel opns. Rwy 17R–35L green cntrln reflectors along full length of rwy.
AIRPORT MANAGER: 254-867-2286
WEATHER DATA SOURCES: AWOS–3PT 134.225 (254) 867–3880. LAWRS.
COMMUNICATIONS: CTAF 124.0 **UNICOM** 122.95
WACO RCO 122.15 (FORT WORTH RADIO)
Ⓡ **WACO APP CON** 127.65 **DEP CON** 126.125 (1200–0600Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.3 (0600–1200Z‡)
TOWER 124.0 (1300–0500Z‡) **GND CON** 121.7
AIRSPACE: CLASS D svc 1300–0500Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.
WACO (VH) (H) VORTACW 115.3 ACT Chan 100 N31°39.73′ W97°16.14′ 089° 10.1 NM to fld. 507/9E.
VOR unusable:
125°–149° byd 40 NM
149°–159° byd 47 NM
159°–187° byd 40 NM
188°–198° byd 40 NM blo 12,000′
199°–234° byd 40 NM
235°–245° byd 50 NM
246°–256° byd 40 NM blo 18,000′
246°–256° byd 52 NM
257°–267° byd 58 NM
268°–282° byd 51 NM
270°–335° byd 35 NM blo 4,000′
283°–293° byd 40 NM blo 6,000′
283°–293° byd 58 NM
294°–330° byd 40 NM
ILS 110.7 I–CNW Rwy 17L. Unmonitored.
ASR (1200–0600Z‡)



WACO RGNL (ACT)(KACT) 5 NW UTC–6(–5DT) N31°36.73′ W97°13.82′ **SAN ANTONIO**
516 B ARFF Index—See Remarks NOTAM FILE ACT **H–6H, L–19D, A**
IAP, AD

RWY 01–19: H7107X150 (ASPH–GRVD) S–120, D–220, 2S–121, 2T–276, 2D–166, 2D/2D2–882, C5–466 PCR 547 F/B/W/T HIRL
RWY 01: PAPI(P4R)—GA 3.0° TCH 55′. RVR–R Thld dsplcd 102′. Road.
RWY 19: MALSR. RVR–T
RWY 14–32: H5103X150 (ASPH–GRVD) S–114, D–190, 2S–104, 2D–332, 2D/2D2–773 PCR 462 F/B/W/T MIRL
RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 58′.
RWY 32: PAPI(P4L)—GA 3.0° TCH 58′. Road.



RUNWAY DECLARED DISTANCE INFORMATION
RWY 01: TORA–7107 TODA–7107 ASDA–7107 LDA–7005
RWY 14: TORA–5103 TODA–5103 ASDA–5103 LDA–5103
RWY 19: TORA–7107 TODA–7107 ASDA–6605 LDA–6605
RWY 32: TORA–5103 TODA–5103 ASDA–5103 LDA–5103

SERVICE: S4 **FUEL** 100LL, JET A, UL94 **OX** 1 **LGT** When ATCT clsd: MALSR Rwy 19; HIRL Rwy 01–19 preset low intst, to incr intst ACTVT—CTAF. REIL Rwy 14; MIRL Rwy 14–32; twy lgts preset low intst when wind favors, otrw not avbl.
AIRPORT REMARKS: Attended 1200–0400Z‡. Class I, ARFF Index B. PPR for unsked air carrier ops call arpt manager 254–750–8657. PPR rqrd for unsked ACR opns. Call arpt ops at 254–750–8656. NOTE: See Special Notices—Model Aircraft Activity. Landing fee for acft ovr 7500 lbs.
AIRPORT MANAGER: 254-750-8656
WEATHER DATA SOURCES: ASOS (254) 218–3267
COMMUNICATIONS: CTAF 119.3 **ATIS** 123.85 **UNICOM** 122.95
RCO 122.6 (FORT WORTH RADIO)
Ⓡ **APP CON** 127.65 (1200–0600Z‡)
Ⓡ **DEP CON** 126.125 (1200–0600Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.3 (0600–1200Z‡)
TOWER 119.3 (1200–0600Z‡) **GND CON** 121.9
CLEARANCE DELIVERY PHONE: For CD ctc waco Apch at 121.9 or ctc Fort Worth ARTCC at 817-858-7584.
AIRSPACE: CLASS D svc 1200–0600Z‡; other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.
(VH) (H) VORTACW 115.3 ACT Chan 100 N31°39.73′ W97°16.14′ 137° 3.6 NM to fld. 507/9E.
VOR unusable:
125°–149° byd 40 NM
149°–159° byd 47 NM
159°–187° byd 40 NM
188°–198° byd 40 NM blo 12,000′
199°–234° byd 40 NM
235°–245° byd 50 NM
246°–256° byd 40 NM blo 18,000′
246°–256° byd 52 NM
257°–267° byd 58 NM
268°–282° byd 51 NM
270°–335° byd 35 NM blo 4,000′
283°–293° byd 40 NM blo 6,000′
283°–293° byd 58 NM
294°–330° byd 40 NM
ILS/DME 109.7 I–ACT Chan 34 Rwy 19. Class IE. ILS/DME unmonitored when ATCT closed.
ASR (1200–0600Z‡)


WINGS FOR CHRIST INTL FLT ACADEMY (73F) 8 NE UTC–6(–5DT) N31°37.43′ W97°01.35′ **SAN ANTONIO**
455 NOTAM FILE FTW
RWY 16–34: 3000X80 (TURF) RWY LGTS(NSTD)
RWY 16: Thld dsplcd 315′. Fence.
RWY 34: Trees. Rgt tfc.
SERVICE: S2 **LGT** ACTVT LIRL Rwy 16–34—CTAF.
AIRPORT REMARKS: Attended continuously. 4′ fence along both sides of rwy 70′ from cntrln south half of rwy. Rwy 34 40′ trees 90′ fm thr.
AIRPORT MANAGER: 254-723-3277
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
COMM/NAV/WEATHER REMARKS: Arpt inside Class D airspace. Ctc TSTC twr 124.0.

WALDRON FLD NOLF (NWL)(KNWL) N 6 SSE UTC–6(–5DT) N27°38.15′ W97°18.81′ **BROWNSVILLE**
L–21A
AIRSPACE: CLASS D svc 1330Z‡–SS Mon–Fri exc hol; other times CLASS G.

WEATHERFORD

HORSESHOE BEND (F78) 12 SW UTC–6(–5DT) N32°34.37′ W97°52.35′ **DALLAS–FT WORTH**
715 NOTAM FILE FTW
RWY 17–35: 3000X30 (TURF)
RWY 17: Pole.
RWY 35: Tree.
AIRPORT REMARKS: Unattended. Deer and motor vehicles on rwy. Rwy 17 has 27 ft pole, 158 ft dstc, 54 ft L.
AIRPORT MANAGER: 817-886-2256
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

PARKER CO (WEA)(KWEA) 5 E UTC–6(–5DT) N32°44.74′ W97°40.95′ **DALLAS–FT WORTH**
991 NOTAM FILE FTW **L–17C, A**
RWY 18–36: H3298X40 (ASPH) S–7.5 LIRL(NSTD) **IAP**
RWY 18: Thld dsplcd 220′. Tree.
RWY 36: Thld dsplcd 430′. Bldg.
SERVICE: **FUEL** 100LL **LGT** Rwy 18–36 nstd dsplcd thr lgts, single green lgt each side of rwy.
AIRPORT REMARKS: Attended 1400–0000Z‡. Wildlife on and invof arpt. 100LL fuel 24 hrs self serve. Arpt clsd to tsnt student tfc. Clsd to ultralight tfc. Twy on west side of rwy clsd to public indefly. Rwy 18–36 restricted to acft 7500 lbs or less.
AIRPORT MANAGER: 817-822-7205
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **Lone Star APP/DEP CON** 135.975
CLEARANCE DELIVERY PHONE: For CD ctc Lone Star Apch at 972-615-2799.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
MILLSAP (VH) (H) VORTACW 117.7 MQP Chan 124 N32°43.57′ W97°59.85′ 077° 16.0 NM to fld. 900/9E.
VOR unusable:
004°–009° byd 40 NM
010°–054° byd 40 NM blo 3,800′
010°–054° byd 46 NM blo 5,000′
010°–054° byd 56 NM
055°–066° byd 40 NM blo 3,800′
055°–066° byd 50 NM
230°–247° byd 40 NM
248°–258° byd 40 NM blo 3,700′
248°–258° byd 53 NM
259°–270° byd 40 NM blo 6,000′
259°–270° byd 63 NM
271°–285° byd 40 NM
312°–316° byd 40 NM
325°–340° byd 40 NM blo 3,000′
325°–340° byd 46 NM blo 5,000′
325°–340° byd 66 NM
353°–003° byd 40 NM blo 18,000′




WELLINGTON

MARIAN AIRPARK (FØ6) 1 SE UTC–6(–5DT) N34°50.69′ W100°11.71′ **DALLAS–FT WORTH L–17B**
2009 NOTAM FILE FTW
RWY 12–30: H4035X60 (ASPH) S–2.5 MIRL 0.3% up NW
RWY 12: Thld dsplcd 525′. Road.
RWY 30: Road.
RWY 17–35: H1819X60 (ASPH) S–12.5 0.5% up N
RWY 17: Thld dsplcd 219′. Road.
RWY 04–22: 1010X135 (TURF) 0.4% up NE
RWY 22: Pole.
SERVICE: **FUEL** 100LL **LGT** MIRL Rwy 12–30 preset to low to incr inst and ACTVT—CTAF.
AIRPORT REMARKS: Unattended. Extensive agricultural ops during spring and summer. Rwy 04–22 mkd with 3 ft barrel halves painted black and white. Rwy 12 and Rwy 30 markings faded, barely vsbl.
AIRPORT MANAGER: 806-447-2544
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.
CHILDRESS (VL) (H) VORTACW 117.0 CDS Chan 117 N34°22.14′ W100°17.34′ 359° 28.9 NM to fld. 1920/10E.
VOR unusable:
215°–225°

WESLACO

MID VALLEY INTL (TXW)(KTXW) 1 NE UTC–6(–5DT) N26°10.72′ W97°58.44′ **BROWNSVILLE L–20H IAP**
70 B LRA NOTAM FILE TXW
RWY 14–32: H6002X75 (ASPH) S–12.5 MIRL
RWY 14: PAPI(P4L)—GA 3.0° TCH 50′. Trees.
RWY 32: REIL. PAPI(P4L)—GA 3.18° TCH 51′. Pole. Rgt tfc.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** MIRL Rwy 14–32 preset low intst; to incr intst and ACTVT REIL Rwy 32—CTAF.
AIRPORT REMARKS: Attended Mon–Fri 1300–0000Z‡, Sun 1500–2300Z‡, Sat 1300–2300Z‡. For atndnt aft hrs, call 956–969–0291 durg atndd hrs. Fuel avbl 24 hrs self–serve.
AIRPORT MANAGER: 956-969-0291
WEATHER DATA SOURCES: AWOS–3PT 118.575 (956) 447–0414.
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **CORPUS APP/DEP CON** 126.55 **CLNC DEL** 125.95
RADIO AIDS TO NAVIGATION: NOTAM FILE HRL.
HARLINGEN (VL) (DH) VORW/DME 113.65 HRL Chan 83(Y)
N26°13.75′ W97°39.14′ 255° 17.6 NM to fld. 32/5E.




WEST HOUSTON (See HOUSTON on page 359)


WHARTON

GAV AIR (94R) 5 SE UTC–6(–5DT) N29°15.86′ W96°00.43′ **HOUSTON**
90 NOTAM FILE CXO
RWY 15–33: H2167X20 (ASPH)
RWY 15: Rgt tfc.
RWY 33: Tree.
AIRPORT REMARKS: Unattended. Arpt clsd 1 hr bfr SS til 1 hr aft SR daily. Rwy 15–33 no mkgs.
AIRPORT MANAGER: 979-533-1531
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.

WHARTON RGNL (ARM)(KARM) 5 SW UTC–6(–5DT) N29°15.26′ W96°09.26′ **HOUSTON**
100 B NOTAM FILE ARM **H–7C, L–19D, 21A, GOAW**
RWY 14–32: H5004X75 (ASPH) S–22 MIRL **IAP**
RWY 14: PAPI(P4L)—GA 3.0° TCH 42′. Railroad. Rgt tfc.
RWY 32: PAPI(P4L)—GA 3.0° TCH 42′.
SERVICE: S4 **FUEL** 100LL, JET A+ **LGT** SS–SR, MIRL Rwy 14–32 preset to low intst; to incr intst and ACTVT—CTAF.
AIRPORT REMARKS: Attended 1400–2300Z‡ Mon–Fri. Otr times on req, call–in fee waived with min fuel purchase. Hang gldr actvt wi 5 NM of arpt up to 6000′ AGL. Hang gldr towing opns in grassy area left of DER 14. 100LL & Jet A self serve. Jet A also by truck. Svrl rwy/twy lgts out. Rwy 14–32 pavement cracking, svrl areas where pavement lip exceeds 3 inches.
AIRPORT MANAGER: 979-532-3210
WEATHER DATA SOURCES: AWOS–3 118.475 (979) 532–2791.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **HOUSTON CENTER APP/DEP CON** 128.6
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELA.
EAGLE LAKE (DH) DME 116.4 ELA Chan 111 N29°39.75′ W96°19.03′ 161° 25.9 NM to fld. 192.



WHEELER MUNI (T59) 4 E UTC–6(–5DT) N35°27.07′ W100°12.00′ **DALLAS–FT WORTH**
2470 B NOTAM FILE FTW **L–15C**
RWY 17–35: H3565X60 (ASPH) S–12 LIRL 1.1% up S **IAP**
RWY 35: Thld dsplcd 57′. Road.
SERVICE: **LGT** LIRL Rwy 17–35 nmrs lts OTS.
AIRPORT REMARKS: Unattended. 10 ft rising trrn 100 ft both sides of cntrln. Rwy pavement cracking with vegetation growing through.
AIRPORT MANAGER: 806-669-4182
COMMUNICATIONS: CTAF 122.9
Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85
CLEARANCE DELIVERY PHONE: For CD ctc Albuquerque ARTCC at 505-856-4861.
RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.
BORGER (L) TACAN Chan 23 BGD (108.6) N35°48.42′ W101°22.93′ 099° 61.6 NM to fld. 3130/11E.
TACAN AZIMUTH unusable:
220°–320° byd 10 NM blo 12,000′




WHITESBORO

FLYING H RANCH (T29) 2 SW UTC–6(–5DT) N33°37.83′ W96°56.46′ **DALLAS–FT WORTH**
760 NOTAM FILE FTW
RWY 18–36: 2395X100 (TURF)
RWY 18: Thld dsplcd 600′. Trees.
RWY 36: Trees.
AIRPORT REMARKS: Unattended. Deer and hogs on and invof arpt. Rwy18–36 CLOSED exc 15 min PPR 214–802–8008. For fld cond call arpt manager. 75′ mkd pwr lines 900′ fm Rwy 18 acrs cntrln. Rwy 18–36 45′ tree aprx midpt of rwy, 100′ E of cntrln. No student trng. No touch and go opns. Rwy 18 dsplcd thr mkd with white conc tiles each side of rwy. Arpt phys ads 2227 West line. Whitesboro TX. Landing fee.
AIRPORT MANAGER: 214-802-8008
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

WICHITA FALLS

KICKAPOO DOWNTOWN (CWC)(KCWC) 3 S UTC–6(–5DT) N33º51.64´ W98º29.42´ **DALLAS–FT WORTH**
1003 B NOTAM FILE FTW **L–17B**
RWY 17–35: H4450X75 (CONC) S–30 MIRL 0.5% up S **IAP**
RWY 17: REIL. PAPI(P4L)—GA 3.0º TCH 37´. Thld dsplcd 150´. Fence.
RWY 35: REIL. PAPI(P4L)—GA 3.0º TCH 41´. Thld dsplcd 250´. Road.
SERVICE: S4 **FUEL** 100LL, JET A **LGT** ACTVT REIL Rwy 17 and Rwy 35; MIRL Rwy 17–35—CTAF.
AIRPORT REMARKS: Attended 1200–0200Z‡. Do not mistake Kickapoo Downtown for Sheppard AFB/Wichita Falls Muni aprt 7 miles north. 100LL full and self serve 100LL and JET A. Intensive jet trainer tfc 2300–3000 ft MSL within Alert Area A–636. Remain blo 1800 ft MSL until in radar ctc with apch ctl for tfc advisories. Ants 2054 ft MSL 3.5 miles NW of arpt. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 940-733-2327
WEATHER DATA SOURCES: AWOS–3 119.625 (940) 766–2967.
COMMUNICATIONS: CTAF/UNICOM 122.7
Ⓡ **SHEPPARD APP/DEP CON** 120.4 (Mon–Fri 1200–0200Z‡; Sun 1800–2300Z‡, clsd Sat and hol, OT ctc FORT WORTH CENTER 133.5 350.35)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.5 (Mon–Fri 0200–1200Z‡, Sun 2300–1800Z‡ Sat and holidays 24 hrs)
CLNC DEL 121.2 940–676–8354
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33º59.24´ W98º35.61´ 136º 9.2 NM to fld. 1133/10E.

WICHITA VALLEY (F14) 8 NW UTC–6(–5DT) N33º56.86´ W98º36.97´ **DALLAS–FT WORTH**
1005 NOTAM FILE FTW **L–17B**
RWY 13–31: H3320X40 (ASPH) S–8, D–12.5 LIRL(NSTD) **IAP**
0.7% up NW
RWY 13: Road.
RWY 31: Tree.
RWY 04–22: 3107X100 (TURF)
RWY 04: P–line.
RWY 22: Trees.
RWY 16–34: 2037X42 (TURF) 0.6% up S
RWY 16: Fence.
RWY 34: P–line.
SERVICE: **FUEL** 100LL **LGT** Rwy 13–31 NSTD LIRL. Rwy 13 thld lgts 2 green/red, Rwy 31 thld lgts 2 green/red.
AIRPORT REMARKS: Unattended. Self svc fuel. Intensive jet training tfc 2800–4500 ft MSL vicinity of arpt and Sheppard AFB 6 miles NE. Ctc apch control for tfc advisories. Unlighted tower 150´ AGL 2 miles S. Rwy 13 and Rwy 31, markings NSTD; nrs and cntrln small. NOTE: See Special Notices—Aerobatic Practice Area.
AIRPORT MANAGER: 940-781-7246
COMMUNICATIONS: CTAF/UNICOM 122.8
Ⓡ **SHEPPARD APP/DEP CON** 118.2 (Mon–Fri 1200–0200Z‡, Sun 1800–2300Z‡, clsd Sat and hol, OT ctc FORT WORTH CENTER 133.5 350.35)



Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.5 (Mon–Fri 0200–1200Z‡, Sun 2300–1800Z‡, Sat and holidays 24 hrs)
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.
WICHITA FALLS (VH) (H) VORTACW 112.7 SPS Chan 74 N33º59.24´ W98º35.61´ 195º 2.6 NM to fld. 1133/10E.

WICHITA FALLS N33º59.24´ W98º35.61´ NOTAM FILE SPS. **DALLAS–FT WORTH**
(VH) (H) VORTACW 112.7 SPS Chan 74 195º 2.6 NM to Wichita Valley. 1133/10E. **H–6H, L–17B**
RCO 122.3 (FORT WORTH RADIO)

WICHITA VALLEY (See WICHITA FALLS on page 461)

WILBARGER CO (See VERNON on page 454)

WILDCAT CANYON (See CHINA SPRING on page 289)

WILLIAM P HOBBY (See HOUSTON on page 360)

WILLS POINT

VAN ZANDT CO RGNL (76F) 3 SE UTC–6(–5DT) N32°40.89′ W95°59.05′ **DALLAS–FT WORTH L–17D**

522 B NOTAM FILE FTW

RWY 17–35: H3230X50 (ASPH) S–12 LIRL 0.6% up N

RWY 17: Tree.

RWY 35: Trees.

SERVICE: S2 **FUEL** 100LL

AIRPORT REMARKS: Attended Mon–Fri 1400–2300Z‡. 100LL fuel self serve 24 hrs. 68 ft antenna 810 ft east of rwy cntrln. 24 hr pilot aces to lounge. NOTE: See Special Notices—Model Aircraft Activity.

AIRPORT MANAGER: 903-873-3381

COMMUNICATIONS: CTAF/UNICOM 122.725

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) (L) VORTACW 114.8 CQY Chan 95 N32°11.14′ W96°13.09′ 016° 32.0 NM to fld. 400/6E.

WINGS FOR CHRIST INTL FLT ACADEMY (See WACO on page 457)

WINKLER CO (INK)(KINK) 3 NW UTC–6(–5DT) N31°46.79′ W103°12.10′ **EL PASO H–6G, L–6G IAP**

2822 B NOTAM FILE INK

RWY 13–31: H5003X100 (ASPH) S–26, D–40 MIRL

RWY 13: PAPI(P2L)—GA 3.0° TCH 43′. Brush.

RWY 31: PAPI(P2L)—GA 3.0° TCH 45′. Brush.

RWY 04–22: H3514X100 (ASPH) S–26, D–40 MIRL

RWY 04: Brush.

RWY 22: P–line.

SERVICE: **FUEL** 100LL, JET A+ **LGT** MIRL Rwys 04–22 and 13–31 preset low intst; to incr intst—CTAF.

AIRPORT REMARKS: Attended Mon–Sat 1400–0000Z‡. 100LL fuel avbl 24 hrs self serve or full svc.

AIRPORT MANAGER: 432-586-6658

WEATHER DATA SOURCES: ASOS 118.325 (432) 527–3320.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.1

CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.

AIRSPACE: CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE INK.


(VH) (H) VORTACW 112.1 INK Chan 58 N31°52.49′ W103°14.63′ 148° 6.1 NM to fld. 2860/11E.

VOR unusable:

165°–265°

300°–320°

335°–340°



WINNIE/STOWELL

CHAMBERS CO/WINNIE STOWELL (T9Ø) 3 W UTC–6(–5DT) N29°49.13′ W94°25.86′ **HOUSTON L–19E, 21A IAP**

24 B NOTAM FILE CXO

RWY 17–35: H3600X75 (ASPH) MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 40′. Trees.

RWY 35: PAPI(P2L)—GA 3.0° TCH 40′.

SERVICE: **FUEL** 100LL, JET A+ **LGT** MIRL Rwy 17–35 preset low intst dusk–0530Z‡, to incr intst or ACTVT aft 0530Z‡—CTAF.

AIRPORT REMARKS: Unattended. 110LL fuel self–svc. Extsv aerial ag ops.

AIRPORT MANAGER: 409-267-2719

COMMUNICATIONS: CTAF 122.9

Ⓡ **HOUSTON APP/DEP CON** 121.3

CLEARANCE DELIVERY PHONE: For CD ctc Houston Apch at 281-443-5844. To cnl IFR call 281-443-5888.

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

TRINITY (VL) (DL) VORW/DME 114.75 MHF Chan 94(Y) N29°32.78′ W94°44.85′ 038° 23.2 NM to fld. 38/7E.

VOR unusable:

060°–079° byd 40 NM


080°–090° byd 40 NM blo 6,000′

080°–090° byd 50 NM blo 8,000′

091°–109° byd 40 NM


110°–190° blo 2,000′

WINNSBORO MUNI (F51) 2 SE UTC–6(–5DT) N32°56.33′ W95°16.73′ **DALLAS–FT WORTH**
513 B NOTAM FILE FTW **L–17D**
RWY 01–19: H3215X50 (ASPH) S–12 MIRL 0.6% up N **IAP**
RWY 01: Trees. Rgt tfc.
RWY 19: Trees.
SERVICE: S2 **FUEL** 100LL, MOGAS **LGT** ACTVT MIRL Rwy 01–19—CTAF.
AIRPORT REMARKS: Unattended. 100LL fuel 24 hr self serve. Mogas avbl.
AIRPORT MANAGER: 903-342-3654
COMMUNICATIONS: CTAF 122.9
Ⓡ **LONGVIEW APP/DEP CON** 128.75 (1200–0400Z‡)
Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.025 (0400–1200Z‡)
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.
QUITMAN (L) DME 114.0 UIM Chan 87 N32°52.83′ W95°22.01′ 052° 5.7 NM to fld. 517.



WINSTON FLD (See SNYDER on page 440)

WINTERS MUNI (77F) 2 SW UTC–6(–5DT) N31°56.83′ W99°59.15′ **SAN ANTONIO**
1871 B NOTAM FILE SJT **L–17B**
RWY 18–36: H3204X50 (ASPH) S–12 LIRL **IAP**
RWY 18: Fence.
RWY 36: Fence.
AIRPORT REMARKS: Unattended. Parl txy fm ramp south, gravel with potholes, unusbl. 4 ft fence 16–200 ft west of rwy.
AIRPORT MANAGER: 325-665-4200
COMMUNICATIONS: CTAF 122.9
Ⓡ **ABILENE APP/DEP CON** 127.2
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILENE (VH) (H) VORTACW 113.7 ABI Chan 84 N32°28.88′ W99°51.81′ 181° 32.6 NM to fld. 1809/10E.
VOR unusable:
163°–236° byd 40 NM blo 18,000′
237°–247° byd 40 NM blo 7,000′
248°–250° byd 40 NM blo 18,000′
251°–255° byd 40 NM blo 4,500′
251°–255° byd 46 NM blo 18,000′



WOLFE AIR PARK (See MANVEL on page 384)

WOLFFORTH

SOUTHWEST LUBBOCK (T96) 7 S UTC–6(–5DT) N33°23.64′ W102°00.60′ **ALBUQUERQUE**
3265 NOTAM FILE FTW **L–6H**
RWY 02–20: H4000X40 (ASPH) RWY LGTS(NSTD)
RWY 20: Rgt tfc.
SERVICE: **LGT** Rwy 02–20 NSTD intens rwy lgts: solar lights.
AIRPORT REMARKS: Unattended. Windsock lctd midfield and north end. Seasonal crops at each rwy end.
AIRPORT MANAGER: 806-787-6681
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Fort Worth ARTCC at 817-858-7584.
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
LUBBOCK (L) (L) VORTACW 109.2 LBB Chan 29 N33°42.30′ W101°54.84′ 184° 19.2 NM to fld. 3310/11E.
VOR unusable:
040°–050° byd 38 NM blo 5,300′
210°–260° byd 25 NM blo 6,000′


WOOD CO/COLLINS FLD (See MINEOLA/QUITMAN on page 395)

WOODVILLE

TYLER CO (Ø9R) 2 W UTC–6(–5DT) N30°46.51′ W94°27.51′ **HOUSTON**
388 B NOTAM FILE CXO **L–19E, 21A**
RWY 16–34: H4000X60 (ASPH) S–30 MIRL
RWY 16: PAPI(P2L)—GA 3.0° TCH 38′. Thld dsplcd 178′. Trees.
RWY 34: Trees.
SERVICE: **LGT** Dusk–dawn. MIRL Rwy 16–34 preset low intst; to incr intst ACTVT—122.8.
AIRPORT REMARKS: Unattended. Rwy 16—5 ft drop–off 25 ft fm west side, 400 ft south of thr; 20 ft drop–off 100 ft north of thr. No line of sight between rwy ends. Acft entering rwy fm midfield Twy A cannot see acft on Rwy 16 end.
AIRPORT MANAGER: 409-283-7623
COMMUNICATIONS: CTAF 122.9
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.
LUFKIN (VH) (H) VORTACW 112.1 LFK Chan 58 N31°09.75′ W94°43.01′ 145° 26.7 NM to fld. 207/5E.
TACAN AZIMUTH unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
DME unusable:
260°–275° byd 30 NM
275°–260° byd 30 NM blo 2,500′
VOR unusable:
305°–312° byd 40 NM
313°–323° byd 40 NM blo 2,300′
313°–323° byd 66 NM
324°–330° byd 40 NM

YOAKUM CO (See PLAINS on page 412)

YOAKUM MUNI (T85) 1 N UTC–6(–5DT) N29°18.79′ W97°08.31′ **SAN ANTONIO**
365 B NOTAM FILE CXO **L–19D, 21A**
RWY 13–31: H3444X60 (ASPH) S–12 MIRL 0.7% up NW **IAP**
RWY 13: Pole.
RWY 31: Pole.
AIRPORT REMARKS: Unattended.
AIRPORT MANAGER: 361-293-6321
COMMUNICATIONS: CTAF 122.9
Ⓡ **HOUSTON CENTER APP/DEP CON** 132.8
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE ELA.
EAGLE LAKE (DH) DME 116.4 ELA Chan 111 N29°39.75′
W96°19.03′ 244° 47.8 NM to fld. 192.



YOAKUM–DEFRENN AHP HELIPORT (HLR)(KHLR) A 1 NE UTC–6(–5DT) N31°08.26′ W97°42.85′ **SAN ANTONIO**
910 B TPA—See Remarks NOTAM FILE SJT Not insp. **L–19C, 21A**
HELIPAD 16–34: H2676X75 (ASPH) PCN 9 F/C/W/T MIRL 1.0% up N **DIAP, AD**
SERVICE: **LGT** MIRL AHP Rwy 16–34 opr 1400–0600Z‡ wkd exc fed hol OT PCL 119.65. **MILITARY— FUEL** A++. Rapid refuel opr times by NOTAM **OIL** SOAP **TRAN ALERT** Ltd tran prk..
MILITARY REMARKS: Attended Mon–Fri 1400–0600Z‡, except holidays. See FLIP AP/1 Supplementary Arpt Rmks. Rwy end 16: mkg 16H. Rwy end 34: mkg 34H. Helipad (H) on Twy G permly CLOSED. **RSTD** PPR all transient acft, C254–288–3811, DSN 738–3811 or C254–287–7585 DSN 737–7585 Rstd from Fixed Wing acft. No Base OPS svc avbl at Yoakum–Defrenn AHP, ctc Robert Gray Base OPS C254–288–9200, DSN 738–9200. Rapid refuel operational times by NOTAM. **CAUTION** Instrument final apch course cross 1 NM SW Skylark Fld. Ints copter opr vcnty Ft Hood. Some acft opr in area without conspicuous markings and blend with terrain. R6302 located 1.1 NM N of afld. Extensive UAS ACT within Class D airspace and btn Robert Gray AAF and R6302. **TFC PAT** TPA—Left and rgt tfc alt 1500′. **MISC** No trml fcst issued for Yoakum–Defrenn AHP. For remote briefing svc ctc Robert Gray AAF. C254–288–9620, DSN 738–9620 or 26 OWS, Barksdale AFB, C318–529–2651, DSN 331–2651. Wx obsn fully automated via ASOS—C254–286–5692.
AIRPORT MANAGER: 254-288-3811
COMMUNICATIONS: ATIS 138.6 (Opr 1400–0600Z‡ Mon–Fri exc hol, OT ctc Robert Gray Twr 120.75 285.5)
GRAY APP/DEP CON 120.075 323.15
TOWER 119.65 269.45 (Mon–Fri 1400–0600Z‡, except holidays other times ctc Robert Gray Twr 120.75 285.5 airborne; 133.85 225.4 on ground). **GND CON** 133.85 225.4 **CLNC DEL** 225.4
PMSV GRAY METRO 306.5 WX obsn fully automated. Manual back–up provided for equipment/communication failure only during afld operating hrs. **RANGE CON** 30.45 38.30 **PHANTOM RDO** 141.175 357.5
AIRSPACE: CLASS D.
RADIO AIDS TO NAVIGATION: NOTAM FILE GRK.
GRAY (T) (T) VORW/DME 111.8 GRK Chan 55 N31°01.97′ W97°48.83′ 032° 8.1 NM to fld. 963/7E.
IRESH NDB (LOMW) 278 IL N31°01.45′ W97°42.49′ 352° 6.8 NM to fld. 853/5E. NOTAM FILE ILE.
NDB unusable:
066°–294° byd 15 NM
295°–065° byd 5 NM due to military restricted area

ZAPATA CO (APY)(KAPY) 4 NE UTC–6(–5DT) N26°58.13′ W99°14.94′ **BROWNSVILLE**
422 B NOTAM FILE SJT **H–7B, L–20G**
RWY 12–30: H5000X60 (ASPH) S–12.5 MIRL
RWY 12: Thld dsplcd 112′. Trees.
RWY 30: Thld dsplcd 113′. Trees.
SERVICE: **FUEL** 100LL, JET A **LGT** Dusk–Dawn. MIRL Rwy 12–30 preset med intst, to incr intst ACTVT—CTAF.
AIRPORT REMARKS: Attended irregularly.
AIRPORT MANAGER: 956-334-5345
WEATHER DATA SOURCES: AWOS–3 118.225 (956) 765–4069.
COMMUNICATIONS: CTAF/UNICOM 122.7
CLEARANCE DELIVERY PHONE: For CD ctc Houston ARTCC at 281-230-5622.
RADIO AIDS TO NAVIGATION: NOTAM FILE LRD.
LAREDO (VH) (H) VORTACW 117.4 LRD Chan 121 N27°28.72′ W99°25.06′ 154° 31.8 NM to fld. 583/9E.
VOR unusable:
080°–126° byd 40 NM
127°–137° byd 40 NM blo 4,500′
127°–137° byd 56 NM
138°–148° byd 57 NM
190°–260° byd 40 NM

Bomb Disposal Area
McAlester, Oklahoma Vicinity

Bomb disposal area, one NM radius, MLC 240º/006, SFC to 2000 AGL. Times of use: Daily, 30 min after SR to 30 min before SS. Avoidance advised.

AEROBATIC PRACTICE AREA

Coushatta, LA, Red River Airport (0R7)

Aerobatic practice will be conducted at Red River Airport between the surface and 5,000 feet AGL within the boundaries of the airspace bounded on the west by the western edge of Rwy 17/35, extending northward and southward to the respective airport boundaries, extending eastward for 1.5 miles to an imaginary line connecting to the northeast and southeast corners, to create the practice area. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Crowley, LA, Le Gros Airport (3R2)

Aerobatic practice will be conducted at Le Gros Airport within the area defined as a semicircle extending southward from its diameter centered on the north end of the north/south taxiway at its intersection with the south edge of the east/west taxiway extending eastward 6,000 feet and westward 6,000 feet from the surface to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Farmerville, LA, Union Parish Airport (F87)

Aerobatic practice will be conducted within a 2 NM radius of the Union Parish Airport, SFC to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Jennings, LA, Jennings Airport (3R7)

Aerobatic practice will be conducted centered from 1 NM northwest of Jennings Airport, within an approx. 2.5 NM radius, 500 feet to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Springhill Airport (SPH), Springhill, LA

Aerobatic practice conducted at the Springhill (SPH) Airport, from SFC to 5000 MSL, within the area defined as having its western boundary along the western edge of Rwy 18/36, extending northward 1000 feet beyond the north end of the runway; then eastward 150 feet to the eastern boundary; then southward parallel to the runway to a line which runs along the southern edge of Rwy 18/36, extending from its western edge 1500 feet to a point where it intersects the eastern boundary. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Sulphur, LA, Southland Field (UXL)

Aerobatic practice will be conducted at West Calcasieu Airport, Southland Field within a 2 NM radius of the Lake Charles VORTAC, LCH261014, SFC to 4,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Bristow, OK, Jones Memorial Airport (3F7)

Aerobatic practice will be conducted within 2 NM radius of Jones Memorial Airport (3F7), SFC to 6,000 feet AGL, SR–SS.

Cookson, OK, Tenkiller Lake Airpark (44M)

Aerobatic practice will be conducted at Tenkiller Airpark in a 3,000 foot box, beginning at the centerline of the approach end of RY23 and extending 400 feet beyond the departure end of RY23, thence extending 3,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Ketchum, OK, South Grand Lake Regional Airport (1K8)

Aerobatic practice will be conducted within 1 NM radius of the South Grand Lake Regional Airport (1K8), SFC to 4,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Nowata, OK, Nowata Airport (H66)

Aerobatic practice will be conducted centered from 3 NM northwest of the Nowata Airport (H66), SFC to 3,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Brenham, TX, Brenham Muni Airport (11R)

Aerobatic practice will be conducted within 2 NM radius of the Brenham Muni Airport (11R), 800 to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Brenham, TX, Live Oak Ranch (TA17)

Aerobatic practice will be conducted within 2 NM radius of the center of Live Oak Ranch (TA17) from 900 feet MSL up to and including 4,500 feet MSL, SR–SS.

Celina, TX, Four Winds (9S1)

Aerobatic flight activity will be conducted at Four Winds Ranch, bound on the north by County Road 102, on the south by an imaginary line parallel to and 800 feet south of County Road 134, on the west by an imaginary line just east of the three lakes, and on the east by a tree line, SFC to 4,500 feet MSL, SR–SS.

Edna, TX, Jackson County Airport (26R)

Aerobatic practice will be conducted within 2 NM radius of the PSX307019.6 the area to the east of Jackson County Airport (26R), from SFC to 4,000 feet MSL, SR-SS. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Fort Worth, TX, Naval Air Station JRB (NFW)

Aerobatic practice will be conducted centered from 1 NM East and 3 NM West, North and South of NAS JRB Forth Worth (NFW) runway 17/35, from SFC to 6,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Georgetown, TX, Georgetown Muni (GTU)

Aerobatic practice activity will be conducted 4 NM East of GTU, surface to 5000 MSL, approximately 1 NM diameter at 19 DME on the 342 radial of the CWK VORTAC. Area is activated by coordination with GTU tower and Fort Worth NOTAM line.

Graford, TX, Possum Kingdom (F35)

Aerobatic practice will be conducted within 1 NM radius of MQP289929 3.5 NM west of Possum Kingdom Airport, SFC to 5,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

LaGrange, TX, Fayette Regional Air Center (3T5)

Aerobatic flight activity will be conducted within a 2 NM radius of the Fayette Regional Airport (3T5), from 900 feet MSL up to and including 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area.

Navasota, TX

Glider operations will be conducted within a 5 NM radius of the TNV VOR/DME 130/007, from SFC to 8000 feet MSL, SR–SS. Pilots should use caution when operating in this area.

Moonbow Field, Waxahachie, TX

Aerobatic flight practice will be conducted within 1 $^{1}/_{2}$ NM radius of TTT 148/024 from SFC to 3500 MSL. Pilots should use caution when operating within this area.

Sherman/Denison, TX, North Texas Rgnl/Perrin Field (GYI)

Aerobatic flight activity will be conducted within a 2 NM radius of the BYP290024.4, SFC to 5700´ MSL, SR–SS daily. The practice area is for waiver holders only. Pilots should use caution when operating in this area.

Slidell, TX, Akroville Airport (XA68)

Aerobatic practice will be conducted within 1.5 NM radius of the UKW108026, SFC to 4,000 feet MSL, SR–SS.

Wichita Falls, TX, Kickapoo Downtown Airport (CWC)

Aerobatic practice will be conducted within 1.5 NM radius of the SPS136009.2, SFC to 4,000 feet MSL, SR–SS.

MODEL AIRCRAFT ACTIVITY

Haskell, OK (2K9)

Model rocket activity will be conducted within a 1 NM radius of GNP092008, SFC to 9,000 feet MSL, SR–SS. For further information contact Flight Services at 1–800–WX–BRIEF (992–7433).

Oklahoma City, OK

Model rocket activity will be conducted within a 1 NM radius of IRW270023, SFC to 6,400 feet MSL, SR–SS. For further information, contact Flight Services at 1–800–992–7433.

Fort Stockton—Pecos Co (FST), TX

Model rocket activity will be conducted within a 2.6 NM radius of FST 146/014, SFC to 20,000 MSL, SR–SS. Model rocket activity will be conducted within a 2 NM radius of FST 212/9, SFC to 23,100 MSL, SR–SS.

Hearne, TX (LHB)

Model rocket activity will be conducted within a 1 NM radius of the Hearne Muni Airport (LHB) or the CLL 319/018 SFC to 12,500´ MSL, SR–SS. For further information, contact Flight Services at 1–800–992–7433.

Nacogdoches, TX (OCH)

Model Rocket activity will be conducted within a 1 NM radius of the Nacogdoches A L Mangham Jr. Rgnl Arpt (OCH) 045018, SFC to 3,000 feet MSL, SR–SS. For further information contact Flight Services at 1–800–WX–BRIEF (992–7433).

Wills Point, TX (76F)

Model rocket activity will be conducted within a 5 NM radius of TTT100051, SFC to 24,000 feet MSL, SR–SS. For further information, contact Flight Services at 1–800–992–7433.

Waco Rgnl, TX (ACT)

Model rocket activity will be conducted within a 5 NM radius of ACT 131014, SFC to 24,000 feet MSL, SR–SS. For further information, contact Flight Services at 1–800–992–7433.

DALLAS–FORT WORTH, TX, DALLAS–FORT WORTH INTL AIRPORT (DFW) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 17R, 17C, 18R, 18L, 35L, 35C, 36L and 36R are authorized, with course divergence beginning within 5 miles from the departure end of parallel runways for non-RNAV aircraft, or 10 miles of the departure end of parallel runways for aircraft on an RNAV departure, due to noise abatement.

Office of Primary Responsibility (ORP): FAA/D10 (DFW) TRACON
Contact Information: 972-615-2532
Amended: November 2023

Robinsonville, Mississippi

Laser light activity will be conducted at the Grand Casino, Robinsonville, MS, N34º52´22”/W90º17´40” MEM VOR 243R/18.3 NM, from 0000 to 0700 UTC daily. Laser light beams may be injurious to eyes within 300 feet vertically and 21,000 feet laterally. Flash blindness or cockpit illumination may occur beyond these distances.

Vicksburg, Mississippi

A permanent Laser Light Demonstration will be conducted at Harrah's Casino Hotel, Vicksburg, MS, (JAN VORTAC 255º Radial, 38 Nautical Miles, Latitude 32º21” N, Longitude 90º53” W), nightly from sunset until 12:00 A.M. Laser Light beam may be injurious to eyes if viewed within 1000 feet vertically and/or 3000 feet laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.

SPECIAL NORTH ATLANTIC, CARIBBEAN AND PACIFIC AREA COMMUNICATIONS

VHF air–to–air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows: HOUSTON ARTCC

North Atlantic area:	123.45 MHz
Caribbean area:	123.45 MHz
Pacific area:	123.45 MHz

Secondary–Only Radar in the Vicinity of Lufkin, Texas

The Air Traffic Control Beacon Interrogator–6 (ATCBI—6) located at the Angelina County Airport (LFK), Lufkin, Texas, is the only source of radar data within an approximate 50 NM radius of LFK. This is a secondary radar system; therefore radar services are available on transponder equipped aircraft only.

CAUTION—HIGH DENSITY STUDENT FLYING
Little Rock AFB, AR

High density student flying training in the vicinity of Little Rock AFB and on low level Slow Routes (SR) within Arkansas; 0600–0200 Mon–Fri, occasional weekend. Extensive use of All American Drop Zone, Little Rock VORTAC 332° radial 15.0 NM, and Blackjack Drop Zone, Little Rock VORTAC 009° radial 33.0 NM; 0600–0200, Mon–Fri, occasional weekend. Drop Zones are used for personnel and cargo, including IMC (AWDS) drops. For further information, contact Little Rock AFB, Base Operations, on 1–501–988–6125.

East Texas Regional Airport, Longview, Texas

Extensive flight training activity within a 20 NM radius of the East Texas Regional Airport 9,000 MSL and below. These areas are in use from sunrise to sunset daily. Participating traffic reports on 123.5. It is advised to exercise caution when transiting this area and monitor 123.5.

CAUTION—VERTICAL LIGHTS ON BUILDING
Downtown Tulsa, Oklahoma

Approximately ten miles southwest of Tulsa International Airport in the area of downtown Tulsa, four 4,000–watt xenon lights are mounted on each corner of the roof of a 40–story building. Illumination is vertical and hours of use are daily, dusk to midnight.

BAYOU SAUVAGE NATIONAL WILDLIFE REFUGE, LA

Request aircraft remain at or above 2,000 ft in the vicinity of Bayou Sauvage National Wildlife Refuge bounded by Lake Pontchartrain to the Northwest and Northeast, Lake Borgue to the Southeast and New Orleans to the Southwest.

CAUTION–LARGE CONCENTRATION OF BATS
San Antonio, Texas, Vicinity

From April to October large concentration of bats are observed in the vicinity of Braken Cave located 5.5 miles east of SAT VORTAC. Most activity is observed around sunset and sunrise at altitudes up to 10,000 feet.

CAUTION–HIGH DENSITY AIR TRAFFIC AREA

Heavy helicopter and seaplane traffic exists over the Gulf of America and adjacent onshore areas. Thousands of operations per month occur in this area in support of oil drilling and exploration.

Itinerant pilots traversing this area should familiarize themselves with offshore operating practices and frequencies through contact with the pertinent Flight Standards District Office (FSDO) or Flight Service Station.

MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

CIVIL USE OF MILITARY FIELDS:

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission.

Army Installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

AIRCRAFT LANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

FEDERAL AVIATION REGULATION 91.713

The provisions of FAR 91.713 will apply as follows:

> Air traffic clearances to aircraft of Cuban registry not engaged in scheduled International Air Service in U.S. airspace will require that the flight plan be filed with appropriate authorities at least five days prior to the proposed departure time. Route changes while en route will normally not be authorized. The procedures set forth herein do not apply at this time to overflights by aircraft of Cuban registry engaged in scheduled International Air Service.

CONTROLLED FIRING

Camden, Harrell Fld, AR
6E Camden 2 NM radius surface–005 avoidance advised Mon–Fri daylight hours.
El Dorado, South Arkansas Rgnl
ELD 021/024 2 NM radius surface—500 AGL avoidance advised Mon–Fri daylight hours.
Texarkana Rgnl Webb Fld, AR.
.25 NM radius TXK 223010 2000/blo Mon–Thu. 1900–0500Z‡
.5 NM radius TXK 240014 1000/blo Mon–Sat SR–SS.

Camp Bullis Training Site
Controlled Firing Area (CFA)
Camp Bullis, TX

1. CFA Description:

   a. Boundaries: Beginning at

   Lat. 29°41´10.07"N., Long. 98°31´41.40"W. to
   Lat. 29°40´25.05"N., Long. 98°33´57.40"W. to
   Lat. 29°39´20.22"N., Long. 98°34´44.18"W. to
   Lat. 29°38´03.77"N., Long. 98°34´13.26"W. to
   Lat. 29°37´53.94"N., Long. 98°33´46.90"W. to
   Lat. 29°38´36.77"N., Long. 98°31´55.13"W. to
   Lat. 29°39´48.07"N., Long. 98°31´06.07"W. to
   Point of beginning.

   b. Altitudes: Surface to 3,000 feet AGL.

   c. Times of use: Approximately 70 times per year. Utilization will normally be 7 days per week, 0700–2300 local time. Give prior notice of all activities to Flight Service. Notify the Flight Service when activities are terminated each day.

2. Activities:

   a. M203 40mm Grenade Launcher, HE/Target Practice Training (TPT) rounds, average use 50 times per year.

   b. Heavy Demolitions Range, types of explosives will vary, but all are conventional (no nuclear, biological, or chemical), 20 times per year.

   c. Emergency destruction of illegal explosive devices will be unscheduled due to the nature of the event.

3. Using Agency: U.S. Army, Commander, Camp Bullis Training Site, Camp Bullis, TX

4. Effective date: The effective date is February 1, 2004. Biannual approval of the CFA is automatic upon receipt of a biannual status report from the Department of the Army Regional Representative containing a statement that the activities for which the area was established have not changed.

5. Conditions, Operating Limitations, and Safety Precautions:

   a. Camp Bullis Training Site will maintain observers with direct communications to the Range Towers located in positions that allow for sufficient visual surveillance of the entire area.

   b. Firing will cease upon observation of low–flying aircraft.

   c. The ceiling shall be at least 1,000 feet above the maximum ordinate of projectiles and/or debris.

   d. Visibility shall be sufficient to maintain visual surveillance of the entire CFA plus a distance of 5 statute miles beyond the CFA in all directions.

   e. All user responsibilities, precautionary measures, and surveillance requirements listed in FAA Order 7400.2 shall be complied with.

   f. All activities will be contained within the designated impact area at Camp Bullis.

6. With the exception of the emergency destruction of unsafe explosive devices, the following information shall be filed with the Flight Service in sufficient time to permit a NOTAM to be transmitted at least 2 hours prior to scheduled operations:

   a. Location of the CFA.

   b. Time of use.

   c. Activity to be conducted.

   d. Maximum altitudes.


   e. User.

7. Any violation of the conditions, as outlined above, shall be the basis for the FAA to withdraw authorization of the CFA.

CONTROLLED FIRING AREA
CAMP STANLEY, SAN ANTONIO, TEXAS

The Military has established a controlled firing area bordered by the following geographic coordinates: beginning at N29º40´37"/W98º37´53"; thence to N29º41´17"/W98º35´49"; to N29º43´51"/W98º35´50"; to N29º43´51"/W98º37´23"; to point of beginning. Operating SR–SS daily, SFC to 1,500 feet AGL (2,500 feet MSL).

FIREFIGHTING TRAFFIC AREAS




Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.

EL PASO INTERNATIONAL AIRPORT (ELP) ARRIVAL ALERT

Landing West
RWY 26R and RWY 26L and TWY Y




RWY 26L is over 3500 ft. longer and twice the width of RWY 26R. RWY 26R threshold is over 2000 ft. closer than RWY 26L. Pilots confuse TWY Y for RWY 26R.

Not for Navigational Purposes
For Situational Awareness Only

Office of Primary Responsibility (OPR): ATO, Runway Safety
Contact Information: (202) 856-1942
Original: January 2024

FORT WORTH MEACHAM INTERNATIONAL AIRPORT (FTW) ARRIVAL ALERT

Landing South
RWY 16 and RWY 17 and TWY A




Pilots confuse RWY 17 for RWY 16. RWY 16 is over 3500 ft. longer, twice the width and over 1700 ft. closer than RWY 17. Pilots confuse TWY A for RWY 16.

Not for Navigational Purposes
For Situational Awareness Only

FORT WORTH MEACHAM INTERNATIONAL AIRPORT (FTW) ARRIVAL ALERT

Landing North
RWY 34 and RWY 35 and TWY A



Pilots confuse RWY 35 for RWY 34. RWY 34 is over 3500 ft. longer, twice the width and over 1700 ft. closer than RWY 35. Pilots confuse TWY A for RWY 34.

Not for Navigational Purposes
For Situational Awareness Only

FORT WORTH MEACHAM INTERNATIONAL AIRPORT (FTW) ARRIVAL ALERT

Wrong Airport Landing
Landing North
FTW and JRB Carswell FLD (NFW)




NFW is approximately 5.5 miles Southwest of FTW Airport and its RWY is 4500 ft. longer and 50 ft. wider than FTW RWY 16/34. Pilots confuse NFW RWY 18 with FTW RWY 16. Pilots confuse NFW RWY 36 with FTW RWY 34.

Not for Navigational Purposes
For Situational Awareness Only

Office of Primary Responsibility (OPR): ATO, Runway Safety
Contact Information: (202) 856-1942
Original: January 2024

MCKINNEY INTL (TKI) ARRIVAL ALERT

Landing South
RWY 18 and TWY B



Pilots sometimes confuse TWY B for RWY 18.

Not for Navigational Purposes
For Situational Awareness Only

MCKINNEY INTL (TKI) ARRIVAL ALERT

Landing North
RWY 36 and TWY B



Pilots sometimes confuse TWY B for RWY 36.

Not for Navigational Purposes
For Situational Awareness Only

Office of Primary Responsibility (OPR): ATO, Runway Safety
Contact Information: (202) 856-1942
Amended: January 2024

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, and Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93–1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at http://www.faa.gov. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e–CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll–free telephone number for accessing e–CVRS is 1–800–875–9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll–free areas may access e–CVRS by calling the toll number of 703–707–0568. The Internet web address for accessing the e–CVRS is http://www.fly.faa.gov/ecvrs. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904–4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high–density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904–4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e–CVRS.

FSS
TELEPHONE NUMBERS

Flight Service Station (FSS) facilities process flight plans and provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a contract provider at two large facilities. In Alaska, FSS services are delivered through a network of three hub facilities and 14 satellite facilities, some of which operate part–time and some are seasonal. Because of the interconnectivity between the facilities, all FSS services including radio frequencies are available continuously using published data.

Further information can be found in the Aeronautical Information Manual (AIM).

NATIONAL FSS TELEPHONE NUMBER

Pilot Weather Briefings 1–800–WX–BRIEF (1–800–992–7433)

OTHER FSS TELEPHONE NUMBERS (except in Alaska)

Medevac Flights Only 1–877–LIF–GRD3 (1–877–543–4733)

FLIGHT RESTRICTED ZONE FLIGHTS

Pilots wishing to fly within the Flight Restricted Zone (FRZ) must call the Washington ARTCC Flight Data Unit at 703–771–3476.

Air Traffic Control System Command Center

Main Number..... 540–422–4100

AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

ARTCC NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #	**CLEARANCE DELIVERY TELEPHONE #
Albuquerque	817–222–5006	7:30 a.m.–4:00 p.m.	505–856–4300	505–856–4561
Anchorage	907–271–5936	7:30 a.m.–4:00 p.m.	907–269–1137	
Atlanta	404–305–5180	7:30 a.m.–5:00 p.m.	770–210–7601	770–210–7692
Boston	404–305–5156	7:30 a.m.–4:00 p.m.	603–879–6633	603–879–6859
Chicago	817–222–5006	8:00 a.m.–4:00 p.m.	630–906–8221	630–906–8921
Cleveland	817–222–5006	8:00 a.m.–4:00 p.m.	440–774–0300	440–774–0490
Denver	206–231–2099	7:30 a.m.–4:00 p.m.	303–342–1600	303–651–4257
Ft. Worth	817–222–5006	7:30 a.m.–4:00 p.m.	817–858–7500	817–858–7584
Honolulu	310–725–3300	7:30 a.m.–4:00 p.m.	808–840–6100	808–840–6201
Houston	817–222–5006	7:30 a.m.–4:00 p.m.	281–230–5300	281–230–5622
Indianapolis	817–222–5006	8:00 a.m.–4:00 p.m.	317–247–2231	317–247–2411
Jacksonville	404–305–5180	8:00 a.m.–4:30 p.m.	904–845–1501	904–845–1592
Kansas City	817–222–5006	7:30 a.m.–4:00 p.m.	913–254–8500	913–254–8508
Los Angeles	661–265–8200	7:30 a.m.–4:00 p.m.	661–265–8200	661–575–2079
Memphis	404–305–5180	7:30 a.m.–4:00 p.m.	901–368–8103	901–368–8453
Miami	404–305–5180	7:00 a.m.–3:30 p.m.	305–716–1500	305–716–1731
Minneapolis	817–222–5006	8:00 a.m.–4:00 p.m.	651–463–5580	651–463–5588
New York	718–995–5426	8:00 a.m.–4:40 p.m.	631–468–1001	631–468–1425
Oakland	310–725–3300	6:30 a.m.–3:00 p.m.	510–745–3331	
Salt Lake City	206–231–2099	7:30 a.m.–4:00 p.m.	801–320–2500	801–320–2568
San Juan	404–305–5180	7:30 a.m.–5:00 p.m.	787–253–8663	787–253–8664
Seattle	206–231–2099	7:30 a.m.–4:00 p.m.	253–351–3500	253–351–3694
Washington	718–995–5426	8:00 a.m.–4:30 p.m.	703–771–3401	703–771–3587

*Facilities can be contacted through the Rgnl Duty Officer during non–business hours.

**For use when numbers or frequencies are not listed in the airport listing

MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONs)


TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Atlanta	678–364–6131	7:00 a.m.–3:30 p.m.	678–364–6000
Chicago	817–222–5006	8:00 a.m.–4:00 p.m.	847–608–5509
Dallas–Ft. Worth	817–222–5006	7:30 a.m.–4:00 p.m.	972–615–2500
Denver	425–227–1389	7:30 a.m.–4:00 p.m.	303–342–1500
Houston	817–222–5006	7:30 a.m.–4:00 p.m.	281–230–8400
New York	718–995–5426	8:00 a.m.–4:30 p.m.	516–683–2901
Northern CA	310–725–3300	7:00 a.m.–3:30 p.m.	916–366–4001
Potomac	718–995–5426	8:00 a.m.–4:30 p.m.	540–349–7500
Southern CA	310–725–3300	7:30 a.m.–4:00 p.m.	858–537–5800

*Facilities can be contacted through the Rgnl Duty Officer during non–business hours.

DAILY NAS REPORTABLE AIRPORTS

AIRPORT NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque Intl Sunport, NM	817–222–5006	8:00 a.m.–5:00 p.m.	505–842–4366
Andrews AFB, MD	718–995–5426	8:00 a.m.–4:30 p.m.	301–735–2380
Baltimore/Washington Intl Thurgood Marshall, MD	718–995–5426	8:00 a.m.–4:30 p.m.	410–962–3555
Boston Logan Intl, MA	404–305–5156	7:30 a.m.–4:00 p.m.	617–455–3100
Bradley Intl, CT	404–305–5156	7:30 a.m.–4:00 p.m.	203–627–3428
Burbank/Bob Hope, CA	310–725–3300	7:00 a.m.–5:30 p.m.	818–567–4806
Charlotte Douglas Intl, NC	404–305–5180	8:00 a.m.–4:30 p.m.	704–344–6487
Chicago Midway, IL	817–222–5006	8:00 a.m.–4:00 p.m.	773–884–3670
Chicago O'Hare Intl, IL	817–222–5006	8:00 a.m.–4:00 p.m.	773–601–7600
Cleveland Hopkins Intl, OH	817–222–5006	8:00 a.m.–4:00 p.m.	216–352–2000
Covington/Cincinnati, OH	817–222–5006	8:00 a.m.–4:30 p.m.	859–372–6440
Dallas–Ft. Worth Intl, TX	817–222–5006	8:30 a.m.–5:00 p.m.	972–615–2531
Dayton Cox Intl, OH	817–222–5006	7:30 a.m.–4:00 p.m.	937–415–6800
Denver Intl, CO	425–227–1389	7:30 a.m.–4:00 p.m.	303–342–1600
Detroit Metro, MI	817–222–5006	8:00 a.m.–4:00 p.m.	734–955–5000
Fairbanks Intl, AK	907–271–5936	7:30 a.m.–4:00 p.m.	907–474–0050
Fort Lauderdale Intl, FL	404–305–5180	7:00 a.m.–3:30 p.m.	305–356–7932
George Bush Intercontinental/Houston, TX	817–222–5006	7:30 a.m.–4:00 p.m.	713–230–8400
Hartsfield–Jackson Atlanta Intl, GA	678–364–6131	7:00 a.m.–3:30 p.m.	404–559–5800
Honolulu (Daniel K Inouye Intl), HI	310–725–3300	7:30 a.m.–4:00 p.m.	808–840–6100
Houston Hobby, TX	817–222–5006	8:00 a.m.–5:00 p.m.	713–847–1400
Indianapolis Intl, IN	817–222–5006	8:00 a.m.–4:00 p.m.	317–484–6600
Kahului/Maui, HI	310–725–3300	7:30 a.m.–4:00 p.m.	808–877–0725
Kansas City Intl, MO	817–222–5006	7:30 a.m.–4:00 p.m.	816–329–2700
Las Vegas McCarran, NV	310–725–3300	7:30 a.m.–4:00 p.m.	702–262–5978
Los Angeles Intl, CA	310–725–3300	7:00 a.m.–3:30 p.m.	310–342–4900
Louis Armstrong New Orleans Intl, LA	817–222–5006	7:00 a.m.–4:30 p.m.	504–471–4300
Frederick W Smith Intl, TN	404–305–5180	7:30 a.m.–4:00 p.m.	901–322–3350
Miami Intl, FL	404–305–5180	7:00 a.m.–4:00 p.m.	305–869–5400
Minneapolis/St. Paul, MN	817–222–5006	8:00 a.m.–4:00p.m.	612–713–4000
Nashville Intl, TN	404–305–5180	7:00 a.m.–3:30 p.m.	615–781–5460
New York Kennedy Intl, NY	718–995–5426	8:00 a.m.–4:30 p.m.	718–656–0335
New York La Guardia, NY	718–995–5426	8:00 a.m.–4:30 p.m.	718–335–5461
Newark Liberty Intl, NJ	718–995–5426	7:30 a.m.–4:00 p.m.	973–565–5000
Norman Y. Mineta San Jose Intl, CA	310–725–3300	7:30 a.m.–4:00 p.m.	408–982–0750
Ontario Intl, CA	310–725–3300	7:30 a.m.–4:00 p.m.	909–983–7518
Orlando Intl, FL	404–305–5180	7:30 a.m.–5:00 p.m.	407–850–7000
Philadelphia Intl, PA	718–995–5426	8:00 a.m.–4:30 p.m.	215–492–4100
Phoenix Sky Harbor Intl, AZ	310–725–3300	7:30 a.m.–4:00 p.m.	602–379–4226
Pittsburgh Intl, PA	718–995–5426	8:00 a.m.–4:30 p.m.	412–269–9237
Portland Intl, OR	425–227–1389	7:30 a.m.–4:00 p.m.	503–493–7500
Raleigh–Durham, NC	404–305–5180	8:00 a.m.–4:30 p.m.	919–380–3125
Ronald Reagan Washington National, DC	718–995–5426	8:00 a.m.–4:30 p.m.	703–413–0330
Salt Lake City, UT	425–227–1389	7:30 a.m.–4:00 p.m.	801–325–9600
San Antonio Intl, TX	817–222–5006	8:00 a.m.–4:30 p.m.	210–805–5507
San Diego Lindbergh Intl, CA	310–725–3300	8:00 a.m.–4:30 p.m.	619–299–0677
San Francisco Intl, CA	310–725–3300	7:00 a.m.–3:30 p.m.	650–876–2883
San Juan Intl, PR	404–305–5180	7:30 a.m.–5:00 p.m.	787–253–8663
Seattle–Tacoma Intl, WA	425–227–1389	7:30 a.m.–4:00 p.m.	206–768–2900
St. Louis Lambert, MO	817–222–5006	7:30 a.m.–4:00 p.m.	314–890–1000
Tampa Intl, FL	404–305–5180	7:30 a.m.–4:00 p.m.	813–371–7700
Ted Stevens Anchorage Intl, AK	907–269–1103	7:30 a.m.–4:00 p.m.	907–271–2700
Teterboro, NJ	718–995–5426	8:00 a.m.–4:30 p.m.	201–288–1889
Washington Dulles Intl, DC	718–995–5426	8:00 a.m.–4:30 p.m.	571–323–6375
West Palm Beach, FL	404–305–5180	8:00 a.m.–4:30 p.m.	561–683–1867
Westchester Co, NY	718–995–5426	8:00 a.m.–4:30 p.m.	914–948–6520

*Facilities can be contacted through the Rgnl Duty Officer during non–business hours.


NATIONAL WEATHER SERVICE (NWS)
UPPER AIR OBSERVING STATIONS (UAOS)
AND
WEATHER RADAR NETWORK
Albuquerque (ABX) (ZAB)
Amarillo (AMLT2) (AMA)
Lubbock (LBB)
(ELAT2)
El Paso (EPZ)
Midland (MAF)
Vance AFB (VNX)
Oklahoma City (TLX)
Frederick (FDR)
Tulsa (INX)
Tinker AFB (TIK)
OKLAHOMA
Dyess AFB (DYX)
Fort Worth (FWS)
Fort Worth NAS (NFW)
San Angelo (SJT)
Del Rio (DFX)
Laughlin AFB (DLF)
Longview (GGG)
Central Texas (GRK)
TEXAS
Austin (EWX)
Randolph AFB (RND)
Brownsville (BRO)
Corpus Christi (CRP)
Galveston (HGX)
Fort Smith (SRX)
ARKANSAS
(LRF)
Little Rock (LZK)
Barksdale AFB (BAD)
Shreveport (SHV)
Fort Polk (POE)
LOUISIANA
Baton Rouge (BTR)
Lake Charles (LCH)
MISSISSIPPI
Columbus AFB (GWX)
Jackson (JAN)
New Orleans (ILX)
LEGEND
AVIATION WEATHER SERVICE (MILITARY)
AIR TRAFFIC CONTROL RADAR
UPPER AIR OBSERVING STATION/RADAR
RADAR ONLY
UAOS-BALLOON RELEASE AROUND 1100 UTC AND 2300 UTC DAILY
OTHER NWS UPPER AIR STATIONS-BALLOON RELEASES TIMES ARE FLEXIBLE BUT GENERALLY AROUND SUNRISE AND/OR EARLY AFTERNOON
NOTE: FOR RELEASE LATER THAN 1130 UTC AND 2330 UTC, AND FOR SPECIAL RELEASES AT OTHER THAN THE SCHEDULED HOURS, AN AERONAUTICAL INFORMATION MESSAGE WILL BE FILED.

Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel spacing) is required.

ⓇALBUQUERQUE CENTER CPDLC (LOGON KUSA) **H–4–5–6–7, L–5–6N–6S–7–8–10–15–17–19**

Alamogordo – 132.65 **132.65** 257.6 **257.6** **(KZAB)**
Amarillo – **134.75** **132.125** 127.85 121.5 **121.5** **307.05** 285.475 243.0 **243.0** **239.25**
Animas – 134.45 **133.0** **128.2** **126.225** **341.7** 327.15 **285.5** **281.5**
Bagdad – **134.325** **259.3**
Buckeye – 126.45 288.3
Carlsbad – 135.875 121.5 **121.5** 292.15 243.0 **243.0**
Childress – **127.85** **285.475**
Childs Peak – **135.15** **132.45** 126.45 **371.9** **350.2** 288.3
Clines Corner – 133.65 **133.65** 132.8 **125.075** **118.65** 346.35 284.6 **284.6** **269.475**
Douglas – 121.5 **121.5**
El Paso/A/ – 135.875 **120.975** 292.15 **278.3**
El Paso/B/ – 128.2 **125.525** 285.5 **269.45**
Fort Stockton – 135.875 **133.225** **120.975** 292.15 **278.3** **270.35** 243.0 **243.0**
Globe Nr 1 – **135.725** 132.9 **132.9** **126.225** **341.7** 339.8 239.05 **239.05**
Globe Nr 2 – **135.15** 125.4 **350.2** 269.3 243.0 **243.0**
Guadalupe Pass – **133.225** 121.5 **121.5** **270.35** 243.0 **243.0**
Mesa Rica – **128.675** **125.075** **360.8** **279.5**
Mount Dora – **133.05** **128.225** 127.85 **291.6** 285.475 **269.35** 243.0 **243.0**
Phoenix – 125.25 307.0
Prescott – **135.32** 128.45 127.675 121.5 **121.5** **370.9** 306.2 298.9 243.0 **243.0**
Raton – 132.8 346.35
Roswell – 132.65 **132.65** 121.5 **121.5** 257.6 **257.6**
Sandia Mountain – 132.8 346.35
Silver City – 134.45 327.15 243.0 **243.0**
Tesuque Peak – 132.8 **120.95** 346.35 **263.1**
Truth Or Consequences – 128.2 **126.225** 121.5 **121.5** **341.7** 285.5 243.0 **243.0**
Tucson – 134.45 **133.0** 327.15 **281.5** 243.0 **243.0**
Tucumcari – **132.325** 126.85 121.5 **121.5** 285.6 267.9 **251.1** 243.0 **243.0**
West Mesa – **134.6** 133.65 **133.65** **126.925** 124.325 121.5 **121.5** **353.85** 288.25 284.6 **251.15** 243.0 **243.0**
Winslow – **133.925** **128.125** 127.675 **317.75** 306.2 **282.35**
Zuni – **134.6** 132.9 **132.9** **126.925** 124.325 121.5 **121.5** **120.55** **353.85** 288.25 **285.4** **251.15** 243.0 **243.0** **239.05**
CENTER REMARKS: CPDLC (LOGON KUSA)

ⓇFORT WORTH CENTER – 121.5 **121.5** 243.0 **243.0 CPDLC (LOGON KUSA)** **H–6, L–6N–6S–15–17–18–19–21–22, A–2**

Abilene – 127.45 317.7 290.3 282.2 **(KZFW)**
Ardmore – **132.975** 128.4 124.75 121.5 **121.5** **351.85** 323.0 269.375 243.0 **243.0**
Big Spring – 133.7 **120.275** 350.2 **319.25**
Bonham – 127.6 124.875 370.95 254.3
Brownwood – 127.45 346.3 290.3
Cedar Creek – **135.75** 126.725 **379.25** 289.85
Center – **126.275** **270.325**
Childress – 121.5 **121.5** 243.0 **243.0**
Clinton-Sherman – **132.45** 128.4 126.3 **363.1** 339.8 269.375
Cumby – 132.85 132.025 **126.575** 360.75 **322.45** 317.75
Dalhart – 121.5 **121.5** 243.0 **243.0**
Dublin – 135.375 **134.25** **128.325** 127.15 354.05 **351.9** 314.0 **290.55**
El Dorado – 128.2 121.5 **121.5** 278.8 **278.8** 269.1 243.0 **243.0**
Gainesville – 126.775 124.75 328.4 323.0
Hobart – 121.5 **121.5** 243.0 **243.0**
Hobbs – 133.1 298.95
Jacksboro – 121.5 **121.5**
Lubbock – 132.6 **125.525** **120.775** **348.0** **327.1** **295.9** **292.1** **274.5** 269.05 243.0 **243.0**
Marshall – **120.475** **323.3**
Mc Alester – **135.45** 132.2 121.5 **121.5** 338.35 288.3 **288.3** **257.925** 243.0 **243.0**
Midland – 133.1 **132.075** 121.5 **121.5** 298.95 **278.8** 243.0 **243.0**
Mineral Wells – 127.0 **120.35** 360.6 **307.35**
Monroe – 126.325 121.5 **121.5** 346.25 243.0 **243.0**
Oklahoma City – **132.45** **363.1** 298.9
Okmulgee – 132.2 338.35
Paducah – 133.5 126.45 **124.525** **120.775** 350.35 **348.65** **335.5** **327.1** 316.1
Paris – **134.475** 123.925 121.5 **121.5** **352.05** 306.925
Plainview – 126.45 316.1
San Angelo – 126.15 **120.275** 322.55 **319.25**
Shreveport – **135.55** **132.275** 126.325 346.25 **307.25** **285.65** **269.275** 243.0 **243.0**
Snyder – 132.6 269.05 257.2
Texarkana – **134.475** **126.575** 123.925 121.5 **121.5** **352.05** **322.45** 269.475 243.0 **243.0**
Tyler – 135.25 **134.025** 279.65 **251.15**
Waco – 133.3 269.5
Wichita Falls – 133.5 **132.925** 127.95 **124.525** 350.35 **348.65** 322.325 281.525 **281.525** **269.25** 254.275 **254.275**
Wink – 121.5 **121.5** 243.0 **243.0**
CENTER REMARKS: CPDLC (LOGON KUSA)

Ⓡ HOUSTON CENTER – 124.7 125.175 132.775 285.575 317.4 **CPDLC (LOGON KUSA)** **H–6–7–8–9, L–17–18–19–20–21–22**

Alexandria – **132.7** 121.5 **121.5** 120.975 **348.75** 299.6 288.1 **288.1** 243.0 **243.0** **(KZHU)**
Alice – 121.5 **121.5** 243.0 **243.0**
Anchor – 132.65 **132.65** 120.35
Atlantis – 135.775 **135.775** 134.9 132.65 **132.65** 120.35
Austin – 132.15 127.725 **126.425** **371.85** 279.6 273.55
Beaumont – 133.8 126.95 **123.825** 363.05 351.8 **279.625**
Blind Faith – **135.775** 134.9
Boxer – 132.65 **132.65** 120.35
Cameron County – 133.4 132.65 **132.65**
Cancun – 135.775
College Station – 134.8 128.075 125.15 **123.725** 351.95 **319.15** 282.35 269.6
East Breaks – 127.85
East Cameron – 127.85
Eugene Island – 120.35
Ewing Banks – 134.9 120.35
Fort Stockton – 125.75 346.4
Fredericksburg – 134.2 **128.65** **363.25** 307.3
Galliano – 135.775 **135.775** 134.9 132.65 **132.175** 370.9 **370.9** **353.55** 290.45
Galveston – 133.8 132.65 127.85 351.8
Grand Isle – 135.775 **135.775** 134.9 132.65 **132.65** 132.175 **132.175** **370.9** 353.55 **353.55** 290.45 251.05 **251.05**
Hattiesburg – 126.8 **119.725** 327.8 **285.6**
Intracoastal City – 127.85 120.35
Junction – 121.5 **121.5** 243.0 **243.0**
Kerrville – 134.95 269.4
Key West – 135.775
Lafayette – **134.925** **132.95** 126.35 121.5 **121.5** 360.65 **360.65** 338.25 **263.1** 243.0 **243.0**
Lake Charles – 124.7 121.5 **121.5** 317.4 243.0 **243.0**
Lampasas – 121.5
Laredo – **133.75** 127.8 121.5 **121.5** **379.175** **354.0** 307.2
Lometa – 132.35 372.0 317.5
Lucius – 132.65 **132.65** 120.35
Lufkin – **132.775** 125.175 121.5 **121.5** **335.65** 285.575 243.0 **243.0**
Lufkin/A – 134.8 269.6
Many – 121.5 **121.5**
Mc Comb – 126.8 121.5 **121.5** 327.8 243.0 **243.0**
Mobile – 132.6 127.65 **125.775** 121.5 **121.5** **322.4** 316.075 285.475 **277.4** (FOR MOA USE.) 243.0 **243.0**
Natchez – 120.975 299.6
Newton – **128.175** 126.95 363.05 **353.85**
Palacios – 128.6 **123.6** 121.5 **121.5** 360.8 **269.425** 243.0 **243.0**
Rock Springs – **132.4** 125.75 346.4 **322.7** (FOR MOA USE.) **299.2** **267.9** (FOR MOA USE.)
Rockport – **135.425** 133.4 **317.625**
San Antonio – 132.8 **125.625** **354.0** 343.7 **318.8** 306.9 251.075
San Antonio A – **301.4** (FOR MOA USE.) **254.375** **239.275**
Sarita – **133.75** 133.4 128.15 **354.0** 350.3
Sealy – 132.15 128.6 **126.425** **371.85** 360.8 279.6
Slidell – **126.875** 126.35 121.025 338.25 **327.05** 317.775
Three Rivers – 134.6 322.5 243.0
Uvalde – **134.95** 127.8 121.5 **121.5** 307.2 **269.4**
Venice – 135.775 **135.775**
Victoria – 135.05 **124.725** 353.6 **291.75**
Virgo – 134.9
CENTER REMARKS: CPDLC (LOGON KUSA)

®KANSAS CITY CENTER – 121.5 **121.5** 243.0 **243.0 CPDLC (LOGON KUSA)** **H–5–6, L–10–15–16–27, A–2**

(KZKC)

Anthony – **133.2** 121.5 **121.5** 118.35 **292.125** 285.625
Butler – 125.55 327.0
Chanute – 132.9 121.5 **121.5** 279.5
Chillicothe – 125.25 235.975
Clinton – 121.5 **121.5**
Columbia – 134.5 121.5 **121.5** **119.475** 316.1 **279.6** 243.0 **243.0**
Decatur – 124.3 269.15
Edna – 128.6 282.325
Effingham – **135.05** 124.3 **290.4** 269.15
Emporia – **132.25** 127.725 120.2 323.2 **281.425** 270.25
Farmington – **132.65** 127.475 **120.825** 346.275 **319.0** **307.8**
Gage – **132.825** 126.95 121.5 **121.5** 379.2 243.0 **243.0**
Garden City – **133.45** 125.2 285.425 **281.4** 243.0 **243.0**
Hutchinson – **134.3** 118.8 **353.9** 322.425 **273.6**
Independence – 121.65
Jacksonville – 127.275 307.1
Kansas City – **133.8** **360.85**
Kirksville – **134.625** 132.6 370.9 **269.3**
Knob Noster – 135.575 323.15
Lawrence – 121.825
Liberal – **134.675** 134.0 121.5 **121.5** 257.625 **235.775**
Manhattan – 127.35 121.5 **121.5** 257.975
Maples – 128.35 284.675
Marion – 127.475 346.275
Mount Vernon – 127.7 351.825
Oklahoma City – 127.8 319.1
Olathe – 121.5 **121.5** 243.0 **243.0**
Ponca City – 127.8 121.5 **121.5** 319.1 243.0 **243.0**
Quincy – 126.225 121.5 **121.5** 317.775
Richland – 128.35 124.1 353.925 284.675
Russell – 124.4 121.5 **121.5** 322.4
Saint Charles – 125.9 327.1
Saint Joseph – 127.9 251.1
Saint Louis – **133.15** 128.35 121.5 **121.5** **355.6** 284.675 243.0 **243.0**
Salina – 134.9 **125.175** 121.5 **121.5** 363.2 **269.625**
Springfield – **133.475** 127.5 **277.4** 269.4
Topeka – 123.8 343.7
Tulsa – 128.8 **127.625** 354.1 **285.525**
Vichy – 121.5 **121.5**
CENTER REMARKS: CPDLC (LOGON KUSA)

®MEMPHIS CENTER – 121.5 **121.5** 243.0 **243.0 CPDLC (LOGON KUSA)** **H–5–6–9–10–12, L–15–16–17–18–22–25–26**

Bowling Green – 121.5 **121.5** 243.0 **243.0** **(KZME)**
Brinkley – 135.3 126.85 335.8 **317.45** 281.55
Cape Girardeau – 121.5 **121.5**
Centerville – 125.85 **124.275** 379.25 **296.7** **288.35**
Columbus – **134.775** 127.1 320.4 **294.7** 275.4 269.4
Dyersburg – 121.5 **121.5** 243.0 **243.0**
Fayetteville – **132.55** 126.1 121.5 **121.5** **353.8** 269.0 243.0 **243.0**
Flippin – 121.5 **121.5**
Greenville – 135.875 **133.075** **124.925** **322.35** **282.25** 269.35
Greenwood – 132.5 121.5 **121.5** 259.1 243.0 **243.0**
Harrison – 126.85 121.5 **121.5** 281.55 243.0 **243.0**
Hot Springs – 128.475 377.15
Huntsville – 120.8 307.0
Jackson – 132.5 121.5 **121.5** **296.7** **285.2** 259.1 243.0 **243.0**
Jackson Tn – 121.5 **121.5** 243.0 **243.0**
Jonesboro – 121.5 **121.5** 243.0 **243.0**
Little Rock – **132.425** **323.25**
Louisville – 132.75 **362.6** **282.1** 263.0 **243.0**
Mckellar – 134.65 132.3 **126.45** 124.35 **354.0** 343.625 318.1 316.15
Memphis – **118.625** **269.9**
Meridian – **128.275** 125.975 121.5 **121.5** 351.7 **307.275** 289.9 **285.4** 243.0 **243.0**
Muscle Shoals – 121.5 **121.5** 243.0 **243.0**
Nashville – 133.85 **124.125** **118.875** 285.5 **269.425** **257.75**
Nashville/Joelton – 132.9 290.3
Paducah – 133.65 121.5 **121.5** 292.15 243.0 **243.0**
Pine Bluff – 135.875 121.5 **121.5** 269.35 243.0 **243.0**
Rich Mountain – 126.1 121.5 **121.5** 307.375 269.0
Russellville – 128.475 377.15 307.325 243.0 **243.0**
Shelbyville – 128.15 323.125
Troy – **135.5** 133.65 **354.15** 292.15
Tupelo – 135.9 **135.9** 134.4 128.5 **127.375** **295.0** **285.55** 279.55 273.55 **273.55**
Walnut Ridge – **132.375** 120.075 289.4 **257.6**
CENTER REMARKS: CPDLC (LOGON KUSA)

VHF frequencies available at remote communication outlets (RCO's) are listed below for the coverage of this volume. 'T' indicates transmit only and 'R' indicates receive only. RCO's available at NAVAID's are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

ALBUQUERQUE RADIO

ALBUQUERQUE RCO 122.3
ANIMAS RCO 122.5
CLOVIS RCO 122.5
EL PASO RCO 122.6
GUADALUPE PASS RCO 122.5
LAS VEGAS RCO 122.6
ROSWELL RCO 122.5
TAOS RCO 122.2
TRUTH OR CONSEQUENCES RCO 122.2

DE RIDDER RADIO

LAFAYETTE RCO 122.3
NEW ORLEANS RCO 122.6
RUSTON RCO 122.3

FORT WORTH RADIO

ABILENE RCO 122.6
BROWNWOOD RCO 122.5
CHILDRESS RCO 122.4
DALHART RCO 122.2
DALLAS RCO 122.3
GREGG COUNTY VORTAC 122.2
LUBBOCK RCO 122.2
PARIS RCO 122.2
WACO RCO 122.6
WICHITA FALLS RCO 122.3

GREENWOOD RADIO

GREENWOOD RCO 122.2
JACKSON RCO 122.2
NATCHEZ RCO 122.6

JONESBORO RADIO

FORT SMITH VORTAC 122.2
HARRISON RCO 122.4
PINE BLUFF RCO 122.6
TEXARKANA RCO 122.2

MC ALESTER RADIO

GAGE RCO 122.3
MC ALESTER RCO 122.3
PONCA CITY RCO 122.2
TULSA RCO 122.2
WILEY POST RCO 122.4

MONTGOMERY COUNTY RADIO

COLLEGE STATION RCO 122.2
HOBBY RCO 122.2
JASPER RCO 122.5
PALACIOS RCO 122.2

SAN ANGELO RADIO

ALICE RCO 122.6
AUSTIN RCO 122.2
BROWNSVILLE RCO 122.3
FORT STOCKTON RCO 122.2
JUNCTION RCO 122.3
LAREDO RCO 122.3
MC ALLEN RCO 122.2
MIDLAND RCO 122.6
SAN ANGELO RCO 122.2
SAN ANTONIO RCO 122.3

The use of VOR checkpoints is explained in Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

NOTE: Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

ARKANSAS

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Harrison (Boone County)	112.5/HRO	135	4.4	Intersection of Twy A and B.
Jonesboro (Jonesboro Muni)	115.85/JBR	229	3.9	On NE ramp in front of airline terminal.
Pine Bluff (Pine Bluff Rgnl Arpt Grider Fld)	116.0/PBF	184	3.9	North end of N/S twy AER 18.

LOUISIANA

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Lafayette (Lafayette Rgnl/Paul Fournet Fld)	109.8/LFT	341	0.9	On Twy B run up area Rwy 11.
	109.8/LFT	039	0.8	On Twy B run up area Rwy 29.
	109.8/LFT	025	1.4	Twy J run up area 22L.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Remarks
Shreveport Rgnl	108.2	

MISSISSIPPI

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Caledonia (Columbus AFB)	115.2/CBM	302	1.3	North Hammerhead (VTAC).
	115.2/CBM	152	0.7	South Hammerhead, F Twy.
Gulfport (Gulfport-Biloxi Intl)	109.0/GPT	089	0.6	DME, east ramp Twy A near Twy B.
Meridian (Key Field)	117.0/MEI	127	4.0	On ramp in front of terminal building.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Remarks
Jackson–Evers Intl	111.0	

OKLAHOMA

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Bartlesville (Bartlesville Muni)	117.9/BVO	166	4.5	On parallel twy opposite terminal. OTS indef.
Lawton (Lawton–Fort Sill Rgnl)	109.4/LAW	349	4.6	On taxiway between terminal and Rwy 17–35.
Ponca City (Ponca City Rgnl)	113.2/PER	089	2.9	At apch end Rwy 17 on Twy A.
	113.2/PER	107	3.2	South of ramp on Twy A.
Stillwater (Stillwater Rgnl)	108.4/SWO	176	4	On Twy A btn A3 and A4..
Wiley Post (Wiley Post)	113.4/PWA	150	0.5	On runup pad to Rwy 35R.
	113.4/PWA	007	0.7	On runup area to Rqy 17L.
Woodring (Enid Woodring Rgnl)	109.0/ODG	352	0.5	On ramp W of terminal.

VOR TEST FACILITIES (VOT)

Facility Name(Airport Name)	Freq.	Remarks
Oklahoma City Rogers (Will Rogers World)	112.15	Within 10 NM radius between 3000´ and 5000´. VOT unusable east of Rwy 17L–35R.
Tulsa International	109.0	

TEXAS

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Alice (Alice International)	114.5/ALI	272	0.5	On twy near FBO.
Borger (Hutchinson Co)	108.6/BGD	173	6.7	On twy intxn at N end of ramp.
Brownsville (Brownsville/South Padre Island Intl)	116.3/BRO	247	3.2	On hold line Rwy 13.
Gregg Co (East Texas Rgnl)	112.9/GGG	128	2.4	At N end of ramp on twy to Rwy 13.
Humble (George Bush Intercontinental/Houston)	116.6/IAH	339	2.2	On runup pad Rwy 08.
Laredo (Laredo International)	117.4/LRD	318	4.8	On runup area of Twy A.
Laughlin (Laughlin AFB)	114.4/DLF	198	0.5	On ramp AER 31L.
	114.4/DLF	275	0.9	On ramp AER 13R.
McAllen (McAllen Miller Intl)	117.2/MFE	331	0.6	On cargo ramp.
Randolph (Randolph AFB)	112.3/RND	337	1.0	On AER 15R.
San Angelo (San Angelo Rgnl/Mathis Field)	115.1/SJT	237	2.6	On E edge of ramp in front of ATCT.
Scholes (Scholes Intl at Galveston)	113.0/VUH	088	0.5	On main terminal ramp.
Tyler (Tyler Pounds Rgnl)	114.2/TYR	082	0.5	At intersection Twys D and H.
Victoria (Victoria Rgnl)	109.0/VCT	128	3.2	At approach end of Rwy 13.
Wichita Falls (Sheppard AFB/Wichita Falls Muni)	112.7/SPS	093	5.5	On Twy C runup area Rwy 33L.
	112.7/SPS	075	5.3	On Twy G AER 33R.
	112.7/SPS	064	5.2	On Twy K AER 15L.
	112.7/SPS	068	4.7	On Twy H runup area Rwy 15R.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Remarks
Dallas Love Field	113.3	
El Paso International	111.0	Used for ground only. Unusable on the west side of hangars south of the intersection of Twy A and the centerline of Rwy 04–22.
Fort Worth Meacham Intl	108.2	Used for ground and airborne test. For airborne use within 10 NM radius of Fort Worth Meacham Intl clockwise from 220º–270º between 2000´ and 5000´.
Houston (William P. Hobby)	108.4	
Midland Intl Air & Space Port	108.2	
San Antonio International	110.4	

The following tabulation lists all reported parachute jumping areas in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. NOTAM D's may be issued to advise users of specific dates and times if outside the times /altitudes that are published. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Parachute jumping areas within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.
Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.
Refer to Federal Aviation Regulations Part 105 for required procedures relating to parachute jumping.
Organizations desiring listing of their jumping activities in this publication should contact Flight Service, tower, or ARTCC.
Qualified parachute jumping areas will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jumping area is charted.

To qualify for charting, a jump area must meet the following criteria:
(1) Been in operation for at least 1 year.
(2) Log 1,000 or more jumps each year.

In addition, parachute jumping areas can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC OR GEOGRAPHIC COORDINATES	MAXIMUM ALTITUDE	REMARKS
ARKANSAS			
Black Jack Drop Zone	33 NM; 010° Little Rock	3,000 AGL	Mon-Fri 0600-2330 and occasional weekends.
Camp Chaffee, Arrowhead Drop Zone	6 NM; 160° Ft. Smith	3,000	Mon–Fri 0600–2300 and occasional weekends.
Camp Robinson–All American Drop Zone	15 NM; 332° Little Rock	3,000	Mon–Fri 0600–0200 and occasional weekends.
(c) Little Rock, Blackjack Drop Zone	33 NM; 009° Little Rock	3,000	Mon–Fri 0600–0200 and occasional weekends.
(c) Little Rock, Conway Drop Zone	24 NM; 334° Little Rock	12,500 AGL	0800–SS weekends and occasional weekdays.
(c) Siloam Springs, Smith Fld Arpt	18 NM; 256° Razorback	15,000	5 NM radius. Fri–Mon 0700–0000.
Texarkana	9 NM; 160° Texarkana	13,000 AGL	0800–SS weekends and occasional weekdays.
LOUISIANA			
(c) Baton Rouge	13NM; 060° Fighting Tiger	13,000	Daily SR–SS.
Bodcaw	16 NM; 083° Belcher	13,000	Daily SR–SS.
(c) Breaux Bridge, Bordelon Airpark	9 NM; 042° Lafayette	12,000	Daily SR–SS.
(c) Covington, St Tammy Rgnl Arpt	15.1 NM; 238° Picayune	10,500	3 NM radius. Sat-Sun SR–SS. **Louis Armstrong New Orleans Intl Tower 133.15**.
(c) Mansfield, CE 'Rusty' Williams Arpt	22 NM; 196° Elm Grove	13,000	3 NM radius. Daily SR–SS.
(c) Opelousas, St Landry Parish—Ahart Fld Arpt	25 NM; 340° Lafayette	11,500	3 NM radius. Weekends 0700–1800.
(c) Slidell, Slidell Arpt	13.8 NM; 195° Picayune	14,500 AGL	3 NM radius. Daily SR–SS. **Louis Armstrong New Orleans Intl Tower 133.15**.
MISSISSIPPI			
Artesia, Carson Drop Zone	11 NM; 188° Bigbee	2,000 AGL	Occasional use.
(c) Batesville, Panola Co Arpt	26 NM; 220° Holly Springs	10,500 AGL	5 NM radius. Sat–Sun 0900–SS.
Coldwater Drop Zone	20 NM; 170° Memphis	3,000	0.2 NM radius. 0600–2330 Mon–Fri and occasional weekends. Military use.
Greenwood, Camp McCain Drop Zone	31.9 NM; 067° Sidon	17,999	5 NM radius. Weekdays and weekends, occasional nights, seldom holidays.
Grenada, Grenada Muni Arpt	32.6 NM; 048° Sidon	17,999	5 NM radius. Weekends, occasional nights, seldom holidays. Military use.
Hattiesburg, Safee Drop Zone	25 NM; 135° Eaton	3,000 AGL	Occasional use.
Rolling Fork, Wade Arpt	32 NM; 180° Greenville	12,500	10 NM radius. Daily.
Strong	6.5 NM; 289° Caledonia	12,500	Weekends and holidays SR–SS.
West Point, King Drop Zone	7 NM; 305° Bigbee	2,000 AGL	Occasional use.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC OR GEOGRAPHIC COORDINATES	MAXIMUM ALTITUDE	REMARKS
	OKLAHOMA		
(c) Chickasha, Redhills Arpt	23 NM; 212° Will Rogers	12,000	1 NM radius. Daily SR–SS.
(c) Cushing, Cushing Muni Arpt	50 NM; 245° Tulsa	14,000	5 NM radius. Daily SR until 1 hour after SS.
(c) Eldorado, Altus AFB, Sooner Drop Zone	22 NM; 247° Altus	12,500 AGL	1 NM radius. Mon–Fri 0700–0200 and occasional weekends.
Fort Sill, Frisco Ridge Drop Zone	15 NM; 360° Lawton	13,900 AGL	2 NM radius. Sat 0900–1500.
Fort Sill, Henry Post AAF	14.5 NM; 023° Lawton	1,100 AGL	Weekends SR–SS. Military use.
(c) Grandfield, Grandfield Muni Arpt	21 NM; 324° Wichita Falls	13,500	5 NM radius. SR–SS weekends and holidays; occasional weekdays.
(c) Haskell, Haskell Arpt	12.8 NM; 041° Okmulgee	12,000	4 NM radius. Weekends, holidays SR–SS. Occasional weekday and night jumps. Tulsa Intl Tower 124.0
(c) Hugo	28.6 NM; 350° Paris	13,000	3 NM radius. Daily SR–SS.
Ketchum, South Grand Lake Rgnl Arpt		12,000	1 NM radius. Daily 0530–2000.
Miami, Miami Rgnl Arpt	54.6 NM; 077° Bartlesville	13,000	3 NM radius. Daily SR–SS.
Okmulgee, Okmulgee Rgnl Arpt	4.3 NM; 241° Okmulgee	15,000	3 NM radius. Sat-Sun and holidays SR–SS.
(c) Skiatook, Skiatook Muni Arpt	15 NM; 310° Tulsa	13,000	5 NM radius. Daily SR–SS, occasional ngts.
Tahlequah,Tahlequah Muni Arpt	41 NM; 105° Tulsa	13,500	5 NM radius. Daily SR–SS.
	TEXAS		
Abilene, Dyess AFB	4 NM; 170° Abilene	3,300	5 NM radius. Daily SR–SS.
Amarillo, Buffalo Fld	13.5 NM; 213° Panhandle	15,000	Daily SR–SS.
(c) Bronte	27 NM; 023° San Angelo	6,500	1 NM radius. Mon–Fri 0900–2359. **40th Airlift Squadron 139.75 (COM), 314.2 (MIL). 40th Airlift Squadron, 325-696-3660**.
(c) Brownwood, Heartbreak Drop Zone	15 NM; 169° Brownwood	6,500	1 NM radius. Fridays 0900-1300. **Camp Bowie Training Facility 139.75 (COM), 314.2 (MIL) 40th Airlift Squadron, 325–696–3660**. Military Use.
(c) Caddo Mills, Caddo Mills Muni Arpt, Dallas Skydive Ctr	30 NM; 174° Bonham	17,500	1.5 NM radius. Daily 0700–SS. **Caddo Mills 122.8/Fort Worth Center 132.02**.
Camp Bullis, Hall Drop Zone	6.5 NM; 305° San Antonio	2,500 AGL	2 NM radius. Continuous.
(c) Camp Swift, Blackwell Drop Zone	15 NM; 119° Centex	1,500 AGL	Daily, occasional ngts.
Dumas, Moore Co Arpt	29 NM; 106° Dalhart	13,700	3 NM radius. SR–2359 weekends and holidays, 1700–2359 weekdays.
Ennis Muni Arpt, Skydive Ennis	35.7 NM; 154° Cowboy	9,500	1 NM radius. Daily SR–SS. **Dallas/ Fort Worth TRACON 125.2**.
(c) Fentress Airpark (Pvt).		15,000	5 NM radius. Daily SR–SS and occasional nights. **Austin–Bergstrom Intl Tower. 123.55**.
(c) Galveston	4.7 NM; 214° Scholes	14,500	1 NM radius. SR–SS. **Houston ARTCC 120.57**.
(c) Galveston	2.0 NM; 190° Scholes	14,500	1 NM radius. SR–SS. **Houston ARTCC 120.57**.
(c) Galveston	1.8 NM; 098° Scholes	14,500	1 NM radius. SR–SS. **Houston ARTCC 120.57**.
(c) Galveston	7.93 NM; 121° Trinity	10,500	1 NM radius. SR–SS. **Houston ARTCC 134.45**.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC OR GEOGRAPHIC COORDINATES	MAXIMUM ALTITUDE	REMARKS
(c) Gladewater Muni Arpt	14 NM; 295° Gregg Co	14,000	3 NM radius. 0700–2200 daily.
(c) Greenville, Majors Arpt	28.9 NM; 155° Bonham	17,999	1.5 NM radius centered at 33°04´50″N/096°02´53″W excluding the area west of County Rd 3303 on the south side and including 200 yards west of County Rd 3303 on the north half. SR–SS. **Fort Worth Center 132.02**.
(c) Hearne Muni, Brown Drop Zone	19 NM; 319° College Station	17999	5 NM radius. Mon-Fri 0600-2400 lcl. Some weekends if weather affects the weekday PJA and some nights after 2400 lcl. **Houston Tracon 134.3**.
(c) Hillsboro Muni	26.7 NM; 010° Waco	17,500	5 NM radius. 0700–2200, weekends and some holidays. **Waco Rgnl Twr 127.65**.
(c) Killeen, Ft. Hood, Antelope Drop Zone	14.5 NM; 087° Gooch Springs	13,000 AGL	Continuous.
(c) Killeen, Ft. Hood, Rapido Drop Zone	25 NM; 053° Gooch Springs	13,000 AGL	0.5 NM radius. Continuous.
(c) Killeen, Skylark Fld Arpt, DZ Skylark Drop Zone	7.4 NM; 057° Gray	12,000	.03 NM radius. Thurs–Sun; SR–SS
(c) Kingsville, Kleberg Co Arpt	11.5 NM; 175° Alice	12,500	Weekdays, 1200–SS; Sat, Sun, holidays 0700–SS.
(c) Lexington Airfield (Pvt) Arpt	30 NM; 238° College Station	15,500	2 NM radius. Daily SR–Midnight.
(c) Madisonville Muni Arpt	12.7 NM; 168° Leona	17,999	5 NM radius. Daily SR–SS and occasional ngts. **Houston Center 134.8**
(c) Midlake Arpt	7 NM; 084° Stinson	15,000	1 NM radius. Daily SR–SS and occasional ngts.
(c) Mineral Wells, Fort Wolters Drop Zone	8.8 NM; 336° Millsap	3,000	.5 NM radius. Time of use: Any.
New Albany-Union County Airport		5000	1 NM radius.
(c) Port Aransas–Mustang Beach Arpt	23 NM; 100° Corpus Christi	13,500	2 NM radius. Daily SR–SS. Intersection of access road 1–A and dune road, 1 mile south of Mustang Beach Arpt. **Corpus Christi Intl ATCT–TRACON 125.4**.
(c) Rockdale, Cameron/Milano Drop Zone	27.5 NM; 278° College Station	17999	5 NM radius. Mon-Fri 0600-2400 lcl. Some weekends if weather affects the weekday PJA and some nights after 2400 lcl. **Houston Tracon 134.3**.
(c) Rosebud, Buster Drop Zone	35.7 NM; 313° College Station	17999	5 NM radius. Mon-Fri 0600-2400 lcl. Some weekends if weather affects the weekday PJA and some nights after 2400 lcl. **Houston Tracon 134.3**.
(c) Rosebud, Grace Drop Zone	38.4 NM; 311° College Station	17999	5 NM radius. Mon-Fri 0600-2400 lcl. Some weekends if weather affects the weekday PJA and some nights after 2400 lcl. **Houston Tracon 134.3**.
(c) Rosharon, B&B Airpark (Pvt) Arpt	31.5 NM; 274° Scholes	16,500	2 NM radius. All days; SR–SS. **Houston Tracon 134.34**
Seagoville Arpt	30.3 NM; 115° Maverick	13,000	SR–SS weekends and holidays and occasional days.
(c) Seminole, Gaines Co Arpt	31.2 NM; 075° Hobbs	14,000	10NM radius, Daily SR-SS. **Fort Worth Center 132.6**.
Stephenville Clark Rgnl	31.2 NM; 188° Millsap	13,000	5 NM radius. SR–SS weekends and holidays. **Ft. Worth Center 127.15**.
Terrell Muni Arpt	32 NM; 349° Cedar Creek	13,500	2 NM radius. SR–SS weekends and holidays, occasional weekdays.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC OR GEOGRAPHIC COORDINATES	MAXIMUM ALTITUDE	REMARKS
(c) Trenton, Tri–Co Aerodrome.....	8.6 NM; 230° Bonham	14,500	2 NM radius. Daily 0800–2200. Hi–density jump area, pilots are advised to monitor **Fort Worth ARTCC 124.875**.
(c) Waller, Skydive Houston (Pvt) Arpt.....	18.9 NM, 151° Navasota	24,000 AGL	3 NM radius. Continuous.

Contained within this tabulation, and listed alphabetically by airport name, are all private–use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are selected Canadian airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

UNITED STATES

FACILITY NAME	CHART & PANEL
Cabaniss Fld NOLF, TX (NGW) Corpus App/Dep Con 125.4 307.9 Navy Cabaniss Tower 119.65 299.6 (Mon–Thu 1400–0500Z‡, Fri 1400–0100Z‡)	L–20H, 21A
Fentress NALF, VA (NFE) Oceana App/Dep Con 123.9 266.8	H–10I, 12I, L–35D
Fry, OH (ØOH8) Columbus App/Dep Con 134.45	L–27E
Gila Bend AF AUX, AZ (GXF) Luke App/Dep Con 125.45 263.125 (South) (Mon–Thu 1300–0530Z, Fri 1300–0130Z, clsd weekends and hol)	H–4J, L–5B
Glasgow Industrial, MT (Ø7MT) Salt Lake Center App/Dep Con 126.85 305.2	H–1E, 2G, L–13D
Joe Williams NOLF, MS (NJW) Meridian App/Dep Con 276.4 Bravo Tower 134.1 254.35 257.95 (Mon–Fri 1400–2330Z‡)	H–6J, L–18G
Oak Grove MCOLF, NC (13NC) Cherry Point App/Dep Con 119.35 377.175	L–35B
Shell AHP, AL (SXS) Cairns App/Dep Con 133.45 239.275 (24 hrs Tue–Sat, 1200–0500Z‡ Sun–Mon) other times ctc Jax Center App/Dep Con 134.3 322.55 Shell Tower 139.125 244.5 (1230–0000Z‡ Mon–Fri, exc hol)	L–22I
USAF Academy Bullseye Aux Airfield, CO (CO9Ø) ASOS 125.0	L–10F
Webster NOLF, MD (NUI) Patuxent App/Dep Con 121.0 250.3 Navy Webster Tower 127.0 358.0 (Mon–Fri, exc hol, other times on request, 1400–2200Z‡ or SS, whichever occurs first) For Clnc Del when NHK Apch is clsd ctc Potomac Apch at 866–640–4124	H–10I, 12I, L–34E, 36I
Whitehouse NOLF, FL (NEN) Jax Center App Con 127.775 377.075 Jax Center Dep Con 127.775 379.9 Whitehouse Tower 125.15 307.325 340.2 (Manned during scheduled operations only)	H–8H, L–21D, 24G
William P Gwinn, FL (ØFA) Palm Beach App/Dep Con 317.4 Gwinn Tower 120.4 279.25 (Mon–Fri 1300–2100Z‡) Gnd Con 121.65 279.25	H–8I, L–23C

CANADA

FACILITY NAME	CHART & PANEL
Chatham–Kent, ON (CYCK) Cleveland Center App/Dep Con 132.25	H–10G, L–30G
Cornwall Rgnl, ON (CYCC) Boston Center App/Dep Con 135.25 377.1	L–32G
Fort Frances Muni, ON (CYAG) Minneapolis Center App/Dep Con 120.9	L–14H
Leamington, ON (CLM2) Detroit Approach App/Dep Con 134.3	L–30F
Pelee Island, ON (CYPT) Cleveland Center App/Dep Con 126.35 360.0	L–30F
Windsor, ON (CYQG) ATIS 134.5 (1200–0300Z‡) Detroit App/Dep Con 118.95 132.35 134.3 284.0 Tower 124.7 (1200–0300Z‡) Gnd Con 121.7 (1200–0300Z‡) MF 124.7 (0300–1200Z‡ 6 NM irregular shape to below 3000´) VFR Advisory Detroit App Con 134.3 AWOS 134.5 (0300–1200Z‡)	H–10G, L–28J

PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their route of flight, to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and en route flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, en route and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing preferred direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.
2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).
3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area; e.g., New York Metro Area.
4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.
5. Where more than one route is listed the routes have equal priority for use.
6. Official location identifiers are used in the route description for VOR/VORTAC navaids.
7. Intersection names are spelled out.
8. Navaid and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39); another navaid radial (e.g., UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).
9. Where two navaids, an intersection and a navaid, a navaid and a navaid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.
10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.
11. (90–170 incl) altitude flight level assignment in hundred of feet.
12. The notations “pressurized” and “unpressurized” for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.
13. All Preferred IFR Routes are in effect continuously unless otherwise noted.
14. Use current SIDs and STARSs for flight planning.
15. For high altitude routes, the portion of the routes contained in brackets [ ] is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

LOW ALTITUDE

Terminals	Route	Effective Times (UTC)
HOUSTON(HOU)		
DALLAS(DAL)	(NON–TURBOJET (RNAV))STYCK (RNAV)–DP STYCK CQY YEAGR–STAR	
	or	
	(ALL OTHERS)LEONA–DP CQY YEAGR–STAR	
DALLAS–FORT WORTH(DFW)	(ALL OTHERS)(DFW SOUTH FLOW)LEONA–DP CQY YEAGR–STAR	
	or	
	(NON TURBOJET (RNAV))(DFW SOUTH FLOW)STYCK (RNAV)–DP STYCK CQY YEAGR–STAR	
	or	
	(NON TURBOJET (RNAV))(DFW NORTH FLOW)STYCK (RNAV)–DP STYCK CQY CEDAR CREEK–STAR.....	
	or	
	(ALL OTHERS)(DFW NORTH FLOW)LEONA–DP CQY CEDAR CREEK–STAR.....	
NEW ORLEANS(MSY)	(110–180; DME/DME/IRU OR GPS)ELOCO (RNAV)–DP LLA AWDAD AWDAD–STAR.....	
	or	
	(SFC–100; ALL OTHERS)SBI270016 SBI V198 TBD V552 OLEDD	
	or	
	(110–180; ALL OTHERS)SBI270016 SBI LLA AWDAD AWDAD–STAR.....	
	or	
	(SFC–100; DME/DME/IRU OR GPS)ELOCO (RNAV)–DP SBI V198 TBD V552 OLEDD	

Terminals	Route	Effective Times (UTC)
HOUSTON(IAH)		
DALLAS(DAL)	(NON–TURBOJET (RNAV))STYCK (RNAV)–DP STYCK CQY YEAGR–STAR or (ALL OTHERS)LEONA–DP CQY YEAGR–STAR	
DALLAS–FORT WORTH(DFW)	(NON TURBOJET (RNAV))(DFW SOUTH FLOW)STYCK (RNAV)–DP STYCK CQY YEAGR–STAR or (ALL OTHERS)(DFW SOUTH FLOW)LEONA–DP CQY YEAGR–STAR or (ALL OTHERS)(DFW NORTH FLOW)LEONA–DP CQY CEDAR CREEK–STAR or (NON TURBOJET (RNAV))(DFW NORTH FLOW)STYCK (RNAV)–DP STYCK CQY CEDAR CREEK–STAR or (RNAV TURBOJET)(DFW SOUTH FLOW)BLTWY (RNAV)–DP CRIED BEREE (RNAV)–STAR or (RNAV TURBOJET)(DFW NORTH FLOW)BLTWY (RNAV)–DP CRIED WHINY (RNAV)–STAR	
NEW ORLEANS(MSY)	(110–180; DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD AWDAD–STAR or (110–180; DME/DME/IRU OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD AWDAD–STAR or (SFC–100)LAKE CHARLES–DP LCH V20 AWDAD or (110–180; ALL OTHERS)LAKE CHARLES–DP LCH AWDAD–STAR	
TULSA(TUL)		
INDIANAPOLIS(IND)	EOS SGF FAM PXV TERGE SMUKE (RNAV)–STAR	
TERRE HAUTE(HUF)	EOS SGF FAM PXV V7 TTH	

HIGH ALTITUDE

Terminals	Route	Effective Times (UTC)
MSY,NEW		
WASHINGTON(IAD)	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)CATLN Q22 BURGG Q60 JAXSN DORRN CAVLR (RNAV)–STAR	
3R9,AUS,EDC,GTU,HYI,RYW,T74		
47N,CDW,LDJ,MMU,SMQ,TEB	ILEXY (RNAV)–DP ZENZI IAH GUSTI Q22 UMBRE SWNGR JAIKE (RNAV)–STAR	
MQS,PHL,PNE,TTN	ILEXY (RNAV)–DP ZENZI IAH GUSTI Q22 BEARI BBDOL PAATS (RNAV)–STAR	
NEW YORK(JFK)	ILEXY (RNAV)–DP ZENZI IAH GUSTI Q22 CATLN Q64 SAWED Q108 SIE CAMRN–STAR	
NEWARK(EWR)	ILEXY (RNAV)–DP ZENZI IAH GUSTI Q22 UMBRE QUART PHLBO (RNAV)–STAR	
ADW, DAA, DCA	(JET ONLY, RNAV 1 – DME/DME/IRU OR GPS.)ILEXY (RNAV)–DP ZENZI LFK SUTTN J29 CARIN MEMFS Q34 SITTR TRUPS (RNAV)–STAR	
ADS, AFW, DAL, DTO, FTW, FWS, CKY, GPM, HQZ, LNC, NFW, RBD, TKI		
HOUSTON(IAH)	(NON–ADVANCED NAV ONLY)JOE POOL–DP TORNN RIICE–STAR	
AMARILLO(AMA)		
AUSTIN(AUS)	SLIDE UCOKA DILLO LAIKS (RNAV)–STAR	
AUSTIN(AUS)		
BOSTON(BOS)	ILEXY (RNAV)–DP ZENZI IAH GUSTI Q22 RBV Q419 JFK ROBUC (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
BWI, MTN	(PT 121&129 JETS ONLY:RNAV 1–DME/DME/IRU OR GPS RQD)ILEXY (RNAV)–DP ZENZI LFK SUTTN J29 CARIN MEMFS Q34 SITTR CJAAE RAVNN (RNAV)–STAR	
	or	
	(JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS REQUIRED)ILEXY (RNAV)–DP ZENZI IAH GUSTI Q22 CATLN Q56 KELLN Q58 PEETT THHMP RAVNN (RNAV)–STAR	
HOUSTON(HOU)	(ALL OTHERS)ILEXY (RNAV)–DP JAYJO SNDAY (RNAV)–STAR	
HOUSTON(IAH)	(TURBOJETS)(IAH WEST FLOW)ILEXY (RNAV)–DP ILEXY MSCOT (RNAV)–STAR	
	or	
	(TURBOJETS)(IAH EAST FLOW)ILEXY (RNAV)–DP ILEXY TTORO (RNAV)–STAR	
JYO, IAD, HEF	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)ILEXY (RNAV)–DP ZENZI LFK SUTTN J29 CARIN MEMFS Q34 HITMN HVQ GIBBZ (RNAV)–STAR	
KHOU, KEFD, KGLS, KLBX	(JETS ONLY – RNAV 1 – DME/DME/IRU OR GPS)ILEXY (RNAV)–DP ILEXY KIDDZ (RNAV)–STAR	
NEW YORK(JFK)	(RNAV1–DME/DME/IRU OR GPS, 250KTS OR GREATER)ILEXY (RNAV)–DP ZENZI LFK MEM J29 PXV ROD KLYNE Q29 JHW Q476 WLKES PUCKY (RNAV)–STAR	
NEW YORK(LGA)	ILEXY (RNAV)–DP ZENZI IAH GUSTI Q22 BURGG Q60 HURTS PROUD (RNAV)–STAR	
PHILADELPHIA(PHL)	ILEXY (RNAV)–DP ZENZI LFK SUTTN J29 CARIN MEMFS Q34 GVE PAATS (RNAV)–STAR	
WASHINGTON(DCA)	(JETS: RNAV 1 – DME/DME/IRU OR GPS)ILEXY (RNAV)–DP ZENZI IAH GUSTI Q22 CATLN Q56 KIWII WAVES CAPSS (RNAV)–STAR	
WASHINGTON(IAD)	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)ILEXY (RNAV)–DP ZENZI IAH GUSTI Q22 BURGG Q60 JAXSN DORRN CAVLR (RNAV)–STAR	
BATON ROUGE(BTR)		
ATLANTA(ATL)	(TURBOJETS)(ATL WEST OPERATION)PAYTN SHYRE HOBTT (RNAV)–STAR	
	or	
	(TURBOJETS)(ATL EAST OPERATION)PAYTN SHYRE GNDLF (RNAV)–STAR	
HOUSTON(HOU)	(TURBOJETS– DME/DME/IRU OR GPS)(HOU WEST FLOW)SALVO LFT SLYCE PUCKS (RNAV)–STAR	
	or	
	(TURBOJETS– DME/DME/IRU OR GPS)(HOU EAST FLOW)SALVO LFT SLYCE BAYYY (RNAV)–STAR	
	or	
	(TURBOPROPS – DME/DME/IRU OR GPS)SALVO LFT BBURT TKNIQ (RNAV)–STAR	
HOUSTON(IAH)	(TURBOJETS & TURBOPROPS – DME/DME/IRU OR GPS)(IAH EAST FLOW)SALVO LFT NNCEE (RNAV)–STAR	
	or	
	(TURBOJETS & TURBOPROPS – DME/DME/IRU OR GPS)(IAH WEST FLOW)SALVO LFT LINKK (RNAV)–STAR	
BROWNSVILLE(BRO)		
DALLAS(DAL)	(RNAV TURBOJET)(DFW NORTH FLOW)CRP PSX TNV MAJKK MNNDO (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)CRP PSX TNV MAJKK REDDN (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW NORTH FLOW)CRP SAT DITSY DRYYE (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)CRP SAT DITSY BACHR (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
DALLAS–FORT WORTH(DFW)	(RNAV TURBOJET)(DFW SOUTH FLOW)ATHIS T499 SAT GUTZZ BOOVE (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW NORTH FLOW)ATHIS T499 SAT GUTZZ SOCKK (RNAV)–STAR.....	
	or	
	(RNAV TURBOJET)(DFW NORTH FLOW)WORRY V13 PSX TNV STUFT WHINY (RNAV)–STAR.....	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)WORRY V13 PSX TNV STUFT BEREE (RNAV)–STAR	
DFW EAST SAT (ADS CPT FWS GKY GPM HQZ JWY LNC RBD TKI F41 F46).....	CRP SAT DITSY SWVAY (RNAV)–STAR	
DFW EAST SAT (ADS HQZ TKI F46).....	(DAL NORTH FLOW)CRP PSX TNV GIFFA JROAM EESAT (RNAV)–STAR	
	or	
	(DAL SOUTH FLOW)CRP PSX TNV GIFFA JROAM LOADS (RNAV)–STAR	
DFW WEST SAT (AFW CPT DTO FTW FWS GKY GPM JWY LNC LUD NFW RBD WEA 50F)	CRP PSX TNV CRIED REEKO (RNAV)–STAR.....	
DFW WEST SAT (AFW DTO FTW LUD NFW WEA 50F)	CRP SAT SPPAD LIKES (RNAV)–STAR.....	
CORPUS CHRISTI(CRP)		
DALLAS(DAL).....	(RNAV TURBOJET)(DFW NORTH FLOW)ATHIS T499 SAT DITSY DRYYE (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)WORRY V13 PSX TNV MAJKK REDDN (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW NORTH FLOW)WORRY V13 PSX TNV MAJKK MNNDO (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)ATHIS T499 SAT DITSY BACHR (RNAV)–STAR.....	
DALLAS–FORT WORTH(DFW)	(RNAV TURBOJET)(DFW NORTH FLOW)ATHIS T499 SAT GUTZZ SOCKK (RNAV)–STAR.....	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)WORRY V13 PSX TNV STUFT BEREE (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)ATHIS T499 SAT GUTZZ BOOVE (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW NORTH FLOW)WORRY V13 PSX TNV STUFT WHINY (RNAV)–STAR.....	
DFW EAST SAT (ADS CPT FWS GKY GPM HQZ JWY LNC RBD TKI F41 F46).....	ATHIS T499 SAT DITSY SWVAY (RNAV)–STAR	
DFW EAST SAT (ADS HQZ TKI F46).....	(DAL SOUTH FLOW)WORRY V13 PSX TNV GIFFA JROAM LOADS (RNAV)–STAR.....	
	or	
	(DAL NORTH FLOW)WORRY V13 PSX TNV GIFFA JROAM EESAT (RNAV)–STAR	
DFW WEST SAT (AFW CPT DTO FTW FWS GKY GPM JWY LNC LUD NFW RBD WEA 50F)	WORRY V13 PSX TNV CRIED REEKO (RNAV)–STAR	
DFW WEST SAT (AFW DTO FTW LUD NFW WEA 50F)	ATHIS T499 SAT SPPAD LIKES (RNAV)–STAR	
DALLAS(DAL)		
ADW, DAA, DCA.....	(JET ONLY, RNAV 1 – DME/DME/IRU OR GPS.)LNDRE (RNAV)–DP LOOSE Q34 SITTR TRUPS (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
ATLANTA(ATL)	(TURBO)(DAL NORTH ATL WEST)EMMTT (RNAV)–DP FORCK ELD MERDN ORRKK HOBTT (RNAV)–STAR	
	or	
	(TURBOJET)(DAL SOUTH)LNDRE (RNAV)–DP LOOSE MEMFS HUTCC KNSAW RUSSA RUTTH CHPPR (RNAV)–STAR	
	or	
	(JETS; RNAV1 DME/DME/IRU OR GPS)(DAL NORTH)ESNYE (RNAV)–DP MLC RZC ARG MEMFS HUTCC KNSAW RUSSA GLAVN (RNAV)–STAR	
	or	
	(TURBOJET)(DAL SOUTH ATL WEST)LNDRE (RNAV)–DP FORCK ELD MERDN ORRKK HOBTT (RNAV)–STAR	
	or	
	(TURBOJET)(DAL NORTH)EMMTT (RNAV)–DP LOOSE MEMFS HUTCC KNSAW RUSSA RUTTH CHPPR (RNAV)–STAR	
	or	
	(TURBOJET)(DAL SOUTH)SWTSR (RNAV)–DP MLC RZC ARG MEMFS HUTCC KNSAW RUSSA GLAVN (RNAV)–STAR	
	or	
	(TURBOJET)(DAL SOUTH)LNDRE (RNAV)–DP LOOSE MEMFS HUTCC KNSAW RUSSA GLAVN (RNAV)–STAR	
	or	
	(TURBOJET)(DAL NORTH ATL EAST)EMMTT (RNAV)–DP FORCK ELD MERDN ORRKK GNDLF (RNAV)–STAR	
	or	
	(TURBOJET)(DAL SOUTH ATL EAST)LNDRE (RNAV)–DP FORCK ELD MERDN ORRKK GNDLF (RNAV)–STAR	
	or	
	(TURBOJET)(DAL NORTH)EMMTT (RNAV)–DP LOOSE MEMFS HUTCC KNSAW RUSSA GLAVN (RNAV)–STAR	
BIRMINGHAM(BHM)	FORCK SQS IGB NESTS	
	or	
	(RNAV)FORCK IZAAC HRISN NESTS	
	or	
	(RNAV)SOLDO IZAAC HRISN NESTS	
	or	
	SOLDO SQS IGB NESTS	
BOSTON(BOS)	LNDRE (RNAV)–DP FORCK ELD IZAAC Q30 VLKNN THRSR TWOUP Q22 RBV Q419 JFK ROBUC (RNAV)–STAR	
	or	
	LNDRE (RNAV)–DP BSKAT LIT J131 PXV KLYNE Q29 JHW Q82 PONCT JFUND (RNAV)–STAR	
BWI, MTN	(PT 121&129 JETS ONLY:RNAV 1–DME/DME/IRU OR GPS RQD)LNDRE (RNAV)–DP LOOSE Q34 SITTR CJAAE RAVNN (RNAV)–STAR	
CHICAGO(ORD)	(TURBOJET)(ORD WEST FLOW)ESNYE (RNAV)–DP MLC SGF WELTS TRTLL (RNAV)–STAR	
	or	
	(TURBOJET)(ORD EAST FLOW)ESNYE (RNAV)–DP MLC SGF WELTS SHAIN (RNAV)–STAR	
DETROIT(DTW)	(DME/DME/IRU OR GPS REQUIRED)(DTW NORTH FLOW)LNDRE (RNAV)–DP BSKAT LIT J131 PXV WWODD LECTR (RNAV)–STAR	
	or	
	(DME/DME/IRU OR GPS REQUIRED)(DTW SOUTH FLOW)LNDRE (RNAV)–DP BSKAT LIT J131 PXV WWODD HANBL (RNAV)–STAR	
JYO, IAD, HEF	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)LNDRE (RNAV)–DP LOOSE Q34 HITMN HVQ GIBBZ (RNAV)–STAR	
NEW YORK(LGA)	LNDRE (RNAV)–DP FORCK ELD IZAAC Q30 VLKNN THRSR TWOUP Q22 BURGG Q60 HURTS PROUD (RNAV)–STAR	
NEWARK(EWR)	LNDRE (RNAV)–DP FORCK ELD IZAAC Q30 VLKNN THRSR TWOUP Q22 UMBRE QUART PHLBO (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
PHILADELPHIA(PHL)	LNDRE (RNAV)–DP LOOSE Q34 GVE PAATS (RNAV)–STAR	
SAT, BAZ, CVB, PEZ, RND, SSF, SKF, 5C1	(DAL NORTH FLOW)RAMBL (RNAV)–DP WINDU QERVO (RNAV)–STAR or (DAL SOUTH FLOW)CURLO (RNAV)–DP WINDU QERVO (RNAV)–STAR	
DALLAS–FORT WORTH(DFW)		
07FA,HST,MIA,TMB,X51	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)(WATER)MRSSH (RNAV)–DP ZALEA HRV Q105 BLVNS Y290 DOWRY FROGZ (RNAV)–STAR or (JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)MRSSH (RNAV)–DP ZALEA MCB J50 CEW J2 DEFUN FROGZ (RNAV)–STAR	
47N,CDW,LDJ,MMU,SMQ,TEB	FORCK (RNAV)–DP FORCK ELD IZAAC Q30 VLKNN THRSR TWOUP Q22 UMBRE SWNGR JAIKE (RNAV)–STAR	
ADW, DAA, DCA	(JET ONLY, RNAV 1 – DME/DME/IRU OR GPS.)TRYTN (RNAV)–DP LOOSE Q34 SITTR TRUPS (RNAV)–STAR	
ATLANTA(ATL)	(TURBOJET)(ATL WEST)FORCK (RNAV)–DP FORCK ELD MERDN ORRKK HOBTT (RNAV)–STAR or (TURBOJET)(ATL WEST)FORCK (RNAV)–DP FORCK ELD MERDN ORRKK GNDLF (RNAV)–STAR or (TURBOJET)TRYTN (RNAV)–DP LOOSE MEMFS HUTCC KNSAW RUSSA GLAVN (RNAV)–STAR or (TURBOJET)AKUNA (RNAV)–DP MLC RZC ARG MEMFS HUTCC KNSAW RUSSA GLAVN (RNAV)–STAR or (TURBOJETS)TRYTN (RNAV)–DP LOOSE MEMFS HUTCC KNSAW RUSSA RUTTH CHPPR (RNAV)–STAR	
BIRMINGHAM(BHM)	SOLDO SQS IGB NESTS or (RNAV)FORCK IZAAC HRISN NESTS or (RNAV)SOLDO IZAAC HRISN NESTS or FORCK SQS IGB NESTS	
BOCA RATON(BCT)	MRSSH (RNAV)–DP ZALEA MCB J50 CEW J2 DEFUN VUUDU (RNAV)–STAR or (WATER)MRSSH ZALEA HRV Q105 BLVNS Y290 GAWKS VUUDU (RNAV)–STAR	
BOSTON(BOS)	ZACHH (RNAV)–DP BSKAT LIT J131 PXV KLYNE Q29 JHW Q82 PONCT JFUND (RNAV)–STAR or FORCK (RNAV)–DP FORCK ELD IZAAC Q30 VLKNN THRSR TWOUP Q22 RBV Q419 JFK ROBUC (RNAV)–STAR	1100–0300
BWI, MTN	(PT 121&129 JETS ONLY:RNAV 1–DME/DME/IRU OR GPS RQD)TRYTN (RNAV)–DP LOOSE Q34 SITTR CJAAE RAVNN (RNAV)–STAR	
CHARLOTTE(CLT)	(JETS ONLY RNAV 1 – DME/DME/IRU OR GPS)FORCK (RNAV)–DP FORCK IZAAC Q30 VLKNN THRSR BESTT JONZE (RNAV)–STAR	
CHICAGO(MDW)	(TURBOJET)AKUNA (RNAV)–DP MLC SGF MAGOO ENDEE (RNAV)–STAR	
CHICAGO(ORD)	(TURBOJETS)(ORD WEST FLO)AKUNA (RNAV)–DP MLC SGF WELTS TRTLL (RNAV)–STAR or (TURBOJET)(ORD EAST FLOW)AKUNA (RNAV)–DP MLC SGF WELTS SHAIN (RNAV)–STAR	
CLEVELAND METRO(CLE,CGF,BKL,LNN,LPR)	(RNAV TURBOJET)ZACHH (RNAV)–DP BSKAT LIT J131 PXV DRUGA ROKNN (RNAV)–STAR	
CVG, HAO, LUK I69	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)ZACHH (RNAV)–DP BSKAT LIT J131 HUMBO TERGE SARGO (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
DENVER(DEN)	LOWGN (RNAV)–DP ROLLS TOTOE HALEN NIIXX (RNAV)–STAR	
DETROIT SATS(DET,ARB,PTK,YIP,CYQG)	ZACHH (RNAV)–DP BSKAT LIT J131 PXV VHP FWA LYNTN	
DETROIT(DTW)	(DME/DME/IRU OR GPS REQUIRED)(DTW NORTH FLOW)ZACHH (RNAV)–DP BSKAT LIT J131 PXV WWODD LECTR (RNAV)–STAR or (DME/DME/IRU OR GPS REQUIRED)(DTW SOUTH FLOW)ZACHH (RNAV)–DP BSKAT LIT J131 PXV WWODD HANBL (RNAV)–STAR	
FLL,FXE,PMP	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)(WATER)MRSSH (RNAV)–DP ZALEA HRV Q105 BLVNS Y290 DOWRY TEEKY (RNAV)–STAR or (JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)MRSSH (RNAV)–DP ZALEA MCB J50 CEW J2 DEFUN TEEKY (RNAV)–STAR	
JVY LOU SDF	(JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS)ZACHH (RNAV)–DP BSKAT BUMPY MBELL (RNAV)–STAR	
JYO, IAD, HEF	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)TRYTN (RNAV)–DP LOOSE Q34 HITMN HVQ GIBBZ (RNAV)–STAR	
KEY WEST(EYW)	(WATER)MRSSH (RNAV)–DP ZALEA HRV Q105 BLVNS Y290 GAWKS PIKKR KRAKN (RNAV)–STAR or MRSSH (RNAV)–DP ZALEA MCB J50 CEW J2 DEFUN KRAKN (RNAV)–STAR	
KHOU, KEFD, KGLS, KLBX	(JETS ONLY – RNAV 1 – DME/DME/IRU OR GPS)ARDIA (RNAV)–DP ELLVR KIDDZ (RNAV)–STAR	
NEW YORK(JFK)	FORCK (RNAV)–DP FORCK ELD IZAAC Q30 VLKNN THRSR HRTWL Q64 SAWED Q108 SIE CAMRN–STAR	
NEW YORK(LGA)	FORCK (RNAV)–DP FORCK ELD IZAAC Q30 VLKNN THRSR TWOUP Q22 BURGG Q60 HURTS PROUD (RNAV)–STAR	
NEWARK(EWR)	FORCK (RNAV)–DP FORCK ELD IZAAC Q30 VLKNN THRSR TWOUP Q22 UMBRE QUART PHLBO (RNAV)–STAR	
PHILADELPHIA(PHL)	TRYTN (RNAV)–DP LOOSE Q34 GVE PAATS (RNAV)–STAR	
PITTSBURGH(PIT)	ZACHH (RNAV)–DP BSKAT LIT J131 PXV HNN FEWGA (RNAV)–STAR	
SAN FRANCISCO(SFO)	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)HRPER (RNAV)–DP HULZE TXO J74 SJN J18 PXR J65 DECAS PMD J6 AVE MAKRS SERFR SERFR (RNAV)–STAR or (JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)HRPER (RNAV)–DP HULZE TCC J76 FTI J58 OAL INYOE DYAMD (RNAV)–STAR	
SAN JOSE(SJC)	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)HRPER (RNAV)–DP HULZE TXO J74 SJN J18 PXR J65 DECAS PMD J6 AVE MAKRS TROXX SILCN (RNAV)–STAR	
SAT, BAZ, CVB, PEZ, RND, SSF, SKF, 5C1	JASPA (RNAV)–DP WINDU QERVO (RNAV)–STAR	
WEST PALM BEACH(DJT)	MRSSH (RNAV)–DP ZALEA MCB J50 CEW J2 DEFUN VUUDU (RNAV)–STAR or (WATER)MRSSH (RNAV)–DP ZALEA HRV Q105 BLVNS Y290 GAWKS VUUDU (RNAV)–STAR	
WINDSOR LOCKS(BDL)	TRYTN (RNAV)–DP LOOSE Q34 RBV Q419 DPK DEER PARK–STAR or TRYTN (RNAV)–DP LOOSE MEMFS Q29 JHW Q82 MEMMS WILET STELA (RNAV)–STAR	
DALLAS/FORT WORTH METRO		
HOUSTON(HOU)	(NON–TURBOJETS)JOE POOL–DP ELLVR SNDAY (RNAV)–STAR	
HOUSTON(IAH)	(RNAV TURBOJET)(IAH WEST FLOW)DARTZ (RNAV)–DP TORNN DRLLR (RNAV)–STAR or (RNAV TURBOJET)(IAH EAST FLOW)DARTZ (RNAV)–DP TORNN GUSHR (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
EL PASO(ELP)		
SAT, BAZ, CVB, PEZ, RND, SSF, SKF, 5C1	NEVUE (RNAV)–DP FST MOPPP DNKIN (RNAV)–STAR	
FAYETTEVILLE/SPRINGDALE/ROGERS(XNA)		
CHICAGO(ORD)	EOS SGF WELTS SHAIN (RNAV)–STAR or EOS SGF WELTS TRTLL (RNAV)–STAR	
NEW YORK(LGA)	EOS SGF STL WWSHR TEESY Q186 WEVEL ETG MILTON–STAR	
FORT WORTH(FTW)		
LOUISVILLE(LOU)	TXK MOOCH MBELL (RNAV)–STAR	
GULFPORT(GPT)		
HOUSTON(HOU)	(TURBOJETS– DME/DME/IRU OR GPS)(HOU EAST FLOW)HRV KCEEE BAYYY (RNAV)–STAR or (TURBOPROPS)HRV BBURT TKNIQ (RNAV)–STAR or (TURBOJETS– DME/DME/IRU OR GPS)(HOU WEST FLOW)HRV KCEEE PUCKS (RNAV)–STAR	
HOUSTON(IAH)	(TURBOJETS & TURBOPROPS – DME/DME/IRU OR GPS)(IAH WEST FLOW)HRV LINKK (RNAV)–STAR or (TURBOJETS & TURBOPROPS–DME/DME/IRU OR GPS)(IAH EAST FLOW)HRV NNCEE (RNAV)–STAR	
HARLINGEN(HRL)		
DALLAS(DAL)	(RNAV TURBOJET)(DFW SOUTH FLOW)CRP T499 SAT DITSY BACHR (RNAV)–STAR or (RNAV TURBOJET)(DFW NORTH FLOW)CRP T499 SAT DITSY DRYYE (RNAV)–STAR or (RNAV TURBOJET)(DFW NORTH FLOW)CRP PSX TNV MAJKK MNNDO (RNAV)–STAR or (RNAV TURBOJET)(DFW SOUTH FLOW)CRP PSX TNV MAJKK REDDN (RNAV)–STAR	
DALLAS–FORT WORTH(DFW)	(RNAV TURBOJET)(DFW NORTH FLOW)CRP PSX TNV STUFT WHINY (RNAV)–STAR or (RNAV TURBOJET)(DFW SOUTH FLOW)CRP PSX TNV STUFT BEREE (RNAV)–STAR or (RNAV TURBOJET)(DFW SOUTH FLOW)CRP SAT GUTZZ BOOVE (RNAV)–STAR or (RNAV TURBOJET)(DFW NORTH FLOW)CRP SAT GUTZZ SOCKK (RNAV)–STAR	
DFW EAST SAT (ADS CPT FWS GKY GPM HQZ JWY LNC RBD TKI F41 F46)	CRP SAT DITSY SWVAY (RNAV)–STAR	
DFW EAST SAT (ADS HQZ TKI F46)	(DAL NORTH FLOW)CRP PSX TNV GIFFA JROAM EESAT (RNAV)–STAR or (DAL SOUTH FLOW)CRP PSX TNV GIFFA JROAM LOADS (RNAV)–STAR	
DFW WEST SAT (AFW CPT DTO FTW FWS GKY GPM JWY LNC LUD NFW RBD WEA 50F)	CRP PSX CRIED REEKO (RNAV)–STAR	
DFW WEST SAT (AFW DTO FTW LUD NFW WEA 50F)	CRP SAT SPPAD LIKES (RNAV)–STAR	
HOUSTON(HOU)		
07FA,HST,MIA,TMB,X51	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)(WATER)ELOCO (RNAV)–DP LLA LEV Y290 DOWRY FROGZ (RNAV)–STAR or (JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)ELOCO (RNAV)–DP LLA HRV SJI J2 DEFUN FROGZ (RNAV)–STAR	
ALBUQUERQUE(ABQ)	(DME/DME/IRU OR GPS)RETYR (RNAV)–DP JCT J15 CME	

Terminals	Route	Effective Times (UTC)
ATLANTA(ATL)	(TURBOJETS)(ATL WEST OPERATION)ELOCO (RNAV)–DP LLA HRV PAYTN SHYRE HOBTT (RNAV)–STAR or (TURBOJETS)(ATL EAST OPERATION)ELOCO (RNAV)–DP LLA HRV PAYTN SHYRE GNDLF (RNAV)–STAR	
AUSTIN(AUS)	(DME/DME/IRU OR GPS)RETYR (RNAV)–DP MNURE WLEEE (RNAV)–STAR	
BIRMINGHAM(BHM)	STRYA (RNAV)–DP DPATY MEI LYMPH	
BOCA RATON(BCT)	ELOCO (RNAV)–DP LLA HRV SJI J2 DEFUN VUUDU (RNAV)–STAR or (WATER)ELOCO (RNAV)–DP LLA LEV Y290 GAWKS VUUDU (RNAV)–STAR	
BOSTON(BOS)	ELOCO (RNAV)–DP LLA HRV Q56 CATLN Q22 RBV Q419 JFK ROBUC (RNAV)–STAR	
BWI, MTN	(JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS REQUIRED)ELOCO (RNAV)–DP LLA HRV Q56 KELLN Q58 PEETT THHMP RAVNN (RNAV)–STAR	
CHARLESTON(CHS)	ELOCO (RNAV)–DP LLA HRV SJI J2 DEFUN CABLO ALLMA SAV BAGGY (RNAV)–STAR	
CHARLESTON(CRW)	LURIC (RNAV)–DP ORRTH CRAMM BNA SWAPP Q34 FOUNT HVQ	
CHARLOTTE(CLT)	(JETS ONLY RNAV 1 – DME/DME/IRU OR GPS)ELOCO (RNAV)–DP LLA HRV Q56 CATLN MGMRY BESTT JONZE (RNAV)–STAR	
CHICAGO(MDW)	(RNAV 1–DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J101 STL SPI PHEEB ENDEE (RNAV)–STAR	
CHICAGO(ORD)	(DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J180 FTZ TRTLL (RNAV)–STAR or STYCK (RNAV)–DP WTSON BYP MLC RZC SGF WELTS TRTLL (RNAV)–STAR	
CLEVELAND METRO(CLE,CGF,BKL,LNN,LPR)	(RNAV TURBOJET)INDIE (RNAV)–DP TPAKK LIT J131 PXV DRUGA ROKNN (RNAV)–STAR	
CMH, LCK, OSU	(RNAV 1–DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J131 PXV GETTA JAKTZ (RNAV)–STAR	
COLORADO SPRINGS(COS)	(TURBOJETS – DME/DME/IRU OR GPS)STYCK (RNAV)–DP DOLEY ADM MMB TOTOE LAA OZZZY (RNAV)–STAR	
COLUMBIA(CAE)	ELOCO (RNAV)–DP LLA HRV Q56 CATLN MGMRY THRSR IRQ CAE	
CPK,FAF,LFI,NGU,ORF,PHF,PVG	(RNAV 1 – DME/DME/IRU OR GPS)ELOCO (RNAV)–DP LLA HRV Q56 CATLN Q64 HRTWL Q54 NUTZE KOHLS (RNAV)–STAR	
CVG, HAO, LUK I69	(RNAV 1 – DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J131 HUMBO TERGE SARGO (RNAV)–STAR	
DALLAS(DAL)	(ALL OTHERS)GIFFA YEAGR–STAR or (TURBOJETS)(DAL SOUTH FLOW)WYLSN (RNAV)–DP MAJKK REDDN (RNAV)–STAR or (TURBOJETS)(DAL NORTH FLOW)WYLSN (RNAV)–DP MAJKK MNNDO (RNAV)–STAR	
DALLAS–FORT WORTH(DFW)	(RNAV TURBOJET)(DFW SOUTH FLOW)BLTWY (RNAV)–DP CRIED BEREE (RNAV)–STAR or (RNAV TURBOJET)(DFW NORTH FLOW)BLTWY (RNAV)–DP CRIED WHINY (RNAV)–STAR or (ALL OTHERS)CRIED CEDAR CREEK–STAR	
DENVER(DEN)	STYCK (RNAV)–DP DOLEY ADM ROLLS TOTOE HALEN NIIXX (RNAV)–STAR	
DES MOINES(DSM)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP WTSON BYP TUL J25 DSM	

Terminals	Route	Effective Times (UTC)
DETROIT(DTW)	(DME/DME/IRU OR GPS REQUIRED)(DTW NORTH FLOW)INDIE (RNAV)–DP TPAKK LIT J131 PXV WWODD LECTR (RNAV)–STAR or (DME/DME/IRU OR GPS REQUIRED)(DTW SOUTH FLOW)INDIE (RNAV)–DP TPAKK LIT J131 PXV WWODD HANBL (RNAV)–STAR	
FAYETTEVILLE/SPRINGDALE/ROGERS(XNA)	(DME/DME/IRU OR GPS)INDIE (RNAV)–DP INDIE PGO RZC	
FLL,FXE,PMP	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)(WATER)ELOCO (RNAV)–DP LLA LEV Y290 DOWRY TEEKY (RNAV)–STAR or (JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)ELOCO (RNAV)–DP LLA HRV SJI J2 DEFUN TEEKY (RNAV)–STAR	
FORT MYERS(RSW)	ELOCO (RNAV)–DP LLA HRV SJI J2 DEFUN CABLO BULZI Q81 NICKI PLYER TYNEE (RNAV)–STAR or ELOCO (RNAV)–DP LLA LEV Y290 BLVNS KOLBR TYNEE (RNAV)–STAR	
GMU,GSP,GYH,SPA	ELOCO (RNAV)–DP LLA HRV Q56 CATLN MGMRY BESTT WORXS (RNAV)–STAR	
GRAND RAPIDS(GRR)	(RNAV 1 – DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J101 STL J19 RBS KLROY LOGGR VIO	
INDIANAPOLIS(IND)	(TURBOJETS)INDIE (RNAV)–DP TPAKK LIT J131 PXV TERGE SMUKE (RNAV)–STAR	
JACKSONVILLE(JAX)	ELOCO (RNAV)–DP LLA HRV SJI J2 DEFUN CABLO ZOOSS MARQO (RNAV)–STAR	
KANSAS CITY(MCI)	(RNAV TURBOJET/TURBOPROP)STYCK (RNAV)–DP WTSON BYP TUL STASN WUTNG (RNAV)–STAR	
KNOXVILLE(TYS)	(DME/DME/IRU OR GPS)STRYA (RNAV)–DP DPATY MEI VUZ VXV	
LAL, MCF, TPA, VDF	(RNAV 1 – DME/DME/IRU OR GPS)ELOCO (RNAV)–DP LLA HRV SJI J2 DEFUN MAATY (RNAV)–STAR	
LAS VEGAS(LAS)	RETYR (RNAV)–DP JCT J86 INW HAHAA RKSTR (RNAV)–STAR	
LEXINGTON(LEX)	(DME/DME/IRU OR GPS)LURIC (RNAV)–DP ORRTH CRAMM BNA UNCKL	
LOS ANGELES(LAX)	(DME/DME/IRU OR GPS)RETYR (RNAV)–DP JCT J86 ELP J50 SSO J4 TNP SEAVU–STAR	
LOUISVILLE(SDF)	(TURBOJET)INDIE (RNAV)–DP TPAKK LIT MOOCH MBELL (RNAV)–STAR	
MCO, ORL, ISM, SFB, LEE, MLB, SFB	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)(WATER)ELOCO (RNAV)–DP LLA LEV Y280 CHRGE PRICY (RNAV)–STAR	
MEMPHIS(MEM)	(TURBOJETS – DME/DME/IRU OR GPS)LURIC (RNAV)–DP HAWES FAYEE HOBRK (RNAV)–STAR	
MINNEAPOLIS(MSP)	(TURBOJETS)STYCK (RNAV)–DP WTSON BYP TUL J25 MCI ROKKK NITZR (RNAV)–STAR	1000–0300
MKE, 57C, BUU, ENW, ETB, HXF, MWC, PWK, RAC, UES, UGN	(RNAV 1 – DME/DME/IRU OR GPS)INDIE (RNAV)–DP LURIC LIT J101 SPI JOT LEEDN GOPAC (RNAV)–STAR	
MQS,PHL,PNE,TTN	(TURBOJETS)ELOCO (RNAV)–DP LLA HRV Q56 CATLN Q22 BEARI BBDOL PAATS (RNAV)–STAR	
NASHVILLE(BNA)	(JETS – RNAV1 DME/DME/IRU OR GPS)LURIC (RNAV)–DP HAWES SUTTN J29 CARIN MEMFS CHSNE (RNAV)–STAR	
NEW ORLEANS(MSY)	(DME/DME/IRU OR GPS)ELOCO (RNAV)–DP LLA AWDAD AWDAD–STAR or (ALL OTHERS)SBI270016 SBI LLA AWDAD AWDAD–STAR	
NEW YORK(JFK)	(TURBOJETS)ELOCO (RNAV)–DP LLA HRV Q56 CATLN Q64 SAWED Q108 SIE CAMRN–STAR	
NEW YORK(LGA)	ELOCO (RNAV)–DP LLA HRV Q56 CATLN Q22 BURGG Q60 HURTS PROUD (RNAV)–STAR	
NEWARK(EWR)	(TURBOJETS)ELOCO (RNAV)–DP LLA HRV Q56 CATLN Q22 UMBRE QUART PHLBO (RNAV)–STAR	
OAKLAND(OAK)	(TURBOJET)RETYR (RNAV)–DP JCT J86 BLD J92 BTY RUSME OAKES (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
OKLAHOMA CITY(OKC)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP DOLEY ZEMMA TSDEL (RNAV)–STAR	
OMAHA(OMA)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP WTSON BYP HTHWY TIMMO (RNAV)–STAR	
ONTARIO(ONT)	(DME/DME/IRU OR GPS)RETYR (RNAV)–DP JCT ELP SSO J4 BXK PHRED SCBBY (RNAV)–STAR	
ORLANDO(MCO)	ELOCO (RNAV)–DP LLA HRV SJI J2 DEFUN GRNCH (RNAV)–STAR	
PENSACOLA(PNS)	(DME/DME/IRU OR GPS)ELOCO (RNAV)–DP LLA HRV SJI V241 PENSI	
PITTSBURGH(PIT)	(DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J131 PXV APE CTW FEWGA (RNAV)–STAR	
PORTLAND(PDX)	(RNAV 1 – DME/DME/IRU OR GPS)RETYR (RNAV)–DP JCT J15 IMB JOTBA HHOOD (RNAV)–STAR or (RNAV 1 – DME/DME/IRU OR GPS)STYCK (RNAV)–DP DOLEY FUZ HNKER ALS JNC J15 IMB JOTBA HHOOD (RNAV)–STAR	
RALEIGH/DURHAM(RDU)	ELOCO (RNAV)–DP LLA HRV Q56 CATLN MGMRY THRSR IRQ PYRES DMSTR (RNAV)–STAR	
RICHMOND(RIC)	(TURBOJETS & TURBOPROPS)ELOCO (RNAV)–DP LLA HRV Q56 CATLN Q22 BURGG Q60 JAXSN KELCE DUCXS (RNAV)–STAR	
SALT LAKE CITY(SLC)	(TURBOJETS – DME/DME/IRU OR GPS)RETYR (RNAV)–DP JCT J15 JNC HELPR JAZZZ (RNAV)–STAR	
SAN DIEGO(SAN)	(DME/DME/IRU OR GPS)RETYR (RNAV)–DP JCT J2 HOGGZ LUCKI (RNAV)–STAR	
SAN FRANCISCO(SFO)	(DME/DME/IRU OR GPS)RETYR (RNAV)–DP JCT J86 BLD J92 OAL or (DME/DME/IRU OR GPS)STYCK (RNAV)–DP DOLEY FUZ HNKER TXO FTI J58 MLF J80 OAL	
SAN JOSE(SJC)	(TURBOJET)RETYR (RNAV)–DP JCT J86 ELP Q4 BOILE MAKRS TROXX SILCN (RNAV)–STAR	
SANTA ANA(SNA)	(DME/DME/IRU OR GPS)RETYR (RNAV)–DP JCT J86 ELP J50 TFD J212 PSP KAYOH–STAR	
SAT, BAZ, CVB, PEZ, RND, SSF, SKF, 5C1	RETYR (RNAV)–DP WAILN QERVO (RNAV)–STAR	
SAVANNAH(SAV)	(DME/DME/IRU OR GPS)ELOCO (RNAV)–DP LLA HRV SJI J2 CEW ALLMA JANIE	
SEATTLE(SEA)	(TURBOJETS)STYCK (RNAV)–DP DOLEY ADM ROLLS TOTOE LAA J52 FQF J20 PDT CHINS–STAR	
ST LOUIS(STL)	(TURBOJETS – DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT ARG BOOSH (RNAV)–STAR	
TAMPA(TPA)	ELOCO (RNAV)–DP LLA LEV Y280 CHRGE RAYZZ (RNAV)–STAR	
TUCSON(TUS)	(DME/DME/IRU OR GPS)RETYR (RNAV)–DP JCT J86 ELP ZONNA (RNAV)–STAR	
TULSA(TUL)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP WTSON BYP TUL	
WASHINGTON(DCA)	(JETS: RNAV 1 – DME/DME/IRU OR GPS)ELOCO (RNAV)–DP LLA HRV Q56 KIWII WAVES CAPSS (RNAV)–STAR	
WASHINGTON(IAD)	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)ELOCO (RNAV)–DP LLA HRV SJI CATLN Q22 BURGG Q60 JAXSN DORRN CAVLR (RNAV)–STAR	
WEST PALM BEACH(DJT)	(WATER)ELOCO (RNAV)–DP LLA LEV Y290 GAWKS VUUDU (RNAV)–STAR or ELOCO (RNAV)–DP LLA HRV SJI J2 DEFUN VUUDU (RNAV)–STAR	
WICHITA(ICT)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP DOLEY ADM IRW HUSKA	
WINDSOR LOCKS(BDL)	ELOCO (RNAV)–DP LLA HRV Q56 CATLN Q22 RBV Q419 DPK DEER PARK–STAR	

Terminals	Route	Effective Times (UTC)
HOUSTON(IAH)		
06FA, BCT, F45, DJT, SUA	(JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS)(WATER/IAH EAST FLOW)GUMBY (RNAV)–DP LLA LEV Y290 GAWKS VUUDU (RNAV)–STAR or (JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS)(WATER/IAH WEST FLOW)MMUGS (RNAV)–DP LLA LEV Y290 GAWKS VUUDU (RNAV)–STAR	
07FA,HST,MIA,TMB,X51	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN FROGZ (RNAV)–STAR or (JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS.)(WATER/IAH EAST FLOW)GUMBY (RNAV)–DP LLA LEV Y290 DOWRY FROGZ (RNAV)–STAR or (JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN FROGZ (RNAV)–STAR or (JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS.)(WATER/IAH WEST FLOW)MMUGS (RNAV)–DP LLA LEV Y290 DOWRY FROGZ (RNAV)–STAR	
ALBUQUERQUE(ABQ)	(DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER LOWGO J15 CME or (DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP CRGER LOWGO J15 CME	
ATLANTA(ATL)	(TURBOJETS)(IAH WEST ATL WEST)MMUGS (RNAV)–DP LCH Q24 PAYTN SHYRE HOBTT (RNAV)–STAR or (TURBOJETS)(IAH EAST ATL EAST)GUMBY (RNAV)–DP LCH Q24 PAYTN SHYRE GNDLF (RNAV)–STAR or (TURBOJETS)(IAH WEST ATL EAST)MMUGS (RNAV)–DP LCH Q24 PAYTN SHYRE GNDLF (RNAV)–STAR or (TURBOJETS)(IAH EAST ATL WEST)GUMBY (RNAV)–DP LCH Q24 PAYTN SHYRE HOBTT (RNAV)–STAR	
AUSTIN(AUS)	(DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP MNURE WLEEE (RNAV)–STAR or (DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP MNURE WLEEE (RNAV)–STAR	
BIRMINGHAM(BHM)	STRYA (RNAV)–DP DPATY MEI LYMPH	
BOCA RATON(BCT)	(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN VUUDU (RNAV)–STAR or (IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN VUUDU (RNAV)–STAR	
BOSTON(BOS)	(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 RBV Q419 JFK ROBUC (RNAV)–STAR or (IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 RBV Q419 JFK ROBUC (RNAV)–STAR	1100–0300 1100–0300
BWI, MTN	(JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS REQUIRED)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 CATLN Q56 KELLN Q58 PEETT THHMP RAVNN (RNAV)–STAR or (JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS REQUIRED)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 CATLN Q56 KELLN Q58 PEETT THHMP RAVNN (RNAV)–STAR	
CHARLESTON(CHS)	(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI SJI J2 DEFUN CABLO ALLMA SAV BAGGY (RNAV)–STAR or (IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI SJI J2 DEFUN CABLO ALLMA SAV BAGGY (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
CHARLESTON(CRW)	LURIC (RNAV)–DP ORRTH CRAMM BNA SWAPP Q34 FOUNT HVQ	
CHARLOTTE(CLT)	(JETS ONLY RNAV 1 – DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 CATLN BESTT JONZE (RNAV)–STAR or (JETS ONLY RNAV 1 – DME/DME/IRU OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 CATLN BESTT JONZE (RNAV)–STAR	
CHICAGO(MDW)	(RNAV 1–DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J101 STL SPI PHEEB ENDEE (RNAV)–STAR	
CHICAGO(ORD)	STYCK (RNAV)–DP WTSON BYP MLC RZC SGF WELTS TRTLL (RNAV)–STAR or (DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J180 FTZ TRTLL (RNAV)–STAR	
CLEVELAND METRO(CLE,CGF,BKL,LNN,LPR)	(RNAV TURBOJET)INDIE (RNAV)–DP TPAKK LIT J131 PXV DRUGA ROKNN (RNAV)–STAR	
CMH, LCK, OSU	(RNAV 1–DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J131 PXV GETTA JAKTZ (RNAV)–STAR	
COLORADO SPRINGS(COS)	(TURBOJETS – DME/DME/IRU OR GPS)STYCK (RNAV)–DP DOLEY ADM MMB TOTOE LAA OZZZY (RNAV)–STAR	
COLUMBIA(CAE)	(DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 CATLN MGMRY THRSR IRQ CAE or (IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 CATLN MGMRY THRSR IRQ CAE	
CPK,FAF,LFI,NGU,ORF,PHF,PVG,NTU,SFQ, AKQ,JGG	(RNAV 1 – DME/DME/IRU OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 CATLN Q64 HRTWL Q54 NUTZE KOHLS (RNAV)–STAR or (RNAV 1 – DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 CATLN Q64 HRTWL Q54 NUTZE KOHLS (RNAV)–STAR	
CVG, HAO, LUK I69	(RNAV 1 – DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J131 HUMBO TERGE SARGO (RNAV)–STAR	
DALLAS(DAL)	(ALL OTHERS)GIFFA YEAGR–STAR or (RNAV TURBOJET)(DAL NORTH FLOW)WYLSN (RNAV)–DP MAJKK MNNDO (RNAV)–STAR or (RNAV TURBOJET)(DAL SOUTH FLOW)WYLSN (RNAV)–DP MAJKK REDDN (RNAV)–STAR	
DALLAS–FORT WORTH(DFW)	(RNAV TURBOJET)(DFW NORTH FLOW)BLTWY (RNAV)–DP CRIED WHINY (RNAV)–STAR or (ALL OTHERS)CRIED CEDAR CREEK–STAR or (NON–TURBOJET (RNAV))BLTWY (RNAV)–DP CRIED CEDAR CREEK–STAR or (RNAV TURBOJET)(DFW SOUTH FLOW)BLTWY (RNAV)–DP CRIED BEREE (RNAV)–STAR	
DENVER(DEN)	STYCK (RNAV)–DP DOLEY ADM ROLLS TOTOE HALEN NIIXX (RNAV)–STAR	
DES MOINES(DSM)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP WTSON BYP TUL J25 DSM	
DETROIT(DTW)	(DME/DME/IRU OR GPS REQUIRED)(DTW NORTH FLOW)INDIE (RNAV)–DP TPAKK LIT J131 PXV WWODD LECTR (RNAV)–STAR or (DME/DME/IRU OR GPS REQUIRED)(DTW SOUTH FLOW)INDIE (RNAV)–DP TPAKK LIT J131 PXV WWODD HANBL (RNAV)–STAR	
FAYETTEVILLE/SPRINGDALE/ROGERS(XNA)	(DME/DME/IRU OR GPS)INDIE (RNAV)–DP INDIE PGO RZC	

Terminals	Route	Effective Times (UTC)
FLL,FXE,PMP	(JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS.)(WATER/IAH EAST FLOW)GUMBY (RNAV)–DP LLA LEV Y290 DOWRY TEEKY (RNAV)–STAR or (JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN TEEKY (RNAV)–STAR or (JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS.)(WATER/IAH WEST FLOW)MMUGS (RNAV)–DP LLA LEV Y290 DOWRY TEEKY (RNAV)–STAR	
FLL,FXE,PMP	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN TEEKY (RNAV)–STAR	
FORT MYERS(RSW)	(TURBOJETS)(IAH WEST FLOW)MMUGS (RNAV)–DP LLA LEV Y290 BLVNS KOLBR TYNEE (RNAV)–STAR or (IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN CABLO BULZI Q81 NICKI PLYER TYNEE (RNAV)–STAR or (TURBOJETS)(IAH EAST FLOW)GUMBY (RNAV)–DP LLA LEV Y290 BLVNS KOLBR TYNEE (RNAV)–STAR or (IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN CABLO BULZI Q81 NICKI PLYER TYNEE (RNAV)–STAR	
GRAND RAPIDS(GRR)	(RNAV 1 – DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT J101 STL J19 RBS KLROY LOGGR VIO	
GREER(GSP)	(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 CATLN MGMRY BESTT WORXS (RNAV)–STAR or (IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 CATLN MGMRY BESTT WORXS (RNAV)–STAR	
INDIANAPOLIS(IND)	(TURBOJETS)INDIE (RNAV)–DP TPAKK LIT J131 PXV TERGE SMUKE (RNAV)–STAR	
JACKSONVILLE(JAX)	(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI SJI J2 DEFUN CABLO ZOOSS MARQO (RNAV)–STAR or (IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI SJI J2 DEFUN CABLO ZOOSS MARQO (RNAV)–STAR	
KANSAS CITY(MCI)	(RNAV TURBOJET/TURBOPROP)STYCK (RNAV)–DP WTSON BYP TUL STASN WUTNG (RNAV)–STAR	
KEY WEST(EYW)	(JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS)(WATER/IAH WEST FLOW)MMUGS (RNAV)–DP LLA LEV Y290 GAWKS PIKKR KRAKN (RNAV)–STAR or (IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN KRAKN (RNAV)–STAR or (IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN KRAKN (RNAV)–STAR or (JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS)(WATER/IAH EAST FLOW)GUMBY (RNAV)–DP LLA LEV Y290 GAWKS PIKKR KRAKN (RNAV)–STAR	
KNOXVILLE(TYS)	(DME/DME/IRU OR GPS)STRYA (RNAV)–DP DPATY MEI VUZ VXV or (DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP LCH MEI VUZ VXV or (DME/DME/IRU OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP LCH MEI VUZ VXV	

Terminals	Route	Effective Times (UTC)
LAL, MCF, TPA, VDF	(RNAV 1 – DME/DME/IRU OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN MAATY (RNAV)–STAR or (RNAV 1 – DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN MAATY (RNAV)–STAR	
LAS VEGAS(LAS)	(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER ELP J86 INW HAHAA RKSTR (RNAV)–STAR or (IAH EAST FLOW)PITZZ (RNAV)–DP CRGER ELP J86 INW HAHAA RKSTR (RNAV)–STAR	
LEXINGTON(LEX)	(DME/DME/IRU OR GPS)LURIC (RNAV)–DP ORRTH CRAMM BNA UNCKL	
LOS ANGELES(LAX)	(DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER ELP J50 SSO J4 TNP SEAVU–STAR or (DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP CRGER ELP J50 SSO J4 TNP SEAVU–STAR	
LOUISVILLE(SDF)	(TURBOJET)INDIE (RNAV)–DP TPAKK LIT MOOCH MBELL (RNAV)–STAR	
MCO, ORL, ISM, SFB, LEE, MLB, SFB	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)(WATER/IAH EAST FLOW)GUMBY (RNAV)–DP LLA LEV Y280 CHRGE PRICY (RNAV)–STAR	
MCO, ORL, ISM, SFB, LEE, MLB, SFB	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)(WATER/IAH WEST FLOW)MMUGS (RNAV)–DP LLA LEV Y280 CHRGE PRICY (RNAV)–STAR	
MEMPHIS(MEM)	(TURBOJETS – DME/DME/IRU OR GPS)LURIC (RNAV)–DP LURIC ELD HOBRK (RNAV)–STAR	
MINNEAPOLIS(MSP)	(TURBOJETS)STYCK (RNAV)–DP WTSON BYP TUL J25 MCI ROKKK NITZR (RNAV)–STAR	1000–0300
MKE, 57C, BUU, ENW, ETB, HXF, MWC, PWK, RAC, UES, UGN	(RNAV 1 – DME/DME/IRU OR GPS)INDIE (RNAV)–DP LURIC LIT J101 SPI JOT LEEDN GOPAC (RNAV)–STAR	
MQS,PHL,PNE,TTN	(TURBOJETS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 BEARI BBDOL PAATS (RNAV)–STAR or (TURBOJETS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 BEARI BBDOL PAATS (RNAV)–STAR	
NASHVILLE(BNA)	(TURBOJETS – DME/DME/IRU OR GPS)LURIC (RNAV)–DP HAWES SUTTN J29 CARIN MEMFS CHSNE (RNAV)–STAR	
NEW ORLEANS(MSY)	(DME/DME/IRU OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD AWDAD–STAR or (DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD AWDAD–STAR	
NEW YORK(JFK)	(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 CATLN Q64 SAWED Q108 SIE CAMRN–STAR or (IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 CATLN Q64 SAWED Q108 SIE CAMRN–STAR	
NEW YORK(LGA)	(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 BURGG Q60 HURTS PROUD (RNAV)–STAR or (IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 BURGG Q60 HURTS PROUD (RNAV)–STAR	
NEWARK(EWR)	(TURBOJETS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 UMBRE QUART PHLBO (RNAV)–STAR or (TURBOJETS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 UMBRE QUART PHLBO (RNAV)–STAR	
OAKLAND(OAK)	(TURBOJET)(EAST FLOW)PITZZ (RNAV)–DP CRGER ELP J86 BLD J92 BTY RUSME OAKES (RNAV)–STAR or (TURBOJET)(WEST FLOW)BNDTO (RNAV)–DP CRGER ELP J86 BLD J92 BTY RUSME OAKES (RNAV)–STAR	
OKLAHOMA CITY(OKC)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP DOLEY ADM DECKK IRW	
OMAHA(OMA)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP WTSON BYP HTHWY TIMMO (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
ONTARIO(ONT)	(DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP CRGER ELP SSO J4 BXK PHRED SCBBY (RNAV)–STAR	
	or	
	(DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER ELP SSO J4 BXK PHRED SCBBY (RNAV)–STAR	
ORLANDO(MCO)	(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN GRNCH (RNAV)–STAR	
	or	
	(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN GRNCH (RNAV)–STAR	
PENSACOLA(PNS)	(DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI SJI V241 PENSI	
	or	
	(DME/DME/IUR OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI SJI V241 PENSI	
PITTSBURGH(PIT)	(DME/DME/IRU OR GPS REQUIRED)INDIE (RNAV)–DP TPAKK LIT J131 PXV APE CTW FEWGA (RNAV)–STAR	
PORTLAND(PDX)	(RNAV 1 – DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER LOWGO J15 IMB JOTBA HHOOD (RNAV)–STAR	
	or	
	(RNAV 1 – DME/DME/IRU OR GPS)STYCK (RNAV)–DP DOLEY FUZ HNKER ALS JNC J15 IMB JOTBA HHOOD (RNAV)–STAR	
	or	
	(RNAV 1 – DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP CRGER LOWGO J15 IMB JOTBA HHOOD (RNAV)–STAR	
RALEIGH/DURHAM(RDU)	(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 CATLN MGMRY THRSR IRQ PYRES DMSTR (RNAV)–STAR	
	or	
	(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 CATLN MGMRY THRSR IRQ PYRES DMSTR (RNAV)–STAR	
RICHMOND(RIC)	(TURBOJETS & TURBOPROPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 BURGG Q60 JAXSN KELCE DUCXS (RNAV)–STAR	
	or	
	(TURBOJETS & TURBOPROPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 BURGG Q60 JAXSN KELCE DUCXS (RNAV)–STAR	
SALT LAKE CITY(SLC)	(TURBOJETS – DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER JCT J15 JNC HELPR JAZZZ (RNAV)–STAR	
	or	
	(TURBOJETS – DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP CRGER JCT J15 JNC HELPR JAZZZ (RNAV)–STAR	
SAN DIEGO(SAN)	(DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP CRGER ELP J2 HOGGZ LUCKI (RNAV)–STAR	
	or	
	(DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER ELP J2 HOGGZ LUCKI (RNAV)–STAR	
SAN FRANCISCO(SFO)	(DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER ELP J86 BLD J92 OAL	
	or	
	(DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP CRGER ELP J86 BLD J92 OAL	
SAN JOSE(SJC)	(TURBOJET)(EAST FLOW)PITZZ (RNAV)–DP CRGER ELP Q4 BOILE MAKRS TROXX SILCN (RNAV)–STAR	
	or	
	(TURBOJET)(WEST FLOW)BNDTO (RNAV)–DP CRGER ELP Q4 BOILE MAKRS TROXX SILCN (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
SANTA ANA(SNA)	(DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER ELP J50 TFD J212 PSP KAYOH–STAR	
	or	
	(DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP CRGER ELP J50 TFD J212 PSP KAYOH–STAR	
SAT, BAZ, CVB, PEZ, RND, SSF, SKF, 5C1	(IAH EAST FLOW)PITZZ (RNAV)–DP WAILN QERVO (RNAV)–STAR	
	or	
	(IAH WEST FLOW)BNDTO (RNAV)–DP WAILN QERVO (RNAV)–STAR	
SAVANNAH(SAV)	(DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI SJI J2 CEW ALLMA JANIE	
	or	
	(DME/DME/IRU OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI SJI J2 CEW ALLMA JANIE	
SEATTLE(SEA)	(TURBOJETS)STYCK (RNAV)–DP DOLEY ADM ROLLS TOTOE LAA J52 FQF J20 PDT CHINS–STAR	
ST LOUIS(STL)	(TURBOJETS – DME/DME/IRU OR GPS)INDIE (RNAV)–DP TPAKK LIT ARG BOOSH (RNAV)–STAR	
TAMPA(TPA)	(IAH EAST FLOW)GUMBY (RNAV)–DP LLA LEV Y280 CHRGE RAYZZ (RNAV)–STAR	
	or	
	(IAH WEST FLOW)MMUGS (RNAV)–DP LLA LEV Y280 CHRGE RAYZZ (RNAV)–STAR	
TUCSON(TUS)	(DME/DME/IRU OR GPS)(IAH WEST FLOW)BNDTO (RNAV)–DP CRGER ELP ZONNA (RNAV)–STAR	
	or	
	(DME/DME/IRU OR GPS)(IAH EAST FLOW)PITZZ (RNAV)–DP CRGER ELP ZONNA (RNAV)–STAR	
TULSA(TUL)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP WTSON BYP TUL	
WASHINGTON(DCA)	(JETS: RNAV 1 – DME/DME/IRU OR GPS)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 CATLN Q56 KIWII WAVES CAPSS (RNAV)–STAR	
	or	
	(JETS: RNAV 1 – DME/DME/IRU OR GPS)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 CATLN Q56 KIWII WAVES CAPSS (RNAV)–STAR	
WASHINGTON(IAD)	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 BURGG Q60 JAXSN DORRN CAVLR (RNAV)–STAR	
	or	
	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 BURGG Q60 JAXSN DORRN CAVLR (RNAV)–STAR	
WEST PALM BEACH(DJT)	(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN VUUDU (RNAV)–STAR	
	or	
	(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI AWDAD SJI J2 DEFUN VUUDU (RNAV)–STAR	
WICHITA(ICT)	(DME/DME/IRU OR GPS)STYCK (RNAV)–DP DOLEY ADM IRW HUSKA	
WINDSOR LOCKS(BDL)	(IAH EAST FLOW)GUMBY (RNAV)–DP GUSTI Q22 RBV Q419 DPK DEER PARK–STAR	
	or	
	(IAH WEST FLOW)MMUGS (RNAV)–DP GUSTI Q22 RBV Q419 DPK DEER PARK–STAR	
JACKSON(JAN)		
HOUSTON(HOU)	(TURBOJETS – DME/DME/IRU OR GPS)AEX WAPPL (RNAV)–STAR	
	or	
	(NON–TURBOJETS – DME/DME/IRU OR GPS)AEX CESAN CESAN (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
HOUSTON(IAH)	(NON–TURBOJETS – DME/DME/IRU OR GPS)AEX GESNR (RNAV)–STAR	
	or	
	(TURBOJETS–DME/DME/IRU OR GPS)(IAH WEST FLOW)AEX DOOBI (RNAV)–STAR	
	or	
	(TURBOJETS–DME/DME/IRU OR GPS)(IAH EAST FLOW)AEX SKNRD (RNAV)–STAR	
LITTLE ROCK(LIT)		
HOUSTON(HOU)	(NON–TURBOJETS–DME/DME/IRU OR GPS)EDWAH Q33 SWEUP CESAN CESAN (RNAV)–STAR	
	or	
	(TURBOJETS–DME/DME/IRU OR GPS)EDWAH Q33 SWEUP WAPPL (RNAV)–STAR	
HOUSTON(IAH)	(TURBOJETS, TURBOPROPS)(IAH EAST FLOW)EDWAH Q33 SWEUP GESNR (RNAV)–STAR	
	or	
	(TURBOJETS, TURBOPROPS)(IAH WEST FLOW)EDWAH Q33 SWEUP ZEEKK (RNAV)–STAR	
MC ALLEN(MFE)		
DALLAS(DAL)	(RNAV TURBOJET)(DFW SOUTH FLOW)CRP T499 SAT DITSY BACHR (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW NORTH FLOW)CRP T499 SAT DITSY DRYYE (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW NORTH FLOW)CRP PSX TNV MAJKK MNNDO (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)CRP PSX TNV MAJKK REDDN (RNAV)–STAR	
DALLAS–FORT WORTH(DFW)	(RNAV TURBOJET)(DFW NORTH FLOW)CRP PSX TNV STUFT WHINY (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)CRP PSX TNV STUFT BEREE (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW NORTH FLOW)CRP SAT GUTZZ SOCKK (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)CRP SAT GUTZZ BOOVE (RNAV)–STAR	
DFW EAST SAT (ADS CPT FWS GKY GPM HQZ JWY LNC RBD TKI F41 F46)	CRP SAT DITSY SWVAY (RNAV)–STAR	
DFW EAST SAT (ADS HQZ TKI F46)	(DAL NORTH FLOW)CRP PSX TNV GIFFA JROAM EESAT (RNAV)–STAR	
	or	
	(DAL SOUTH FLOW)CRP PSX TNV GIFFA JROAM LOADS (RNAV)–STAR	
DFW WEST SAT (AFW CPT DTO FTW FWS GKY GPM JWY LNC LUD NFW RBD WEA 50F)	CRP PSX TNV CRIED REEKO (RNAV)–STAR	
DFW WEST SAT (AFW DTO FTW LUD NFW WEA 50F)	CRP SAT SPPAD LIKES (RNAV)–STAR	
MSY,NEW		
WASHINGTON(DCA)	(JETS: RNAV 1 – DME/DME/IRU OR GPS)CATLN Q56 KIWII WAVES CAPSS (RNAV)–STAR	
NEW ORLEANS METRO(MSY,NEW)		
47N,CDW,LDJ,MMU,SMQ,TEB	CATLN Q22 UMBRE SWNGR JAIKE (RNAV)–STAR	
BOSTON(BOS)	CATLN Q22 RBV Q419 JFK ROBUC (RNAV)–STAR	
CHICAGO(ORD)	(TURBOJETS (RNAV 1))(ORD WEST FLOW)SQS FTZ TRTLL (RNAV)–STAR	
	or	
	(TURBOJETS – RNAV 1)(ORD EAST FLOW)SQS FTZ SHAIN (RNAV)–STAR	
CVG, HAO, I69	(RNAV 1 – DME/DME/IRU OR GPS)MCB J35 MEM J29 TINGS TERGE SARGO (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
DALLAS–FORT WORTH(DFW)	(RNAV TURBOJET)(DFW NORTH FLOW)AEX PNUTS WHINY (RNAV)–STAR	
	or	
	(RNAV TURBOJET)(DFW SOUTH FLOW)AEX PNUTS BEREE (RNAV)–STAR	
	or	
	(ALL OTHERS)AEX CEDAR CREEK–STAR	
DENVER(DEN)	AEX J58 FUZ J21 ADM ROLLS TOTOE HALEN NIIXX (RNAV)–STAR	
DETROIT(DTW)	(DME/DME/IRU OR GPS REQUIRED)(DTW NORTH FLOW)MCB J35 MEM J29 PXV WWODD LECTR (RNAV)–STAR	
	or	
	(DME/DME/IRU OR GPS REQUIRED)(DTW SOUTH FLOW)MCB J35 MEM J29 PXV WWODD HANBL (RNAV)–STAR	
HOUSTON(HOU)	(TURBOPROPS – DME/DME/IRU OR GPS)BBURT TKNIQ (RNAV)–STAR	
	or	
	(TURBOJETS – DME/DME/IRU OR GPS)(HOU EAST FLOW)KCEEE BAYYY (RNAV)–STAR	
	or	
	(TURBOJETS – DME/DME/IRU OR GPS)(HOU WEST FLOW)KCEEE PUCKS (RNAV)–STAR	
HOUSTON(IAH)	(TURBOJETS & TURBOPROPS – NON–ADVANCED NAV ONLY)JEPEG GILCO–STAR	
	or	
	(TURBOJETS & TURBOPROPS – DME/DME/IRU OR GPS)(IAH EAST FLOW)JEPEG NNCEE (RNAV)–STAR	
MQS,PHL,PNE,TTN	(TURBOJETS – DME/DME/IRU OR GPS)CATLN Q22 BEARI BBDOL PAATS (RNAV)–STAR	
NEW YORK(JFK)	CATLN Q64 SAWED Q108 SIE CAMRN–STAR	
NEWARK(EWR)	(TURBOJETS – DME/DME/IRU OR GPS)CATLN Q22 UMBRE QUART PHLBO (RNAV)–STAR	
TAMPA(TPA)	REDFN Y280 CHRGE RAYZZ (RNAV)–STAR	
WINDSOR LOCKS(BDL)	CATLN Q22 RBV Q419 DPK DEER PARK–STAR	
NEW ORLEANS(MSY)		
07FA,HST,MIA,TMB,X51	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)CEW J2 DEFUN FROGZ (RNAV)–STAR	
	or	
	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)(WATER)BLVNS Y290 DOWRY FROGZ (RNAV)–STAR	
ATLANTA(ATL)	(TURBOJETS)(ATL EAST OPERATION)PAYTN SHYRE GNDLF (RNAV)–STAR	
	or	
	(TURBOJETS)(ATL WEST OPERATION)PAYTN SHYRE HOBTT (RNAV)–STAR	
AUSTIN(AUS)	(DME/DME/IRU OR GPS)LCH WEEED WLEEE (RNAV)–STAR	
BWI, MTN	(JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS REQUIRED)CATLN Q56 KELLN Q58 PEETT THHMP RAVNN (RNAV)–STAR	
CHARLOTTE(CLT)	(JETS ONLY RNAV 1 – DME/DME/IRU OR GPS)CATLN BESTT JONZE (RNAV)–STAR	
CLEVELAND(CLE)	(RNAV TURBOJET)LBY MERDN HITMN Q139 IIU ROKNN (RNAV)–STAR	
FLL,FXE,PMP	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)CEW J2 DEFUN TEEKY (RNAV)–STAR	
	or	
	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)(WATER)BLVNS Y290 DOWRY TEEKY (RNAV)–STAR	
HOUSTON(IAH)	(TURBOJETS & TURBOPROPS – DME/DME/IRU OR GPS)(IAH WEST FLOW)JEPEG LINKK (RNAV)–STAR	
LAL, MCF, TPA, VDF	(RNAV 1 – DME/DME/IRU OR GPS)CEW J2 DEFUN	
	MAATY (RNAV)–STAR	
LOUISVILLE(SDF)	MCB J35 MEM BUMPY MBELL (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
MCO, ORL, ISM, SFB, LEE, MLB, SFB	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)(WATER)REDFN Y280 CHRGE PRICY (RNAV)–STAR	
NEW YORK(LGA)	CATLN Q22 BURGG Q60 HURTS PROUD (RNAV)–STAR	
ORLANDO(MCO)	CEW J2 DEFUN GRNCH (RNAV)–STAR	
SAT, BAZ, CVB, PEZ, RND, SSF, SKF, 5C1	LCH CAAGE QERVO (RNAV)–STAR	
OKLAHOMA CITY(OKC)		
CHICAGO(MDW)	TRUPR (RNAV)–DP TRUPR WELTS MAGOO ENDEE (RNAV)–STAR	
CHICAGO(ORD)	(TURBOJET)TRUPR (RNAV)–DP TRUPR TUL EOS WELTS SHAIN (RNAV)–STAR or (TURBOJET)TRUPR (RNAV)–DP TRUPR TUL EOS WELTS TRTLL (RNAV)–STAR	
HOUSTON(HOU)	(NON–TURBOJETS)CVE ELLVR SNDAY (RNAV)–STAR	
HOUSTON(IAH)	(TURBOJETS, TUBOPROPS)(IAH EAST FLOW)CVE GUSHR (RNAV)–STAR or (TURBOJETS, TUBOPROPS)(IAH WEST FLOW)CVE DRLLR (RNAV)–STAR	
KHOU, KEFD, KGLS, KLBX	(JETS ONLY – RNAV 1 – DME/DME/IRU OR GPS)CVE ELLVR KIDDZ (RNAV)–STAR	
SAN ANTONIO(SAT)		
DFW EAST SAT(ADS CPT FWS GKY GPM HQZ JWY LNC RBD TKI F41 F46)	YODUH (RNAV)–DP YODUH DITSY SWVAY (RNAV)–STAR	
DFW WEST SAT(AFW DTO FTW LUD NFW WEA 50F)	YODUH (RNAV)–DP YODUH SPPAD LIKES (RNAV)–STAR	
SAT BAZ CVB PEZ RND SSF SKF 5C1 TO 47N CDW LDJ MMU SMQ TEB		
TETERBORO(TEB)	SNIDR (RNAV)–DP MOLLR Q56 CATLN Q22 UMBRE SWNGR JAIKE (RNAV)–STAR	
SAT BAZ CVB PEZ RND SSF SKF 5C1 TO MQS PHL PNE TTN		
PHILADELPHIA(PHL)	SNIDR (RNAV)–DP MOLLR Q56 CATLN Q22 BEARI BBDOL PAATS (RNAV)–STAR	
SAT, BAZ, CVB, PEZ, RND, SSF, SKF, 5C1		
ATLANTA(ATL)	(TURBOJETS)(ATL EAST OPERATION)SNIDR (RNAV)–DP MOLLR Q24 PAYTN SHYRE GNDLF (RNAV)–STAR or (TURBOJETS)(ATL WEST OPERATION)SNIDR (RNAV)–DP MOLLR Q24 PAYTN SHYRE HOBTT (RNAV)–STAR	
BOSTON(BOS)	SNIDR (RNAV)–DP MOLLR Q56 CATLN Q22 RBV Q419 JFK ROBUC (RNAV)–STAR	
BWI, MTN	(PT 121&129 JETS ONLY:RNAV 1–DME/DME/IRU OR GPS RQD)SNIDR (RNAV)–DP BLUMS IAH J101 LFK SUTTN J29 CARIN MEMFS Q34 SITTR CJAAE RAVNN (RNAV)–STAR or (JETS ONLY: RNAV 1 – DME/DME/IRU OR GPS REQUIRED)SNIDR (RNAV)–DP MOLLR Q56 KELLN Q58 PEETT THHMP RAVNN (RNAV)–STAR	
CHARLOTTE(CLT)	(JETS ONLY RNAV 1 – DME/DME/IRU OR GPS)YODUH (RNAV)–DP KLNGR FUZ Q184 MERDN BESTT JONZE (RNAV)–STAR or (JETS ONLY RNAV 1 – DME/DME/IRU OR GPS)SNIDR (RNAV)–DP MOLLR Q56 CATLN BESTT JONZE (RNAV)–STAR	
CHICAGO(MDW)	(RNAV 1–DME/DME/IRU OR GPS)YODUH (RNAV)–DP KLNGR FUZ JONEZ RZC STL SPI PHEEB ENDEE (RNAV)–STAR	
CHICAGO(ORD)	(ORD EAST FLOW)YODUH (RNAV)–DP KLNGR FUZ MLC SGF WELTS SHAIN (RNAV)–STAR or (ORD WEST FLOW)YODUH (RNAV)–DP KLNGR FUZ MLC SGF WELTS TRTLL (RNAV)–STAR	

Terminals	Route	Effective Times (UTC)
DALLAS(DAL)	(DAL NORTH FLOW)YODUH (RNAV)–DP YODUH DITSY DRYYE (RNAV)–STAR	
	or	
	(DAL SOUTH FLOW)YODUH (RNAV)–DP YODUH DITSY BACHR (RNAV)–STAR	
DALLAS–FORT WORTH(DFW)	(DFW SOUTH FLOW)YODUH (RNAV)–DP YODUH GUTZZ BOOVE (RNAV)–STAR	
	or	
	(DFW NORTH FLOW)YODUH (RNAV)–DP YODUH GUTZZ SOCKK (RNAV)–STAR	
DENVER(DEN)	YODUH (RNAV)–DP PRTZY PNH ZIGEE NIIXX (RNAV)–STAR	
	or	
	ALISS (RNAV)–DP ALISS JCT Q20 CNX GNDLA TBARR (RNAV)–STAR	
DETROIT(DTW)	(DTW SOUTH FLOW)SNIDR (RNAV)–DP BLUMS IAH J29 PXV WWODD HANBL (RNAV)–STAR	
	or	
	(DTW NORTH FLOW)SNIDR (RNAV)–DP BLUMS IAH J29 PXV WWODD LECTR (RNAV)–STAR	
EL PASO(ELP)	ALISS (RNAV)–DP ALISS FST TXSAS BEAHR (RNAV)–STAR	
HOUSTON(HOU)	(TURBOJETS)SNIDR (RNAV)–DP WEMAR BELLR (RNAV)–STAR	
HOUSTON(IAH)	(TURBOJETS)(IAH WEST FLOW)SNIDR (RNAV)–DP WEMAR TEJAS (RNAV)–STAR	
	or	
	(TURBOJETS)(IAH EAST FLOW)SNIDR (RNAV)–DP WEMAR HTOWN (RNAV)–STAR	
LAS VEGAS(LAS)	ALISS (RNAV)–DP ALISS FST J86 INW HAHAA RKSTR (RNAV)–STAR	
LOS ANGELES(LAX)	ALISS (RNAV)–DP ALISS FST ELP J50 SSO J4 WLVRN ESTWD HLYWD (RNAV)–STAR	
LOUISVILLE(SDF)	YODUH (RNAV)–DP KLNGR FUZ MOOCH MBELL (RNAV)–STAR	
	or	
	SNIDR (RNAV)–DP BLUMS IAH SQS BUMPY MBELL (RNAV)–STAR	
NEW ORLEANS(MSY)	SNIDR (RNAV)–DP MOLLR Q24 LCH AWDAD–STAR	
NEW YORK(JFK)	SNIDR (RNAV)–DP MOLLR Q56 CATLN Q64 SAWED Q108 SIE CAMRN–STAR	
	or	
	(RNAV 1 – DME/DME/IRU OR GPS, 250KTS OR GREATER)SNIDR (RNAV)–DP BLUMS IAH J101 LFK MEM J29 PXV ROD KLYNE Q29 JHW Q476 WLKES PUCKY (RNAV)–STAR	
NEW YORK(LGA)	SNIDR (RNAV)–DP MOLLR Q56 CATLN Q22 BURGG Q60 HURTS PROUD (RNAV)–STAR	
NEWARK(EWR)	SNIDR (RNAV)–DP MOLLR Q56 CATLN Q22 UMBRE QUART PHLBO (RNAV)–STAR	
ORLANDO(MCO)	SNIDR (RNAV)–DP MOLLR Q56 SJI J2 DEFUN GRNCH (RNAV)–STAR	
	or	
	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)SNIDR (RNAV)–DP MOLLR Q56 PEKON LLA LEV Y280 CHRGE PRICY (RNAV)–STAR	
PHILADELPHIA(PHL)	SNIDR (RNAV)–DP BLUMS IAH J101 LFK SUTTN J29 CARIN MEMFS Q34 GVE PAATS (RNAV)–STAR	
PHOENIX(PHX)	ALISS (RNAV)–DP ALISS FST ELP DRRVR PINNG (RNAV)–STAR	
SALT LAKE CITY(SLC)	ALISS (RNAV)–DP ALISS JCT SJT TXO ALS LOPEC JNC J12 HELPR JAZZZ (RNAV)–STAR	
WASHINGTON(DCA)	(JETS: RNAV 1 – DME/DME/IRU OR GPS)SNIDR (RNAV)–DP MOLLR Q56 KIWII WAVES CAPSS (RNAV)–STAR	
WASHINGTON(IAD)	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)SNIDR (RNAV)–DP MOLLR Q56 CATLN Q22 BURGG Q60 JAXSN DORRN CAVLR (RNAV)–STAR	


Terminals	Route	Effective Times (UTC)
07FA,HST,MIA,TMB,X51	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)SNIDR (RNAV)–DP MOLLR Q56 SJI J2 DEFUN FROGZ (RNAV)–STAR or (JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)SNIDR (RNAV)–DP MOLLR Q56 PEKON LLA LEV Y290 DOWRY FROGZ (RNAV)–STAR	
ADW, DAA, DCA	(JET ONLY, RNAV 1 – DME/DME/IRU OR GPS.)SNIDR (RNAV)–DP BLUMS IAH J101 LFK SUTTN J29 CARIN MEMFS Q34 SITTR TRUPS (RNAV)–STAR	
JYO, IAD, HEF	(JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS.)SNIDR (RNAV)–DP BLUMS IAH J101 LFK SUTTN J29 CARIN MEMFS Q34 HITMN HVQ GIBBZ (RNAV)–STAR	
SAT, BAZ, CVB, PEZ, RND, SSF, SKF, 5C2		
NASHVILLE(BNA)	(JETS – RNAV1 DME/DME/IRU OR GPS)YODUH (RNAV)–DP KLNGR FUZ J42 TXK Q34 MEMFS CHSNE (RNAV)–STAR or (JETS – RNAV1 DME/DME/IRU OR GPS)SNIDR (RNAV)–DP BLUMS IAH J29 CARIN MEMFS CHSNE (RNAV)–STAR	
TULSA(TUL)		
CHICAGO(MDW)	SGF MAGOO ENDEE (RNAV)–STAR	
CHICAGO(ORD)	SGF WELTS TRTLL (RNAV)–STAR or SGF WELTS SHAIN (RNAV)–STAR	
HOUSTON(IAH)	(TURBOJETS & TURBOPROPS – DME/DME/IRU OR GPS)(IAH EAST FLOW)OKM CVE GUSHR (RNAV)–STAR or (TURBOJETS & TURBOPROPS – DME/DME/IRU OR GPS)(IAH WEST FLOW)OKM CVE DRLLR (RNAV)–STAR	
KHOU, KEFD, KGLS, KLBX	(JETS ONLY – RNAV 1 – DME/DME/IRU OR GPS)OKM CVE ELLVR KIDDZ (RNAV)–STAR	

SPECIAL HIGH ALTITUDE PREFERRED DIRECTION ROUTES

Terminals	Route	Effective Times (UTC)
TRAFFIC ENTERING ZHU VIA GULF OF AMERICA LANDING ORLANDO METRO AREA (JETS ONLY, RNAV 1 – DME/DME/IRU OR GPS)		
NORTHBOUND	IRDOV M580 MINOW M215 SNOMN CIGAR PRICY (RNAV)–STAR	
NORTHBOUND	MYDIA M219 CULLY CIGAR PRICY (RNAV)–STAR	
NORTHBOUND	PISAD M215 SNOMN CIGAR PRICY (RNAV)–STAR	
	GCK LPINE VAAIL (RNAV)–STAR	
	GCK MMUTT HAREI (RNAV)–STAR	
	HYS DORPH MMARY (RNAV)–STAR	
	HYS HIKNG VAAIL (RNAV)–STAR	
	KA36S MAESA AAVON (RNAV)–STAR	
	KA36S TRRBO LOYYD (RNAV)–STAR	
	TBE LPINE VAAIL (RNAV)–STAR	
	TBE MMUTT HAREI (RNAV)–STAR	

TOWER ENROUTE CONTROL (TEC)

SOUTH CENTRAL TEXAS and LOUISIANA



TOWER ENROUTE CONTROL (TEC)
FOR
SOUTH CENTRAL TEXAS AND LOUISIANA

Within the national airspace system it is possible for a pilot to fly IFR from one point to another without leaving approach control airspace. This is referred to as "Tower Enroute" which allows flight beneath the enroute structure. The tower enroute concept has been expanded (where practical) by reallocating airspace vertically/geographically to allow flight planning between city pairs while remaining within approach control airspace. Pilots are encouraged to use the TEC route descriptions provided in the South Central U.S. Chart Supplement when filing flight plans. Other airways which appear to be more direct between two points may take the aircraft out of approach control airspace thereby resulting in additional delays or other complications. All published TEC routes are designed to avoid enroute airspace and the majority are within radar coverage. The following items should be noted before using the graphics and route descriptions.

1. The graphic is not to be used for navigation nor detailed flight planning. Not all city pairs are depicted. It is intended to show geographic areas connected by tower enroute control. Pilots should refer to route descriptions for specific flight planning.

2. The route description contains three columns of information after geographic area listed in the heading, where the departure airport is located; i.e., the airport/airports of intended landing using FAA three letter/letter–two number identifiers, the specific route (airway, radial, etc.), the altitudes allowed for the routes.

3. The word "DIRECT" will appear as the route when radar vectors will be used or no airway exists. Also this indicates that a Standard Instrument Departure (SID) or Standard Terminal Arrival (STAR) may be applied by ATC.

4. Routes beginning and ending with an airway indicate that the airway essentially overflies the airport or radar vectors will be applied.

5. Although all airports are not listed under the destination column, IFR flight may be planned to satellite airports in the proximity of major airports via the same routing.

6. The altitudes shown are to be used for the route. This allows for separation of various arrival routes, departure routes, and overflights to, from, and over all airports in the Houston area.

FROM: AUS

TO:	ROUTE	ALTITUDE
45R	TNV V306 DAS	050 OR 070
BMT	TNV V306 DAS	050 OR 070
BPT	TNV V306 DAS	050 OR 070
LCH	TNV V306 DAS	050 OR 070
ORG	TNV V306 DAS	050 OR 070

FROM: EDC

TO:	ROUTE	ALTITUDE
45R	TNV V306 DAS	050 OR 070
BMT	TNV V306 DAS	050 OR 070
BPT	TNV V306 DAS	050 OR 070
LCH	TNV V306 DAS	050 OR 070
ORG	TNV V306 DAS	050 OR 070

FROM: GTU

TO:	ROUTE	ALTITUDE
45R	CLL T254 KNZLY	050 OR 070
BMT	CLL T254 KNZLY	050 OR 070
BPT	CLL T254 KNZLY	050 OR 070
LCH	CLL T254 KNZLY	050 OR 070
ORG	CLL T254 KNZLY	050 OR 070

FROM: HYI

TO:	ROUTE	ALTITUDE
45R	WEMAR T466 SBI	050 OR 070
BMT	WEMAR T466 SBI	050 OR 070
BPT	WEMAR T466 SBI	050 OR 070
LCH	WEMAR T466 SBI	050 OR 070
ORG	WEMAR T466 SBI	050 OR 070

MINIMUM OPERATIONAL NETWORK (MON) AIRPORT LISTING

STATE	CITY	AIRPORT NAME	LOCATION IDENTIFIER
AR	BENTON	SALINE COUNTY RGNL	SUZ
AR	JONESBORO	JONESBORO MUNI	JBR
AR	SPRINGDALE	SPRINGDALE MUNI	ASG
AR	TEXARKANA	TEXARKANA RGNL-WEBB FIELD	TXK
LA	BATON ROUGE	BATON ROUGE METROPOLITAN, RYAN FIELD	BTR
LA	LAKE CHARLES	LAKE CHARLES RGNL	LCH
LA	NEW ORLEANS	LOUIS ARMSTRONG NEW ORLEANS INTL	MSY
LA	SHREVEPORT	SHREVEPORT RGNL	SHV
MS	GREENWOOD	GREENWOOD-LEFLORE	GWO
MS	JACKSON	JACKSON-MEDGAR WILEY EVERS INTL	JAN
MS	MC COMB	MC COMB/PIKE COUNTY/JOHN E LEWIS FIELD	MCB
MS	TUNICA	TUNICA MUNI	UTA
OK	ARDMORE	ARDMORE MUNI	ADM
OK	HOBART	HOBART RGNL	HBR
OK	LAWTON	LAWTON-FORT SILL RGNL	LAW
OK	PONCA CITY	PONCA CITY RGNL	PNC
TX	BROWNWOOD	BROWNWOOD RGNL	BWD
TX	CORPUS CHRISTI	CORPUS CHRISTI INTL	CRP
TX	DALHART	DALHART MUNI	DHT
TX	GALVESTON	SCHOLES INTL	GLS
TX	LUBBOCK	LUBBOCK PRESTON SMITH INTL	LBB
TX	LUFKIN	ANGELINA COUNTY	LFK
TX	MARFA	MARFA MUNI	MRF
TX	MIDLAND	MIDLAND INTL AIR AND SPACE PORT	MAF
TX	MINERAL WELLS	MINERAL WELLS RGNL	MWL
TX	ROCKSPRINGS	EDWARDS COUNTY	ECU
TX	SAN ANTONIO	STINSON MUNI	SSF
TX	WACO	TSTC WACO	CNW

In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the Chart Supplement. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the Chart Supplement may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:
1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., (ALS), (VASI), (PAPI)
2. Approach lighting systems that do not bear a system identification are indicated with a negative "(L)" beside the name.
A star (★) indicates non-standard PCL, consult Chart Supplement, e.g., (L★)
To activate lights, use frequency indicated in the communication section of the chart with a (L) or the appropriate lighting system identification e.g., UNICOM 122.8 (L), (ALS), (VASI)

KEY MIKE	FUNCTION
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-off)

CHART CURRENCY INFORMATION

Date of Latest Revision 09365

The Date of Latest Revision identifies the Julian date the chart was added or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest revision of any kind has been made to the chart.

FAA Procedure Amendment Number → Orig 31DEC09 / Amdt 2B 12MAR09 ← Procedure Amendment Effective Date

The FAA Procedure Amendment Number represents the most current amendment of a given procedure. The Procedure Amendment Effective Date represents the AIRAC cycle date on which the procedure amendment was incorporated into the chart. Updates to the amendment number & effective date represent procedural/criteria revisions to the charted procedure, e.g., course, fix, altitude, minima, etc.

NOTE: Inclusion of the "Procedure Amendment Effective Date" will be phased in as procedures are amended. As this occurs, the Julian date will be relocated to the upper right corner of the chart.

MISCELLANEOUS

★ Indicates a non-continuously operating facility, see Chart Supplement.
For Civil (FAA) instrument procedures, "RADAR REQUIRED" in the planview of the chart indicates that ATC radar must be available to assist the pilot when transitioning from the en route environment. "Radar required" in the pilot briefing portion of the chart indicates that ATC radar is required on portions of the procedure outside the final approach segment, including the missed approach. Some military procedures also have equipment requirements such as "Radar Required", but do not conform to the same charting application standards used by the FAA. Distances in nautical miles (except visibility in statute miles and Runway Visual Range in hundreds of feet). Runway Dimensions in feet. Elevations in feet. Mean Sea Level (MSL). Ceilings in feet above airport elevation. Radials/bearings/headings/courses are magnetic. Horizontal Datum: Unless otherwise noted on the chart, all coordinates are referenced to North American Datum 1983 (NAD 83), which for charting purposes is considered equivalent to World Geodetic System 1984 (WGS 84).

Terrain is scaled within the neat lines (planview boundaries) and does not accurately underlie not-to-scale distance depictions or symbols.

26246

LEGEND

INSTRUMENT APPROACH PROCEDURES (CHARTS)

AIRPORT DIAGRAM/AIRPORT SKETCH

Runways

Hard Surface | Other Than Hard Surface | Taxiways, Parking Areas | Stopways, Overruns, Blast Pads | Metal Surface

Closed Runway | Closed Surface | Non-Movement | Under Construction | Water Runway

ARRESTING GEAR: Specific arresting gear systems; e.g., BAK12, MA-1A etc., shown on airport diagrams, not applicable to Civil Pilots. Military Pilots refer to appropriate DOD publications.

uni-directional | bi-directional | Jet Barrier

ARRESTING SYSTEM (EMAS)

REFERENCE FEATURES

Displaced Threshold
Hot Spot
Runway Holding Position Markings
Buildings
Self-Serve Fuel ##
Tanks
Obstructions
Airport Beacon #
Runway Radar Reflectors
Bridges
Control Tower # TWR

	Unlit	Lit
Wind Cone		
Landing Tee		
Tetrahedron		

When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and further identified as TWR.

See appropriate Chart Supplement for information.

Runway Weight Bearing Capacity or Pavement Classification Number (PCN)/Pavement Classification Rating (PCR) is shown as a codified expression. Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 PCR 560 R/B/W/T; S-75, D-185, 2D-325, 2D/2D2-1120

Helicopter Alighting Areas

Negative Symbols used to identify Copter Procedures landing point

NOTE:
Landmark features depicted on Copter Approach insets and sketches are provided for visual reference only.

Runway TDZ elevation.....TDZE 123

Runway Slope..... 0.3% Down.....0.8% UP (shown when rounded runway slope is ≥ 0.3%)

NOTE:
Runway Slope measured to midpoint on runways 8000 feet or longer.

U.S. Navy Optical Landing System (OLS) "OLS" location is shown because of its height of approximately 7 feet and proximity to edge of runway may create an obstruction for some types of aircraft.

Approach light symbols are shown in the Flight Information Handbook.

Airport diagram scales are variable.

True/magnetic North orientation may vary from diagram to diagram

Coordinate values are shown in 1 or ½ minute increments. They are further broken down into 6 second ticks, within each 1 minute increments.


Positional accuracy within ± 600 feet unless otherwise noted on the chart.

Runway length depicted is the physical length of the runway (end-to-end, including displaced thresholds if any) but excluding areas designated as stopways.

A D symbol is shown to indicate runway declared distance information available, see appropriate Chart Supplement for distance information.

NOTE:
All new and revised airport diagrams are shown referenced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible with local coordinates published in DoD FLIP. (Foreign Only)

The airport sketch box includes the final approach course or final approach course extended.



SCOPE

Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations. Airport diagrams are not intended to be used for approach and landing or departure operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

LEGEND

HOT SPOTS

An “Airport surface hot spot” is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.

A “hot spot” is a runway safety related problem area on an airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as open circles or ellipses designated as “HS 1”, “HS 2”, etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

CITY/AIRPORT	HOT SPOT	DESCRIPTION
LOUISIANA		
BATON ROUGE		
BATON ROUGE METRO, RYAN FLD (BTR)	HS 1	Complex int Twy A, Twy B, Twy D and Twy K W of Rwy 13–31 and Rwy 04L–22R.
HOUMA		
HOUMA–TERREBONNE (HUM)	HS 1	Rwy Incursion Risk: Complex intersection Twy H, Twy E and Twy B east of Rwy 18–36 & Rwy 12–30.
	HS 2	Remain alert due to numerous copter ops
LAFAYETTE		
LAFAYETTE RGNL/PAUL FOURNET FLD (LFT)	HS 1	Rwy incursion risk. Rwy 11–29, Rwy 04L–22R, Twy B, F, and J. Complex geometry due to converging Rwy and Twys.
	HS 2	Risk of surface incident. Twys F, J, H, and K. Complex geometry due to converging Twys.
NEW ORLEANS		
LAKEFRONT (NEW)	HS 1	Rwy Incursion Risk at Twy F and Rwy 09–27 – Wide intersection.
	HS 2	Rwy Incursion Risk at Twy F and Rwy 27– Hold Line is at Apron exit on Twy F.
	HS 3	Rwy Incursion Risk at Twy B and Rwy 36L– Apron exit east of Rwy 36L is inside Hold Lines.
NEW ORLEANS		
LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)	HS 1	Limited wingtip clearance on Twy G near Concourse Bravo due to acft pushbacks. Maint vigilance exiting Rwy 11/29 on Twy G8 and when taxing on Twy G. High Traffic area.
	HS 2	Green painted ovrn for Rwy 11–29 can be misinterpreted for Twy E when landing Rwy 02–20.
	HS 3	Rwy 11–29 and Twy G6, hi No of rwy crossings.
MISSISSIPPI		
COLUMBUS		
COLUMBUS AFB (CBM)	HS 1	Maint vigilance numerous twys in area of Rwy 13R.
	HS 2	Rwy incursion risk for Rwy 13R/31L, Twy M.
	HS 3	Rwy incursion risk for Rwy 13R/31L, Twy J, Twy E.
OKLAHOMA		
ALTUS		
ALTUS AFB (LTS)	HS 1	Acft taxiing on Twy B between Spot 47 and Twy D.
NORMAN		
UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)	HS 1	Rwy 03–21 hold marking is in close proximity to the ramp.
	HS 2	Rwy 03–21 hold marking is in close proximity to the ramp.
	HS 3	Rwy 03–21 hold marking is a short taxi distance from Rwy 18–36.
	HS 4	Pilots taxiing westbound on Twy B risk incursion of Rwy 18–36 if they miss the turn to Twy C.

TEXAS

CITY/AIRPORT	HOT SPOT	DESCRIPTION
AUSTIN		
AUSTIN–BERGSTROM INTL (AUS)	HS 1	Drivers northbound on E svc road may be unaware of acft from Rwy 36R exiting at Twy G and Twy H.
	HS 2	Risk of surface incident. Acft exiting Rwy 36R on Twy G sometimes turn onto Twy H thinking it is a continuation of Twy G.
AUSTIN		
SAN MARCOS RGNL (HYI)	HS 1	Rwy incusion/wrong rwy departure risk. Ensure correct rwy alignment. Complex airfield geometry at rwy/rwy int.
	HS 2	Rwy incusion/wrong rwy depature risk. Ensure correct rwy alignment. Complex airfield geometry. Rwy thlds in close proximity.
BEAUMONT/PORT ARTHUR		
JACK BROOKS RGNL (BPT)	HS 1	South end of Twy B not visible from ctl twr.
COLLEGE STATION		
EASTERWOOD FLD (CLL)	HS 1	Rwy holding posn markings non typical lctn. Pilots sometime incorrectly cros the holding posn markings on Twy B when taxied to Rwy 11.
DALLAS		
ADDISON (ADS)	HS 1	Twy A and Rwy 16–34. Holding Position Markings have been moved back to the edge of Twy A.
	HS 2	Twy J and Rwy 16–34. Holding Position Markings have been moved back to the edge of Twy A.
	HS 3	Twy H and Rwy 16–34. Holding Position Markings have been moved back to the edge of Twy A.
	HS 4	Twy G and Rwy 16–34. Holding Position Markings have been moved back to the edge of Twy A.
	HS 5	Twy F and Rwy 16–34. Holding Position Markings have been moved back to the edge of Twy A.
	HS 6	Twy E and Rwy 16–34. Holding Position Markings have been moved back to the edge of Twy A.
	HS 7	Twy D and Rwy 16–34. Holding Position Markings have been moved back to the edge of Twy A.
	HS 8	Twy C and Rwy 16–34. Holding Position Markings have been moved back to the edge of Twy A.
	HS 9	Twy A and Rwy End 34. Holding Position Markings have been moved back to the edge of Twy A prior to turn off parallel twy.
EL PASO		
EL PASO INTL (ELP)	HS 1	Rwy 08R apch considered act, do not proceed on or cross wo ATC clnc especially when taxiing to Rwy 04 via the terminal ramp.
GEORGETOWN		
GEORGETOWN EXEC (GTU)	HS 1	Acft taxiing on Twy A should exp to giveway to acft exiting Rwy 18–36 at Twy J.
	HS 2	Acft taxiing on Twy A should exp to giveway to acft exiting Rwy 18–36 at Twy D.
HARLINGEN		
VALLEY INTL (HRL)	HS 1	Southeast corner of the airport and coincident thlds of Rwy 31 and Rwy 36R may cause confusion for departing acft.

CITY/AIRPORT	HOT SPOT	DESCRIPTION
HOUSTON		
CONROE/NORTH HOUSTON RGNL (CXO)	HS 1	Twy F west of Twy D not visible from ctl twr.
HOUSTON		
DAVID WAYNE HOOKS MEML (DWH)	HS 1	Rwy Incursion Risk– Ramp accessible to inadequately trained drivers; inadequate signage leaving ramp.
	HS 2	Rwy Incursion Risk– Complex twy intersection near Rwy 17L.
	HS 3	Rwy Incursion Risk– Previous Incursions occuring Twy E at Rwy 17R–35L.
	HS 4	Rwy Incursion Risk – Int of Twy G and Rwy 17L–35R. Acft exiting Rwy 17R–35L at Twy G sometimes fail to turn onto Twy F and enter Rwy 17L–35R wo a clnc.
	HS 5	Rwy Incursion Risk – Int of Twy H and Rwy 17L–35R. Acft exiting Rwy 17R–35L at Twy H sometimes fail to turn onto Twy F and enter Rwy 17L–35R wo a clnc.
	HS 6	Rwy Incursion Risk – Incursions occuring on Twy K at Rwy 17L.
HOUSTON		
SUGAR LAND RGNL (SGR)	HS 1	Twy E int with Twy A and Twy A3 incr likelihood of conflicts btn acft due to short dist fr Rwy 17–35.
HOUSTON		
WILLIAM P HOBBY (HOU)	HS 1	Rwy Incursion Risk– Twy G at Rwy 13R: Numerous incursions, pilots inadvertently miss Hold Lines on Twy G at Rwy 13R.
	HS 2	Rwy Incursion Risk. Twy E crosses Rwy 13L approach. Runway Holding Position Markings are crossed inadvertently.
MC ALLEN		
MC ALLEN INTL (MFE)	HS 1	Rwy 14 hold short marking lctd on Twy A is perpendicular to Rwy 14.
MIDLAND		
MIDLAND INTL AIR AND SPACE PORT (MAF)	HS 1	Rwy Incursion Risk: northbound pilots inadvertently miss turn onto Twy A on Twy P and incur Rwy 10–28. Confusing intersection: Twy B and Twy P converge on Rwy 10–28.
	HS 2	Area not visible from twr. Limited air tfc services provided.
NEW BRAUNFELS		
NEW BRAUNFELS NTL (BAZ)	HS 1	Wrong Rwy Departure Risk – Rwy 13 intersection Twy D and Rwy 17 threshold in close proximity. Ensure correct rwy alighnment. Rwy 13 and Rwy 17 share the same hold short line at Twy D.
SAN ANGELO		
SAN ANGELO RGNL/MATHIS FLD (SJT)	HS 1	Rwy 18–36 at the int of Rwy 09–27 is a hi energy areas where extra caution is nec dur rwy crossings.
	HS 2	Rwy 18–36 at the int of Twy D is a hi energy areas where extra caution is nec dur rwy crossings.
	HS 3	Rwy 03 Hold Short Line is a Hot Spot where acft are required to hold when req a Rwy 36 Departure and ops are being conducted on Rwy 03–21.
SAN ANTONIO		
KELLY FLD (SKF)	HS 1	The unpaved portion of the north overrun.
	HS 2	Int of Rwy 16–34, Twy D, and Twy G.
SAN ANTONIO		
SAN ANTONIO INTL (SAT)	HS 1	Rwy 04 at Rwy 31L. Acft taxiing on Rwy 04 sometimes fail to hold short of Rwy 31L.
	HS 2	Twy G and Twy N in close proximity of Rwy 31L. Acft taxiing northbound on Twy N sometimes fail to make the turn onto Twy G and enter Rwy 31L without approval.


CITY/AIRPORT	HOT SPOT	DESCRIPTION
TYLER		
TYLER POUNDS RGNL (TYR)	HS 1	Rwy Incursion Risk: Complex int Twy K, Twy K2 leads to the approach end of 2 Rwy's, Rwy 18–36, and Rwy 13–31.
WACO		
WACO RGNL (ACT)	HS 1	Rwy 01 hold short line at approach end not visible from the tower.
WICHITA FALLS		
SHEPPARD AFB/WICHITA FALLS MUNI (SPS)	HS 1	Rwy 18–36 and Twy E. High number of vehicle traffic and crossings.
	HS 2	Twy G and Rwy 15R–33L. High numbers of aircraft and vehicles crossing and entering runway.
	HS 3	Twy G and Rwy 15C–33C. High numbers of aircraft and vehicles crossing and entering runway.

26246

AIRPORT DIAGRAM

AL-1 (FAA)

ABILENE RGNL (ABI)
ABILENE, TEXAS



AIRPORT DIAGRAM

26246


ABILENE, TEXAS
ABILENE RGNL (ABI)

26134

AIRPORT DIAGRAM

AL-13 (FAA)

ALEXANDRIA INTL (AEX)
ALEXANDRIA, LOUISIANA



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

RWY 14-32
PCR 630 R/A/W/T
S-81, D-180, 2D-330, 2D/2D2-850
RWY 18-36
PCR 580 R/A/W/T
S-75, D-130, 2D-191, 2D/2D2-502

AIRPORT DIAGRAM
26134
ALEXANDRIA, LOUISIANA
ALEXANDRIA INTL (AEX)


26134

AIRPORT DIAGRAM

ALTUS AFB (KLTS)

[USAF]


ALTUS, OKLAHOMA




AIRPORT DIAGRAM

ALTUS, OKLAHOMA

ALTUS AFB (KLTS)


26134
AIRPORT DIAGRAM
AL-19 (FAA)
RICK HUSBAND AMARILLO INTL (AMA)
AMARILLO, TEXAS
35°14'N
35°13'N
101°41'W
101°42'W
101°43'W
101°44'W
RWY 04-22
PCR 1820 R/D/W/T
S-100, D-200, 2D-400
RWY 13-31
PCR 780 R/D/W/T
S-100, D-200, 2D-400
ELEV 3594
ELEV 3603
ELEV 3603
ELEV 3606
7901 X 150
13502 X 200
129°
218°
038°
308°
HIRL Rwys 4-22 and 13-31
REIL Rwy 13
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
FIELD ELEV 3607
JANUARY 2000
ANNUAL RATE OF CHANGE
0.1° W
VAR 8° E
TWR
FIRE STATION
FBO
HANGARS
TERMINAL
FBO
HANGARS
HANGAR
ATIS
118.85 350.3
AMARILLO TOWER
118.3 (CTAF) 257.9
GND CON
121.9 348.6
CLNC DEL
121.65 239.275
D
AIRPORT DIAGRAM
26134
AMARILLO, TEXAS
RICK HUSBAND AMARILLO INTL (AMA)



26134
AIRPORT DIAGRAM
AL-22 (FAA)
ARDMORE MUNI (ADM)
ARDMORE, OKLAHOMA
ATIS
125.6
ARDMORE TOWER★
118.5 257.7
GND CON
121.8
D
FIELD ELEV 777
RWY 17-35
S-36
129°
0.7% DOWN
VAR 6° E
JANUARY 1995
ANNUAL RATE OF CHANGE
0.1° W
34°19.0'N
34°18.5'N
34°18.0'N
34°17.5'N
17
ELEV 751
9002 X 150
174°
5404 X 100
354°
0.5% UP
309°
0.3% UP
TWR
TERMINAL/ FBO
A1
A2
E3
E4
35
ELEV 729
ELEV 725
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
97°01.5'W
97°01.0'W
97°00.5'W
AIRPORT DIAGRAM
26134
ARDMORE, OKLAHOMA
ARDMORE MUNI (ADM)

26134

AIRPORT DIAGRAM

AL-5189 (FAA)

ARLINGTON MUNI (GKY)
ARLINGTON, TEXAS



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM

26134


ARLINGTON, TEXAS
ARLINGTON MUNI (GKY)

26134


AIRPORT DIAGRAM

AL-556 (FAA)

AUSTIN-BERGSTROM INTL (AUS)
AUSTIN, TEXAS



AIRPORT DIAGRAM
26134
AUSTIN, TEXAS
AUSTIN-BERGSTROM INTL (AUS)



26246
AIRPORT DIAGRAM
AL-5891 (FAA)
AUSTIN EXEC (EDC)
AUSTIN, TEXAS
AWOS-3
118.825
EXECUTIVE TOWER ★
120.3 (CTAF) L
GND CON
119.45
CLNC DEL
126.025 (When twr closed)
30°24.5'N
FIELD ELEV 620
13
A
B
126°
VAR 5° E
JANUARY 2010
ANNUAL RATE OF CHANGE
0.1° W
30°24.0'N
TERMINAL
HANGARS
HANGARS
A
B
6025 X 100
ELEV 615
161°
CLOSED INDEFINITELY
1550 X 25
D
A
E
TWR
306°
0.4% UP
341°
1.0% UP
ELEV 599
34
A
ELEV 597
31
30°23.5'N
MIRL Rwy 13-31 L
REIL Rwys 13 and 31 L
RWY 13-31
D-101
RWY 16-34
S-8
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
97°34.5'W
97°34.0'W
97°33.5'W
AIRPORT DIAGRAM
26246
AUSTIN, TEXAS
AUSTIN EXEC (EDC)

26134

AIRPORT DIAGRAM

AL-502 (FAA)

SAN MARCOS RGNL (HYI)
AUSTIN, TEXAS



AIRPORT DIAGRAM

26134

AUSTIN, TEXAS
SAN MARCOS RGNL (HYI)


26078

AIRPORT DIAGRAM

BARKSDALE AFB (KBAD)

[USAF]


BOSSIER CITY, LOUISIANA



AIRPORT DIAGRAM

BOSSIER CITY, LOUISIANA

BARKSDALE AFB (KBAD)


26190
AIRPORT DIAGRAM
AL-5442 (FAA)
BATESVILLE RGNL (BVX)
BATESVILLE, ARKANSAS
FIELD ELEV 465
35°44.0'N
35°43.5'N
91°38.5'W
91°39.0'W
91°39.5'W
FBO
ELEV 435
ELEV 465
ELEV 460
ELEV 452
0.9% UP
180°
360°
2804 X 60
18
36
26
8
MIRL Rwy 8-26
REIL Rwys 8 and 26
RWY 08-26 S-30, D-105, 2D-195
RWY 18-36 S-30, D-105
259°
079°
6002 X 150
VAR 7° E
JANUARY 2005
ANNUAL RATE OF CHANGE
0.1° W
AWOS-3PT
126.375
CTAF/UNICOM
122.8
AIRPORT DIAGRAM
26190
BATESVILLE, ARKANSAS
BATESVILLE RGNL (BVX)


26246

AIRPORT DIAGRAM

BATON ROUGE METRO, RYAN FLD (BTR)

BATON ROUGE, LOUISIANA

AL-40 (FAA)



AIRPORT DIAGRAM

26246


BATON ROUGE, LOUISIANA

BATON ROUGE METRO, RYAN FLD (BTR)

26190

AIRPORT DIAGRAM

STENNIS INTL (HSA)
BAY ST LOUIS, MISSISSIPPI



AIRPORT DIAGRAM

26190


BAY ST LOUIS, MISSISSIPPI
STENNIS INTL (HSA)

26246

AIRPORT DIAGRAM

AL-521 (FAA)

JACK BROOKS RGNL (BPT)
BEAUMONT/PORT ARTHUR, TEXAS



AIRPORT DIAGRAM


26246

BEAUMONT/PORT ARTHUR, TEXAS
JACK BROOKS RGNL (BPT)

26134

AIRPORT DIAGRAM

BENTONVILLE MUNI/LOUISE M THADEN FLD (VBT)
AL-6126 (FAA)
BENTONVILLE, ARKANSAS



AIRPORT DIAGRAM

26134

BENTONVILLE, ARKANSAS
BENTONVILLE MUNI/LOUISE M THADEN FLD (VBT)


25303

AIRPORT DIAGRAM

[USA]

BIGGS AAF (KBIF)

FORT BLISS, TEXAS




AIRPORT DIAGRAM

FORT BLISS, TEXAS
BIGGS AAF (KBIF)

26134

AIRPORT DIAGRAM

BROWNSVILLE/SOUTH PADRE ISLAND INTL (BRO)
AL-61 (FAA)
BROWNSVILLE, TEXAS



AIRPORT DIAGRAM

26134

BROWNSVILLE, TEXAS
BROWNSVILLE/SOUTH PADRE ISLAND INTL (BRO)


26190

AIRPORT DIAGRAM

INFINITY ONE OKLAHOMA SPACEPORT (CSM)

AL-778 (FAA)

BURNS FLAT, OKLAHOMA




AIRPORT DIAGRAM
26190
INFINITY ONE OKLAHOMA SPACEPORT (CSM)
BURNS FLAT, OKLAHOMA

26134

AIRPORT DIAGRAM

EASTERWOOD FLD (CLL)
COLLEGE STATION, TEXAS




AIRPORT DIAGRAM
26134
COLLEGE STATION, TEXAS
EASTERWOOD FLD (CLL)

26162

AIRPORT DIAGRAM

COLUMBUS AFB (KCBM)
COLUMBUS, MISSISSIPPI



AIRPORT DIAGRAM

COLUMBUS, MISSISSIPPI
COLUMBUS AFB (KCBM)


26190

AIRPORT DIAGRAM

GOLDEN TRIANGLE RGNL (GTR)

AL-5855 (FAA)

COLUMBUS/W POINT/STARKVILLE, MISSISSIPPI



AIRPORT DIAGRAM

26190

COLUMBUS/W POINT/STARKVILLE, MISSISSIPPI

GOLDEN TRIANGLE RGNL (GTR)


26190

AIRPORT DIAGRAM

[USN]

CORPUS CHRISTI NAS (TRUAX FIELD) (KNGP)

CORPUS CHRISTI, TEXAS



AIRPORT DIAGRAM

CORPUS CHRISTI, TEXAS


CORPUS CHRISTI NAS (TRUAX FIELD) (KNGP)

26190

AIRPORT DIAGRAM


AL-5032 (FAA)

CORPUS CHRISTI INTL (CRP)
CORPUS CHRISTI, TEXAS



AIRPORT DIAGRAM
26190

CORPUS CHRISTI, TEXAS
CORPUS CHRISTI INTL (CRP)



26134
AIRPORT DIAGRAM
AL-768 (FAA)
ADDISON (ADS)
DALLAS, TEXAS
ATIS
133.4
ADDISON TOWER ★
126.0 (CTAF) L 239.0
GND CON
121.6
CLNC DEL
119.55
D
ELEV
637
HS 1
HS 2
157°
FBO
32°58.5'N
HS 3
HANGARS
VAR 3° E
JANUARY 2025
ANNUAL RATE OF CHANGE
0.1° W
HS 4
7203 X 100
FBO
HS 5
U.S. CUSTOMS RAMP:
RESTRICTED AREA
TWR
32°58.0'N
HANGAR
FIRE
STATION
RWY 16-34
S-60, D-120
HS 6
FIELD
ELEV
644
HIRL Rwy 16-34 L
REIL Rwy 34
FUEL
FARM
HS 7
CAUTION: BE ALERT TO RUNWAY
CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING
INSTRUCTIONS IS REQUIRED.
FBO
337°
HS 8
HS 9
HANGARS
ELEV
636
EMAS
34
32°57.5'N
96°50.5'W
96°50.0'W
AIRPORT DIAGRAM
26134
DALLAS, TEXAS
ADDISON (ADS)

26134

AIRPORT DIAGRAM

AL-742 (FAA)


DALLAS EXEC (RBD)
DALLAS, TEXAS




AIRPORT DIAGRAM

26134

DALLAS, TEXAS
DALLAS EXEC (RBD)


26190
AIRPORT DIAGRAM
AL-106 (FAA)
DALLAS LOVE FLD (DAL)
DALLAS, TEXAS
D-ATIS
120.15
LOVE TOWER
123.7 239.3
GND CON
121.75 348.6
CLNC DEL
127.9
CPDLC
PDC
SAID IN USE. OPERATE TRANSPONDERS WITH ALTITUDE REPORTING MODE AND ADS-B (IF EQUIPPED) ENABLED ON ALL AIRPORT SURFACES.
96°51.5'W
96°51.0'W
96°50.5'W
32°51.5'N
32°51.0'N
32°50.5'N
32°50.0'N
VAR 3° E
JANUARY 2020
ANNUAL RATE OF CHANGE
0.1° W
ILS HOLD
ELEV 477
ELEV 476
GENERAL AVIATION
FIRE STATION
DE-ICE PAD
U.S. CUSTOMS
TERMINAL
TWR
7752 X 150
8800 X 150
133°
313°
RWY 13L-31R
PCR 450 R/B/W/T
S-100, D-200, 2D-350
RWY 13R-31L
PCR 865 R/D/W/T
S-120, D-250, 2D-388, 2D/2D2-875
FIELD ELEV 487
HIRL Rwys 13L-31R and 13R-31L
TDZL/RCLS Rwys 13L and 31L
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26190
DALLAS, TEXAS
DALLAS LOVE FLD (DAL)



26246
AIRPORT DIAGRAM
AL-6039 (FAA)
DALLAS-FORT WORTH INTL (DFW)
DALLAS-FORT WORTH, TEXAS
D-ATIS ARR 123.775
DEP 135.925
DFW TOWER
124.15 134.9 (WEST)
126.55 127.5 (EAST)
GND CON
121.65 121.8 (EAST)
121.85 (WEST)
CLNC DEL
128.25
CPDLC
PDC
D
ASDE-X in use. Operate transponders with altitude reporting mode and ADS-B (if equipped) enabled on all airport surfaces.
Runway Status Lights in operation.
JANUARY 2015
ANNUAL RATE OF CHANGE
0.1° W
VAR 4° E
9000 X 200
13400 X 150
13400 X 200
13401 X 200
9300 X 150
RWY 17L APCH HOLD
RWY 17L APCH HOLD
EAST AIR FREIGHT
EAST TWR
FIRE STATION #3
LAHSO
HANGAR 5
ILS HOLD
CENTER TWR
U.S. CUSTOMS
CENTRAL TERMINAL AREA
1E CORPORATE AVIATION RAMP
NE HOLD PAD
NW HOLD PAD
SE HOLD PAD
SW AREA HOLD PAD
5E RAMP
SOUTH RAMP
DE-ICING
NORTH WEST AIR FREIGHT
FIRE STATION #2
WEST AIR FREIGHT
HANGARS
WEST TWR
WEST CARGO
FIRE STATION #4
ILS HOLD
FIELD ELEV 606
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
RWY 13L-31R
PCR 1870 R/B/W/T
S-120, D-250, 2D-550, 2D/2D2-1120
RWY 13R-31L
PCR 1220 R/B/W/T
S-120, D-250, 2D-485, 2D/2D2-1005
RWY 17C-35C
PCR 2080 R/B/W/T
S-120, D-250, 2D-550, 2D/2D2-1120
RWY 17L-35R
PCR 1730 R/B/W/T
S-120, D-250, 2D-550, 2D/2D2-1120
RWY 17R-35L
PCR 1620 R/B/W/T
S-120, D-250, 2D-550, 2D/2D2-1049
RWY 18L-36R
PCR 1130 R/B/W/T
S-120, D-250, 2D-550, 2D/2D2-1066
RWY 18R-36L
PCR 1540 R/B/W/T
S-120, D-250, 2D-490, 2D/2D2-985
HIRL all rwys
REIL Rwys 13L and 31L
TDZL/RCLS all rwys except 13L and 31L
AIRPORT DIAGRAM
26246
DALLAS-FORT WORTH, TEXAS
DALLAS-FORT WORTH INTL (DFW)

26246

AIRPORT DIAGRAM

MCKINNEY NTL (TKI)
DALLAS, TEXAS

AL-6644 (FAA)



AIRPORT DIAGRAM

26246


DALLAS, TEXAS
MCKINNEY NTL (TKI)

26134

AIRPORT DIAGRAM

DENTON ENTERPRISE (DTO)
DENTON, TEXAS

AL-5866 (FAA)



AIRPORT DIAGRAM

26134

DENTON, TEXAS
DENTON ENTERPRISE (DTO)


26246

AIRPORT DIAGRAM

[USAF]

DYESS AFB (KDYS)


ABILENE, TEXAS



AIRPORT DIAGRAM

ABILENE, TEXAS

DYESS AFB (KDYS)



26246
AIRPORT DIAGRAM
AL-134 (FAA)
EL PASO INTL (ELP)
EL PASO, TEXAS
31°49'N
31°48'N
106°21'W
106°22'W
106°23'W
106°24'W
JANUARY 2015
ANNUAL RATE OF CHANGE
0.1° W
VAR 8° E
Not for Part 121/Part 380 Air Carrier
Use or Foreign Air Carrier
Equivalent: RWY 08L-26R
5499 X 75
085°
265°
ELEV 3949
ELEV 3953
FIELD ELEV 3962
0.3% DOWN
9025 X 150
0.5% UP
085°
ELEV 3927
ELEV 3917
1220 X 150
0.3% DOWN
220°
042°
ELEV 3950
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIR CARGO
NORTH FIRE ROAD
SOUTH FIRE ROAD
FIRE STATION
GA RAMP
TWR
FBO
FBO
NASA HANGARS
U.S. CUSTOMS
MILITARY RAMP
WASHRACK
HANGARS
WINNEBAGO
TERMINAL / U.S. CUSTOMS
HS 1
HIRL Rwys 4-22 and 8R-26L
MIRL Rwy 8L-26R
REIL Rwys 4 and 8R
RWY 04-22
PCR 680 F/B/X/T
S-100, D-180, 2D-350
RWY 08L-26R
PCR 100 R/C/W/T
S-60, D-180
RWY 08R-26L
PCR 520 F/B/X/T
S-100, D-180, 2D-350
D-ATIS 120.0 254.3
EL PASO TOWER 118.3 239.275
GND CON 121.9 348.6
CLNC DEL 125.0 379.1
PDC
D
AIRPORT DIAGRAM
26246
EL PASO, TEXAS
EL PASO INTL (ELP)

26134

AIRPORT DIAGRAM

AL-136 (FAA)

ENID WOODRING RGNL (WDG)
ENID, OKLAHOMA



AIRPORT DIAGRAM

26134


ENID, OKLAHOMA
ENID WOODRING RGNL (WDG)

26190

AIRPORT DIAGRAM

AL-728 (FAA)

DRAKE FLD (FYV)
FAYETTEVILLE, ARKANSAS



AIRPORT DIAGRAM

26190


FAYETTEVILLE, ARKANSAS
DRAKE FLD (FYV)

26246

AIRPORT DIAGRAM


AL-9274 (FAA)


NORTHWEST ARKANSAS NTL (XNA)
FAYETTEVILLE/SPRINGDALE/ROGERS, ARKANSAS



AIRPORT DIAGRAM
26246

FAYETTEVILLE/SPRINGDALE/ROGERS, ARKANSAS
NORTHWEST ARKANSAS NTL (XNA)



26190
AIRPORT DIAGRAM
AL-906 (FAA)
ROBERT GRAY AAF (GRK)
FORT HOOD (KILLEEN), TEXAS
ATIS
124.9
GRAY TOWER
120.75 285.5
GND CON
121.8 279.5
CLNC DEL
126.2 251.1
97°50'W
97°49'W
31°05'N
31°04'N
31°03'N
VAR 4° E
JANUARY 2020
ANNUAL RATE OF CHANGE
0.1° W
FIELD
ELEV
1015
0.3% DOWN
153°
HANGARS
HANGARS
HANGARS
HANGARS
TWR
BASE
OPS
FIRE
STATION
9997 X 200
RWY 15-33
PCN 59 R/B/W/T
HIRL Rwy 15-33
MILITARY
TERMINAL
CIVIL
TERMINAL
0.5% UP
333°
ELEV
971
15
33
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26190
FORT HOOD (KILLEEN), TEXAS
ROBERT GRAY AAF (GRK)


26134
AIRPORT DIAGRAM
AL-631 (FAA)
FORT SMITH RGNL (FSM)
FORT SMITH, ARKANSAS
35°21'N
35°20'N
94°21'W
94°22'W
94°23'W
ATIS
124.775
FORT SMITH TOWER★
118.3 (CTAF)
323.175
GND CON
121.9 275.8
CLNC DEL
133.85 278.3
D
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
RWY 02-20
PCR 425 F/D/X/T
S-102, D-138, 2D-193
RWY 08-26
PCR 470 F/C/W/T
S-114, D-175, 2D-258, 2D/2D2-714
VAR 10° E
JANUARY 2025
ANNUAL RATE OF CHANGE
0.1° W
ARM/DE-ARM PAD
(MILITARY USE ONLY)
TERMINAL/
ADMINISTRATION
MAINTENANCE
COMPLEX
HANGARS
TWR
HIRL Rwy 8-26
MIRL Rwy 2-20
ELEV 448
ELEV 447
ELEV 449
FIELD
ELEV
469
260°
200°
020°
080°
BAK-14/12B
9318 X 150
5001 X 150
0.5% DOWN
RESTRICTED
ACCESS
HANGAR
ARKANSAS
ANG
ANG
PARKING
FIRE
STATION
GENERAL
AVIATION
PARKING
FBO
EAST CORPORATE
TAXILINE
WEST CORPORATE
TAXILINE
ARM/DE-ARM PAD
(MILITARY USE ONLY)
AIRPORT DIAGRAM
26134
FORT SMITH, ARKANSAS
FORT SMITH RGNL (FSM)


26246

AIRPORT DIAGRAM

PEROT FLD/FORT WORTH ALLIANCE (AFW)
AL-6918 (FAA)
FORT WORTH, TEXAS



AIRPORT DIAGRAM
26246
FORT WORTH, TEXAS
PEROT FLD/FORT WORTH ALLIANCE (AFW)


26134
AIRPORT DIAGRAM
AL-159 (FAA)
FORT WORTH MEACHAM INTL (FTW)
FORT WORTH, TEXAS
ATIS
120.7
MEACHAM TOWER
118.3 257.8
GND CON
121.9
CLNC DEL
124.65
D
32°50.0'N
97°21.5'W
97°21.0'W
97°22.0'W
32°49.5'N
32°49.0'N
32°48.5'N
FIELD
ELEV
710
SAID in use. Operate transponders with altitude reporting mode and ADS-B (if equipped) enabled on all airport surfaces.
VAR 8° E
JANUARY 1975
ANNUAL RATE OF CHANGE
0.1° W
ILS HOLD
HANGARS
FBO
TERMINAL
U.S.
CUSTOMS
FIRE
STATION
TWR
CITY OF
FORT WORTH
HANGARS
FORT WORTH
AIR PD
HANGAR
Not for Part 121/Part 380 Air Carrier
Use or Foreign Air Carrier
Equivalent: RWY 17/35.
164°
344°
7502 X 150
4005 X 75
ELEV
668
ELEV
667
ELEV
674
35
34
H1
H2
0.5% UP
RWY 16-34
PCR 310 R/C/W/T
S-80, D-100, 2D-190, 2D/2D2-350
RWY 17-35
PCR 100 F/C/X/T
S-25, D-45
HIRL Rwy 16-34
MIRL Rwy 17-35
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26134
FORT WORTH, TEXAS
FORT WORTH MEACHAM INTL (FTW)


25163

AIRPORT DIAGRAM

FORT WORTH NAS JRB (CARSWELL FLD) (KNFW)

[USN]

FORT WORTH, TEXAS



AIRPORT DIAGRAM

FORT WORTH, TEXAS


FORT WORTH NAS JRB (CARSWELL FLD) (KNFW)

26190

AIRPORT DIAGRAM

AL-6917 (FAA)


FORT WORTH SPINKS (FWS)
FORT WORTH, TEXAS



AIRPORT DIAGRAM

26190

FORT WORTH, TEXAS
FORT WORTH SPINKS (FWS)



26190
AIRPORT DIAGRAM
AL-6113 (FAA)
GAINESVILLE MUNI (GLE)
GAINESVILLE, TEXAS
AWOS-3PT
118.375
CTAF/UNICOM
123.0
GCO
121.725
FIELD ELEV 846
VAR 3° E
JANUARY 2020
ANNUAL RATE OF CHANGE
0.1° W
18
ELEV 845
178°
33°39.5′ N
RWY 13-31
S-15
RWY 18-36
S-30, D-50
13
ELEV 826
130°
6000 X 100
4307 X 75
HANGARS
33°39.0′ N
0.8% UP
310°
31
ELEV 792
HANGARS
0.9% UP
358°
36
ELEV 792
33°38.5′ N
097°12.5′ W
097°12.0′ W
AIRPORT DIAGRAM
26190
GAINESVILLE, TEXAS
GAINESVILLE MUNI (GLE)

26134

AIRPORT DIAGRAM

AL-164 (FAA)

SCHOLES INTL AT GALVESTON (GLS)
GALVESTON, TEXAS



AIRPORT DIAGRAM

26134

GALVESTON, TEXAS
SCHOLES INTL AT GALVESTON (GLS)


26190

AIRPORT DIAGRAM

AL-5724 (FAA)

GEORGETOWN EXEC (GTU)


GEORGETOWN, TEXAS



RWY 11-29
S-12.5
RWY 18-36
S-30, D-60

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM
26190
GEORGETOWN, TEXAS
GEORGETOWN EXEC (GTU)


26190
AIRPORT DIAGRAM
AL-6153 (FAA)
GRANBURY RGNL (GDJ)
GRANBURY, TEXAS
AWOS-3PT
118.925
CTAF/UNICOM
123.0 L
32°27.0'N
ELEV
783
19
194°
1.0% UP
5201 X 75
014°
1
TERMINAL
32°26.5'N
MIRL Rwy 1-19 L
VAR 3° E
JANUARY 2025
ANNUAL RATE OF CHANGE
0.1° W
FIELD
ELEV
835
97°49.5'W
97°49.0'W
AIRPORT DIAGRAM
26190
GRANBURY, TEXAS
GRANBURY RGNL (GDJ)


26134

AIRPORT DIAGRAM

AL-9209 (FAA)

GRAND PRAIRIE MUNI (GPM)

GRAND PRAIRIE, TX




AIRPORT DIAGRAM
26134
GRAND PRAIRIE, TX
GRAND PRAIRIE MUNI (GPM)

26134

AIRPORT DIAGRAM

AL-5138 (FAA)

MAJORS (GVT)
GREENVILLE, TEXAS



AIRPORT DIAGRAM

26134


GREENVILLE, TEXAS
MAJORS (GVT)

26134

AIRPORT DIAGRAM

AL-572 (FAA)


GREENVILLE MID-DELTA (GLH)
GREENVILLE, MISSISSIPPI



AIRPORT DIAGRAM

26134

GREENVILLE, MISSISSIPPI
GREENVILLE MID-DELTA (GLH)



26190
AIRPORT DIAGRAM
AL-181 (FAA)
GREENWOOD-LEFLORE (GWO)
GREENWOOD, MISSISSIPPI
ASOS
119.975
GREENWOOD TOWER ★
118.35 367.6
GND CON
125.55 373.4
CLNC DEL
125.55
FIELD ELEV 162
VAR 1° W
JANUARY 2015
ANNUAL RATE OF CHANGE
0.1° W
233°
23
ELEV 154
33°30.0'N
ELEV 145
A5
182°
5011 X 150
B2
053°
0.3% UP
5
ELEV 140
TWR
33°29.5'N
6501 X 150
A4
A3
A2
002°
ELEV 36
139
RWY 05-23
S-30
RWY 18-36
S-100, D-176, 2D-300, 2D/2D2-560
33°29.0'N
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
90°05.5'W
90°05.0'W
90°04.5'W
AIRPORT DIAGRAM
26190
GREENWOOD, MISSISSIPPI
GREENWOOD-LEFLORE (GWO)

26246


AIRPORT DIAGRAM

AL-576 (FAA)

GULFPORT-BILOXI INTL (GPT)
GULFPORT, MISSISSIPPI



AIRPORT DIAGRAM
26246
GULFPORT, MISSISSIPPI
GULFPORT-BILOXI INTL (GPT)



26246
AIRPORT DIAGRAM
AL-5950 (FAA)
GUTHRIE/EDMOND RGNL (GOK)
GUTHRIE, OKLAHOMA
ASOS
133.975
UNICOM
122.8 (CTAF) L
ELEV 1050
35°51.5'N
158°
0.3% UP
VAR 7° E
JANUARY 1985
ANNUAL RATE OF CHANGE
0.1° W
5201 X 75
35°51.0'N
FBO
FIELD ELEV 1069
RWY 16-34
S-30, D-48, 2D-78
MIRL Rwy 16-34 L
REIL Rwy 16
REIL Rwy 34 L
338°
34
ELEV 1064
97°25.5'W
97°25.0'W
AIRPORT DIAGRAM
26246
GUTHRIE, OKLAHOMA
GUTHRIE/EDMOND RGNL (GOK)

26134

AIRPORT DIAGRAM

HAMMOND NORTHSHORE RGNL (HDC)

AL-6035 (FAA) HAMMOND, LOUISIANA




AIRPORT DIAGRAM
26134
HAMMOND NORTHSHORE RGNL (HDC)
HAMMOND, LOUISIANA

26190

AIRPORT DIAGRAM


AL-827 (FAA)

VALLEY INTL (HRL)
HARLINGEN, TEXAS



AIRPORT DIAGRAM
26190

HARLINGEN, TEXAS
VALLEY INTL (HRL)


26134
AIRPORT DIAGRAM
AL-5135 (FAA)
BOONE COUNTY (HRO)
HARRISON, ARKANSAS
ASOS
121.125
CTAF/UNICOM
123.0 L
FIELD
ELEV
1365
ELEV
1363
18
A1
182°
A
36°16.0'N
A2
TERMINAL
FBO
B
6161 X 150
VAR 4° E
JANUARY 1990
ANNUAL RATE OF CHANGE
0.1° W
A3
HANGAR
HANGAR
36°15.5'N
RWY 18-36
S-38, D-53, 2D-84
002°
A4
HIRL Rwy 18-36 L
REIL Rwy 18 L
V
ELEV
1351
A5
36
93°09.5'W
93°09.0'W
AIRPORT DIAGRAM
26134
HARRISON, ARKANSAS
BOONE COUNTY (HRO)


26190

AIRPORT DIAGRAM

AL-5037 (FAA)

HOUMA-TERREBONNE (HUM)

HOUMA, LOUISIANA



AIRPORT DIAGRAM

26190

HOUMA-TERREBONNE (HUM)

HOUMA, LOUISIANA


26190

AIRPORT DIAGRAM


CONROE/NORTH HOUSTON RGNL (CXO)


AL-5573 (FAA)

HOUSTON, TEXAS



AIRPORT DIAGRAM
26190
CONROE/NORTH HOUSTON RGNL (CXO)
HOUSTON, TEXAS


26246
AIRPORT DIAGRAM
AL-5457 (FAA)
DAVID WAYNE HOOKS MEML (DWH)
HOUSTON, TEXAS
ATIS
128.375
HOOKS TOWER★
118.4 (CTAF) L 354.1(WEST)
127.4 354.1 (EAST)
GND CON
121.8 239.0
CLNC DEL
119.45
D
VAR 5° E
JANUARY 2000
ANNUAL RATE OF CHANGE
0.1° W
95°33.5'W
95°33.0'W
30°04.5'N
30°04.0'N
30°03.5'N
NORTHWEST CORNER
ELEV 151
17R
HS 1
NORTH TERMINAL
RAMP A
RAMP
RAMP C
HANGARS
H1
H2
H3
H4
168°
TWR
HS 2
RAMP D
TRIANGLE
HS 3
ELEV 138
HS 6
ELEV 150
175°
WEST TERMINAL
7009 X 100
3500 X 35
2530 X 100
FIELD ELEV 152
HS 4
355°
HS 5
ELEV 138
RWY 17L-35R
S-12.5
RWY 17R-35L
S-30, D-85
348°
ELEV 145
35L
ELEV 144
35R
HIRL Rwy 17R-35L L
REIL Rwys 17R and 35L L
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26246
HOUSTON, TEXAS
DAVID WAYNE HOOKS MEML (DWH)



26134
AIRPORT DIAGRAM
AL-197 (FAA)
ELLINGTON (EFD)
HOUSTON, TEXAS
ATIS
135.575 269.9
ELLINGTON TOWER
126.05 253.5
GND CON
121.6 275.8
D
RWY 04-22
PCR 902 R/D/W/T
S-120, D-250, 2D-404, 2D/2D2-668
RWY 17L-35R
PCR 166 R/D/W/T
S-49, D-60, 2D-107, 2D/2D2-300
RWY 17R-35L
PCR 1914 R/C/W/T
S-120, D-250, 2D-550, 2D/2D2-800
VAR 5° E
JANUARY 2000
ANNUAL RATE OF CHANGE
0.1° W
1000 X 150
17R
ELEV 32
17L
ELEV 31
FIELD ELEV 33
174°
BAK-14/12B
4609 X 75
1014 X 150
ELEV 30
219°
TEXAS ANG
ANG BASE OPS
FIRE STATION
TEXAS ARNG
US COAST GUARD
NASA
TWR
MUSEUM
FBO
9001 X 150
354°
35R
ELEV 30
8001 X 150
039°
ELEV 26
35L
ELEV 28
Not for Part 121/Part 380 Air Carrier Use or Foreign Air Carrier Equivalent: RWY 17L-35R.
1000 X 150
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
29°37'N
29°36'N
095°10'W
095°09'W
AIRPORT DIAGRAM
26134
HOUSTON, TEXAS
ELLINGTON (EFD)

26246

AIRPORT DIAGRAM

AL-10328 (FAA)


HOUSTON EXEC (TME)
HOUSTON, TEXAS



AIRPORT DIAGRAM

26246

HOUSTON, TEXAS
HOUSTON EXEC (TME)



26246
AIRPORT DIAGRAM
GEORGE BUSH INTCNTL/HOUSTON (IAH)
AL-5461 (FAA)
HOUSTON, TEXAS
FIELD ELEV 96
30°00'N
29°59'N
29°58'N
95°23'W
95°22'W
95°21'W
95°20'W
95°19'W
95°18'W
D-ATIS 124.05
HOUSTON TOWER 120.725 290.2 (RWY 08L-26R) 125.35 290.2 (RWY 08R-26L) 127.3 288.25 (RWYS 15L-33R, 15R-33L) 135.15 290.2 (RWY 09-27)
GND CON 118.575 (RWYS 08L-26R, 09-27) 121.7 (RWYS 15L-33R, 15R-33L)
CLNC DEL 128.1
GND METERING 119.95
CPDLC
PDC
D
JANUARY 2015
ANNUAL RATE OF CHANGE 0.1° W
VAR 3° E
Runway Status Lights in operation.
ASDE-X in use. Operate transponders with altitude reporting mode and ADS-B (if equipped) enabled on all airport surfaces.
HIRL Rwys 15L-33R, 15R-33L, 8R-26L, 9-27 and 8L-26R
TDZL/RCLS Rwys 15R, 33L, 8R, 26L, 27, 8L and 26R
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
RWY 08L-26R
PCR 1100 R/A/W/T
S-75, D-210, 2D-409, 2D/2D2-873
RWY 08R-26L
PCR 1090 R/A/W/T
S-75, D-210, 2D-498, 2D/2D2-873
RWY 09-27
PCR 690 R/A/W/T
D-210, 2D-560
RWY 15L-33R
PCR 870 R/B/W/T
S-100, D-200, 2D-400, 2D/2D2-800
RWY 15R-33L
PCR 980 R/A/W/T
S-75, D-200, 2D-400, 2D/2D2-873
9000 X 150
9402 X 150
10000 X 150
12001 X 150
10000 X 150
ELEV 91
ELEV 94
ELEV 95
ELEV 92
ELEV 90
ELEV 84
ELEV 85
ELEV 87
ILS HOLD
LAHSO
FIRE STATION
HANGAR
FBO RAMP
CENTRAL CARGO
EAST CARGO
TERM A
TERM B
TERM C
TERM D
TERM E
TERM F
EAST HANGARS
TWR
FH BRIDGE
RB BRIDGE
SC BRIDGE
SF BRIDGE
AIRPORT DIAGRAM
26246
HOUSTON, TEXAS
GEORGE BUSH INTCNTL/HOUSTON (IAH)

26134

AIRPORT DIAGRAM

AL-6460 (FAA)

PEARLAND RGNL (LVJ)
HOUSTON, TEXAS



AIRPORT DIAGRAM

26134


HOUSTON, TEXAS
PEARLAND RGNL (LVJ)

26246

AIRPORT DIAGRAM


AL-5537 (FAA)


SUGAR LAND RGNL (SGR)
HOUSTON, TEXAS



AIRPORT DIAGRAM
26246

HOUSTON, TEXAS
SUGAR LAND RGNL (SGR)


26246
AIRPORT DIAGRAM
AL-198 (FAA)
WILLIAM P HOBBY (HOU)
HOUSTON, TEXAS
D-ATIS
124.6
HOBBY TOWER
118.7 256.9
GND CON
121.9
CLNC DEL
125.45
CPDLC
PDC
D
VAR 3° E
JANUARY 2015
ANNUAL RATE OF CHANGE
0.1° W
HIRL Rwys 4-22 and 13R-31L
MIRL Rwy 13L-31R
REIL Rwy 31L
TDZL/RCLS Rwys 4, 13R and 31L
ASDE-X in use. Operate transponders with altitude reporting mode and ADS-B (if equipped) enabled on all airport surfaces.
FIELD ELEV 46
HS 2
HS 1
ELEV 45
TERMINAL
TERMINAL RAMP SERVICE/PARKING
FBO RAMP
HANGAR
ELEV 39
HANGAR
HANGARS
WEST RAMP
HANGAR
TWR
FBO RAMP
HANGAR
EAST RAMP SERVICE/PARKING
FBO RAMP
ELEV 40
SERVICE/PARKING
FIRE STATION
U.S. CUSTOMS (PRIOR ARRANGEMENT REQUIRED)
FBO RAMP
FBO RAMP
HANGARS
ELEV 42
HANGARS
ELEV 42
SOUTH RAMP SERVICE/PARKING
HANGAR
7602 X 150
5148 X 100
7602 X 150
131°
311°
041°
221°
311°
29°39'N
29°38'N
95°17'W
95°16'W
RWY 04-22
PCR 620 R/C/W/T
S-75, D-200, 2D-400
RWY 13L-31R
PCR 200 R/D/W/T
S-30, D-45, 2D-80
RWY 13R-31L
PCR 670 R/B/W/T
S-75, D-195, 2D-220
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26246
HOUSTON, TEXAS
WILLIAM P HOBBY (HOU)



26134
AIRPORT DIAGRAM
AL-10220 (FAA)
INGLESIDE RGNL (TFP)
INGLESIDE, TEXAS
AWOS-3
118.775
CTAF/UNICOM
122.7 L
VAR 3° E
JANUARY 2030
ANNUAL RATE OF CHANGE
0.1° W
14
A3
ELEV
15
137°
A
27°55.0'N
A
A2
FIELD
ELEV
18
4999 X 75
A
317°
27°54.5'N
A1
32
ELEV
13
MIRL Rwy 14-32 L
REIL Rwys 14 and 32
97°13.0'W
97°12.5'W
AIRPORT DIAGRAM
26134
INGLESIDE, TEXAS
INGLESIDE RGNL (TFP)

26134

AIRPORT DIAGRAM

AL-206 (FAA)

HAWKINS FLD (HKS)
JACKSON, MISSISSIPPI



AIRPORT DIAGRAM


26134

JACKSON, MISSISSIPPI
HAWKINS FLD (HKS)

26246

AIRPORT DIAGRAM

JACKSON-MEDGAR WILEY EVERS INTL (JAN)
JACKSON, MISSISSIPPI
AL-5132 (FAA)



AIRPORT DIAGRAM

JACKSON, MISSISSIPPI
JACKSON-MEDGAR WILEY EVERS INTL (JAN)

26246


25163

AIRPORT DIAGRAM

[USAF]

KEESLER AFB (KBIX)

BILOXI, MISSISSIPPI



AIRPORT DIAGRAM


BILOXI, MISSISSIPPI

KEESLER AFB (KBIX)

25107

AIRPORT DIAGRAM

KELLY FLD (KSKF)
SAN ANTONIO, TEXAS
[USAF]



AIRPORT DIAGRAM

SAN ANTONIO, TEXAS
KELLY FLD (KSKF)


24361

AIRPORT DIAGRAM

KINGSVILLE NAS (KNQI)

[USN]

KINGSVILLE, TEXAS



AIRPORT DIAGRAM

KINGSVILLE, TEXAS


KINGSVILLE NAS (KNQI)

26134

AIRPORT DIAGRAM

AL-9154 (FAA)

FAYETTE RGNL AIR CENTER (3T5)
LA GRANGE, TEXAS



AIRPORT DIAGRAM


26134

LA GRANGE, TEXAS
FAYETTE RGNL AIR CENTER (3T5)

26134

AIRPORT DIAGRAM

LAFAYETTE RGNL/PAUL FOURNET FLD (LFT)
AL-865 (FAA)
LAFAYETTE, LOUISIANA




AIRPORT DIAGRAM
26134
LAFAYETTE, LOUISIANA
LAFAYETTE RGNL/PAUL FOURNET FLD (LFT)

26246

AIRPORT DIAGRAM

AL-5111 (FAA)

CHENNAULT INTL (CWF)
LAKE CHARLES, LOUISIANA



AIRPORT DIAGRAM

26246


LAKE CHARLES, LOUISIANA
CHENNAULT INTL (CWF)

26134

AIRPORT DIAGRAM

AL-5083 (FAA)

LAKE CHARLES RGNL (LCH)
LAKE CHARLES, LOUISIANA



AIRPORT DIAGRAM

26134


LAKE CHARLES, LOUISIANA
LAKE CHARLES RGNL (LCH)

26134

AIRPORT DIAGRAM

AL-226 (FAA)

LAREDO INTL (LRD)
LAREDO, TEXAS



AIRPORT DIAGRAM
26134

LAREDO, TEXAS
LAREDO INTL (LRD)


26246

AIRPORT DIAGRAM

[USAF]

LAUGHLIN AFB (KDLF)

DEL RIO, TEXAS



AIRPORT DIAGRAM

DEL RIO, TEXAS


LAUGHLIN AFB (KDLF)

26246

AIRPORT DIAGRAM

LAWTON-FORT SILL RGNL (LAW)
LAWTON, OKLAHOMA

AL-924 (FAA)



AIRPORT DIAGRAM

26246

LAWTON, OKLAHOMA
LAWTON-FORT SILL RGNL (LAW)


26246

AIRPORT DIAGRAM

LITTLE ROCK AFB (KLRF)

[USAF]


JACKSONVILLE, ARKANSAS



AIRPORT DIAGRAM

JACKSONVILLE, ARKANSAS

LITTLE ROCK AFB (KLRF)



26246
AIRPORT DIAGRAM
BILL AND HILLARY CLINTON NTL/ADAMS FLD (LIT)
AL-233 (FAA)
LITTLE ROCK, ARKANSAS
34°44'N
34°43'N
92°12'W
92°13'W
92°14'W
ELEV 259
22L
22R
ELEV 262
ILS HOLD
JANUARY 2020
ANNUAL RATE OF CHANGE
0.1° W
VAR 0° E
AIRFIELD MAINTENANCE FACILITY
CARGO AREA
FIRE STATION
TERMINAL
TWR
FBO
HANGARS
FIELD ELEV 266
RWY 04L-22R
PCR 865 R/B/W/T
S-75, D-200, 2D-350
RWY 04R-22L
PCR 719 R/A/W/T
S-75, D-200, 2D-350
RWY 18-36
PCR 347 R/B/W/T
S-75, D-100, 2D-135
8251 X 150
8728 X 150
6224 X 150
HIRL Rwys 4L-22R and 4R-22L
MIRL Rwy 18-36
TDZL/RCLS Rwy 22R
ELEV 259
ELEV HOLD 253
ELEV 253
EMAS
GENERAL AVIATION PARKING
FSDO
D-ATIS 125.65
ADAMS TOWER 118.7 257.8
GND CON 121.9 339.8
CINC DEL 118.95
PDC
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26246
LITTLE ROCK, ARKANSAS
BILL AND HILLARY CLINTON NTL/ADAMS FLD (LIT)

26134

AIRPORT DIAGRAM

AL-807 (FAA)

EAST TEXAS RGNL (GGG)
LONGVIEW, TEXAS



AIRPORT DIAGRAM
26134


LONGVIEW, TEXAS
EAST TEXAS RGNL (GGG)

26134

AIRPORT DIAGRAM

LUBBOCK PRESTON SMITH INTL (LBB)
LUBBOCK, TEXAS

AL-241 (FAA)



AIRPORT DIAGRAM

26134

LUBBOCK, TEXAS
LUBBOCK PRESTON SMITH INTL (LBB)


24025

AIRPORT DIAGRAM

[USA]

MAKS AAF (KPOE)


FORT JOHNSON, LOUISIANA



AIRPORT DIAGRAM

FORT JOHNSON, LOUISIANA

MAKS AAF (KPOE)


26246
AIRPORT DIAGRAM
AL-985 (FAA)
MC ALLEN INTL (MFE)
MC ALLEN, TEXAS
ATIS
128.5
MC ALLEN TOWER
118.5 256.9
GND CON
121.8
D
VAR 4° E
JANUARY 2020
ANNUAL RATE OF CHANGE
0.1° W
CARGO FACILITY
CARGO APRON
EMAS
HS 1
14
FIELD ELEV 107
137°
U.S. CUSTOMS APRON
BORDER PATROL
FBO
TERMINAL
ELEV 104
TERMINAL APRON
TWR
18
185°
C2
HANGARS
FIRE STATION
2639 X 60
A3
A4
7120 X 150
005°
0.3% UP
C1
HANGARS
ELEV 95
36
RWY 14-32
PCR 880 F/A/X/T
S-90, D-190, 2D-280
RWY 18-36
PCR 330 F/C/X/T
S-12.5
Not for Part 121/Part 380 Air Carrier
Use or Foreign Air Carrier
Equivalent: RWY 18-36.
317°
32
ELEV 101
26°11'N
26°10'N
98°15'W
98°14'W
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26246
MC ALLEN, TEXAS
MC ALLEN INTL (MFE)


26190

AIRPORT DIAGRAM

AL-6002 (FAA)

MENA INTERMOUNTAIN MUNI (MEZ)

MENA, ARKANSAS



AIRPORT DIAGRAM

26190

MENA, ARKANSAS

MENA INTERMOUNTAIN MUNI (MEZ)


26134

AIRPORT DIAGRAM

AL-254 (FAA)

KEY FLD (MEI)

MERIDIAN, MISSISSIPPI



AIRPORT DIAGRAM

26134

MERIDIAN, MISSISSIPPI

KEY FLD (MEI)


25331

AIRPORT DIAGRAM

MERIDIAN NAS (MC CAIN FIELD) (KNMM)

[USN]


MERIDIAN, MISSISSIPPI



AIRPORT DIAGRAM

MERIDIAN, MISSISSIPPI


MERIDIAN NAS (MC CAIN FIELD) (KNMM)


26190
AIRPORT DIAGRAM
MESQUITE METRO (HQZ)
MESQUITE, TEXAS
AL-6444 (FAA)
AWOS-3
118.175
MESQUITE TOWER ★
120.3
GND CON
118.85
FIELD ELEV 447
32°45.5'N
32°45.0'N
32°44.5'N
96°32.5'W
96°32.0'W
96°31.5'W
VAR 3° E
JANUARY 2015
ANNUAL RATE OF CHANGE
0.1° W
18 ELEV 446
178°
358°
36 ELEV 442
6000 X 100
NORTH APRON
SOUTH APRON
HANGARS
TERMINAL
TWR
RWY 18-36
S-70, D-100, 2D-100
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES. READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
A
B
C
D
E
F
G
AIRPORT DIAGRAM
26190
MESQUITE, TEXAS
MESQUITE METRO (HQZ)

26134

AIRPORT DIAGRAM

MIDLAND INTL AIR AND SPACE PORT (MAF)
AL-258 (FAA)
MIDLAND, TEXAS




AIRPORT DIAGRAM
26134
MIDLAND, TEXAS
MIDLAND INTL AIR AND SPACE PORT (MAF)

26134

AIRPORT DIAGRAM

AL-270 (FAA)


MONROE RGNL (MLU)
MONROE, LOUISIANA




AIRPORT DIAGRAM

26134

MONROE, LOUISIANA
MONROE RGNL (MLU)


26190
AIRPORT DIAGRAM
AL-6080 (FAA)
NEW BRAUNFELS NTL (BAZ)
NEW BRAUNFELS, TEXAS
FIELD ELEV 658
ATIS 119.325
NEW BRAUNFELS TOWER 127.05 285.4
GND CON 120.175
CLNC DEL 134.75
29°43.0'N
ELEV 658
13
128°
31
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
HANGARS
ELEV 647
HS 1
29°42.5'N
6503 X 100
173°
GA TENANT RAMP
HANGARS
G2 NORTH
G2 SOUTH
5364 X 100
308°
FBO RAMP/ GA TRANSIENT RAMP
ELEV 644
HANGARS
29°42.0'N
HANGARS
TWR
FBO
VAR 8° E
353°
HANGARS
JANUARY 1975
ANNUAL RATE OF CHANGE
0.1° W
ELEV 645
RWY 13-31
S-30, D-60
RWY 17-35
S-25
98°03.0'W
98°02.0'W
AIRPORT DIAGRAM
26190
NEW BRAUNFELS, TEXAS
NEW BRAUNFELS NTL (BAZ)



26134
AIRPORT DIAGRAM
AL-5040 (FAA)
ACADIANA RGNL (ARA)
NEW IBERIA, LOUSIANA
ASOS
133.325
ACADIANA TOWER ★
125.0 239.3
GND CON
121.7
CLNC DEL
118.05 (When Tower Closed)
121.7
D
30°03.5'N
30°03.0'N
30°02.5'N
30°02.0'N
30°01.5'N
91°53.5'W
91°53.0'W
91°52.5'W
HANGARS
HANGARS
HANGAR
HANGAR
FIELD ELEV 24
17
168°
VAR 0° E
JANUARY 2020
ANNUAL RATE OF CHANGE
0.1° W
8002 X 200
H1
SEAPLANE RAMP
HANGAR
HANGARS
CR
FBO
FIRE STATION
TWR
GA TRANSIENT PARKING
348°
ELEV 19
35
RWY 17-35
PCR 500 R/B/W/T
D-105, 2D-163, 2D/2D2-400
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26134
NEW IBERIA, LOUSIANA
ACADIANA RGNL (ARA)

26246

AIRPORT DIAGRAM

AL-288 (FAA)

LAKEFRONT (NEW)
NEW ORLEANS, LOUISIANA



AIRPORT DIAGRAM


26246

NEW ORLEANS, LOUISIANA
LAKEFRONT (NEW)

26190

AIRPORT DIAGRAM

LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)
AL-609 (FAA)
NEW ORLEANS, LOUISIANA




AIRPORT DIAGRAM
26190
NEW ORLEANS, LOUISIANA
LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)

26134

AIRPORT DIAGRAM

[USN]

NEW ORLEANS NAS JRB
(ALVIN CALLENDER FLD) (KNBG)
NEW ORLEANS, LOUISIANA



AIRPORT DIAGRAM

NEW ORLEANS, LOUISIANA
NEW ORLEANS NAS JRB
(ALVIN CALLENDER FLD) (KNBG)


26190

AIRPORT DIAGRAM

UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)

AL-5672 (FAA)

NORMAN, OKLAHOMA



AIRPORT DIAGRAM

26190

UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)


NORMAN, OKLAHOMA

26134

AIRPORT DIAGRAM

AL-5897 (FAA)

NORTH LITTLE ROCK MUNI (ORK)
NORTH LITTLE ROCK, ARKANSAS



AIRPORT DIAGRAM

26134


NORTH LITTLE ROCK, ARKANSAS
NORTH LITTLE ROCK MUNI (ORK)

26134

AIRPORT DIAGRAM

CLARENCE E PAGE MUNI (RCE)
OKLAHOMA CITY, OKLAHOMA

AL-298 (FAA)



AIRPORT DIAGRAM

OKLAHOMA CITY, OKLAHOMA
CLARENCE E PAGE MUNI (RCE)


26134

26134

AIRPORT DIAGRAM

AL-739 (FAA)

WILEY POST (PWA)
OKLAHOMA CITY, OKLAHOMA



AIRPORT DIAGRAM

26134


OKLAHOMA CITY, OKLAHOMA
WILEY POST (PWA)

26190

AIRPORT DIAGRAM

AL-301 (FAA)

OKC WILL ROGERS INTL (OKC)
OKLAHOMA CITY, OKLAHOMA



AIRPORT DIAGRAM

26190


OKLAHOMA CITY, OKLAHOMA
OKC WILL ROGERS INTL (OKC)

26134

AIRPORT DIAGRAM

AL-5883 (FAA)

OLIVE BRANCH/TAYLOR FLD (OLV)
OLIVE BRANCH, MISSISSIPPI



AIRPORT DIAGRAM
26134

OLIVE BRANCH, MISSISSIPPI
OLIVE BRANCH/TAYLOR FLD (OLV)


25303

AIRPORT DIAGRAM

ORANGE GROVE NALF (KNOG)

[USN]


ORANGE GROVE, TEXAS



AIRPORT DIAGRAM

ORANGE GROVE, TEXAS

ORANGE GROVE NALF (KNOG)



26134
AIRPORT DIAGRAM
AL-803 (FAA)
COX FLD (PRX)
PARIS, TEXAS
AWOS-3PT
119.675
UNICOM
122.975 (CTAF)
D
FIELD ELEV 548
ELEV 541
17
175°
ELEV 540
14
137°
VAR 4° E
JANUARY 2005
ANNUAL RATE OF CHANGE
0.1° W
33°38.5'N
4624 X 150
21
ELEV 546
213°
6002 X 100
TERMINAL
4624 X 150
317°
H1
33°38.0'N
32
ELEV 547
033°
0.3% UP
ELEV 530
355°
35
ELEV 526
RWYS 03-21, 14-32
S-26
RWY 17-35
S-30
MIRL Rwy 17-35
95°27.5'W
95°27.0'W
AIRPORT DIAGRAM
26134
PARIS, TEXAS
COX FLD (PRX)

26134

AIRPORT DIAGRAM

AL-5404 (FAA)

TRENT LOTT INTL (PQL)
PASCAGOULA, MISSISSIPPI



AIRPORT DIAGRAM
26134
PASCAGOULA, MISSISSIPPI
TRENT LOTT INTL (PQL)


26190

AIRPORT DIAGRAM

RANDOLPH AFB (KRND)

[USAF]

UNIVERSAL CITY, TEXAS



AIRPORT DIAGRAM


UNIVERSAL CITY, TEXAS

RANDOLPH AFB (KRND)

26134

AIRPORT DIAGRAM

PORT OF SOUTH LOUISIANA EXEC RGNL (APS)
AL-9134 (FAA)
RESERVE, LOUISIANA




AIRPORT DIAGRAM
26134
RESERVE, LOUISIANA
PORT OF SOUTH LOUISIANA EXEC RGNL (APS)

26134

AIRPORT DIAGRAM

AL-5002 (FAA)


ROGERS EXEC - CARTER FLD (ROG)
ROGERS, ARKANSAS



AIRPORT DIAGRAM

26134

ROGERS, ARKANSAS
ROGERS EXEC - CARTER FLD (ROG)



26134
AIRPORT DIAGRAM
SAN ANGELO RGNL/MATHIS FLD (SJT)
AL-367 (FAA)
SAN ANGELO, TEXAS
ATIS
128.45 319.0
MATHIS TOWER
118.3 284.7
GND CON
121.9 348.6
FIRE STATION
ELEV 1897
VAR 5° E
31° 22′ N
U.S. CUSTOMS
JANUARY 2020
ANNUAL RATE OF CHANGE
0.1° W
0.3% UP
HS 1
ELEV 1902
4406 X 75
092°
272°
218°
ELEV 1893
ELEV 1898
FBO
TWR
31° 21.5′ N
HS 2
TERMINAL
5940 X 150
0.4% UP
8054 X 150
RWY 03-21
PCR 450 F/B/X/T
S-70, D-100
RWY 09-27
PCR 170 F/C/X/T
S-70, D-100
RWY 18-36
PCR 490 F/C/X/T
S-70, D-100
038°
31° 21′ N
ELEV 1916
GENERAL AVIATION PARKING
HS 3
002°
0.3% DOWN
FIELD ELEV 1919
100° 30′ W
100°29.5′ W
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26134
SAN ANGELO, TEXAS
SAN ANGELO RGNL/MATHIS FLD (SJT)

26246

AIRPORT DIAGRAM

AL-10309 (FAA)


BOERNE STAGE AIRFIELD (5C1)
SAN ANTONIO, TEXAS



AIRPORT DIAGRAM

26246

SAN ANTONIO, TEXAS
BOERNE STAGE AIRFIELD (5C1)



26134
AIRPORT DIAGRAM
AL-369 (FAA)
SAN ANTONIO INTL (SAT)
SAN ANTONIO, TEXAS
29°32.5'N
29°32.0'N
29°31.5'N
98°29.5'W
98°29.0'W
98°28.5'W
98°28.0'W
98°27.5'W
98°27.0'W
D-ATIS 118.9
SAN ANTONIO TOWER 119.8 257.8
GND CON 121.9 348.6
CLNC DEL 126.7
CPDLC
PDC
SAID in use. Operate transponders with altitude reporting mode and ADS-B (if equipped) enabled on all airport surfaces.
FIELD ELEV 809
RWY 04-22
PCR 950 R/B/W/T
S-95, D-190, 2D-270
RWY 13L-31R
PCR 570 F/C/X/T
S-59, D-120
RWY 13R-31L
PCR 810 R/B/W/T
S-95, D-190, 2D-270
Not for Part 121/Part 380 Air Carrier Use or Foreign Air Carrier Equivalent: RWY 13L-31R.
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
ALL AIRCRAFT USE UPPER ANTENNA UNTIL AIRBORNE
JANUARY 2020
ANNUAL RATE OF CHANGE
0.1° W
VAR 4° E
8502 X 150
5519 X 100
8505 X 150
0.3% DOWN
0.4% UP
0.3% UP
0.5% UP
0.5% DOWN
128°
308°
217°
037°
311
ELEV 797
ELEV 779
ELEV 786
ELEV 755
FIELD ELEV 809
FIRE STATION
GENERAL AVIATION CUSTOMS RAMP
EAST CARGO RAMP
WEST RAMP
SOUTH RAMP
AIR CARGO WEST
TERMINAL A
TERMINAL B
TWR
U.S. CUSTOMS
FBO
G.R.E.
WARNING
TAXIING NORTH ON TWY "L" NOT AUTHORIZED.
HIRL Rwys 13R-31L and 4-22
MIRL Rwy 13L-31R
REIL Rwys 13L, 31R and 22
TDZL/RCLS Rwy 13R
HS 1
HS 2
AIRPORT DIAGRAM
26134
SAN ANTONIO, TEXAS
SAN ANTONIO INTL (SAT)

26134

AIRPORT DIAGRAM

AL-372 (FAA)

STINSON MUNI (SSF)
SAN ANTONIO, TEXAS



AIRPORT DIAGRAM

26134


SAN ANTONIO, TEXAS
STINSON MUNI (SSF)

26134

AIRPORT DIAGRAM

AL-389 (FAA)

NORTH TEXAS RGNL/PERRIN FLD (GYI)
SHERMAN/DENISON, TEXAS



AIRPORT DIAGRAM

26134


SHERMAN/DENISON, TEXAS
NORTH TEXAS RGNL/PERRIN FLD (GYI)

26134

AIRPORT DIAGRAM

AL-392 (FAA)

SHREVEPORT DOWNTOWN (DTN)
SHREVEPORT, LOUISIANA



AIRPORT DIAGRAM

26134


SHREVEPORT, LOUISIANA
SHREVEPORT DOWNTOWN (DTN)

26134

AIRPORT DIAGRAM

AL-884 (FAA)

SHREVEPORT RGNL (SHV)
SHREVEPORT, LOUISIANA



AIRPORT DIAGRAM

26134


SHREVEPORT, LOUISIANA
SHREVEPORT RGNL (SHV)

26246

AIRPORT DIAGRAM

AL-5565 (FAA)

SMITH FLD (SLG)
SILOAM SPRINGS, ARKANSAS



AIRPORT DIAGRAM

26246


SILOAM SPRINGS, ARKANSAS
SMITH FLD (SLG)

26134

AIRPORT DIAGRAM

AL-5165 (FAA)

SPRINGDALE MUNI (ASG)
SPRINGDALE, ARKANSAS



AIRPORT DIAGRAM
26134


SPRINGDALE, ARKANSAS
SPRINGDALE MUNI (ASG)

26190

AIRPORT DIAGRAM

AL-6026 (FAA)


STEPHENVILLE CLARK RGNL (SEP)
STEPHENVILLE, TEXAS




AIRPORT DIAGRAM

26190

STEPHENVILLE, TEXAS
STEPHENVILLE CLARK RGNL (SEP)


26190
AIRPORT DIAGRAM
AL-5151 (FAA)
STILLWATER RGNL (SWO)
STILLWATER, OKLAHOMA
STILLWATER TOWER*
125.35 (CTAF) L
GND CON
121.6
D
FIELD ELEV 1000
174°
VAR 5° E
JANUARY 2005
ANNUAL RATE OF CHANGE
0.1° W
36°10.0′ N
MIRL Rwys 17-35 and 4-22 L
REIL Rwy 35 L
ELEV 986
220°
7401 X 100
5002 X 75
HANGAR
UNIVERSITY FLIGHT DEPARTMENT HANGAR
HANGARS
HANGAR 1 APRON
HANGAR
HANGAR
36°9.5′ N
COMMERICAL AIR SERVICE OPERATIONS APRON
TWR / TERMINAL / FBO
TERMINAL APRON
FIRE STATION
HANGAR
HANGARS
040°
0.5% UP
ELEV 961
RWY 04-22
PCR 158 R/C/W/T
S-34, D-60
RWY 17-35
PCR 582 R/C/W/T
S-100, D-157, 2D-310
354°
0.5% UP
ELEV 966
35
UNIVERSITY FLIGHT CENTER APRON SOUTH
97°5.5′ W
97°5.0′ W
36°9.0′ N
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
AIRPORT DIAGRAM
26190
STILLWATER, OKLAHOMA
STILLWATER RGNL (SWO)


26134
AIRPORT DIAGRAM
AL-420 (FAA)
TEXARKANA RGNL-WEBB FLD (TXK)
TEXARKANA, ARKANSAS
ATIS
120.2
TEXARKANA TOWER
123.875 (CTAF) L
235.625
GND CON
119.225
D
HIRL Rwy 4-22 L
MIRL Rwy 13-31 L
VAR 5° E
JANUARY 1985
ANNUAL RATE OF CHANGE
0.1° W
ELEV
361
NORTH
RAMP
0.5% UP
130°
220°
ELEV
384
33°28.0′ N
33°27.5′ N
33°27.0′ N
33°26.5′ N
TWR
FBO
SOUTH
RAMP
HANGARS
6602 X 150
5200 X 100
FIELD
ELEV
390
COMMERCIAL
RAMP
TERMINAL
FIRE
STATION
310°
ELEV
386
040°
0.7% UP
ELEV
338
CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.
RWY 04-22
PCR 459 F/B/X/T
S-50, D-86, 2D-120
RWY 13-31
PCR 180 F/C/Y/U
S-25
94°0.0′ W
93°59.5′ W
93°59.0′ W
AIRPORT DIAGRAM
26134
TEXARKANA, ARKANSAS
TEXARKANA RGNL-WEBB FLD (TXK)


26134

AIRPORT DIAGRAM

TINKER AFB (KTIK)

[USAF]

OKLAHOMA CITY, OKLAHOMA



AIRPORT DIAGRAM

OKLAHOMA CITY, OKLAHOMA


TINKER AFB (KTIK)

26134

AIRPORT DIAGRAM

AL-5427 (FAA)

TULSA RIVERSIDE (RVS)
TULSA, OKLAHOMA



AIRPORT DIAGRAM

26134


TULSA, OKLAHOMA
TULSA RIVERSIDE (RVS)

26246

AIRPORT DIAGRAM

AL-432 (FAA)

TULSA INTL (TUL)
TULSA, OKLAHOMA



AIRPORT DIAGRAM


26246

TULSA, OKLAHOMA
TULSA INTL (TUL)

26134

AIRPORT DIAGRAM

TUPELO RGNL (TUP)
TUPELO, MISSISSIPPI



AIRPORT DIAGRAM

26134

TUPELO, MISSISSIPPI
TUPELO RGNL (TUP)


26190

AIRPORT DIAGRAM

TYLER POUNDS RGNL (TYR)

TYLER, TEXAS

AL-622 (FAA)



RWY 04-22
PCR 640 R/B/W/T
S-120, D-222, 2D-357
RWY 13-31
PCR 150 F/D/X/T
S-25, D-40
RWY 18-36
PCR 670 F/C/X/T
S-109, D-172, 2D-289

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM
26190
TYLER, TEXAS
TYLER POUNDS RGNL (TYR)


26190

AIRPORT DIAGRAM

VANCE AFB (KEND)

[USAF]

ENID, OKLAHOMA



AIRPORT DIAGRAM

ENID, OKLAHOMA


VANCE AFB (KEND)

26134

AIRPORT DIAGRAM

AL-438 (FAA)

VICTORIA RGNL (VCT)
VICTORIA, TEXAS



AIRPORT DIAGRAM

26134


VICTORIA, TEXAS
VICTORIA RGNL (VCT)

26190

AIRPORT DIAGRAM

AL-579 (FAA)

TSTC WACO (CNW)
WACO, TEXAS



AIRPORT DIAGRAM

26190


WACO, TEXAS
TSTC WACO (CNW)

26134

AIRPORT DIAGRAM

WACO RGNL (ACT)
WACO, TEXAS

AL-439 (FAA)




AIRPORT DIAGRAM
26134
WACO, TEXAS
WACO RGNL (ACT)

26134

AIRPORT DIAGRAM

AL-441 (FAA)

WALNUT RIDGE RGNL (ARG)
WALNUT RIDGE, ARKANSAS



AIRPORT DIAGRAM
26134

WALNUT RIDGE, ARKANSAS
WALNUT RIDGE RGNL (ARG)


25219

AIRPORT DIAGRAM

SHEPPARD AFB/WICHITA FALLS MUNI (KSPS)

[USAF]

WICHITA FALLS, TEXAS



AIRPORT DIAGRAM

WICHITA FALLS, TEXAS

SHEPPARD AFB/WICHITA FALLS MUNI (KSPS)


26134

AIRPORT DIAGRAM

YOAKUM DEFRENN AHP (FORT HOOD) (KHLR)

[USA]

FORT HOOD, TEXAS



AIRPORT DIAGRAM

FORT HOOD, TEXAS

YOAKUM DEFRENN AHP (FORT HOOD) (KHLR)

Submitting Pilot Weather Reports (PIREPs)

1. UA - Routine PIREP / UUA - Urgent PIREP

2. /OV - Location: Use Airport or NAVAID identifiers only.

- Location can be reported as a single fix, radial DME, or a route segment (Fix- Fix)

Examples: /OV LAX, /OV LAX-SLI120005, /OV PDZ-PSP.

3. /TM – Time: When conditions occurred or were encountered**.**

- Use 4 digits in UTC.

Examples: /TM 1645, /TM 0915

4. /FL - Altitude/Flight Level

- Use 3 digits for hundreds of feet. If not known, use UNKN.

Examples: /FL095, /FL310, /FLUNKN

5. /TP - Type aircraft: Required if reporting Turbulence or Icing

- No more than 4 characters, use UNKN if the type is not known.

Examples: /TP P28A, /TP RV8, /TP B738, /TP UNKN

6. /SK – Sky Condition/Cloud layers:

- Report cloud coverage using contractions: FEW, SCT, BKN, OVC, SKC
- Report bases in hundreds of feet: BKN005, SCT015, OVC200
- If bases are unknown, use UNKN
- Report cloud tops in hundreds of feet: TOP120

Examples: /SK BKN035, /SK SCT UNKN-TOP125, /SK OVC095-TOP125/ SKC

7. /WX - Weather: Flight visibility is always reported first. Append FV reported with SM.

- Report visibility using 2 digits: FV01SM, FV10SM
- Unrestricted visibility use FV99SM.
- Use standard weather contractions e.g.: RA, SH, TS, HZ, FG, -, +

Examples: /WX FV01SM +SHRA, /WX FV10 SM -RA BR.

8. /TA - Air temperature (Celsius): Required when reporting icing

- 2 digits, unless below zero, then prefix digits with M.

Examples:/TA 15, /TA 04 /TA M06

9. /WV - Wind: Direction in 3 digits, speed in 3 or 4 digits, followed by KT.

Examples: /WV 270045KT, /WV 080110KT

10. /TB - Turbulence:

- Report intensity using LGT, MOD, SEV, or EXTRM
- Report duration using INTMT, OCNL or CONS when reported by pilot.
- Report type using CAT or CHOP when reported by pilot.
- Include altitude only if different from /FL.
- Use ABV or BLO when limits are not defined.
- Use NEG if turbulence is not encountered.

Examples: /TB OCNL MOD, /TB LGT CHOP, /LGT 060, /TB MOD BLO 090, / TB NEG

11. /IC - Icing:

- Report intensity using TRACE, LGT, MOD or SEV
- Report type using RIME,CLR, or MX
- Include altitude only if different than /FL.
- Use NEG if icing not encountered.

Examples: /IC LGT-MOD RIME, /IC SEV CLR 028-045, /IC NEG

12. /RM - Remarks: Use to report phenomena that does not fit in any other field.

- Report the most hazardous element first.
- Name of geographic location from /OV field fix.

Examples: /RM LLWS +/-15KT SFC-003 DURC RWY22 JFK
/RM MTN WAVE, /RM DURC, /RM DURD, /RM MULLAN PASS
/RM BA RWY 02L BA MEDIUM TO POOR 3IN DRY SN OVER COMPACTED SN

Examples of Completed PIREPS

UA /OV RFD /TM 1315 /FL160 /TP PA44 /SK OVC025-TOP095/OVC150 /TA M12 /TB INTMT LGT CHOP

UA /OV DHT360015-AMA /TM 2116 /FL050 /TP PA32 /SK BKN090 /WX FV05SM –RA /TA 04 /TB LGT /IC NEG

UUA /OV PDZ010018 /TM 1520 /FL125 /TP C172 /WV 270048KT TB SEV 055-085 /RM CAJON PASS

*


PIREP FORM

3 or 4 letter Identifier

____ ____ ____ ____ 1. **UA**____ **UUA**_____
Routine **Urgent**

2. **/OV**	Location
3. **/TM**	Time
4. **/FL**	Altitude/Flight Level
5. **/TP**	Aircraft Type
Items 1 through 5 are mandatory for all PIREPs	
6. **/SK**	Sky Condition
7. **/WX**	Flight Visibility & Weather
8. **/TA**	Temperature (Celsius)
9. **/WV**	Wind
10. **/TB**	Turbulence
11. **/IC**	Icing
12. **/RM**	Remarks

FAA Form 7110-2 (9/19) Supersedes Previous Edition



FAA Product ID: AFDSC

NSN 7641014109601

EFF. DATE 26246

NGA REF. NO. ENRXXAFDUSSC

OK-10-2861

SC AR LA MS OK TX

3 SEP 2026 TO 29 OCT 2026